



MEDICAL LIBRARY

(MINISTRY OF HEALTH.)





Ann: Report of the
Births, Deaths & Marriages
(67)

Lent Reminder Ret'd



22500993397

No.....

MINISTRY OF HEALTH.

MEDICAL LIBRARY.

This book may be retained for 14 days. It should be returned to the Medical Library (Room 30/IV) on or before the latest date given below.

The volume may be reborrowed for a further period upon written request provided it is not required by another officer.

| | | | |
|--|--|--|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

24

DETAILED ANNUAL REPORT

REGISTER GENERAL

BIRTHS, DEATHS, AND MARRIAGES

IN SCOTLAND.

CONTENTS OF 1887.

Printed and Published by H. K. LEITCH, Edinburgh.

EDINBURGH.

PRINTED BY H. K. LEITCH, EDINBURGH.

1888.

(1888)

1694

THIRTEENTH

DETAILED ANNUAL REPORT

OF THE

REGISTRAR-GENERAL


OF

BIRTHS, DEATHS, AND MARRIAGES

IN SCOTLAND.

(ABSTRACTS OF 1867.)

Presented to both Houses of Parliament by Command of Her Majesty.



EDINBURGH:

PRINTED BY MURRAY AND GIBB,

FOR HER MAJESTY'S STATIONERY OFFICE.

1869.

| | |
|-------------------------------|-----------|
| WELLCOME INSTITUTE LIBRARY | |
| Coll. | wellMOmec |
| Call | SW |
| No. | WA |
| | |
| | |
| | |

REPORT.

TO THE

RIGHT HON^{BLE}. H. AUSTIN BRUCE, M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, *December 31, 1869.*

SIR,

IN conformity with the requirements of the seventh section of the Scottish Registration Act, 17 and 18 Vict. cap. 80, at the close of the year 1867 I submitted to the Secretary of State for the Home Department a General Abstract of the Births, Deaths, and Marriages registered in Scotland during that year, together with a short explanatory statement relative to the same.

Along with that was transmitted my Third Annual Report on Vaccination, conform to the nineteenth section of the Scottish Vaccination Act, 26 and 27 Vict. cap. 108.

I have now the honour to forward to you my Detailed Report for the same year, with relative Tables.

In many countries the mortality is greatly influenced by the abundance and price of the provisions, but in Scotland no appreciable connection has as yet been traced between the two. In 1867 the price of all kinds of provisions was high, yet the mortality was much below that of the four previous years, when all kinds of food were abundant, good in quality, and cheap.

Though the Marriages did not rise above the average in 1867, yet the birth-rate was high.

Being desirous of ascertaining whether the Births and Marriages were subject to the same law of increase, in proportion to density of population, as has been so often proved to be the case with regard to the Deaths, I caused to be prepared a series of Tables which throw light on this important subject. These

show, for a period of ten years, the number and relative proportions of the Births, Deaths, and Marriages in each of the four groups of districts into which I divided Scotland, according to density of population—viz. Principal Towns, Large Towns, Small Towns, and Rural Districts. The facts thus elicited seem to prove, that if density of population increases mortality, which is an undoubted fact, there is an exact compensation for this in the increased number of Marriages and of Births. As a general rule, it was found that the larger the town, or the more dense the population, the greater was the proportion of its Births, Deaths, and Marriages; and that, as the towns get smaller, the proportions of each and all of these events diminished, till they merged in the low proportions peculiar to the Rural Districts.

The state of elementary education among the people, as indicated by the number of those who were able to sign their names in writing in the Marriage Registers, was highly satisfactory—89·41 per cent. of the men, and 79·27 per cent. of the women who married in 1867, having been able to sign their names in writing.

So far as it has gone, the Vaccination Act seems to have been a great success in Scotland, and under its provisions the mortality of Small-pox has been reduced nearly as low as the most perfect legislative measure could accomplish. A few slight modifications of some of its provisions, which in former Reports I brought under the notice of the Home Secretary, would do much to render the Act more perfect, and still further increase its efficacy in the diminution of Small-pox.

In transmitting this Report, I am happy to be able to call your attention to the fact that we have now been able to wipe off the arrear of five years which existed in 1861, when the series of our Detailed Annual Reports commenced. These Reports are now brought up to as close a proximity with the current year as is possible; for, under the statutory arrangement by which we are regulated, an arrear of two years must always exist.

I have the honour to be,

SIR,

Your faithful Servant,

W. PITT DUNDAS,

Registrar-General.

CONTENTS.

| | Page |
|--|--------|
| Report of Registrar-General to the Secretary of State, | iii |
| Report by Dr Stark to the Registrar-General, | ix |
| Tables of Estimated Population, with the Number of Births, Deaths, and Marriages registered in Scotland during each of the years 1855 to 1867 inclusive, and their Proportions to the Population; showing also the excess of Births over Deaths, | ix |
| Tables showing the Number and Proportion of Births, Deaths, and Marriages in the Insular, Mainland-Rural, and Town Districts, during each of the twelve years 1855 to 1867, | xi |
| Table showing the Number and Proportion of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during 1867, | xi |
| Table showing the Number and Proportion of the Births, Deaths, and Marriages registered in the Divisions and Counties of Scotland during the year 1867, | xii |
| Series of Tables showing the Number and Proportion of Births, Deaths, and Marriages in Scotland, when it is divided into Four Groups of Districts, according to Density of Population, | xv-xvi |

BIRTHS.

| | |
|--|------|
| Births in 1867, and their Proportion to the Population, with relative Tables, | xiii |
| Influence of Density of Population on the Births, | xiii |
| Tables showing particulars relative to the Births during each of the years 1856 to 1867 inclusive, | xiv |

MARRIAGES.

| | |
|---|-------|
| Number of Marriages in 1867, and their Proportion to the Population, | xvii |
| Influence of Density of Population on the Marriages, | xvii |
| Proportion of Legitimate Children to the Marriages in Scotland and England, | xviii |
| Number and Proportion of Marriages contracted according to the Rites of the several Religious Denominations in 1867, and from 1855 to 1867, with relative Tables, | xix |
| Number and Proportion of Persons marrying at different Ages, with relative Tables, | xx |
| Influence of Climate in retarding the period of Marriage, | xxii |
| Number and Proportion of Marriages between Persons in different Conjugal Conditions, with relative Tables, | xxiii |
| Number and Proportion of Men and Women in Scotland, its Divisions and Counties, also in Edinburgh and Glasgow, who signed the Marriage Schedules by Mark, | xxiv |

DEATHS.

| | |
|---|------|
| Number of Deaths in Scotland in 1867, and their Proportion to the Population, | xxv |
| Death-rates in Scotland, and in its Insular, Mainland-Rural, and Town Districts, during each of the years 1855 to 1867, with relative Tables, | xxvi |

| | Page |
|---|---------------|
| Influence of Density of Population on the Death-rate, | xxvi |
| Death-rates in each of the Eight Principal Towns of Scotland during each of the years 1857-1867, | xxvii |
| Series of Tables of the Deaths at different Ages in Scotland, its Three Great Groups of Districts, and in each of its Eight Principal Towns, during the year 1867, | xxviii-xxxiii |
| Mortality of Female lower than that of the Male at about every period of life, | xxix |
| High Mortality in Towns at every period of life, as compared with that of the Rural Districts, | xxxiii |
| Causes of Death in 1867, with relative Tables, | xxxvi |
| Small-pox Deaths in Scotland for thirteen years, | xxxviii |
| Particulars relative to Vaccination in Scotland, with relative Tables, | xxxviii |
| Different forms of Fever prevalent in Scotland, | xxxix |
| Diseases which especially cut off Infants, | xl |
| The Eighteen most fatal Diseases in England and Scotland in 1867, | xliii |

INFLUENCE OF EXTERNAL AGENCIES ON THE MORTALITY IN 1867.

| | |
|---|--------|
| Weather, Weekly and Monthly, and its Influence on the Mortality, | xliv |
| Table showing the Meteorology of Scotland during each month of the year 1867, together with the Monthly and Daily Number of Births, Deaths, and Marriages, | xlvii |
| Deaths, Temperatures, and Fall of Rain in the Eight Principal Towns of Scotland, during each week of the year 1867, | xlviii |
| Table showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and classes of Disease, in the Eight Principal Towns of Scotland, during each month of the year 1867, | xlviii |
| Deaths in Scotland compared with the average price of Wheat and Potatoes during each of the years 1855 to 1867, showing that the high price of provisions has no apparent effect on the Death-rate in Scotland, | 1 |

APPENDIX TABLES.

| | |
|--|-----|
| Series of Tables giving a Summary of the Births, Deaths, and Marriages during each of the ten years 1856-1865, in the Principal Towns, the Large Towns, the Small Towns, and the Rural Districts of Scotland, and the Proportion of each of these to the Mean Population, so as to show the influence of Density of Population on the Proportion of Births, Deaths, and Marriages, | lii |
|--|-----|

ABSTRACTS.

| | |
|--|------|
| Summary Table of the Births, Deaths, and Marriages in the Divisions and Counties of Scotland in 1867, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1851 and 1861, the Excess of Births over Deaths, and the Number of Statute Acres in each County, | 1 |
| Tables of the Population in 1851 and 1861, and of the Births, Deaths, and Marriages dur- ing the year 1867, also of the Illegitimate Births, in every Registration District, | 2-23 |
| Summary Table of Population in 1851 and 1861; and of the Births, Deaths, and Marriages in 1867, in the Insular, the Mainland-Rural, and Town Districts of Scotland, | 23 |

MARRIAGES

| | |
|--|----|
| Table of the Marriages in Scotland and its Counties in 1867; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks, | 24 |
|--|----|

| | Page |
|--|------|
| Table of the Civil Condition of the Parties who married in 1867; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex, | 25 |
| Table of the Ages of all Males who married in Scotland and its Counties in 1867, . . . | 26 |
| Table of the Ages of all Females who married in Scotland and its Counties in 1867, . . . | 28 |

DEATHS.

| | |
|---|---------|
| Table of the Ages of all Persons of both Sexes who died in each of the Counties and Larger Towns of Scotland in 1867, together with the Population of these Counties and Towns in 1851 and 1861, | 30 |
| Table of the Ages of all Males who died in each of the Counties and Larger Towns of Scotland in 1867, together with the Male Population of these Counties and Towns in 1851 and 1861, | 32 |
| Table of the Ages of all Females who died in each of the Counties and Larger Towns of Scotland in 1867, together with the Female Population of these Counties and Towns in 1851 and 1861, | 34 |
| Summary Table of the Causes of Death in both Sexes in each of the Counties of Scotland in 1867, | 36-39 |
| Do. Males, | 40-43 |
| Do. Females, | 44-47 |
| Summary Table of the Causes of Death in both Sexes in each of the Larger Towns of Scotland in 1867, whose respective Populations amounted to 10,000 or upwards in 1861, including important Suburban Districts, | 48-51 |
| Do. Males, | 52-55 |
| Do. Females, | 56-59 |
| Table of the Causes of Death in both Sexes in all Scotland at different Periods of Life, | 60-63 |
| Do. Males, | 64-67 |
| Do. Females, | 68-71 |
| Table of the Causes of Death in both Sexes in the Insular Districts of Scotland at different Periods of Life, | 72-75 |
| Do. Males, | 76-79 |
| Do. Females, | 80-83 |
| Table of the Causes of Death in both Sexes in the Mainland Districts of Scotland at different Periods of Life, | 84-87 |
| Do. Males, | 88-91 |
| Do. Females, | 92-95 |
| Table of the Causes of Death in both Sexes in the Town Districts of Scotland at different Periods of Life, | 96-99 |
| Do. Males, | 100-103 |
| Do. Females, | 104-107 |
| Table of the Causes of Death in both Sexes in Glasgow at different Periods of Life, | 108-111 |
| Do. Males, | 112-115 |
| Do. Females, | 116-119 |
| Table of the Causes of Death in both Sexes in the Suburban Districts of Barony and Govan at different Periods of Life, | 120-123 |
| Do. Males, | 124-127 |
| Do. Females, | 128-131 |
| Table of the Causes of Death in both Sexes in Edinburgh at different Periods of Life, | 132-135 |
| Do. Males, | 136-139 |
| Do. Females, | 140-143 |
| Table of the Causes of Death in both Sexes in Dundee at different Periods of Life, | 144-147 |
| Do. Males, | 148-151 |
| Do. Females, | 152-155 |
| Table of the Causes of Death in both Sexes in Aberdeen at different Periods of Life, | 156-159 |
| Do. Males, | 160-163 |
| Do. Females, | 164-167 |
| Table of the Causes of Death in both Sexes in Paisley at different Periods of Life, | 168-171 |
| Table of the Causes of Death in both Sexes in Greenock at different Periods of Life, | 172-175 |

| | Page |
|---|---------|
| Table of the Causes of Death in both Sexes in Leith at different Periods of Life, . . . | 176-179 |
| Table of the Causes of Death in both Sexes in Perth at different Periods of Life, . . . | 180-183 |
| Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1867, in each of the Divisions and Counties of Scotland, together with the estimated Population of each Division and County to the middle of 1867, | 184 |
| <hr/> | |
| Constitution of the Compound Districts, | 185 |
| Index to Districts, | 186 |

REPORT TO THE REGISTRAR-GENERAL,

BY JAMES STARK, M.D., F.R.S.E.

SIR,

THE year 1867, to which this Report refers, was one of average commercial and manufacturing prosperity. The rash speculations, and consequent losses experienced in commercial and financial circles towards the close of 1866, caused the year to open with a quiet money market, and a steady but rather restricted trade; but before the close of the year, from the market getting overstocked and the prices of goods falling, the wages of the manufacturing population were obliged to be lowered. As the harvest of 1867, like that of its predecessor, was found to have been short,

TABLE I.—POPULATION estimated to the middle of each year; with the Number of BIRTHS, DEATHS, and MARRIAGES registered in Scotland during each of the Years 1855 to 1867, and their Proportion to the Population; also the Illegitimate Births, and the Excess of Births over Deaths.

| YEAR. | Estimated Population. | BIRTHS. | | Deaths. | Marriages. | Excess of Births over Deaths. | Proportion to every 100 Persons living. | | |
|-------|-----------------------|---------|----------|---------|------------|-------------------------------|---|---------|------------|
| | | Total. | Illegit. | | | | Births. | Deaths. | Marriages. |
| 1855 | 2,978,065 | 93,349 | 7,357 | 62,004 | 19,680 | 31,345 | 3·134 | 2·082 | 0·660 |
| 1856 | 2,995,771 | 101,821 | 8,695 | 58,529 | 20,740 | 43,292 | 3·395 | 1·953 | 0·692 |
| 1857 | 3,012,310 | 103,415 | 8,869 | 61,906 | 21,369 | 41,509 | 3·433 | 2·055 | 0·709 |
| 1858 | 3,027,665 | 104,018 | 9,354 | 63,539 | 19,655 | 40,479 | 3·435 | 2·098 | 0·649 |
| 1859 | 3,041,812 | 106,543 | 9,715 | 61,714 | 21,201 | 44,829 | 3·502 | 2·028 | 0·697 |
| 1860 | 3,054,738 | 105,629 | 9,736 | 68,170 | 21,225 | 37,359 | 3·457 | 2·231 | 0·695 |
| 1861 | 3,066,633 | 107,009 | 9,929 | 62,341 | 20,896 | 44,668 | 3·484 | 2·032 | 0·681 |
| 1862 | 3,083,989 | 107,069 | 10,376 | 67,195 | 20,597 | 39,874 | 3·471 | 2·178 | 0·667 |
| 1863 | 3,101,345 | 109,341 | 10,948 | 71,481 | 22,234 | 37,860 | 3·525 | 2·305 | 0·716 |
| 1864 | 3,118,701 | 112,333 | 11,197 | 74,416 | 22,725 | 37,917 | 3·602 | 2·386 | 0·728 |
| 1865 | 3,136,057 | 113,070 | 11,262 | 70,891 | 23,611 | 42,179 | 3·605 | 2·260 | 0·753 |
| 1866 | 3,153,413 | 113,667 | 11,673 | 71,348 | 23,688 | 42,319 | 3·604 | 2·263 | 0·751 |
| 1867 | 3,170,769 | 114,044 | 11,148 | 69,068 | 22,618 | 44,976 | 3·593 | 2·177 | 0·710 |

the price of provisions rose high above those of the previous year; and this, with the lowering of the wages of the manufacturing population, which in many instances led to strikes and locks-out, tended powerfully to restrict marriages, so that they fell 1070, or 5 per cent., below the number of the previous year.

The cattle-plague (Rinderpest), which had been so fatal during the previous year, but was rapidly dying out as that year closed, did not

TABLE II.—POPULATION of SCOTLAND, estimated to the middle of each year from the excess of Births over Deaths, deducting Emigrants, and the Per-centage of Births, Deaths, and Marriages to that Population; also the Number of Emigrants, and the Annual Increase or Decrease of Births, Deaths, and Marriages.

| YEAR. | Estimated Population. | Yearly Increase of Population. | EMI-GRANTS. | Per-centage to Population. | | | Annual Increase or Decrease. | | |
|-------|-----------------------|--------------------------------|-------------|----------------------------|---------|------------|------------------------------|---------|------------|
| | | | | Births. | Deaths. | Marriages. | Births. | Deaths. | Marriages. |
| 1861 | 3,066,633 | 35,694 | 8,974 | 3·484 | 2·032 | 0·681 | +1380 | —5829 | —329 |
| 1862 | 3,102,327 | 24,769 | 15,105 | 3·451 | 2·166 | 0·665 | +60 | +4854 | —299 |
| 1863 | 3,127,096 | 20,880 | 16,980 | 3·496 | 2·286 | 0·711 | +2272 | +4286 | +1637 |
| 1864 | 3,147,976 | 22,523 | 15,394 | 3·568 | 2·364 | 0·721 | +2992 | +2935 | +491 |
| 1865 | 3,170,499 | 28,902 | 13,277 | 3·566 | 2·235 | 0·744 | +737 | —3525 | +886 |
| 1866 | 3,199,401 | 29,502 | 12,815 | 3·552 | 2·230 | 0·740 | +597 | +459 | +77 |
| 1867 | 3,228,903 | 31,579 | 13,398 | 3·532 | 2·138 | 0·700 | +375 | —2285 | —1070 |

TABLE III.—POPULATION of SCOTLAND and its THREE GROUPS of DISTRICTS in 1851 and 1861; also the Population of each estimated to the middle of the Year 1867.

| DISTRICTS. | CENSUS 1851. | | | CENSUS 1861. | | | Estimated to 30th June 1867. | | |
|------------------------|--------------|-----------|-------------|--------------|-----------|-------------|------------------------------|-----------|-------------|
| | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. |
| Insular . . | 76,760 | 89,727 | 166,487 | 73,409 | 87,324 | 160,733 | 71,315 | 85,824 | 157,139 |
| Mainland- Rural . } | 828,852 | 882,865 | 1,711,717 | 848,998 | 913,578 | 1,762,576 | 861,586 | 932,772 | 1,794,358 |
| Town* . . | 469,867 | 540,671 | 1,010,538 | 527,441 | 611,544 | 1,138,985 | 563,428 | 655,844 | 1,219,272 |
| SCOTLAND . | 1,375,479 | 1,513,263 | 2,888,742 | 1,449,848 | 1,612,446 | 3,062,294 | 1,496,329 | 1,674,440 | 3,170,769 |

* The Town Districts in this Table only include Towns which have above 10,000 Inhabitants.

TABLE IV.—POPULATION of SCOTLAND when divided into Three Groups of Town and One Group of Rural Districts.

| DISTRICTS. | CENSUS 1851. | | | CENSUS 1861. | | | Estimated to 30th June 1867. | | |
|--------------------|--------------|-----------|-------------|--------------|-----------|-------------|------------------------------|-----------|-------------|
| | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. |
| Principal Towns* } | 362,791 | 422,350 | 785,141 | 407,839 | 477,116 | 884,955 | 435,995 | 511,347 | 947,342 |
| Large Towns | 107,076 | 118,321 | 225,397 | 119,602 | 134,428 | 254,030 | 127,433 | 144,497 | 271,930 |
| Small Towns | 222,308 | 244,272 | 466,580 | 239,074 | 265,223 | 504,297 | 249,549 | 278,317 | 527,866 |
| Rural Districts | 683,304 | 728,320 | 1,411,624 | 683,333 | 735,679 | 1,419,012 | 683,352 | 740,279 | 1,423,631 |
| SCOTLAND . | 1,375,479 | 1,513,263 | 2,888,742 | 1,449,848 | 1,612,446 | 3,062,294 | 1,496,329 | 1,674,440 | 3,170,769 |

* The Eight Principal Towns have each above 25,000 Inhabitants. The Large Towns have each from 10,000 to 25,000 Inhabitants. The Small Towns have each from 3,000 to 10,000 Inhabitants. The Rural Districts constitute the remainder of Scotland.

reappear to any extent during 1867; but butcher meat kept at famine prices, and this greatly restricted its use among the mass of the people. With the cattle-plague, epidemic Cholera and epidemic Fever, which had

TABLE V.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in the INSULAR, MAINLAND-RURAL, and TOWN DISTRICTS of SCOTLAND during each of the Years 1855-67.

| YEARS. | TOTAL BIRTHS. | | | ILLEGITIMATE BIRTHS. | | | DEATHS. | | | MARRIAGES. | | |
|--------|--------------------|---------------------------|-----------------|----------------------|---------------------------|-----------------|--------------------|---------------------------|-----------------|--------------------|---------------------------|-----------------|
| | Insular Districts. | Mainland-Rural Districts. | Town Districts. | Insular Districts. | Mainland-Rural Districts. | Town Districts. | Insular Districts. | Mainland-Rural Districts. | Town Districts. | Insular Districts. | Mainland-Rural Districts. | Town Districts. |
| 1855 | 3733 | 53347 | 36269 | 162 | 4589 | 2606 | 2693 | 30893 | 28418 | 724 | 10060 | 8896 |
| 1856 | 4320 | 56705 | 40796 | 240 | 5375 | 3082 | 2166 | 28825 | 27538 | 841 | 10428 | 9471 |
| 1857 | 4460 | 57568 | 41687 | 227 | 5542 | 3090 | 2306 | 30390 | 29210 | 954 | 10960 | 9445 |
| 1858 | 4582 | 57607 | 41829 | 247 | 5574 | 3533 | 2377 | 31564 | 29598 | 884 | 10083 | 8688 |
| 1859 | 4627 | 59366 | 42550 | 269 | 5874 | 3572 | 2633 | 30959 | 28122 | 910 | 10825 | 9466 |
| 1860 | 4588 | 58883 | 42158 | 247 | 5875 | 3614 | 2714 | 33358 | 32098 | 811 | 10747 | 9667 |
| 1861 | 4499 | 58191 | 44319 | 227 | 5646 | 4056 | 2562 | 30814 | 28965 | 919 | 10288 | 9689 |
| 1862 | 4458 | 58557 | 44054 | 219 | 5836 | 4321 | 2975 | 32694 | 31526 | 851 | 10185 | 9561 |
| 1863 | 4323 | 59235 | 45783 | 212 | 6277 | 4459 | 2934 | 34722 | 33825 | 784 | 10820 | 10630 |
| 1864 | 4340 | 60672 | 47321 | 233 | 6433 | 4531 | 2720 | 35719 | 35977 | 775 | 10819 | 11131 |
| 1865 | 5046 | 59321 | 48703 | 337 | 6303 | 4622 | 2488 | 32992 | 35411 | 776 | 11184 | 14651 |
| 1866 | 4253 | 60420 | 48994 | 264 | 6543 | 4866 | 2661 | 34315 | 34372 | 815 | 11127 | 11746 |
| 1867 | 4301 | 60080 | 49663 | 229 | 6180 | 4739 | 2583 | 33190 | 33295 | 829 | 10763 | 11026 |

TABLE VI.—PER-CENTAGE of BIRTHS, DEATHS, and MARRIAGES to the POPULATION in the INSULAR, MAINLAND-RURAL, and TOWN DISTRICTS of SCOTLAND during the Years 1855-1867; also the Per-centage of Illegitimate to the Total Births.

| YEARS. | Per-centage of BIRTHS to the Population. | | | Per-centage of Illegitimate to the Total Births. | | | Per-centage of DEATHS to the Population. | | | Per-centage of MARRIAGES to the Population. | | |
|--------|--|---------------------------|-----------------|--|---------------------------|-----------------|--|---------------------------|-----------------|---|---------------------------|-----------------|
| | Insular Districts. | Mainland-Rural Districts. | Town Districts. | Insular Districts. | Mainland-Rural Districts. | Town Districts. | Insular Districts. | Mainland-Rural Districts. | Town Districts. | Insular Districts. | Mainland-Rural Districts. | Town Districts. |
| 1855 | 2.275 | 3.078 | 3.403 | 4.3 | 8.6 | 7.1 | 1.644 | 1.784 | 2.675 | 0.441 | 0.580 | 0.834 |
| 1856 | 2.643 | 3.204 | 3.783 | 5.5 | 9.4 | 7.5 | 1.293 | 1.659 | 2.561 | 0.514 | 0.599 | 0.869 |
| 1857 | 2.738 | 3.301 | 3.794 | 5.6 | 9.6 | 7.4 | 1.414 | 1.744 | 2.685 | 0.585 | 0.628 | 0.866 |
| 1858 | 2.882 | 3.299 | 3.790 | 5.4 | 9.6 | 8.4 | 1.463 | 1.806 | 2.690 | 0.544 | 0.576 | 0.787 |
| 1859 | 2.860 | 3.384 | 3.812 | 5.8 | 9.9 | 8.4 | 1.626 | 1.766 | 2.527 | 0.562 | 0.617 | 0.848 |
| 1860 | 2.846 | 3.346 | 3.735 | 5.3 | 9.9 | 8.5 | 1.682 | 1.897 | 2.851 | 0.503 | 0.610 | 0.856 |
| 1861 | 2.801 | 3.297 | 3.883 | 5.0 | 9.7 | 9.1 | 1.595 | 1.746 | 2.537 | 0.572 | 0.582 | 0.848 |
| 1862 | 2.786 | 3.308 | 3.814 | 4.9 | 9.9 | 9.8 | 1.859 | 1.847 | 2.730 | 0.531 | 0.575 | 0.827 |
| 1863 | 2.711 | 3.338 | 3.921 | 4.9 | 10.6 | 9.7 | 1.840 | 1.956 | 2.897 | 0.491 | 0.609 | 0.910 |
| 1864 | 2.732 | 3.408 | 4.010 | 5.3 | 10.6 | 9.6 | 1.712 | 2.006 | 3.048 | 0.488 | 0.607 | 0.943 |
| 1865 | 3.187 | 3.323 | 4.083 | 6.6 | 10.6 | 9.4 | 1.571 | 1.848 | 2.969 | 0.490 | 0.626 | 0.976 |
| 1866 | 2.696 | 3.375 | 4.064 | 6.2 | 10.8 | 9.9 | 1.687 | 1.916 | 2.851 | 0.516 | 0.621 | 0.974 |
| 1867 | 2.735 | 3.348 | 4.073 | 5.3 | 10.2 | 9.5 | 1.635 | 1.849 | 2.730 | 0.527 | 0.599 | 0.904 |

TABLE VII.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in each of the EIGHT PRINCIPAL TOWNS of SCOTLAND during 1867, and their Proportion to the Population; also the Illegitimate Births, and their Proportion to the Total Births.

| TOWNS. | Esti- mated Popula- tion, 1867. | BIRTHS. | | ILLEGITIMATE BIRTHS. | | DEATHS. | | MARRIAGES. | |
|-------------|---|---------|-------------------------|----------------------|----------------------------|---------|-------------------------|-----------------|-------------------------|
| | | Births. | Per cent. to Pop. | Number. | Per cent. to Births. | Deaths. | Per cent. to Pop. | Mar- riages. | Per cent. to Pop. |
| Glasgow . | 437,003 | 18347 | 4.198 | 1793 | 9.7 | 12578 | 2.878 | 3919 | 0.896 |
| Edinburgh . | 175,938 | 6462 | 3.673 | 659 | 10.2 | 4765 | 2.708 | 1706 | 0.970 |
| Dundee . | 98,933 | 4660 | 4.710 | 524 | 11.2 | 2952 | 2.983 | 1102 | 1.113 |
| Aberdeen . | 75,100 | 2983 | 3.972 | 418 | 14.0 | 1824 | 2.428 | 654 | 0.870 |
| Paisley . | 47,427 | 1731 | 3.649 | 143 | 8.2 | 1335 | 2.814 | 431 | 0.908 |
| Greenock . | 47,929 | 2328 | 4.857 | 141 | 6.0 | 1433 | 2.989 | 430 | 0.897 |
| Leith . | 38,410 | 1652 | 4.301 | 108 | 6.5 | 1064 | 2.770 | 391 | 1.017 |
| Perth . | 26,981 | 849 | 3.146 | 84 | 9.8 | 569 | 2.108 | 237 | 0.878 |

prevailed during 1866, also disappeared in 1867, or rather dropped their epidemic form, and fell to their usual status.

Though the cold, stormy, and wintry weather during the first quarter of the year greatly increased the deaths during the first three months, yet the generally fine weather of the remainder of the year told favourably on the public health, so that the annual mortality was below that of previous

TABLE VIII.—NUMBER OF BIRTHS, DEATHS, and MARRIAGES in 1867, and their Proportion to the Population, in Scotland, its Groups of Districts, Divisions, and Counties; also the Number of Illegitimate Births, and their Proportion to the Total Births.

| DIVISIONS AND COUNTIES. | | Population, estimated to the middle of the Year 1867. | TOTAL BIRTHS. | | ILLEGIT. BIRTHS. | | DEATHS. | | MARRIAGES. | |
|---------------------------|---------------------------|---|------------------|---------------|---------------------|---------------|---------|---------------|------------|---------------|
| | | | No. | Per- cent. | No. | Per- cent. | No. | Per- cent. | No. | Per- cent. |
| SCOTLAND | | 3,170,769 | 114044 | 3·593 | 11148 | 9·7 | 69068 | 2·177 | 22618 | 0·710 |
| INSULAR DISTRICTS | | 157,139 | 4301 | 2·735 | 229 | 5·3 | 2583 | 1·635 | 829 | 0·527 |
| MAINLAND-RURAL DISTS. . . | | 1,794,358 | 60080 | 3·348 | 6180 | 10·2 | 33190 | 1·849 | 10763 | 0·599 |
| TOWN DISTRICTS | | 1,219,272 | 49663 | 4·073 | 4739 | 9·5 | 33295 | 2·730 | 11026 | 0·904 |
| DIVISIONS. | | | | | | | | | | |
| I. | NORTHERN | 132,540 | 3343 | 2·522 | 192 | 5·7 | 1871 | 1·411 | 643 | 0·485 |
| II. | NORTH-WESTERN | 162,079 | 4441 | 2·738 | 271 | 6·1 | 2695 | 1·661 | 815 | 0·502 |
| III. | NORTH-EASTERN | 378,289 | 12757 | 3·372 | 1861 | 14·5 | 6411 | 1·694 | 2389 | 0·631 |
| IV. | EAST-MIDLAND | 528,733 | 18623 | 3·522 | 1917 | 10·2 | 11199 | 2·118 | 4010 | 0·758 |
| V. | WEST-MIDLAND | 243,169 | 8014 | 3·295 | 650 | 8·1 | 4968 | 2·043 | 1412 | 0·580 |
| VI. | SOUTH-WESTERN | 1,087,731 | 44550 | 4·096 | 3809 | 8·5 | 28133 | 2·586 | 8698 | 0·798 |
| VII. | SOUTH-EASTERN | 425,049 | 15811 | 3·719 | 1490 | 9·4 | 9827 | 2·074 | 3473 | 0·817 |
| VIII. | SOUTHERN | 213,179 | 6505 | 3·051 | 958 | 14·7 | 3964 | 1·859 | 1178 | 0·552 |
| COUNTIES. | | | | | | | | | | |
| 1 | Shetland | 32,039 | 860 | 2·684 | 30 | 3·4 | 462 | 1·442 | 168 | 0·524 |
| 2 | Orkney | 32,982 | 780 | 2·365 | 38 | 5·0 | 483 | 1·464 | 182 | 0·551 |
| 3 | Caithness | 43,705 | 1174 | 2·686 | 97 | 8·2 | 572 | 1·309 | 198 | 0·453 |
| 4 | Sutherland | 23,814 | 529 | 2·221 | 27 | 5·1 | 354 | 1·482 | 95 | 0·398 |
| 5 | Ross and Cromarty | 81,578 | 2177 | 2·668 | 99 | 4·5 | 1283 | 1·572 | 391 | 0·479 |
| 6 | Inverness | 80,501 | 2264 | 2·809 | 172 | 7·6 | 1412 | 1·750 | 424 | 0·526 |
| 7 | Nairn | 8,515 | 243 | 2·853 | 24 | 9·8 | 171 | 2·008 | 38 | 0·446 |
| 8 | Elgin | 46,518 | 1370 | 2·945 | 175 | 12·7 | 712 | 1·527 | 231 | 0·498 |
| 9 | Banff | 58,933 | 1871 | 3·174 | 273 | 14·5 | 971 | 1·647 | 334 | 0·566 |
| 10 | Aberdeen | 229,519 | 8163 | 3·557 | 1223 | 14·9 | 4043 | 1·761 | 1549 | 0·675 |
| 11 | Kincardine | 34,804 | 1110 | 3·189 | 166 | 14·9 | 514 | 1·477 | 237 | 0·680 |
| 12 | Forfar | 214,949 | 8544 | 3·975 | 957 | 11·2 | 5165 | 2·420 | 1889 | 0·879 |
| 13 | Perth | 130,592 | 3667 | 2·808 | 420 | 11·4 | 2408 | 1·843 | 775 | 0·593 |
| 14 | Fife | 155,789 | 5447 | 3·490 | 438 | 8·0 | 3029 | 1·944 | 1167 | 0·749 |
| 15 | Kinross | 8,175 | 226 | 2·764 | 27 | 11·9 | 148 | 1·810 | 55 | 0·672 |
| 16 | Clackmannan | 19,228 | 739 | 3·848 | 75 | 10·1 | 449 | 2·283 | 124 | 0·644 |
| 17 | Stirling | 90,844 | 3405 | 3·747 | 293 | 8·6 | 1906 | 2·098 | 599 | 0·659 |
| 18 | Dumbarton | 58,673 | 2045 | 3·485 | 153 | 7·4 | 1332 | 2·270 | 369 | 0·629 |
| 19 | Argyll | 77,497 | 2141 | 2·762 | 164 | 7·6 | 1357 | 1·751 | 353 | 0·455 |
| 20 | Bute | 16,155 | 423 | 2·618 | 40 | 9·4 | 373 | 2·309 | 91 | 0·562 |
| 21 | Renfrew | 175,497 | 7047 | 4·015 | 516 | 7·3 | 4700 | 2·677 | 1422 | 0·810 |
| 22 | Ayr | 204,739 | 7554 | 3·609 | 690 | 9·1 | 4446 | 2·171 | 1412 | 0·690 |
| 23 | Lanark | 707,495 | 29949 | 4·233 | 2603 | 8·6 | 18987 | 2·683 | 5864 | 0·829 |
| 24 | Linlithgow | 44,332 | 1861 | 4·197 | 154 | 8·2 | 840 | 1·894 | 289 | 0·652 |
| 25 | Edinburgh | 283,218 | 10761 | 3·799 | 1011 | 9·3 | 7323 | 2·585 | 2623 | 0·926 |
| 26 | Haddington | 38,414 | 1187 | 3·090 | 113 | 9·5 | 638 | 1·660 | 216 | 0·562 |
| 27 | Berwick | 36,687 | 1133 | 3·088 | 126 | 11·1 | 587 | 1·600 | 199 | 0·515 |
| 28 | Peebles | 11,606 | 397 | 3·420 | 45 | 11·3 | 175 | 1·508 | 61 | 0·525 |
| 29 | Selkirk | 10,792 | 472 | 4·373 | 41 | 8·7 | 264 | 2·446 | 85 | 0·787 |
| 30 | Roxburgh | 55,278 | 1665 | 3·012 | 198 | 11·8 | 984 | 1·780 | 308 | 0·557 |
| 31 | Dumfries | 74,504 | 2334 | 3·132 | 340 | 14·5 | 1474 | 1·978 | 435 | 0·584 |
| 32 | Kirkcudbright | 42,107 | 1335 | 3·170 | 210 | 15·7 | 742 | 1·762 | 248 | 0·588 |
| 33 | Wigtown | 41,290 | 1171 | 2·841 | 210 | 17·9 | 765 | 1·852 | 187 | 0·452 |

years. This was another instance of the fact, often previously noticed in these Reports, that in this country there is no necessary connection between the mortality and the price or scarcity of provisions.

POPULATION.

In a small country like Scotland, where the difficulty of procuring a livelihood at home forces so many to emigrate, and where, from the imperfection of our emigration returns, it is impossible to ascertain, with any approach to correctness, the numbers of those who leave their native country, the estimated population can only be regarded as an approximation. In a large country like England, where the population is not so migratory, the excess of births over deaths, deducting the emigrants, shows very closely the annual increase of population. But to Scotland that mode of estimating the increase does not apply, seeing that between 1851 and 1861 it was found that that mode of calculation would have raised the population to 3,110,299 persons, whereas the ascertained population was only 3,062,294. The population of Scotland is therefore estimated on the assumption that it is increasing at the same ratio as between 1851 and 1861; but as a counterpart to Table I. there is added Table II., showing how the per-centage of births, deaths, and marriages would look, on the supposition that the population was estimated by the excess of births over deaths, deducting the ascertained emigrants, and showing also the annual increase or decrease of the births, deaths, and marriages over the number of these events during the previous year. By our adopted mode of estimation, the population of Scotland would, in the middle of 1867, amount to 3,180,769 persons; of whom 157,139 would inhabit the Insular, 1,794,358 the Mainland-Rural, and 1,219,272 the Town Districts. By the other mode of estimation, the population of Scotland at the middle of the year would amount to 3,228,903 persons. The truth probably lies between the two.

BIRTHS.

114,044 Births were registered in Scotland during the year 1867, being at the high rate of 359 births in every ten thousand persons of the estimated population, or 3·59 per cent. Of these, 4301 were registered in the Insular, 60080 in the Mainland-Rural, and 49663 in the Town Districts,—indicating a proportion in every ten thousand persons of 273 births in the Insular, 334 births in the Mainland-Rural, and 407 births in the Town Districts. As much the same proportions occur year after year, the interesting conclusion is arrived at, that, other things being equal, births, like the deaths, are influenced by density of population, the proportion being highest where the population is most dense, or the masses of people are greatest, and smallest where the population is most widely scattered.

This interesting conclusion is strikingly seen in Table XIII., where the whole of Scotland is divided into four groups of districts:—1st, the Principal Towns, the smallest of which has above 25000 inhabitants; 2d, the Large Towns, having each from 10000 to 25000 inhabitants; 3d, the Smaller Towns, each having from 3000 to 10000 inhabitants; and 4th

the Rural Districts, which embrace the remainder of Scotland. That Table shows that, exactly in proportion to the massing of the people, was the proportion of births. Thus, for every thousand persons in each of these groups in Scotland during the year 1867, there occurred 41 births in the Principal Towns, 39 births in the Large Towns, 36 births in the Small Towns, but only 31 births in the Rural Districts.

But a ten years' summary of the registration in Scotland showed the same fact (Table XV.), seeing that for every thousand persons in each of these groups, 39 births occurred in the Principal Towns, 38 births in the Large Towns, 36 births in the Small Towns, and 31 births in the Rural Districts. This fact establishes the rule, and proves that, other things being equal, it is a law of nature that births are in proportion to the density of the population. This has long been shown to be true of the deaths, but it does not seem to have been recognised that the same law extended to the births. It will be afterwards shown that marriages are subject to the same law.

The same fact may be seen, in a general way, with regard to the several divisions and counties of Scotland. (Table VIII.) Thus, in the

TABLE IX.—BIRTHS in SCOTLAND, 1855-1867; with the Number and Proportion of Males and Females in the Legitimate, Illegitimate, and Total Births, also the Proportion of Mothers who bare Twins or Triplets.

| YEARS. | TOTAL BIRTHS. | | LEGITIMATE BIRTHS. | | ILLEGIT. BIRTHS. | | TWIN BIRTHS. | TRIPLT BIRTHS. | Proportion of Males to every 100 Females in the | | | Proportion of Mothers who bare Twins or Triplets. One in every |
|--------|---------------|-------|--------------------|-------|------------------|------|--------------|----------------|---|----------------|----------------|--|
| | Males. | Fem. | Males. | Fem. | Males. | Fem. | | | Total Births. | Legit. Births. | Illeg. Births. | |
| 1855 | 47804 | 45545 | 44044 | 41948 | 3760 | 3597 | ... | ... | 104.9 | 104.9 | 104.5 | ... |
| 1856 | 52239 | 49582 | 47761 | 45365 | 4478 | 4217 | 1267 | 12 | 105.3 | 105.2 | 106.1 | 77 |
| 1857 | 53158 | 50257 | 48632 | 45924 | 4526 | 4333 | 1300 | 16 | 105.7 | 105.8 | 104.4 | 76 |
| 1858 | 53694 | 50324 | 48743 | 45921 | 4951 | 4403 | 1262 | 17 | 106.6 | 106.1 | 110.2 | 79 |
| 1859 | 54628 | 51915 | 49539 | 47289 | 5089 | 4626 | 1335 | 11 | 105.2 | 104.7 | 110.0 | 77 |
| 1860 | 54409 | 51220 | 49370 | 46523 | 5039 | 4697 | 1247 | 23 | 106.2 | 106.1 | 107.3 | 80 |
| 1861 | 54606 | 52403 | 49438 | 47642 | 5168 | 4761 | 1249 | 18 | 104.2 | 103.7 | 108.5 | 82 |
| 1862 | 55257 | 51812 | 49886 | 46807 | 5371 | 5005 | 1279 | 18 | 106.6 | 106.5 | 107.3 | 80 |
| 1863 | 56226 | 53115 | 50559 | 47834 | 5667 | 5281 | 1267 | 6 | 105.8 | 105.7 | 107.3 | 84 |
| 1864 | 57374 | 54959 | 51644 | 49492 | 5730 | 5467 | 1332 | 12 | 104.4 | 104.3 | 104.8 | 82 |
| 1865 | 58220 | 54850 | 52441 | 49367 | 5779 | 5483 | 1364 | 9 | 106.1 | 106.2 | 105.4 | 81 |
| 1866 | 58360 | 55307 | 52386 | 49608 | 5974 | 5699 | 1366 | 12 | 105.5 | 105.6 | 104.8 | 81 |
| 1867 | 58517 | 55527 | 52751 | 50145 | 5766 | 5382 | 1365 | 13* | 105.4 | 105.1 | 107.1 | 82 |

* Of these, one was a Quadruple Birth.

TABLE X.—BIRTHS, 1867. Number of Legitimate, Illegitimate, and Total Births in Scotland and its Three Great Groups of Districts in 1867; together with the Number of Twin and Triplet Births.

| 1867. DISTRICTS. | TOTAL BIRTHS. | | | Legitimate Births. | | | Illegitimate Births. | | | Twin Births. | Triplet Births. |
|---------------------|---------------|-------|-------------|--------------------|-------|-------------|----------------------|------|-------------|--------------|-----------------|
| | Males. | Fem. | Both Sexes. | Males. | Fem. | Both Sexes. | Males. | Fem. | Both Sexes. | | |
| Insular | 2174 | 2127 | 4301 | 2056 | 2016 | 4072 | 118 | 111 | 229 | 52 | 1 |
| Mainland-Rural | 30896 | 29184 | 60080 | 27696 | 26204 | 53900 | 3200 | 2980 | 6180 | 723 | 6 |
| Town | 25447 | 24216 | 49663 | 22999 | 21925 | 44924 | 2448 | 2291 | 4739 | 590 | 6* |
| SCOTLAND . . . | 58517 | 55527 | 114044 | 52751 | 50145 | 102896 | 5766 | 5382 | 11148 | 1365 | 13 |

* Of that number, one was a Quadruple Birth.

North-Western Division, with only 23 persons to a square mile, the births in 1867 were in the proportion of 27 births to every thousand persons; in the Southern Division, with 66 persons to a square mile, there were 30 births to every thousand persons; in the North-Eastern Division, with 97 persons to a square mile, there were 33 births to a thousand persons; in the East-Midland Division, with 120 persons to every square mile, there were 35 births to every thousand of the population; in the South-Eastern

TABLE XI.—BIRTHS, 1867. Per-centage of Births to the Population, and of the Illegitimate to the Total Births; also the Proportion of the Sexes in the Legitimate, Illegitimate, and Total Births; together with the Proportion of Mothers who bare Twins and Triplets in Scotland, its Insular, Mainland-Rural, and Town Districts in 1867.

| 1867. DISTRICTS. | Per-centage of Births to Population. | Per-centage of Illegit. to Total Births. | Proportion of Males to every 100 Females in the | | | Proportion of MOTHERS who bare TWINS. — One in every | Proportion of MOTHERS who bare TRIPLETS. — One in every |
|---------------------|--------------------------------------|--|---|--------------------|------------------|--|---|
| | | | Total Births. | Legitimate Births. | Illegit. Births. | | |
| Insular | 2·735 | 5·3 | 102·2 | 101·9 | 106·3 | 81 | 4245 |
| Mainland-Rural | 3·348 | 10·2 | 105·8 | 105·6 | 107·3 | 82 | 9890 |
| Town | 4·073 | 9·5 | 105·0 | 104·9 | 106·8 | 83 | 8177 |
| SCOTLAND . . . | 3·593 | 9·7 | 105·4 | 105·1 | 107·1 | 82 | 8665 |

TABLE XII.—1867. Births, Deaths, and Marriages in the several Groups of Town and Rural Districts of Scotland during the Year 1867.

| Number of Districts. | 1867. | BIRTHS. | | | | DEATHS. | | | MAR-RIAGES. |
|----------------------|------------------|---------|----------|--------|----------------|---------|----------|--------|-------------|
| | | Males. | Females. | Total. | Ille-gitimate. | Males. | Females. | Total. | |
| 31 | Principal Towns | 20033 | 18979 | 39012 | 3870 | 13219 | 13300 | 26519 | 8870 |
| 19 | Large Towns . | 5414 | 5237 | 10651 | 869 | 3322 | 3454 | 6776 | 2156 |
| 81 | Small Towns . | 9840 | 9338 | 19178 | 1845 | 5786 | 5771 | 11557 | 3607 |
| 885 | Rural Districts. | 23230 | 21973 | 45203 | 4563 | 12036 | 12180 | 24213 | 7985 |
| 1016 | SCOTLAND . . | 58517 | 55527 | 114044 | 11148 | 34363 | 34705 | 69068 | 22618 |

TABLE XIII.—1867. Proportion of Births, Deaths, and Marriages in the several Groups of Town and Rural Districts in Scotland during the Year 1867.

| Number of Districts. | 1867. | Per-centage to Population. | | | | | | | Per-cent. of Illegitimate to Total Births. | Ratio to Persons in the Population. | | |
|----------------------|--------------------|----------------------------|-------|-------------|---------|-------|-------------|-------------|--|-------------------------------------|--------------------|------------------------|
| | | BIRTHS. | | | DEATHS. | | | MAR-RIAGES. | | One Birth to every | One Death to overy | One Mar-riage to every |
| | | Males. | Fem. | Both Sexes. | Males. | Fem. | Both Sexes. | | | | | |
| 31 | Principal Towns. } | 4·594 | 3·713 | 4·118 | 3·032 | 2·601 | 2·799 | 0·936 | 9·9 | 24 | 35 | 107 |
| 19 | Large Towns | 4·248 | 3·624 | 3·916 | 2·606 | 2·390 | 2·491 | 0·792 | 8·1 | 25 | 40 | 126 |
| 81 | Small Towns | 3·943 | 3·355 | 3·633 | 2·318 | 2·073 | 2·189 | 0·683 | 9·5 | 27 | 46 | 146 |
| 885 | Rural Districts | 3·399 | 2·968 | 3·175 | 1·761 | 1·645 | 1·700 | 0·561 | 10·1 | 31 | 58 | 178 |
| 1016 | SCOTLAND . | 3·910 | 3·316 | 3·593 | 2·296 | 2·072 | 2·177 | 0·710 | 9·7 | 28 | 46 | 140 |

Division, with its 219 persons per square mile, there were 37 births to every thousand persons; and in the South-Western, or most densely peopled Division, with its 441 persons per square mile, there were 41 births per thousand inhabitants.

Of the 114,044 births, 102,896 were legitimate and 11148 illegitimate, indicating that 9·7 per cent. of the births were illegitimate. As usual, the proportion of illegitimate births was lowest in the Insular and highest in the Mainland-Rural Districts, seeing that only 5·3 per cent. of the births were illegitimate in the Insular, 9·5 per cent. in the Town, but 10·2 per cent. in the Mainland-Rural Districts.

The proportion of illegitimate births in the several divisions and counties of Scotland, as shown in Table VIII., generally agrees with that of former returns. Thus the lowest proportion of illegitimates occurred in the counties embraced in the Northern and North-Western Divisions, respectively 5·7 and 6·1 per cent. But the highest proportion was noticed in the North-Eastern and Southern Divisions, respectively 14·5 and 14·7 per cent. of the births. Seven counties had above 12 per cent. of illegitimate births,—viz. Elgin, 12·7 per cent.; Banff and Dumfries, each 14·5; Aberdeen and Kincardine, each 14·9; Kirkcudbright, 15·7; and Wigtown, 17·9 per cent. The two counties which are the great centres of our commercial, mining, and manufacturing interests, viz. Renfrew and Lanark, respectively showed only 7·3 and 8·6 per cent. of illegitimate births.

Of the children born during the year, 58517 were boys and 55527 girls, showing that 105·4 boys were born for every 100 girls. This pro-

TABLE XIV.—1856-65. Summary of Births, Deaths, and Marriages in the several Groups of Town and Rural Districts of Scotland during the Ten Years 1856-65.

| Number of Districts. | 1856-1865. | BIRTHS. | | | | DEATHS. | | | MAR-RIAGES. |
|----------------------|------------------|---------|----------|---------|----------------|---------|----------|--------|-------------|
| | | Males. | Females. | Total. | Ille-gitimate. | Males. | Females. | Total. | |
| 31 | Principal Towns | 176019 | 166764 | 342783 | 31020 | 124631 | 125363 | 249994 | 79355 |
| 19 | Large Towns . | 49668 | 47055 | 96723 | 7959 | 30981 | 31438 | 62419 | 20214 |
| 81 | Small Towns . | 94652 | 89143 | 183795 | 16854 | 53307 | 53826 | 107133 | 34793 |
| 885 | Rural Districts. | 229472 | 217475 | 446947 | 44248 | 119186 | 121450 | 240636 | 79891 |
| 1016 | SCOTLAND . . | 549811 | 520437 | 1070248 | 100081 | 328105 | 332077 | 660182 | 214253 |

TABLE XV.—1856-65. Summary of the Annual Proportion of Births, Deaths, and Marriages in the several Groups of Town and Rural Districts of Scotland during the Ten Years 1856-1865, taking the Census of 1861 as the mean Population of these years.

| Number of Districts. | 1856-1865. | Per-centage to Population. | | | | | | | Per-cent. of Illegitimate to Total Births. | Ratio to Persons in the Population. | | |
|----------------------|--------------------|----------------------------|-------|-------------|---------|-------|-------------|-------------|--|-------------------------------------|--------------------|------------------------|
| | | BIRTHS. | | | DEATHS. | | | MAR-RIAGES. | | One Birth to every | One Death to every | One Mar-riage to every |
| | | Males. | Fem. | Both Sexes. | Males. | Fem. | Both Sexes. | | | | | |
| 31 | Principal Towns. } | 4·316 | 3·495 | 3·873 | 3·056 | 2·627 | 2·825 | 0·896 | 9·0 | 25 | 35 | 111 |
| 19 | Large Towns | 4·152 | 3·500 | 3·807 | 2·903 | 2·338 | 2·457 | 0·795 | 8·2 | 26 | 40 | 125 |
| 81 | Small Towns | 3·959 | 3·361 | 3·644 | 2·233 | 2·029 | 2·124 | 0·689 | 8·1 | 27 | 47 | 145 |
| 885 | Rural Districts | 3·358 | 2·956 | 3·149 | 1·744 | 1·651 | 1·695 | 0·563 | 9·9 | 31 | 59 | 177 |
| 1016 | SCOTLAND . | 3·785 | 3·227 | 3·495 | 2·263 | 2·059 | 2·156 | 0·700 | 9·3 | 28 | 46 | 142 |

portion is remarkably constant from year to year, and is very nearly the normal proportion of the sexes at birth over Europe, with the singular exception of England, which appears only to have the average proportion of 104·4 boys to every 100 girls at birth.

The greatest daily number of births occurred during the months of April, May, and June—as in former years; the smallest number during the months of September, November, and December.

During the year, 1365 twin births, 12 triplet births, and one quadruple birth occurred, showing that one in every 83 mothers bare twins, and one in every 8665 bare triplets.

MARRIAGES.

22618 Marriages were registered in Scotland during the year 1867, being in the proportion of 71 marriages in every ten thousand persons of the estimated population. This was 1070 marriages fewer than during the previous year, being a falling off to the extent of 5 per cent. The number and proportion of marriages are thus again seen to be the surest modes of guessing at the general prosperity of our commercial and manufacturing industry. When these are prosperous, marriages increase, as they did during the four prosperous years, 1863, 1864, 1865, and 1866; but when trade gets depressed, and wages are obliged to be lowered, and even many are thrown out of work, as in 1867, the marriages decrease.

It has been always pointed out in these Reports, that the proportion of marriages was much higher in the Town than in the Rural Districts. Thus, while in every ten thousand persons in each group of districts, only 52 marriages occurred in the Insular, and 59 marriages in the Mainland-Rural Districts, no fewer than 90 marriages occurred in the Town Districts. But when we analyze these districts more closely, and divide them into four groups according to density of population, as is done in Tables XII. and XIII., it is found that the proportion of marriages in each group is, like that of the births and deaths, exactly proportioned to the density of population, being most numerous where the greatest mass of human beings are congregated together, and fewest where the population is most scattered. Thus, for every ten thousand persons in each of the groups, during the year 1867, there occurred 93 marriages in the Principal Towns, 79 marriages in the

TABLE XVI.—MARRIAGES, 1867. Number of Marriages contracted according to the Rites of the several Religious Denominations, and their Proportion to the Total Marriages.

| RELIGIOUS DENOMINATIONS. | | Number of Marriages. | | | | Proportion in every 100 Marriages. | | | |
|-----------------------------|-----------------------------------|-----------------------|----------------------------------|--------------------|----------|------------------------------------|----------------------------------|--------------------|----------|
| | | Insular Districts. | Mainland- Rural Districts. | Town Districts. | SCOTLAND | Insular Districts. | Mainland- Rural Districts. | Town Districts. | SCOTLAND |
| Regular Marriages. | Established Church | 348 | 5717 | 4001 | 10066 | 41·98 | 53·12 | 36·29 | 44·51 |
| | Free Church | 333 | 2524 | 2490 | 5347 | 40·17 | 23·45 | 22·59 | 23·65 |
| | United Presbyterian Church . . . | 67 | 1449 | 1731 | 3247 | 8·09 | 13·47 | 15·70 | 14·36 |
| | Roman Catholic Church | 41 | 520 | 1478 | 2039 | 4·94 | 4·83 | 13·40 | 9·02 |
| | Episcopalian Church | 1 | 133 | 354 | 488 | 0·12 | 1·23 | 3·21 | 2·15 |
| | Other Denominations | 34 | 406 | 883 | 1323 | 4·10 | 3·77 | 8·01 | 5·84 |
| | Denomination not stated | 4 | 12 | 49 | 65 | 0·48 | 0·11 | 0·44 | 0·28 |
| | Irregular Marriages | 1 | 2 | 40 | 43 | 0·12 | 0·02 | 0·36 | 0·19 |
| Total Marriages | | 829 | 10763 | 11026 | 22618 | 100·00 | 100·00 | 100·00 | 100·00 |

Large Towns, 68 marriages in the Small Towns, but only 56 marriages in the Rural Districts.

The year 1867 was not an exceptional year in this respect, for when we look to the number and proportion of marriages in Scotland for the ten years 1856–1865, as given in Tables XIV. and XV., it is seen that the same law holds good, viz., that marriages occur in proportion to the density of the population, other things being equal. Thus, during these ten years, for every ten thousand persons in each group, there occurred 89 marriages in the Principal Towns, 79 marriages in the Large Towns, 69 marriages in the Small Towns, but only 56 marriages in the Rural Districts—proportions (excepting in the Principal Towns) nearly identical with those above given for the year 1867.

The proportion of legitimate children born to each marriage was, as usual, much higher in Scotland than in England during 1867. Thus, to the 22618 marriages in Scotland there were born 102,896 legitimate children,

TABLE XVII.—MARRIAGES, 1855–1867. Number of Marriages according to the Rites of the several Religious Denominations during each of the Years 1855–1867.

| YEARS. | Total MARRIAGES. | | REGULAR MARRIAGES according to Rites of | | | | | | | IRREGULAR MARRIAGES. |
|--------|------------------|----------------------------|---|--------------|-----------------------------|------------------------|----------------------|----------------------|------------------------------|----------------------|
| | Number. | Per-centage to Population. | Established Church. | Free Church. | United Presbyterian Church. | Roman Catholic Church. | Episcopalian Church. | Other Denominations. | Denomination not registered. | |
| 1855 | 19680 | 0·660 | 8879 | 4665 | 2952 | 1826 | 350 | 923 | 76 | 9 |
| 1856 | 20740 | 0·692 | 9863 | 4645 | 2875 | 1953 | 360 | 984 | 24 | 36 |
| 1857 | 21369 | 0·709 | 10194 | 4789 | 2926 | 1919 | 416 | 1017 | 101 | 7 |
| 1858 | 19655 | 0·649 | 9104 | 4650 | 2707 | 1697 | 379 | 1034 | 57 | 27 |
| 1859 | 21201 | 0·697 | 9769 | 4861 | 2936 | 1822 | 378 | 1175 | 243 | 17 |
| 1860 | 21225 | 0·695 | 9705 | 4870 | 2837 | 1857 | 414 | 1217 | 309 | 16 |
| 1861 | 20896 | 0·681 | 9332 | 4969 | 2925 | 1806 | 386 | 1290 | 163 | 25 |
| 1862 | 20597 | 0·667 | 9307 | 4930 | 2846 | 1778 | 371 | 990 | 348 | 27 |
| 1863 | 22234 | 0·716 | 9929 | 5242 | 3249 | 2119 | 487 | 1113 | 76 | 19 |
| 1864 | 22725 | 0·728 | 9907 | 5507 | 3198 | 2276 | 469 | 1231 | 115 | 22 |
| 1865 | 23611 | 0·753 | 10177 | 5636 | 3345 | 2399 | 476 | 1516 | 30 | 32 |
| 1866 | 23688 | 0·751 | 10392 | 5570 | 3385 | 2259 | 516 | 1483 | 41 | 42 |
| 1867 | 22618 | 0·710 | 10066 | 5347 | 3247 | 2039 | 488 | 1323 | 65 | 43 |

TABLE XVIII.—MARRIAGES, 1855–1867. Per-centage of Marriages according to the Rites of the several Religious Denominations during each of the Years 1855–1867.

| YEARS. | REGULAR MARRIAGES according to the Rites of | | | | | | | IRREGULAR MARRIAGES. |
|--------|---|--------------|-----------------------------|------------------------|----------------------|----------------------|------------------------------|----------------------|
| | Established Church. | Free Church. | United Presbyterian Church. | Roman Catholic Church. | Episcopalian Church. | Other Denominations. | Denomination not registered. | |
| 1855 | 45·12 | 23·70 | 15·00 | 9·28 | 1·78 | 4·70 | 0·38 | 0·04 |
| 1856 | 47·55 | 22·40 | 13·87 | 9·42 | 1·73 | 4·74 | 0·12 | 0·17 |
| 1857 | 47·71 | 22·41 | 13·69 | 8·98 | 1·95 | 4·76 | 0·47 | 0·03 |
| 1858 | 46·32 | 23·66 | 13·77 | 8·63 | 1·93 | 5·26 | 0·30 | 0·13 |
| 1859 | 46·08 | 22·93 | 13·85 | 8·59 | 1·78 | 5·54 | 1·15 | 0·08 |
| 1860 | 45·73 | 22·95 | 13·36 | 8·75 | 1·95 | 5·73 | 1·45 | 0·08 |
| 1861 | 44·66 | 23·78 | 14·00 | 8·65 | 1·85 | 6·18 | 0·76 | 0·12 |
| 1862 | 45·19 | 23·94 | 13·81 | 8·64 | 1·80 | 4·80 | 1·69 | 0·13 |
| 1863 | 44·66 | 23·58 | 14·61 | 9·53 | 2·19 | 5·01 | 0·34 | 0·08 |
| 1864 | 43·60 | 24·24 | 14·06 | 10·02 | 2·07 | 5·41 | 0·51 | 0·09 |
| 1865 | 43·10 | 23·87 | 14·17 | 10·16 | 2·02 | 6·42 | 0·13 | 0·13 |
| 1866 | 43·87 | 23·52 | 14·29 | 9·54 | 2·18 | 6·26 | 0·17 | 0·17 |
| 1867 | 44·51 | 23·65 | 14·36 | 9·02 | 2·15 | 5·84 | 0·28 | 0·19 |

giving a proportion of 4·55 children for every marriage, or 455 children for every 100 marriages. But in England, during the same year, there were 179,154 marriages, and to these there were born 723,163 legitimate children, being 4·02 children to every marriage, or 402 children to every 100 marriages. This either indicates that the Scottish female is much more prolific than her sister in England, or, if it be assumed that the fecundity is the same, it indicates that a very large number of even legitimate births escapes registration in England.

Of the 22618 marriages registered in Scotland during the year, 10066 were contracted according to the rites of the Established Church, 5347 according to those of the Free Church, 3247 according to those of the United Presbyterian Church, 2039 according to those of the Romish Church, 488 according to those of the Episcopal Church, 1323 according to the varying rites of the smaller religious denominations; in 65 cases the religious denomination was omitted to be stated; and in 43 cases the marriage was what is termed irregular, that is, without a religious ceremony, and without publication of banns.

These facts indicate that 44·51 per cent. of the marriages in Scotland were celebrated according to the rites of the Established Church of Scotland, 23·65 per cent. according to the rites of the Free Church, 14·36 per cent. according to the rites of the United Presbyterian Church, 9·02 per cent. according to the rites of the Romish Church, 2·15 per cent. according to the rites of the Episcopal Church, 5·84 according to the rites of the smaller religious denominations; while in 0·28 per cent. the religious denomination had been omitted to be stated; and in 0·19 per cent. (that is to say, 19 in every ten thousand marriages) the marriage was irregular, that is to say, was contracted without the previous proclamation of banns, and without a religious ceremony.

Of the 22618 men who married, the ages of 22594 were ascertained, and of these, 1532, or 6·77 per cent. were minors, or under 21 years of age. Of the 22618 women who married, the ages of 22586 were ascer-

TABLE XIX.—MARRIAGES, 1867. Ages of Men and Women at Marriage.

| AGES. | SCOTLAND. | | INSULAR DISTRICTS. | | MAINLAND-RURAL DISTRICTS. | | TOWN DISTRICTS. | |
|----------------|-----------|--------|--------------------|--------|---------------------------|--------|-----------------|--------|
| | Men. | Women. | Men. | Women. | Men. | Women. | Men. | Women. |
| Under 15 years | — | — | — | — | — | — | — | — |
| 15—16 | — | 11 | — | — | — | 5 | — | 6 |
| 16—17 | — | 67 | — | 1 | — | 41 | — | 25 |
| 17—18 | 8 | 301 | 1 | 3 | 3 | 154 | 4 | 144 |
| 18—19 | 120 | 848 | 3 | 8 | 58 | 418 | 59 | 422 |
| 19—20 | 458 | 1446 | 8 | 25 | 215 | 690 | 235 | 731 |
| 20—21 | 946 | 1938 | 15 | 33 | 457 | 950 | 474 | 955 |
| 21—25 | 7648 | 8380 | 144 | 289 | 3709 | 3955 | 3795 | 4136 |
| 25—30 | 6979 | 5584 | 328 | 293 | 3307 | 2702 | 3344 | 2589 |
| 30—35 | 2748 | 1980 | 145 | 91 | 1279 | 924 | 1324 | 965 |
| 35—40 | 1438 | 1029 | 67 | 47 | 705 | 464 | 666 | 518 |
| 40—45 | 914 | 555 | 44 | 18 | 415 | 254 | 455 | 283 |
| 45—50 | 582 | 280 | 37 | 13 | 259 | 114 | 286 | 153 |
| 50—55 | 336 | 102 | 9 | — | 140 | 43 | 187 | 59 |
| 55—60 | 193 | 49 | 11 | 3 | 98 | 20 | 84 | 26 |
| 60—65 | 137 | 14 | 6 | — | 63 | 6 | 68 | 8 |
| 65—70 | 51 | 2 | 4 | — | 20 | 2 | 27 | — |
| 70—75 | 21 | — | 2 | — | 9 | — | 10 | — |
| 75—80 | 13 | — | — | — | 9 | — | 4 | — |
| 80—85 | 2 | — | 1 | — | — | — | 1 | — |
| 85—90 | — | — | — | — | — | — | — | — |
| Not stated | 24 | 32 | 4 | 5 | 17 | 21 | 3 | 6 |
| ALL AGES | 22618 | 22618 | 829 | 829 | 10763 | 10763 | 11026 | 11026 |

tained, and of these, 4611, or 20·41 per cent., were minors, or under 21 years of age. (Tables XIX. and XX.)

It is impossible to ascertain correctly the proportion of minors who marry in England. The Marriage Registers are kept by the clergy, and so imperfectly, that in 1867, 33 per cent. of the marriages had no definite age of the parties entered in the registers. Thus, of the 179,154 marriages entered in the registers, the age of the parties was only given in 119,173 instances; and of these, 11081 men, being 9·29 per cent. of the men, and 29567 women, being 24·81 per cent. of the women, were minors, or were under 21 years of age. Hence it would appear that a considerably higher proportion of minors marry in England than in Scotland.

Some might be inclined to attribute the higher proportion of minor marriages in England to the fact, that the general marriage-rate in England is much higher than in Scotland. But what at once proves that this will not account for the circumstance is the ascertained fact, that though the annual marriage-rate in the Mainland-Rural Districts of Scotland is one-third lower than in the Town Districts, the relative proportion of minor marriages is nearly the same in each. Thus, during the year

TABLE XX.—MARRIAGES, 1867. Per-centage of Men and Women at different Ages who contracted Marriage in Scotland in 1867.

| AGES. | MEN. | | | | WOMEN. | | | |
|--------------|-----------|--------------------|---------------------------|-----------------|-----------|--------------------|---------------------------|-----------------|
| | SCOTLAND. | Insular Districts. | Mainland-Rural Districts. | Town Districts. | SCOTLAND. | Insular Districts. | Mainland-Rural Districts. | Town Districts. |
| 15—20 years | 2·60 | 1·44 | 2·57 | 2·70 | 11·82 | 4·46 | 12·15 | 12·04 |
| 20—25 | 37·96 | 19·18 | 38·73 | 38·72 | 45·63 | 38·85 | 45·57 | 46·17 |
| 25—30 | 30·86 | 39·56 | 30·74 | 30·33 | 24·70 | 35·34 | 25·11 | 23·48 |
| 30—35 | 12·16 | 17·50 | 11·89 | 12·01 | 8·72 | 10·98 | 8·58 | 8·75 |
| 35—40 | 6·36 | 8·08 | 6·56 | 6·04 | 4·55 | 5·68 | 4·31 | 4·70 |
| 40—45 | 4·05 | 5·30 | 3·86 | 4·12 | 2·46 | 2·17 | 2·36 | 2·58 |
| 45—50 | 2·58 | 4·46 | 2·43 | 2·60 | 1·24 | 1·56 | 1·06 | 1·38 |
| 50 and above | 3·33 | 4·00 | 3·06 | 3·46 | 0·74 | 0·36 | 0·66 | 0·84 |
| Not stated. | 0·10 | 0·48 | 0·16 | 0·02 | 0·14 | 0·60 | 0·20 | 0·06 |
| ALL AGES | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 |

TABLE XXI.—MARRIAGES, 1855–1866. Number and Proportion of Men and Women, at each quinquennial period of life, who married in Scotland during the Twelve Years 1855–1866.

| AGES. | MEN. | | WOMEN. | |
|---------------|--|--|--|--|
| | Number of Men who married at each Age. | Proportion at each Age in every 100 Men who married. | Number of Women who married at each Age. | Proportion at each Age in every 100 Women who married. |
| 15—20 years | 7566 | 2·95 | 32474 | 12·65 |
| 20—25 | 98598 | 38·44 | 117652 | 45·87 |
| 25—30 | 75262 | 29·34 | 61643 | 24·03 |
| 30—35 | 32222 | 12·56 | 22304 | 8·69 |
| 35—40 | 17197 | 6·70 | 11375 | 4·43 |
| 40—45 | 10345 | 4·03 | 5766 | 2·25 |
| 45—50 | 6497 | 2·53 | 2751 | 1·07 |
| 50 and above | 8392 | 3·27 | 1688 | 0·66 |
| Not specified | 472 | 0·18 | 898 | 0·35 |
| ALL AGES | 256551 | 100·00 | 256551 | 100·00 |

1867, for every ten thousand persons there were only 59 marriages in the Mainland-Rural Districts, but 90 marriages in the Town Districts; yet 6·82 per cent. of the men, and 21·02 per cent. of the women who married in the Mainland-Rural Districts, were minors; while in the Town Districts, 7·00 per cent. of the men, and 20·71 per cent. of the women who married, were minors, or were under 21 years—proportions so close, that they may

TABLE XXII.—MARRIAGES in SCOTLAND, 1867. Number of Men and Women under and above 25 years of age, and the Number under 21 years, who contracted Marriage in Scotland, its Groups of Districts and Divisions, in 1867; also the Number of Marriages between Persons in different Conjugal Conditions.

| 1867. | Number who Married | | | | Number who Married under 21 years. | | Number of Marriages between | | | |
|----------------------|--------------------|-------|-----------------|-------|------------------------------------|-------|-----------------------------|-----------------------|-------------------------|----------------------|
| | Under 25 years. | | Above 25 years. | | | | Bachelors and Spinsters. | Bachelors and Widows. | Widowers and Spinsters. | Widowers and Widows. |
| | Men. | Women | Men. | Women | Men. | Women | | | | |
| SCOTLAND . . . | 9180 | 12991 | 13414 | 9595 | 1532 | 4611 | 19067 | 578 | 2075 | 689 |
| INSULAR DISTRICTS . | 151 | 359 | 674 | 465 | 27 | 70 | 690 | 8 | 81 | 10 |
| MAINLAND-RURAL do. | 4442 | 6213 | 6304 | 4529 | 733 | 2258 | 9261 | 202 | 913 | 225 |
| TOWN DISTRICTS . . | 4567 | 6419 | 6456 | 4601 | 772 | 2283 | 9116 | 368 | 1081 | 454 |
| 1. Northern Division | 180 | 283 | 459 | 355 | 30 | 74 | 550 | 8 | 65 | 8 |
| 2. North-Western do. | 142 | 347 | 669 | 464 | 9 | 93 | 675 | 12 | 80 | 8 |
| 3. North-Eastern do. | 895 | 1356 | 1492 | 1031 | 131 | 547 | 2104 | 42 | 200 | 34 |
| 4. East-Midland do. | 1735 | 2225 | 2271 | 1780 | 305 | 657 | 3416 | 90 | 360 | 112 |
| 5. West-Midland do. | 550 | 819 | 859 | 591 | 85 | 276 | 1188 | 40 | 108 | 38 |
| 6. South-Western do. | 3840 | 5364 | 4856 | 3325 | 681 | 2060 | 7199 | 288 | 816 | 370 |
| 7. South-Eastern do. | 1408 | 1951 | 2060 | 1517 | 220 | 690 | 2939 | 83 | 328 | 91 |
| 8. Southern do. | 430 | 646 | 748 | 532 | 71 | 214 | 996 | 15 | 118 | 28 |
| EDINBURGH . . . | 595 | 866 | 1111 | 839 | 75 | 292 | 1424 | 48 | 179 | 55 |
| GLASGOW | 1651 | 2339 | 2267 | 1579 | 293 | 872 | 3193 | 138 | 398 | 190 |

TABLE XXIII.—PROPORTION of MARRIAGES in SCOTLAND in 1867. Per-centage of Men and Women who contracted Marriage under and above 25 years of age; also the Per-centage of Minors, and the Per-centage of Marriages between Persons in different Conjugal Conditions.

| 1867 | Per-centage who Married | | | | Per-centage under 21 Years. | | Proportion in every 100 Marriages. | | | |
|----------------------|-------------------------|-------|-----------------|-------|-----------------------------|-------|------------------------------------|------------------------|--------------------------|-----------------------|
| | Under 25 years. | | Above 25 years. | | | | Bachelors with Spinsters. | Bachelors with Widows. | Widowers with Spinsters. | Widowers with Widows. |
| | Men. | Women | Men. | Women | Men. | Women | | | | |
| SCOTLAND . . . | 40·63 | 57·47 | 59·37 | 42·53 | 6·77 | 20·41 | 85·09 | 2·58 | 9·26 | 3·07 |
| INSULAR DISTRICTS . | 18·30 | 43·58 | 81·70 | 56·42 | 3·27 | 8·49 | 87·45 | 1·01 | 10·27 | 1·27 |
| MAINLAND-RURAL do. | 41·33 | 57·83 | 58·67 | 42·17 | 6·82 | 21·02 | 87·37 | 1·90 | 8·61 | 2·12 |
| TOWN DISTRICTS . . | 41·43 | 58·24 | 58·57 | 41·76 | 7·00 | 20·71 | 82·73 | 3·34 | 9·81 | 4·12 |
| 1. Northern Division | 28·17 | 44·35 | 71·83 | 55·65 | 4·69 | 11·60 | 87·16 | 1·27 | 10·30 | 1·27 |
| 2. North-Western do. | 17·50 | 42·78 | 82·50 | 57·22 | 1·10 | 11·46 | 87·08 | 1·57 | 10·32 | 1·03 |
| 3. North-Eastern do. | 37·49 | 56·80 | 62·51 | 43·20 | 5·49 | 22·91 | 88·41 | 1·76 | 8·46 | 1·42 |
| 4. East-Midland do. | 43·26 | 55·48 | 56·74 | 44·52 | 7·60 | 16·40 | 85·87 | 2·26 | 9·05 | 2·82 |
| 5. West-Midland do. | 39·03 | 58·08 | 60·97 | 41·92 | 6·03 | 19·57 | 86·47 | 2·91 | 7·86 | 2·76 |
| 6. South-Western do. | 44·16 | 61·73 | 55·84 | 38·27 | 7·83 | 22·55 | 83·00 | 3·32 | 9·41 | 4·27 |
| 7. South-Eastern do. | 40·60 | 56·26 | 59·40 | 43·74 | 6·34 | 19·90 | 85·41 | 2·41 | 9·53 | 2·65 |
| 8. Southern do. | 36·50 | 54·83 | 63·50 | 45·17 | 6·02 | 18·17 | 86·09 | 1·29 | 10·20 | 2·42 |
| EDINBURGH . . | 34·87 | 50·79 | 65·13 | 49·21 | 4·39 | 17·12 | 83·47 | 2·82 | 10·49 | 3·22 |
| GLASGOW . . . | 42·13 | 59·69 | 57·87 | 40·31 | 7·48 | 22·25 | 81·48 | 3·52 | 10·15 | 4·84 |

be considered as identical. (Table XXIII.) The higher marriage-rate in England is therefore not the cause why minors in that country marry in higher proportions than in Scotland.

Climate is the more likely cause; for the statistics of Norway and Sweden prove, that in these still colder climates than Scotland, the period of marriage is greatly retarded beyond what it is in Scotland; and the climate of Scotland, as compared with that of England, has no doubt, though to a less degree, the same effect in retarding the period of puberty, and, of course, that of marriage. For some interesting statistics bearing on this point, and showing the ages at which mothers gave birth to children in Scotland and in Sweden, reference may be had to our Eighth Detailed Annual Report, p. xiv.

The same fact is brought out by comparing the number of men and women who married under 25 years of age in England and in Scotland during the year 1867. In Scotland, 40·63 per cent. of the men, and 57·47 per cent. of the women who married, were under 25 years of age. In England, during the same year, it appears, from the returns, that 51 per cent. of the men, and 63 per cent. of the women who married, were under 25 years of age. The English, therefore, marry at an earlier age than the Scotch; and that this retardation of the period of marriage in Scotland is rather to be ascribed to the effect of the colder climate than to the lower marriage-rate, is almost proved by the fact, that the Town and Mainland-Rural Districts of Scotland, though they differ in their marriages by a full third—of course, a much greater difference than between England and Scotland—yet the relative proportion of men and women under 25 years of age who marry annually is absolutely identical. Thus, in the Mainland-Rural Districts, 41·33 per cent. of the men, and 57·83 per cent. of the women who married in 1867, were under 25 years; while in the Town Districts, where the general marriage-rate is one-third higher, 41·43 per cent. of the men, and 58·24 per cent. of the women who married, were under 25 years of age. Difference of marriage-rate in the two districts caused no difference in the ages at which men and women married in the Town and Rural Districts of Scotland. Whereas, had the earlier age at which men and women contract marriages in England been caused by the higher marriage-rate, the Town Districts of Scotland, which have a much

TABLE XXIV.—MARRIAGES in SCOTLAND, 1855–1867. Numbers.

| YEARS. | Number of Persons who Married under 21 years. | | Number who Married | | | | Number who Signed | | | | Number of Marriages between | | | |
|--------|---|-------|--------------------|-------|-----------------|-------|-------------------|-------|----------|-------|-----------------------------|-----------------------|------------------------|----------------------|
| | | | Under 25 years. | | Above 25 years. | | By Writing. | | By Mark. | | Bachelors and Spinners. | Bachelors and Widows. | Widowers and Spinners. | Widowers and Widows. |
| | Men. | Women | Men. | Women | Men. | Women | Men. | Women | Men. | Women | | | | |
| 1855 | ? | ? | 7724 | 11118 | 11858 | 8390 | 17486 | 15174 | 2244 | 4506 | 15251 | 557 | 1863 | 619 |
| 1856 | ? | ? | 8433 | 12033 | 12307 | 8707 | 18485 | 15772 | 2455 | 4968 | 17035 | 536 | 1721 | 605 |
| 1857 | 1593 | 4568 | 8995 | 12513 | 12374 | 8856 | 18781 | 16064 | 2588 | 5305 | 17030 | 521 | 1648 | 601 |
| 1858 | 1448 | 4172 | 8096 | 11492 | 11511 | 8084 | 17328 | 14929 | 2327 | 4726 | 16196 | 492 | 1624 | 533 |
| 1859 | 1571 | 4565 | 8726 | 12425 | 12443 | 8704 | 18992 | 16494 | 2209 | 4707 | 17536 | 567 | 1864 | 603 |
| 1860 | 1561 | 4607 | 8666 | 12459 | 12525 | 8695 | 19036 | 16616 | 2189 | 4609 | 18157 | 508 | 1738 | 558 |
| 1861 | 1480 | 4403 | 8550 | 12235 | 12323 | 8601 | 18679 | 16439 | 2217 | 4457 | 17431 | 441 | 1768 | 517 |
| 1862 | 1569 | 4496 | 8663 | 12205 | 11912 | 8358 | 18535 | 16405 | 2062 | 4192 | 17392 | 464 | 1747 | 501 |
| 1863 | 1756 | 4897 | 8731 | 13304 | 12488 | 8896 | 19819 | 17319 | 2415 | 4915 | 19142 | 348 | 1856 | 584 |
| 1864 | 1695 | 4989 | 9662 | 13547 | 13033 | 9132 | 20120 | 17298 | 2605 | 5427 | 19383 | 497 | 1922 | 631 |
| 1865 | 1690 | 5010 | 9859 | 13864 | 13724 | 9696 | 20914 | 18364 | 2697 | 5247 | 20158 | 593 | 2055 | 642 |
| 1866 | 1706 | 4896 | 9923 | 13843 | 13752 | 9812 | 21032 | 18483 | 2656 | 5205 | 20080 | 601 | 2094 | 715 |
| 1867 | 1532 | 4611 | 9180 | 12991 | 13414 | 9595 | 20224 | 17931 | 2394 | 4687 | 19067 | 578 | 2075 | 689 |

higher marriage-rate than that of all England, ought to have had a higher proportion of men and women marrying under 25 years of age than ever occurs in England.

Every event in vital statistics, like the phenomena of nature around us, seems to be under fixed laws. Thus, not only is the proportion of marriages very much the same from year to year, but the very constituent parts of these marriages are nearly identical. Thus, if Tables XX. and XXI. be consulted, it will be seen that even the proportion of men and women at different ages who contract marriages is nearly identical year after year. Thus, of the women who married during the twelve years 1855–1866, 12·65 per cent. were under 20 years of age; 45·87 per cent. were from 20 to 25 years; 24·03 per cent. were from 25 to 30 years; 8·69 per cent. were from 30 to 35 years; and 4·43 per cent. were from 35 to 40 years. The proportions for the year 1867 were nearly the same. Thus, of the women who married during that year, 11·82 per cent. were under 20 years of age; 45·63 per cent. were between 20 and 25 years; 24·70 per cent. were between 25 and 30 years; 8·72 per cent. were from 30 to 35 years; and 4·55 per cent. were from 35 to 40 years of age.

Of these 22618 marriages, the conjugal or civil condition of the parties previous to their marriage was ascertained in 22409 cases. Of these 22409 marriages, 19067 were between bachelors and spinsters; 578 were between bachelors and widows; 2075 were between widowers and spinsters; and 689 between widowers and widows. (Tables XXII. and XXIII.) These numbers indicate that 85·09 per cent. of the marriages were between bachelors and spinsters; 2·58 per cent. between bachelors and widows; 9·26 per cent. between widowers and spinsters; and 3·07 per cent. between widowers and widows—proportions which closely correspond with those of former years.

The last two columns of Table XXVI. show the proportion of widowers and widows who re-married in 1867 in Scotland, its divisions, and counties. By that Table it appears that, in Scotland, 12·33 per cent. of the men who married were widowers, and 5·65 per cent. of the women who married were widows. As these proportions are pretty constant from year to year, they indicate that more than twice as many widowers marry

TABLE XXV.—MARRIAGES in SCOTLAND, 1855–1867. Proportion.

| YEARS. | Per-centage of Persons who Married under 21 years. | | Per-centage of Persons who Married | | | | Per-centage of Persons who Signed | | | | Proportion in every 100 Marriages. | | | |
|--------|--|-------|------------------------------------|-------|----------------|-------|-----------------------------------|-------|----------|-------|------------------------------------|------------------------|--------------------------|-----------------------|
| | | | Under 25 years | | Above 25 years | | By Writing. | | By Mark. | | Bachelors with Spinsters. | Bachelors with Widows. | Widowers with Spinsters. | Widowers with Widows. |
| | Men. | Women | Men. | Women | Men. | Women | Men. | Women | Men. | Women | | | | |
| 1855 | ? | ? | 39·44 | 57·99 | 60·56 | 42·01 | 88·6 | 77·2 | 11·4 | 22·8 | 83·48 | 3·04 | 10·20 | 3·38 |
| 1856 | ? | ? | 40·79 | 58·44 | 59·21 | 41·56 | 88·2 | 76·1 | 11·8 | 23·9 | 85·62 | 2·69 | 8·65 | 3·04 |
| 1857 | 7·47 | 21·43 | 42·19 | 58·84 | 57·81 | 41·16 | 87·9 | 75·2 | 12·1 | 24·8 | 86·01 | 2·63 | 8·32 | 3·04 |
| 1858 | 7·38 | 21·23 | 41·25 | 58·70 | 58·75 | 41·30 | 88·2 | 76·0 | 11·8 | 24·0 | 85·95 | 2·61 | 8·62 | 2·82 |
| 1859 | 7·42 | 21·60 | 41·22 | 58·80 | 58·78 | 41·20 | 89·1 | 77·8 | 10·9 | 22·2 | 85·25 | 2·76 | 9·06 | 2·93 |
| 1860 | 7·36 | 21·77 | 40·89 | 58·89 | 59·11 | 41·11 | 89·7 | 78·3 | 10·3 | 21·7 | 86·62 | 2·42 | 8·29 | 2·67 |
| 1861 | 7·09 | 21·13 | 40·96 | 58·72 | 59·04 | 41·28 | 89·4 | 78·7 | 10·6 | 21·3 | 86·48 | 2·19 | 8·77 | 2·56 |
| 1862 | 7·62 | 21·86 | 42·11 | 59·35 | 57·89 | 40·65 | 90·0 | 79·7 | 10·0 | 20·3 | 86·51 | 2·31 | 8·69 | 2·49 |
| 1863 | 7·91 | 22·05 | 43·79 | 59·93 | 56·21 | 40·07 | 89·1 | 77·9 | 10·9 | 22·1 | 87·29 | 1·59 | 8·46 | 2·66 |
| 1864 | 7·46 | 21·99 | 42·57 | 59·73 | 57·42 | 40·26 | 88·5 | 76·1 | 11·5 | 23·9 | 86·41 | 2·21 | 8·57 | 2·81 |
| 1865 | 7·16 | 21·26 | 41·38 | 58·84 | 58·62 | 41·16 | 88·58 | 77·78 | 11·42 | 22·22 | 85·97 | 2·53 | 8·77 | 2·73 |
| 1866 | 7·20 | 20·69 | 41·91 | 58·52 | 58·09 | 41·48 | 88·78 | 78·50 | 11·22 | 22·00 | 85·49 | 2·55 | 8·92 | 3·04 |
| 1867 | 6·77 | 20·41 | 40·63 | 57·47 | 59·37 | 42·53 | 89·41 | 79·27 | 10·59 | 20·73 | 85·09 | 2·58 | 9·26 | 3·07 |

annually as widows. This fact ought to be exhibited by the census of the population, which should show that widows are to the female population

TABLE XXVI.—Per-centage in the several Groups of Districts, Divisions, and Counties of Scotland during the year 1867 of Persons signing the Marriage Register in Writing and by Mark; of Persons not of full Age; and of the Re-marriages of Widowers and Widows.

| DIVISIONS AND COUNTIES. | | Signed their Names in Writing. | | Signed by Mark. | | Persons under 21 Years. | | Re-Marriages. | |
|------------------------------------|-----------------------------|--------------------------------------|------------------------------|----------------------------|------------------------------|----------------------------|------------------------------|--|--|
| | | Of 100 Men who married. | Of 100 Women who married. | Of 100 Men who married. | Of 100 Women who married. | Of 100 Men who married. | Of 100 Women who married. | Widowers in 100 Men who married. | Widows in 100 Women who married. |
| SCOTLAND | | 89·41 | 79·27 | 10·59 | 20·73 | 6·77 | 20·41 | 12·33 | 5·65 |
| INSULAR DISTRICTS | | 72·74 | 57·90 | 27·26 | 42·10 | 3·27 | 8·49 | 11·53 | 2·28 |
| MAINLAND-RURAL DISTRICTS | | 92·49 | 84·92 | 7·51 | 15·08 | 6·82 | 21·02 | 10·73 | 4·02 |
| TOWN DISTRICTS | | 87·66 | 75·37 | 12·34 | 24·63 | 7·00 | 20·71 | 13·93 | 7·46 |
| DIVISIONS. | | | | | | | | | |
| I. | NORTHERN | 93·16 | 83·05 | 6·84 | 16·95 | 4·69 | 11·60 | 11·57 | 2·53 |
| II. | NORTH-WESTERN | 66·25 | 49·81 | 33·75 | 50·19 | 1·10 | 11·46 | 11·35 | 2·58 |
| III. | NORTH-EASTERN | 96·69 | 90·54 | 3·31 | 9·46 | 5·49 | 22·91 | 9·83 | 3·19 |
| IV. | EAST-MIDLAND | 93·79 | 84·51 | 6·21 | 15·41 | 7·60 | 16·40 | 11·86 | 5·08 |
| V. | WEST-MIDLAND | 89·37 | 78·54 | 10·63 | 21·46 | 6·03 | 19·57 | 10·62 | 5·68 |
| VI. | SOUTH-WESTERN | 84·69 | 70·39 | 15·31 | 29·61 | 7·83 | 22·55 | 13·67 | 7·58 |
| VII. | SOUTH-EASTERN | 93·92 | 89·89 | 6·08 | 10·11 | 6·34 | 19·90 | 12·17 | 5·05 |
| VIII. | SOUTHERN | 95·33 | 91·25 | 4·67 | 8·75 | 6·02 | 18·17 | 12·61 | 3·71 |
| COUNTIES. | | | | | | | | | |
| 1 | Shetland | 91·07 | 66·66 | 8·93 | 33·34 | 6·70 | 4·88 | 8·69 | 1·86 |
| 2 | Orkney | 97·24 | 96·14 | 2·76 | 3·86 | 6·59 | 15·93 | 14·28 | 2·19 |
| 3 | Caithness | 97·47 | 91·91 | 2·53 | 8·01 | 3·53 | 12·68 | 11·11 | 3·53 |
| 4 | Sutherland | 78·90 | 68·42 | 21·10 | 31·58 | 0·00 | 12·63 | 12·22 | 2·22 |
| 5 | Ross and Cromarty | 60·61 | 45·78 | 39·39 | 54·22 | 1·28 | 9·51 | 10·13 | 1·60 |
| 6 | Inverness | 71·46 | 53·53 | 28·54 | 46·47 | 0·95 | 13·27 | 12·50 | 3·50 |
| 7 | Nairn | 94·73 | 81·57 | 5·27 | 18·43 | 0·00 | 10·52 | 2·63 | 2·63 |
| 8 | Elgin | 93·50 | 84·41 | 6·50 | 15·59 | 3·89 | 21·21 | 7·89 | 3·07 |
| 9 | Banff | 94·91 | 85·32 | 5·09 | 14·68 | 5·98 | 23·65 | 11·67 | 2·33 |
| 10 | Aberdeen | 97·48 | 91·86 | 2·52 | 8·14 | 5·93 | 23·54 | 9·59 | 3·37 |
| 11 | Kincardine | 97·89 | 96·20 | 2·11 | 3·80 | 4·22 | 21·52 | 11·81 | 3·37 |
| 12 | Forfar | 90·41 | 76·17 | 9·59 | 23·83 | 8·42 | 11·49 | 11·92 | 6·14 |
| 13 | Perth | 97·16 | 91·74 | 2·84 | 8·26 | 5·55 | 14·73 | 9·48 | 3·50 |
| 14 | Fife | 96·40 | 92·11 | 3·60 | 7·89 | 8·49 | 16·65 | 13·48 | 4·46 |
| 15 | Kinross | 100·00 | 100·00 | 0·00 | 0·00 | 7·27 | 12·72 | 7·27 | 1·81 |
| 16 | Clackmannan | 96·77 | 87·90 | 3·23 | 12·10 | 8·06 | 20·16 | 12·90 | 5·64 |
| 17 | Stirling | 88·98 | 78·96 | 11·02 | 21·04 | 7·87 | 25·41 | 10·92 | 5·80 |
| 18 | Dumbarton | 88·37 | 71·54 | 11·63 | 28·46 | 6·77 | 17·88 | 10·08 | 6·54 |
| 19 | Argyll | 90·37 | 80·17 | 9·63 | 19·42 | 2·84 | 13·92 | 9·93 | 5·28 |
| 20 | Bute | 91·21 | 86·81 | 8·79 | 13·19 | 3·29 | 9·90 | 14·60 | 3·36 |
| 21 | Renfrew | 82·91 | 70·18 | 17·09 | 29·82 | 4·99 | 20·47 | 12·30 | 8·13 |
| 22 | Ayr | 86·75 | 75·35 | 13·25 | 24·65 | 8·92 | 24·64 | 14·24 | 6·76 |
| 23 | Lanark | 84·46 | 69·25 | 15·54 | 30·75 | 8·25 | 24·26 | 13·87 | 7·65 |
| 24 | Linlithgow | 87·82 | 77·51 | 12·12 | 22·49 | 14·93 | 35·76 | 7·04 | 4·22 |
| 25 | Edinburgh | 94·53 | 90·92 | 5·46 | 9·08 | 5·45 | 18·53 | 13·19 | 5·40 |
| 26 | Haddington | 91·20 | 85·65 | 8·80 | 14·35 | 7·48 | 18·14 | 11·32 | 5·18 |
| 27 | Berwick | 98·49 | 97·48 | 1·52 | 2·52 | 5·58 | 15·22 | 6·27 | 1·04 |
| 28 | Peebles | 98·36 | 98·36 | 1·64 | 1·64 | 4·91 | 21·31 | 19·67 | 4·91 |
| 29 | Selkirk | 100·00 | 97·64 | 0·00 | 2·36 | 4·70 | 20·00 | 8·23 | 5·87 |
| 30 | Roxburgh | 97·07 | 93·83 | 2·93 | 6·17 | 5·52 | 19·80 | 11·07 | 3·58 |
| 31 | Dumfries | 97·01 | 95·17 | 2·99 | 4·83 | 5·05 | 15·86 | 13·20 | 4·01 |
| 32 | Kirkcudbright | 95·56 | 92·74 | 4·44 | 7·26 | 5·24 | 17·74 | 12·81 | 3·72 |
| 33 | Wigtown | 88·23 | 81·28 | 11·77 | 18·72 | 10·15 | 21·39 | 13·58 | 3·25 |
| EDINBURGH | | 95·80 | 91·96 | 4·20 | 8·04 | 4·39 | 17·12 | 13·71 | 6·03 |
| GLASGOW | | 83·36 | 65·91 | 16·64 | 34·09 | 7·48 | 22·25 | 15·00 | 8·37 |

more than twice as numerous as widowers are to the male population. Accordingly, we find that at the census of 1861, 8 per cent. of the female population above 15 years of age were widows, while only 3 per cent. of the male population above 15 years of age were widowers.

The last four columns of Table XXV. show the relative proportion of marriages between persons in different conjugal conditions, during the thirteen years 1855–1867. By these it will be seen that the relative proportion of marriages between bachelors and spinsters, bachelors and widows, etc., varies very little from year to year, and repeats itself with as unfailing regularity as the ages at which the parties marry.

During 1867 the state of elementary education among the people, in so far as such is indicated by the ability to write their names in the marriage registers, was much the same as in former years. (Tables XXIV., XXV., and XXVI.) Thus, during the year 1867, of the 22618 men who married, 20224 signed their names in writing, while 2394, being unable to write, signed by mark. Of the 22618 women who married during the year, 17931 signed their names in writing, while 4687, being unable to write, signed by mark. These numbers indicate that 89·41 per cent. of the men, and 79·27 per cent. of the women, were able to sign their names in writing; while 10·59 per cent. of the men, and 20·73 per cent. of the women, not being able to write, were obliged to sign by mark.

In England, during the same year, only 78·9 per cent. of the men, and 71·2 per cent. of the women, who married, were able to sign their names in writing; while 21·1 per cent. of the men, and 28·8 per cent. of the women, not being able to write, had to append their mark. By this test, therefore, elementary education is in a much more advanced stage in Scotland than in England.

Ross and Cromarty, Inverness, and Sutherland, are the counties in Scotland which exhibit the highest proportion of persons unable to write. After these come the counties which contain the largest number of persons of Irish descent, the number unable to write being closely proportioned to the number of Irish in the population. This is perhaps the principal cause of the difference between Edinburgh and Glasgow in the proportion of men and women able to write their names. Thus, in Edinburgh, 95·80 per cent. of the men, and 91·96 per cent. of the women who married during the year, were able to write their names in the registers; but in Glasgow, only 83·36 per cent. of the men, and 65·91 per cent. of the women, could write their names. To state it otherwise, only 4·20 per cent. of the men, and 8·04 per cent. of the women in Edinburgh, not being able to write, had to append their mark to the registers; while in Glasgow, 16·64 per cent. of the men, and 34·09 per cent. of the women, being unable to write, were obliged to sign by mark.

DEATHS.

69068 Deaths were registered in Scotland during the year 1867, being at the rate of 21·77 deaths in every thousand of the estimated population. The mean death-rate of the ten previous years was 21·83 deaths in every thousand persons, so that the mortality was somewhat below the average.

In England, during the same year, the deaths were in the proportion of 21·98 deaths in every thousand persons; and were thus above the Scottish rate, but below their own mean of the ten previous years, which was at the

rate of 22·54 deaths annually in every thousand persons of the estimated population.

The Insular and Mainland-Rural Districts had, as usual, a much lower mortality than that of the Town Districts. Thus, 2583 deaths occurred in the Insular, 33190 deaths in the Mainland-Rural, and 33295 deaths in the Town Districts; which indicates a mortality of 16·43 deaths in every thousand persons in the Insular, 18·49 deaths in the Mainland-Rural, and 27·30 deaths in the Town Districts.

It is instructive, however, to refer to Tables XII. and XIII., which show the number and proportion of deaths in the Town and Rural Districts of Scotland when divided into four groups according to the density of the population. By these Tables it will be seen that, like the births and marriages, the mortality is exactly proportioned to the density of the population, or rather to the size of the mass of human beings congregated together, being highest where the greatest number of persons were congregated together, lowest in the Rural Districts where the population is most scattered. Thus, in every thousand persons in each of the groups, 27·99 died during the year in the Principal Towns, 24·91 died in the Large Towns, 21·89 died in the Small Towns, but only 17·00 died in the Rural Districts.

But the instructive point to note is, that the varying death-rate is steady in each group of districts, and is the normal condition of things; for if we

TABLE XXVII.—DEATHS in SCOTLAND, and its Insular, Mainland-Rural, and Town Districts, during each of the Years 1855–1867, distinguishing the Sexes.

| YEARS. | SCOTLAND. | | | INSULAR DISTRICTS. | | | MAINLAND-RURAL DISTRICTS. | | | TOWN DISTRICTS. | | |
|--------|-----------|-------|-------------|--------------------|------|-------------|---------------------------|-------|-------------|-----------------|-------|-------------|
| | Males. | Fem. | Both Sexes. | Males. | Fem. | Both Sexes. | Males. | Fem. | Both Sexes. | Males. | Fem. | Both Sexes. |
| 1855 | 30626 | 31378 | 62004 | 1293 | 1400 | 2693 | 15300 | 15593 | 30893 | 14033 | 14385 | 28418 |
| 1856 | 29418 | 29111 | 58529 | 1042 | 1124 | 2166 | 14560 | 14265 | 28825 | 13816 | 13722 | 27538 |
| 1857 | 30937 | 30969 | 61906 | 1141 | 1165 | 2306 | 15195 | 15195 | 30390 | 14601 | 14609 | 29210 |
| 1858 | 31652 | 31887 | 63539 | 1153 | 1224 | 2377 | 15698 | 15866 | 31564 | 14801 | 14797 | 29598 |
| 1859 | 30588 | 31126 | 61714 | 1252 | 1381 | 2633 | 15317 | 15642 | 30959 | 14019 | 14103 | 28122 |
| 1860 | 33610 | 34560 | 68170 | 1319 | 1395 | 2714 | 16510 | 16848 | 33358 | 15781 | 16317 | 32098 |
| 1861 | 30890 | 31451 | 62341 | 1235 | 1327 | 2562 | 15329 | 15485 | 30814 | 14326 | 14639 | 28965 |
| 1862 | 33179 | 34016 | 67195 | 1445 | 1530 | 2975 | 16178 | 16516 | 32694 | 15556 | 15970 | 31526 |
| 1863 | 35631 | 35850 | 71481 | 1427 | 1507 | 2934 | 17222 | 17500 | 34722 | 16982 | 16843 | 33825 |
| 1864 | 37010 | 37406 | 74416 | 1283 | 1437 | 2720 | 17679 | 18040 | 35719 | 18048 | 17929 | 35977 |
| 1865 | 35190 | 35701 | 70891 | 1236 | 1252 | 2488 | 16339 | 16653 | 32992 | 17615 | 17796 | 35411 |
| 1866 | 35355 | 35993 | 71348 | 1305 | 1356 | 2661 | 16930 | 17385 | 34315 | 17120 | 17252 | 34372 |
| 1867 | 34363 | 34705 | 69068 | 1233 | 1350 | 2583 | 16589 | 16601 | 33190 | 16541 | 16754 | 33295 |

TABLE XXVIII.—Per-centage of Deaths to the Population in Scotland, its Insular, Mainland-Rural, and Town Districts, during each of the Years 1855–1867.

| YEARS. | SCOTLAND. | | | INSULAR DISTRICTS. | | | MAINLAND-RURAL DISTRICTS. | | | TOWN DISTRICTS. | | |
|--------|-----------|-------|-------------|--------------------|-------|-------------|---------------------------|-------|-------------|-----------------|-------|-------------|
| | Males. | Fem. | Both Sexes. | Males. | Fem. | Both Sexes. | Males. | Fem. | Both Sexes. | Males. | Fem. | Both Sexes. |
| 1855 | 2·162 | 2·003 | 2·082 | 1·714 | 1·577 | 1·644 | 1·828 | 1·742 | 1·784 | 2·781 | 2·527 | 2·675 |
| 1856 | 2·065 | 1·850 | 1·953 | 1·387 | 1·269 | 1·293 | 1·735 | 1·588 | 1·659 | 2·769 | 2·381 | 2·561 |
| 1857 | 2·161 | 1·958 | 2·055 | 1·526 | 1·316 | 1·414 | 1·807 | 1·686 | 1·744 | 2·896 | 2·505 | 2·685 |
| 1858 | 2·202 | 2·005 | 2·098 | 1·549 | 1·390 | 1·463 | 1·862 | 1·778 | 1·806 | 2·901 | 2·507 | 2·690 |
| 1859 | 2·120 | 1·940 | 2·028 | 1·690 | 1·573 | 1·626 | 1·812 | 1·723 | 1·766 | 2·719 | 2·361 | 2·527 |
| 1860 | 2·321 | 2·150 | 2·231 | 1·788 | 1·593 | 1·682 | 1·948 | 1·849 | 1·897 | 3·026 | 2·700 | 2·851 |
| 1861 | 2·127 | 1·947 | 2·032 | 1·684 | 1·520 | 1·595 | 1·803 | 1·692 | 1·746 | 2·710 | 2·387 | 2·537 |
| 1862 | 2·273 | 2·093 | 2·178 | 1·979 | 1·758 | 1·859 | 1·899 | 1·799 | 1·847 | 2·912 | 2·598 | 2·730 |
| 1863 | 2·429 | 2·192 | 2·305 | 1·964 | 1·736 | 1·840 | 2·107 | 1·900 | 1·956 | 3·143 | 2·685 | 2·897 |
| 1864 | 2·511 | 2·274 | 2·386 | 1·774 | 1·660 | 1·712 | 2·065 | 1·952 | 2·006 | 3·306 | 2·827 | 3·048 |
| 1865 | 2·375 | 2·157 | 2·260 | 1·717 | 1·450 | 1·571 | 1·904 | 1·796 | 1·848 | 3·193 | 2·775 | 2·969 |
| 1866 | 2·374 | 2·162 | 2·263 | 1·821 | 1·575 | 1·687 | 1·968 | 1·868 | 1·916 | 3·072 | 2·662 | 2·851 |
| 1867 | 2·296 | 2·072 | 2·177 | 1·728 | 1·573 | 1·643 | 1·925 | 1·778 | 1·849 | 2·936 | 2·554 | 2·730 |

take a ten years' summary of the deaths in each of these four groups, as is shown in Tables XIV. and XV., we shall find that, from 1856 to 1865, for every thousand persons living in each group, 28·25 deaths occurred annually in the Principal Towns, 24·57 deaths in the Large Towns, 21·24 deaths in the Small Towns, and only 16·95 deaths in the Rural Districts.

It would appear, however, that nature does nothing without a compensation, though this fact seems hitherto to have been entirely overlooked. Thus, it has already been shown, when speaking of the births and marriages, that if the Principal Towns have the highest proportion of deaths, they have also the highest proportion of births and of marriages, while each of the other groups have their births and marriages in exact proportion to their deaths. In fact, the now ascertained facts, when looked at from a philosophical point of view, would seem to lead to the conclusion, that it was a law of nature that the rapidity of the circulation of life in each country was dependent on the density of the population; and that if the lamp of human life burned out most quickly where the population was most dense, ample provision was made for keeping up the supply of life, seeing that, in proportion to the density of the population, the ratio of both marriages and births was correspondingly increased.

When from groups of districts, arranged according to the varying size of the towns, we descend to the individual towns themselves, it is found that the existence of local and often temporary causes tends to obscure the general law above indicated. Thus, a virulent epidemic, a more insalubrious site, exceptional overcrowding, or a strike, with its privations and diseases, etc., will often cause a smaller town to exhibit a higher mortality than a larger one. This is the reason why no confidence can be placed on conclusions drawn from limited data, which are often exceptional. Still it is interesting year by year to note the varying mortality which prevails in the principal towns of a country. Thus, for every thousand persons living in each of the Eight Principal Towns of Scotland during the year 1867, there

TABLE XXIX.—TOWN DEATHS, 1857-1867. Number of Deaths Annually in each of the Eight Principal Towns of Scotland.

| TOWNS. | 1857. | 1858. | 1859. | 1860. | 1861. | 1862. | 1863. | 1864. | 1865. | 1866. | 1867. |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Glasgow . . . | 11375 | 11472 | 10832 | 12436 | 10936 | 11565 | 13329 | 13674 | 13914 | 12829 | 12578 |
| Edinburgh . . . | 3786 | 4190 | 3703 | 4240 | 4168 | 4760 | 4593 | 4678 | 4858 | 4813 | 4765 |
| Dundee | 2242 | 2335 | 2269 | 2903 | 2499 | 2599 | 2714 | 3105 | 3000 | 3130 | 2952 |
| Aberdeen | 1718 | 1619 | 1676 | 2193 | 1780 | 1923 | 1750 | 2139 | 1981 | 2324 | 1824 |
| Paisley | 1443 | 1276 | 1185 | 1378 | 1207 | 1253 | 1218 | 1521 | 1410 | 1345 | 1335 |
| Greenock | 1268 | 1088 | 1423 | 1255 | 1113 | 1370 | 1876 | 1929 | 1675 | 1488 | 1433 |
| Leith | 751 | 790 | 699 | 987 | 766 | 872 | 913 | 928 | 948 | 924 | 1064 |
| Perth | 767 | 665 | 560 | 664 | 665 | 618 | 652 | 871 | 729 | 613 | 569 |

TABLE XXX.—TOWN DEATHS, 1857-1867. Annual Per-centage of Deaths to the Population in each of the Eight Principal Towns of Scotland, during the Eleven Years 1857-1867.

| TOWNS. | 1857. | 1858. | 1859. | 1860. | 1861. | 1862. | 1863. | 1864. | 1865. | 1866. | Mean Annual Mortality. | 1867. |
|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------------------------|-------|
| Glasgow . | 3·08 | 3·05 | 2·83 | 3·19 | 2·75 | 2·86 | 3·24 | 3·27 | 3·28 | 2·98 | 3·053 | 2·87 |
| Edinburgh | 2·26 | 2·49 | 2·19 | 2·50 | 2·44 | 2·77 | 2·60 | 2·69 | 2·78 | 2·75 | 2·547 | 2·70 |
| Dundee . | 2·57 | 2·64 | 2·53 | 3·20 | 2·60 | 2·79 | 2·87 | 3·25 | 3·10 | 3·20 | 2·875 | 2·98 |
| Aberdeen | 2·34 | 2·20 | 2·28 | 2·97 | 2·40 | 2·59 | 2·35 | 2·87 | 2·65 | 3·11 | 2·576 | 2·42 |
| Paisley . | 3·02 | 2·67 | 2·49 | 2·90 | 2·54 | 2·64 | 2·56 | 3·20 | 2·97 | 2·83 | 2·782 | 2·81 |
| Greenock | 3·06 | 2·50 | 3·34 | 2·90 | 2·52 | 3·06 | 4·13 | 4·19 | 3·59 | 3·10 | 3·239 | 2·99 |
| Leith . | 2·17 | 2·26 | 1·98 | 2·76 | 2·12 | 2·38 | 2·47 | 2·49 | 2·52 | 2·43 | 2·358 | 2·77 |
| Perth . . | 3·10 | 2·67 | 2·24 | 2·64 | 2·62 | 2·35 | 2·46 | 3·28 | 2·73 | 2·28 | 2·637 | 2·10 |

died 21·0 in Perth, 24·2 in Aberdeen, 27·0 in Edinburgh, 27·7 in Leith, 28·1 in Paisley, 28·7 in Glasgow, 29·8 in Dundee, and 29·9 in Greenock.

Of the 69068 persons who died during the year, 34363 were males and 34705 females; but as females greatly preponderate in the population,

TABLE XXXI.—SCOTLAND, 1867. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

| AGES. | POPULATION. | | DEATHS. | | Per-cent. of Deaths to Population. | |
|---------------------|-------------|-----------|---------|----------|------------------------------------|----------|
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 47,614 | 46,156 | 7544 | 5977 | 15·844 | 12·949 |
| — 2 | 43,475 | 42,336 | 3002 | 2728 | 6·905 | 6·443 |
| — 3 | 43,813 | 42,673 | 1468 | 1350 | 3·350 | 3·163 |
| — 4 | 42,335 | 41,613 | 902 | 900 | 2·130 | 2·163 |
| — 5 | 41,642 | 40,318 | 620 | 628 | 1·489 | 1·557 |
| Total under 5 Years | 218,879 | 213,096 | 13536 | 11583 | 6·184 | 5·435 |
| 5—10 | 190,031 | 185,493 | 1646 | 1563 | 0·866 | 0·842 |
| 10—15 | 170,181 | 163,393 | 892 | 861 | 0·524 | 0·527 |
| 15—20 | 155,217 | 163,131 | 1096 | 1142 | 0·705 | 0·700 |
| 20—30 | 237,503 | 296,197 | 2475 | 2533 | 1·042 | 0·855 |
| 30—40 | 175,553 | 215,461 | 2027 | 2278 | 1·154 | 1·057 |
| 40—50 | 141,183 | 168,002 | 2200 | 2292 | 1·558 | 1·364 |
| 50—60 | 102,732 | 124,722 | 2562 | 2416 | 2·493 | 1·937 |
| 60—70 | 67,173 | 89,335 | 3089 | 3323 | 4·598 | 3·719 |
| 70—80 | 29,286 | 42,352 | 2979 | 3780 | 10·172 | 8·925 |
| 80—90 | 7,947 | 12,983 | 1559 | 2396 | 19·617 | 18·455 |
| 90—100 | 615 | 1,217 | 251 | 491 | 40·813 | 40·345 |
| 100 and above | 29 | 58 | 10 | 10 | 34·482 | 17·241 |
| Not stated | — | — | 41 | 37 | — | — |
| ALL AGES | 1,496,329 | 1,674,440 | 34363 | 34705 | 2·296 | 2·072 |
| BOTH SEXES | 3,170,769 | | 69068 | | 2·177 | |

TABLE XXXII.—INSULAR DISTRICTS, 1867. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

| AGES. | POPULATION. | | DEATHS. | | Per-cent. of Deaths to Population. | |
|---------------------|-------------|----------|---------|----------|------------------------------------|----------|
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 1,937 | 1,851 | 202 | 153 | 10·428 | 8·265 |
| — 2 | 1,869 | 1,836 | 43 | 49 | 2·300 | 2·668 |
| — 3 | 1,973 | 1,970 | 30 | 27 | 1·520 | 1·370 |
| — 4 | 1,929 | 1,863 | 16 | 24 | 0·829 | 1·288 |
| — 5 | 2,010 | 1,908 | 16 | 18 | 0·709 | 0·943 |
| Total under 5 Years | 9,718 | 9,428 | 307 | 271 | 3·159 | 2·874 |
| 5—10 | 9,213 | 9,044 | 44 | 49 | 0·477 | 0·541 |
| 10—15 | 8,449 | 8,268 | 22 | 27 | 0·272 | 0·326 |
| 15—20 | 7,313 | 8,141 | 26 | 34 | 0·355 | 0·417 |
| 20—30 | 9,946 | 14,182 | 116 | 77 | 1·166 | 0·543 |
| 30—40 | 7,414 | 10,767 | 62 | 83 | 0·837 | 0·771 |
| 40—50 | 6,223 | 8,596 | 67 | 62 | 1·076 | 0·721 |
| 50—60 | 5,418 | 6,903 | 89 | 93 | 1·642 | 1·347 |
| 60—70 | 4,507 | 5,956 | 140 | 161 | 3·106 | 2·703 |
| 70—80 | 2,246 | 3,085 | 198 | 220 | 8·815 | 7·131 |
| 80—90 | 782 | 1,283 | 129 | 202 | 16·496 | 15·744 |
| 90—100 | 82 | 152 | 24 | 64 | 29·268 | 42·105 |
| 100 and above | 3 | 19 | 2 | 2 | 66·666 | 10·526 |
| Not stated | — | — | 7 | 5 | — | — |
| ALL AGES | 71,315 | 85,824 | 1233 | 1350 | 1·728 | 1·573 |
| BOTH SEXES | 157,139 | | 2583 | | 1·643 | |

when reduced to proportions it appears that, for every thousand of each sex, 22·96 males died, but only 20·72 females, so that the female mortality was considerably below that of the males. At every quinquennial or decennial period of life, excepting from 10 to 15 years of age, the mortality of the males exceeded that of the females. (Table XXXI.) Thus, in every

TABLE XXXIII.—MAINLAND-RURAL DISTRICTS, 1867. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

| AGES. | POPULATION. | | DEATHS. | | Per-cent. of Deaths to Population. | |
|---------------------|-------------|----------|---------|----------|------------------------------------|----------|
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 26,407 | 25,660 | 3404 | 2594 | 12·890 | 10·109 |
| — 2 | 24,987 | 24,276 | 1170 | 1031 | 4·682 | 4·246 |
| — 3 | 25,260 | 24,602 | 599 | 548 | 2·371 | 2·227 |
| — 4 | 24,778 | 24,082 | 389 | 409 | 1·570 | 1·698 |
| — 5 | 24,473 | 23,650 | 267 | 267 | 1·091 | 1·129 |
| Total under 5 Years | 125,905 | 122,270 | 5829 | 4849 | 4·629 | 3·965 |
| 5—10 | 112,888 | 109,178 | 803 | 755 | 0·711 | 0·691 |
| 10—15 | 102,010 | 96,726 | 462 | 448 | 0·452 | 0·463 |
| 15—20 | 90,146 | 89,213 | 585 | 536 | 0·649 | 0·600 |
| 20—30 | 126,774 | 151,308 | 1177 | 1125 | 0·928 | 0·743 |
| 30—40 | 95,139 | 113,325 | 828 | 957 | 0·870 | 0·844 |
| 40—50 | 79,404 | 91,402 | 907 | 980 | 1·142 | 1·075 |
| 50—60 | 61,087 | 69,927 | 1183 | 1081 | 1·936 | 1·544 |
| 60—70 | 42,297 | 52,866 | 1657 | 1678 | 3·917 | 3·174 |
| 70—80 | 19,828 | 26,960 | 1885 | 2236 | 9·506 | 8·295 |
| 80—90 | 5,651 | 8,756 | 1054 | 1604 | 18·651 | 18·319 |
| 90—100 | 434 | 809 | 195 | 326 | 44·931 | 40·296 |
| 100 and above | 23 | 32 | 3 | 5 | 13·043 | 15·625 |
| Not stated | — | — | 21 | 21 | — | — |
| ALL AGES | 861,586 | 932,772 | 16589 | 16601 | 1·925 | 1·778 |
| BOTH SEXES | 1,794,358 | | 33190 | | 1·849 | |

TABLE XXXIV.—TOWN DISTRICTS, 1867. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

| AGES. | POPULATION. | | DEATHS. | | Per-cent. of Deaths to Population. | |
|---------------------|-------------|----------|---------|----------|------------------------------------|----------|
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 19,270 | 18,645 | 3938 | 3230 | 20·435 | 17·323 |
| — 2 | 16,619 | 16,224 | 1789 | 1648 | 10·765 | 10·158 |
| — 3 | 16,580 | 16,101 | 839 | 775 | 5·060 | 4·813 |
| — 4 | 15,628 | 15,668 | 497 | 467 | 3·180 | 2·980 |
| — 5 | 15,159 | 14,760 | 337 | 343 | 2·223 | 2·324 |
| Total under 5 Years | 83,256 | 81,398 | 7400 | 6463 | 8·888 | 7·939 |
| 5—10 | 67,930 | 67,271 | 799 | 759 | 1·176 | 1·128 |
| 10—15 | 59,722 | 58,399 | 408 | 386 | 0·682 | 0·661 |
| 15—20 | 57,758 | 65,777 | 485 | 572 | 0·839 | 0·869 |
| 20—30 | 100,783 | 130,707 | 1182 | 1331 | 1·172 | 1·018 |
| 30—40 | 73,000 | 91,369 | 1137 | 1238 | 1·557 | 1·355 |
| 40—50 | 55,556 | 68,204 | 1226 | 1250 | 2·207 | 1·833 |
| 50—60 | 36,227 | 46,892 | 1290 | 1242 | 3·561 | 2·627 |
| 60—70 | 20,369 | 30,513 | 1292 | 1484 | 6·343 | 4·863 |
| 70—80 | 7,212 | 12,307 | 896 | 1324 | 12·423 | 10·758 |
| 80—90 | 1,513 | 2,944 | 376 | 590 | 24·851 | 20·041 |
| 90—100 | 97 | 256 | 32 | 101 | 32·989 | 39·453 |
| 100 and above | 5 | 7 | 5 | 3 | 100·000 | 42·857 |
| Not stated | — | — | 13 | 11 | — | — |
| ALL AGES | 563,428 | 655,844 | 16541 | 16754 | 2·936 | 2·554 |
| BOTH SEXES | 1,219,272 | | 33295 | | 2·730 | |

thousand of each sex at each quinquennial age, 61·84 males, but only 54·35 females died under 5 years of age; 8·66 males, but only 8·42 females died between 5 and 10 years; 7·05 males, but only 7·00 females died between 15 and 20 years; 10·42 males, but only 8·55 females died between 20 and 30 years of age; 11·54 males, but only 10·57 females died between 30 and 40

TABLE XXXV.—GLASGOW, 1867. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

| AGES. | POPULATION. | | DEATHS. | | Per-cent. of Deaths to Population. | |
|---------------------|-------------|----------|---------|----------|------------------------------------|----------|
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 7,565 | 7,164 | 1637 | 1258 | 21·639 | 17·560 |
| — 2 | 6,174 | 6,071 | 804 | 749 | 13·022 | 12·337 |
| — 3 | 5,958 | 5,911 | 349 | 312 | 5·857 | 5·278 |
| — 4 | 5,575 | 5,650 | 219 | 189 | 3·910 | 3·345 |
| — 5 | 5,382 | 5,215 | 133 | 147 | 2·469 | 2·818 |
| Total under 5 Years | 30,654 | 30,011 | 3142 | 2655 | 10·249 | 8·846 |
| 5—10 | 23,414 | 23,231 | 318 | 323 | 1·358 | 1·390 |
| 10—15 | 20,498 | 20,153 | 164 | 137 | 0·800 | 0·679 |
| 15—20 | 21,603 | 24,108 | 173 | 241 | 0·800 | 0·999 |
| 20—30 | 40,002 | 42,765 | 430 | 574 | 1·074 | 1·342 |
| 30—40 | 27,998 | 33,493 | 425 | 454 | 1·518 | 1·355 |
| 40—50 | 20,430 | 23,728 | 480 | 466 | 2·349 | 1·964 |
| 50—60 | 12,014 | 15,078 | 473 | 457 | 3·937 | 3·031 |
| 60—70 | 6,082 | 9,001 | 421 | 468 | 6·922 | 5·199 |
| 70—80 | 1,669 | 3,065 | 219 | 340 | 13·121 | 11·093 |
| 80—90 | 310 | 616 | 59 | 125 | 19·032 | 20·292 |
| 90—100 | 20 | 58 | 6 | 26 | 30·000 | 44·827 |
| 100 and above | — | 2 | 1 | — | — | — |
| Not stated | — | — | 1 | — | — | — |
| ALL AGES | 204,694 | 232,309 | 6312 | 6266 | 3·083 | 2·692 |
| BOTH SEXES | 437,003 | | 12578 | | 2·878 | |

TABLE XXXVI.—EDINBURGH, 1867. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

| AGES. | POPULATION. | | DEATHS. | | Per-cent. of Deaths to Population. | |
|---------------------|-------------|----------|---------|----------|------------------------------------|----------|
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 2,298 | 2,409 | 495 | 395 | 21·540 | 16·397 |
| — 2 | 2,065 | 2,069 | 217 | 214 | 10·508 | 10·343 |
| — 3 | 2,036 | 1,975 | 128 | 109 | 6·286 | 5·519 |
| — 4 | 1,907 | 1,963 | 62 | 56 | 3·251 | 2·847 |
| — 5 | 1,993 | 1,818 | 54 | 44 | 2·709 | 2·420 |
| Total under 5 Years | 10,299 | 10,234 | 956 | 818 | 9·282 | 7·993 |
| 5—10 | 8,959 | 8,810 | 105 | 85 | 1·172 | 0·964 |
| 10—15 | 8,209 | 8,010 | 42 | 45 | 0·511 | 0·561 |
| 15—20 | 8,259 | 10,064 | 70 | 57 | 0·847 | 0·566 |
| 20—30 | 14,949 | 20,071 | 193 | 166 | 1·293 | 0·822 |
| 30—40 | 10,143 | 13,801 | 175 | 180 | 1·735 | 1·304 |
| 40—50 | 7,694 | 10,700 | 184 | 204 | 2·391 | 1·906 |
| 50—60 | 5,292 | 7,821 | 191 | 209 | 3·609 | 2·671 |
| 60—70 | 3,190 | 5,271 | 209 | 259 | 6·551 | 4·913 |
| 70—80 | 1,240 | 2,157 | 144 | 277 | 11·612 | 12·841 |
| 80—90 | 233 | 481 | 64 | 112 | 27·468 | 23·284 |
| 90—100 | 9 | 41 | 2 | 15 | 22·222 | 36·585 |
| 100 and above | — | 1 | — | — | — | — |
| Not stated | — | — | 3 | — | — | — |
| ALL AGES | 78,476 | 97,462 | 2338 | 2427 | 2·979 | 2·500 |
| BOTH SEXES | 175,938 | | 4765 | | 2·708 | |

years of age; 15·58 males, but only 13·64 females died between 40 and 50 years of age; 24·93 males, but only 19·37 females died between 50 and 60 years of age; 45·98 males, but only 37·19 females died between the ages of 60 and 70 years; 101·72 males, but only 89·25 females died between the ages of 70 and 80; 196·17 males, but only 184·55 females died between

TABLE XXXVII.—DUNDEE, 1867. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

| AGES. | POPULATION. | | DEATHS. | | Per-cent. of Deaths to Population. | |
|---------------------|-------------|----------|---------|----------|------------------------------------|----------|
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 1,584 | 1,496 | 416 | 347 | 26·261 | 23·196 |
| — 2 | 1,234 | 1,276 | 176 | 154 | 14·270 | 12·069 |
| — 3 | 1,389 | 1,263 | 60 | 74 | 4·319 | 5·859 |
| — 4 | 1,206 | 1,217 | 47 | 45 | 3·897 | 3·779 |
| — 5 | 1,166 | 1,220 | 28 | 31 | 2·401 | 2·541 |
| Total under 5 Years | 6,579 | 6,472 | 727 | 651 | 11·050 | 10·059 |
| 5—10 | 5,466 | 5,559 | 56 | 57 | 1·024 | 1·253 |
| 10—15 | 4,735 | 4,797 | 26 | 37 | 0·549 | 0·770 |
| 15—20 | 4,308 | 5,884 | 31 | 36 | 0·719 | 0·612 |
| 20—30 | 7,188 | 12,202 | 95 | 133 | 1·321 | 1·089 |
| 30—40 | 5,371 | 7,987 | 80 | 118 | 1·481 | 1·477 |
| 40—50 | 4,109 | 5,756 | 114 | 116 | 2·774 | 2·013 |
| 50—60 | 3,057 | 3,984 | 105 | 125 | 3·434 | 3·137 |
| 60—70 | 1,506 | 2,344 | 96 | 118 | 6·374 | 5·034 |
| 70—80 | 497 | 823 | 58 | 87 | 11·670 | 10·571 |
| 80—90 | 85 | 193 | 25 | 50 | 29·411 | 25·803 |
| 90—100 | 12 | 18 | 2 | 6 | 16·666 | 33·333 |
| 100 and above | 1 | — | 1 | — | 100·000 | — |
| Not stated | — | — | 1 | 1 | — | — |
| ALL AGES | 42,914 | 56,019 | 1416 | 1535 | 3·299 | 2·740 |
| BOTH SEXES | 98,933 | | 2951 | | 2·982 | |

TABLE XXXVIII.—ABERDEEN, 1867. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

| AGES. | POPULATION. | | DEATHS. | | Per-cent. of Deaths to Population. | |
|---------------------|-------------|----------|---------|----------|------------------------------------|----------|
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 1,051 | 1003 | 194 | 165 | 18·458 | 16·450 |
| — 2 | 945 | 887 | 64 | 53 | 6·772 | 5·975 |
| — 3 | 965 | 939 | 23 | 30 | 2·383 | 3·195 |
| — 4 | 917 | 902 | 18 | 16 | 1·962 | 1·773 |
| — 5 | 896 | 845 | 16 | 9 | 1·785 | 1·065 |
| Total under 5 Years | 4,774 | 4,578 | 315 | 273 | 6·598 | 5·963 |
| 5—10 | 4,308 | 4,124 | 41 | 26 | 0·951 | 0·630 |
| 10—15 | 3,898 | 3,979 | 27 | 19 | 0·692 | 0·477 |
| 15—20 | 3,373 | 3,860 | 41 | 44 | 1·215 | 1·139 |
| 20—30 | 5,014 | 7,525 | 67 | 74 | 1·336 | 0·983 |
| 30—40 | 3,734 | 5,712 | 60 | 70 | 1·607 | 1·224 |
| 40—50 | 3,221 | 4,564 | 56 | 78 | 1·738 | 1·709 |
| 50—60 | 2,476 | 3,572 | 67 | 73 | 2·706 | 2·043 |
| 60—70 | 1,464 | 2,529 | 95 | 99 | 6·488 | 3·915 |
| 70—80 | 625 | 1,221 | 69 | 102 | 11·040 | 8·353 |
| 80—90 | 156 | 350 | 46 | 62 | 29·487 | 17·714 |
| 90—100 | 11 | 31 | 5 | 11 | 45·454 | 35·483 |
| 100 and above | — | 1 | — | 1 | — | 100·000 |
| Not stated | — | — | 1 | 2 | — | — |
| ALL AGES | 33,054 | 42,046 | 890 | 934 | 2·692 | 2·221 |
| BOTH SEXES | 75,100 | | 1824 | | 2·428 | |

the ages of 80 and 90 years; while at the extreme age of 90 to 100 years, 408·13 males, but only 403·45 females died in every thousand of each sex. At all ages, therefore, in Scotland, the female has a better life than the male.

A comparison of the proportion of deaths at each quinquennial and decennial period of life in the Mainland-Rural and Town Districts of Scot-

TABLE XXXIX.—PAISLEY, 1867. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

| AGES. | POPULATION. | | DEATHS. | | Per-cent. of Deaths to Population. | |
|---------------------|-------------|----------|---------|----------|------------------------------------|----------|
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 785 | 780 | 150 | 119 | 19·108 | 15·256 |
| — 2 | 680 | 659 | 56 | 69 | 8·235 | 10·470 |
| — 3 | 724 | 642 | 39 | 29 | 5·386 | 4·517 |
| — 4 | 652 | 643 | 20 | 23 | 3·067 | 3·576 |
| — 5 | 621 | 581 | 9 | 17 | 1·449 | 2·925 |
| Total under 5 Years | 3,462 | 3,305 | 274 | 257 | 7·914 | 7·776 |
| 5—10 | 2,759 | 2,872 | 36 | 31 | 1·304 | 1·079 |
| 10—15 | 2,438 | 2,409 | 19 | 18 | 0·779 | 0·747 |
| 15—20 | 2,130 | 2,598 | 15 | 30 | 0·704 | 1·154 |
| 20—30 | 3,497 | 4,690 | 36 | 50 | 1·029 | 1·066 |
| 30—40 | 2,630 | 3,293 | 40 | 46 | 1·520 | 1·397 |
| 40—50 | 2,134 | 2,520 | 52 | 47 | 2·436 | 1·865 |
| 50—60 | 1,472 | 1,857 | 44 | 48 | 2·989 | 2·530 |
| 60—70 | 925 | 1,272 | 67 | 45 | 7·243 | 3·537 |
| 70—80 | 373 | 559 | 50 | 82 | 13·405 | 14·669 |
| 80—90 | 81 | 129 | 15 | 19 | 18·518 | 14·728 |
| 90—100 | 11 | 10 | 2 | 5 | 18·181 | 50·000 |
| 100 and above | 1 | — | 1 | — | 100·000 | — |
| Not stated | — | — | 2 | 4 | — | — |
| ALL AGES | 21,913 | 25,514 | 653 | 682 | 2·980 | 2·669 |
| BOTH SEXES | 47,427 | | 1335 | | 2·814 | |

TABLE XL.—GREENOCK, 1867. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

| AGES. | POPULATION. | | DEATHS. | | Per-cent. of Deaths to Population. | |
|---------------------|-------------|----------|---------|----------|------------------------------------|----------|
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 856 | 768 | 171 | 153 | 19·976 | 19·921 |
| — 2 | 661 | 659 | 66 | 67 | 9·984 | 10·166 |
| — 3 | 719 | 666 | 38 | 35 | 5·285 | 5·255 |
| — 4 | 683 | 677 | 18 | 27 | 2·635 | 3·988 |
| — 5 | 626 | 636 | 20 | 11 | 3·191 | 1·729 |
| Total under 5 Years | 3,545 | 3,406 | 313 | 293 | 8·829 | 8·602 |
| 5—10 | 2,817 | 2,725 | 34 | 28 | 1·206 | 1·027 |
| 10—15 | 2,301 | 2,180 | 17 | 16 | 0·738 | 0·734 |
| 15—20 | 2,305 | 2,186 | 22 | 16 | 0·954 | 0·732 |
| 20—30 | 4,520 | 4,618 | 74 | 44 | 1·637 | 0·952 |
| 30—40 | 3,316 | 3,572 | 53 | 58 | 1·598 | 1·623 |
| 40—50 | 2,377 | 2,536 | 68 | 51 | 2·860 | 2·011 |
| 50—60 | 1,372 | 1,577 | 67 | 48 | 4·883 | 3·043 |
| 60—70 | 729 | 1,056 | 60 | 61 | 8·230 | 5·776 |
| 70—80 | 251 | 378 | 29 | 43 | 11·553 | 11·375 |
| 80—90 | 41 | 100 | 17 | 16 | 41·463 | 16·000 |
| 90—100 | 5 | 11 | 1 | 4 | 20·000 | 36·363 |
| 100 and above | — | 1 | — | — | — | — |
| Not stated | — | — | — | — | — | — |
| ALL AGES | 23,579 | 24,346 | 755 | 678 | 3·202 | 2·784 |
| BOTH SEXES | 47,929 | | 1433 | | 2·989 | |

land (Tables XXXIII. and XXXIV.) proves that a residence in towns proves equally destructive to life at every age. Thus, if we look at the male mortality in the Mainland-Rural and Town Districts, it appears that in every thousand living during the first year of life, 204·35 died during the year in the Town, but only 128·90 in the Rural Districts. Under 5 years of age

TABLE XLI.—LEITH, 1867. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

| AGES. | POPULATION. | | DEATHS. | | Per-cent. of Deaths to Population. | |
|---------------------|-------------|----------|---------|----------|------------------------------------|----------|
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 618 | 564 | 137 | 102 | 22·168 | 18·085 |
| — 2 | 592 | 503 | 71 | 50 | 11·993 | 9·940 |
| — 3 | 522 | 519 | 30 | 26 | 5·747 | 5·009 |
| — 4 | 523 | 511 | 10 | 21 | 1·912 | 4·109 |
| — 5 | 513 | 469 | 12 | 10 | 2·339 | 2·111 |
| Total under 5 Years | 2,768 | 2,566 | 260 | 209 | 9·393 | 8·145 |
| 5—10 | 2,193 | 2,155 | 43 | 26 | 1·960 | 1·206 |
| 10—15 | 1,973 | 1,777 | 11 | 8 | 0·557 | 0·450 |
| 15—20 | 1,739 | 1,799 | 8 | 16 | 0·460 | 0·889 |
| 20—30 | 3,969 | 3,496 | 27 | 32 | 0·680 | 0·915 |
| 30—40 | 2,719 | 2,743 | 45 | 40 | 1·655 | 1·457 |
| 40—50 | 1,816 | 2,066 | 40 | 29 | 2·202 | 1·403 |
| 50—60 | 1,065 | 1,358 | 30 | 36 | 2·817 | 2·651 |
| 60—70 | 588 | 910 | 43 | 53 | 7·313 | 5·824 |
| 70—80 | 212 | 372 | 37 | 35 | 17·453 | 9·408 |
| 80—90 | 38 | 83 | 12 | 19 | 31·579 | 22·891 |
| 90—100 | 1 | 4 | 1 | 4 | 100·000 | 100·000 |
| 100 and above | — | — | — | — | — | — |
| Not stated | — | — | — | — | — | — |
| ALL AGES | 19,081 | 19,329 | 557 | 507 | 2·918 | 2·623 |
| BOTH SEXES | 38,410 | | 1064 | | 2·770 | |

TABLE XLII.—PERTH, 1867. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

| AGES. | POPULATION. | | DEATHS. | | Per-cent. of Deaths to Population. | |
|---------------------|-------------|----------|---------|----------|------------------------------------|----------|
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 374 | 355 | 56 | 35 | 14·986 | 9·859 |
| — 2 | 349 | 339 | 22 | 25 | 6·303 | 7·374 |
| — 3 | 335 | 324 | 12 | 7 | 3·582 | 2·160 |
| — 4 | 363 | 325 | 2 | 2 | 0·551 | 0·615 |
| — 5 | 303 | 305 | 7 | 2 | 2·310 | 0·655 |
| Total under 5 Years | 1,724 | 1,648 | 99 | 71 | 5·742 | 4·302 |
| 5—10 | 1,402 | 1,450 | 6 | 7 | 0·427 | 0·483 |
| 10—15 | 1,325 | 1,308 | 8 | 2 | 0·604 | 0·152 |
| 15—20 | 1,307 | 1,384 | 13 | 8 | 0·994 | 0·578 |
| 20—30 | 2,060 | 2,592 | 26 | 18 | 1·262 | 0·694 |
| 30—40 | 1,605 | 2,014 | 17 | 26 | 1·058 | 1·291 |
| 40—50 | 1,217 | 1,546 | 16 | 17 | 1·314 | 1·099 |
| 50—60 | 864 | 1,187 | 36 | 20 | 4·166 | 1·853 |
| 60—70 | 575 | 952 | 29 | 34 | 5·042 | 3·571 |
| 70—80 | 244 | 404 | 31 | 38 | 12·705 | 9·405 |
| 80—90 | 67 | 101 | 17 | 27 | 25·373 | 26·732 |
| 90—100 | — | 5 | — | 3 | — | 60·000 |
| 100 and above | — | — | — | — | — | — |
| Not stated | — | — | — | — | — | — |
| ALL AGES | 12,390 | 14,591 | 298 | 271 | 2·405 | 1·857 |
| BOTH SEXES | 26 981 | | 569 | | 2·108 | |

in every thousand males, 88·88 died in the Town Districts, but only 46·29 in the Rural Districts. From 20 to 30 years of age, 11·72 died in every thousand males in the Town, but only 9·28 in the Rural Districts. From

TABLE XLIII.—DEATHS, 1867. Proportion of Deaths from different Diseases to every hundred thousand Persons of the Population in 1867, allowing for Causes not specified.

| DISEASES. | Proportion of DEATHS to every 100,000 Living. | | | | | | | | | | | |
|--------------------------------|---|--------|----------|--------------------|--------|----------|---------------------------|--------|----------|-----------------|--------|----------|
| | SCOTLAND. | | | INSULAR DISTRICTS. | | | MAINLAND-RURAL DISTRICTS. | | | TOWN DISTRICTS. | | |
| | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. |
| TOTAL DEATHS . . . | 2177 | 2296 | 2072 | 1643 | 1728 | 1573 | 1849 | 1925 | 1778 | 2730 | 2936 | 2554 |
| 1. Zymotic Class . . . | 438 | 458 | 419 | 243 | 258 | 230 | 344 | 370 | 345 | 578 | 615 | 546 |
| 2. Uncertain Seat . . . | 80 | 61 | 96 | 72 | 70 | 73 | 67 | 54 | 87 | 93 | 70 | 111 |
| 3. Tubercular Class . . . | 386 | 399 | 373 | 222 | 260 | 191 | 289 | 315 | 296 | 520 | 541 | 502 |
| 4. Nervous System . . . | 180 | 205 | 158 | 106 | 136 | 83 | 144 | 168 | 139 | 229 | 270 | 194 |
| 5. Organs of Circulation . . . | 112 | 119 | 104 | 50 | 67 | 36 | 97 | 108 | 96 | 132 | 141 | 124 |
| 6. Respiratory Organs . . . | 331 | 361 | 303 | 158 | 155 | 160 | 225 | 263 | 215 | 486 | 533 | 444 |
| 7. Organs of Digestion . . . | 162 | 177 | 149 | 100 | 122 | 83 | 139 | 158 | 135 | 193 | 212 | 176 |
| 8. Urinary Organs . . . | 33 | 46 | 22 | 34 | 56 | 15 | 27 | 40 | 19 | 39 | 55 | 26 |
| 9. Generative Organs . . . | 16 | — | 30 | 22 | — | 39 | 13 | — | 27 | 18 | — | 34 |
| 10. Locomotive Organs . . . | 13 | 14 | 11 | 14 | 15 | 12 | 10 | 12 | 9 | 16 | 19 | 14 |
| 11. Skin, etc. | 2 | 3 | 2 | — | — | — | 2 | 3 | 1 | 3 | 4 | 3 |
| 12. Malformation | 7 | 9 | 5 | 2 | — | 4 | 7 | 10 | 6 | 6 | 8 | 5 |
| 13. Premature Debility . . . | 111 | 136 | 89 | 28 | 32 | 23 | 84 | 108 | 71 | 153 | 189 | 122 |
| 14. Atrophy | 17 | 16 | 18 | 12 | 8 | 15 | 12 | 13 | 12 | 24 | 21 | 26 |
| 15. Age | 213 | 169 | 252 | 516 | 434 | 582 | 227 | 192 | 285 | 145 | 111 | 174 |
| 16. Sudden Deaths . . . | 5 | 6 | 4 | 7 | 12 | 3 | 3 | 5 | 2 | 6 | 7 | 6 |
| 17. Violent Deaths . . . | 72 | 115 | 34 | 54 | 98 | 18 | 60 | 102 | 28 | 88 | 138 | 46 |
| Small-pox | 3 | 4 | 3 | 4 | 5 | 3 | 1 | 1 | 1 | 6 | 6 | 5 |
| Measles | 44 | 50 | 39 | 17 | 22 | 12 | 24 | 29 | 22 | 73 | 85 | 64 |
| Scarlatina | 74 | 81 | 68 | 33 | 37 | 29 | 60 | 70 | 58 | 95 | 103 | 87 |
| Diphtheria | 20 | 21 | 18 | 22 | 17 | 25 | 21 | 24 | 20 | 18 | 19 | 16 |
| Whooping-cough | 57 | 54 | 59 | 23 | 26 | 21 | 36 | 36 | 40 | 88 | 84 | 92 |
| Croup | 30 | 34 | 26 | 31 | 26 | 35 | 25 | 37 | 23 | 37 | 44 | 30 |
| DIARRHŒA | 49 | 50 | 46 | 14 | 13 | 14 | 38 | 42 | 39 | 65 | 69 | 61 |
| Dysentery | 8 | 8 | 8 | 7 | 7 | 7 | 8 | 8 | 9 | 8 | 8 | 8 |
| Cholera | 4 | 5 | 4 | — | — | — | 4 | 6 | 3 | 5 | 4 | 6 |
| Influenza | 7 | 7 | 7 | 10 | 13 | 7 | 7 | 7 | 8 | 6 | 6 | 5 |
| ALL FEVERS, viz. | 111 | 118 | 108 | 57 | 56 | 57 | 89 | 94 | 94 | 144 | 156 | 134 |
| Typhus | 58 | 62 | 54 | 40 | 43 | 38 | 36 | 38 | 39 | 87 | 99 | 77 |
| Enteric | 45 | 45 | 46 | 13 | 13 | 12 | 45 | 47 | 48 | 47 | 47 | 47 |
| Relapsing | 1 | 2 | 1 | — | — | — | 1 | 2 | 1 | 1 | 1 | 1 |
| Continued | 3 | 4 | 3 | 3 | — | 6 | 4 | 4 | 3 | 3 | 3 | 4 |
| Infantile | 4 | 5 | 4 | 1 | — | 1 | 3 | 3 | 3 | 6 | 6 | 5 |
| Metria | 5 | — | 10 | 3 | — | 6 | 5 | — | 10 | 6 | — | 11 |
| Erysipelas | 7 | 9 | 6 | 7 | 9 | 6 | 6 | 8 | 5 | 9 | 10 | 7 |
| Dropsy | 23 | 18 | 29 | 35 | 24 | 45 | 19 | 14 | 25 | 28 | 21 | 33 |
| Cancer | 42 | 29 | 54 | 31 | 37 | 25 | 38 | 28 | 51 | 47 | 30 | 62 |
| Scrofula | 20 | 24 | 18 | 11 | 13 | 8 | 16 | 19 | 16 | 26 | 32 | 21 |
| Tabes Mesenterica | 31 | 36 | 26 | 13 | 15 | 11 | 22 | 26 | 21 | 44 | 54 | 36 |
| PHTHISIS | 272 | 268 | 277 | 177 | 205 | 155 | 209 | 219 | 223 | 358 | 348 | 366 |
| Hydrocephalus | 61 | 72 | 51 | 21 | 26 | 16 | 41 | 53 | 35 | 91 | 106 | 78 |
| Apoplexy | 38 | 43 | 32 | 23 | 32 | 14 | 32 | 38 | 30 | 45 | 52 | 38 |
| Paralysis | 55 | 58 | 52 | 45 | 55 | 38 | 49 | 54 | 51 | 60 | 66 | 56 |
| Epilepsy | 8 | 9 | 8 | 5 | 4 | 6 | 7 | 8 | 7 | 9 | 10 | 9 |
| Convulsions | 28 | 33 | 24 | 5 | 9 | 3 | 16 | 19 | 14 | 47 | 56 | 39 |
| BRONCHITIS | 224 | 232 | 216 | 73 | 72 | 74 | 142 | 155 | 145 | 347 | 365 | 331 |
| Pneumonia | 68 | 83 | 55 | 33 | 36 | 31 | 52 | 68 | 44 | 90 | 112 | 73 |
| Teething | 32 | 35 | 29 | 10 | 10 | 8 | 21 | 24 | 20 | 49 | 54 | 43 |
| Enteritis | 31 | 34 | 28 | 16 | 20 | 12 | 26 | 30 | 26 | 36 | 42 | 31 |
| All Liver Diseases | 33 | 37 | 29 | 25 | 29 | 21 | 29 | 36 | 27 | 37 | 39 | 35 |
| CHILDBIRTH | 10 | — | 20 | 17 | — | 31 | 9 | — | 17 | 12 | — | 23 |
| Burns and Scalds | 8 | 9 | 7 | 3 | 4 | 3 | 7 | 8 | 6 | 10 | 12 | 9 |
| Drowning | 15 | 28 | 4 | 34 | 70 | 4 | 15 | 28 | 5 | 13 | 25 | 3 |
| Fracture & Contusion | 30 | 53 | 9 | 10 | 12 | 7 | 25 | 47 | 7 | 37 | 68 | 11 |

40 to 50 years, 22·07 died in every thousand males in the Town, but only 11·42 in the Rural Districts. From 60 to 70 years of age, 63·43 died in every thousand males in the Town, but only 39·17 in the Rural Districts.

TABLE XLIV.—DEATHS, 1867. Proportion of Deaths from different Diseases in every ten thousand Deaths from Specified Causes in 1867.

| DISEASES. | Proportion of DEATHS in every 10,000 Specified Causes of Death. | | | | | | | | | | | |
|--------------------------------|---|--------|----------|--------------------|--------|----------|---------------------------|--------|----------|-----------------|--------|----------|
| | SCOTLAND. | | | INSULAR DISTRICTS. | | | MAINLAND-RURAL DISTRICTS. | | | TOWN DISTRICTS. | | |
| | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. |
| 1. Zymotic Class . . . | 2010 | 1995 | 2025 | 1481 | 1496 | 1467 | 1934 | 1923 | 1944 | 2118 | 2095 | 2137 |
| 2. Uncertain Seat . . . | 365 | 265 | 463 | 438 | 408 | 465 | 388 | 281 | 492 | 340 | 241 | 437 |
| 3. Tubercular Class . . . | 1769 | 1739 | 1799 | 1354 | 1506 | 1216 | 1656 | 1645 | 1666 | 1904 | 1843 | 1964 |
| 4. Nervous System . . . | 828 | 894 | 764 | 650 | 788 | 527 | 828 | 872 | 783 | 839 | 920 | 761 |
| 5. Organs of Circulation . . . | 513 | 520 | 505 | 306 | 389 | 232 | 557 | 568 | 545 | 484 | 483 | 487 |
| 6. Respiratory Organs . . . | 1519 | 1575 | 1465 | 962 | 898 | 1019 | 1287 | 1364 | 1209 | 1775 | 1817 | 1737 |
| 7. Organs of Digestion . . . | 744 | 769 | 718 | 614 | 708 | 527 | 794 | 824 | 762 | 706 | 722 | 690 |
| 8. Urinary Organs . . . | 154 | 201 | 107 | 207 | 329 | 98 | 158 | 208 | 109 | 145 | 186 | 104 |
| 9. Generative Organs . . . | 74 | — | 146 | 132 | — | 250 | 79 | — | 155 | 66 | — | 131 |
| 10. Locomotive Organs . . . | 59 | 65 | 54 | 85 | 89 | 80 | 54 | 62 | 51 | 60 | 65 | 54 |
| 11. Skin, etc. | 11 | 13 | 9 | — | — | — | 11 | 15 | 8 | 12 | 13 | 11 |
| 12. Malformation | 31 | 37 | 25 | 14 | — | 27 | 42 | 51 | 32 | 23 | 27 | 19 |
| 13. Premature Debility . . . | 511 | 593 | 431 | 169 | 189 | 152 | 480 | 565 | 398 | 563 | 644 | 480 |
| 14. Atrophy | 79 | 71 | 87 | 75 | 49 | 98 | 68 | 70 | 68 | 89 | 73 | 105 |
| 15. Age | 978 | 735 | 1217 | 3141 | 2513 | 3702 | 1302 | 996 | 1605 | 530 | 378 | 681 |
| 16. Sudden Deaths . . . | 22 | 27 | 18 | 42 | 69 | 18 | 19 | 26 | 14 | 23 | 24 | 22 |
| 17. Violent Deaths . . . | 333 | 501 | 167 | 330 | 569 | 116 | 343 | 530 | 159 | 323 | 469 | 180 |
| Small-pox | 15 | 15 | 14 | 23 | 29 | 18 | 8 | 8 | 9 | 21 | 22 | 20 |
| Measles | 203 | 219 | 187 | 103 | 129 | 80 | 139 | 152 | 128 | 270 | 290 | 251 |
| Scarlatina | 341 | 352 | 330 | 202 | 219 | 188 | 345 | 363 | 328 | 347 | 351 | 343 |
| Diphtheria | 92 | 95 | 90 | 132 | 99 | 161 | 112 | 125 | 113 | 64 | 66 | 62 |
| Whooping-cough | 262 | 232 | 288 | 141 | 149 | 134 | 206 | 187 | 225 | 323 | 286 | 359 |
| Croup | 140 | 151 | 129 | 188 | 149 | 224 | 143 | 153 | 133 | 134 | 150 | 119 |
| DIARRHŒA | 224 | 223 | 226 | 85 | 79 | 89 | 220 | 219 | 211 | 238 | 237 | 239 |
| Dysentery | 38 | 35 | 42 | 42 | 39 | 45 | 48 | 44 | 52 | 29 | 27 | 31 |
| Cholera | 21 | 22 | 21 | — | — | — | 25 | 31 | 19 | 19 | 14 | 24 |
| Influenza | 32 | 30 | 33 | 61 | 79 | 45 | 41 | 37 | 46 | 20 | 20 | 20 |
| ALL FEVERS, viz. | 514 | 507 | 519 | 349 | 329 | 366 | 510 | 493 | 528 | 528 | 533 | 523 |
| Typhus | 265 | 269 | 260 | 245 | 249 | 241 | 208 | 200 | 217 | 319 | 336 | 302 |
| Enteric | 209 | 197 | 221 | 80 | 79 | 80 | 257 | 242 | 271 | 172 | 162 | 182 |
| Relapsing | 76 | 7 | 5 | — | — | — | 8 | 10 | 7 | 5 | 5 | 5 |
| Continued | 16 | 15 | 16 | 19 | — | 36 | 20 | 22 | 18 | 12 | 10 | 14 |
| Infantile | 18 | 19 | 17 | 5 | — | 9 | 17 | 19 | 15 | 20 | 20 | 20 |
| Metria | 24 | — | 49 | 19 | — | 36 | 27 | — | 55 | 22 | — | 44 |
| Erysipelas | 34 | 38 | 30 | 42 | 49 | 36 | 36 | 10 | 31 | 31 | 34 | 29 |
| Dropsy | 108 | 75 | 140 | 217 | 139 | 286 | 107 | 73 | 141 | 101 | 72 | 130 |
| Cancer | 195 | 127 | 262 | 188 | 219 | 161 | 219 | 147 | 289 | 173 | 102 | 243 |
| Scrofula | 94 | 102 | 86 | 66 | 79 | 54 | 94 | 97 | 90 | 96 | 108 | 84 |
| Tabes Mesenterica | 143 | 158 | 132 | 80 | 89 | 71 | 127 | 135 | 119 | 162 | 184 | 142 |
| PHTHISIS | 1250 | 1164 | 1336 | 1079 | 1186 | 983 | 1198 | 1139 | 1556 | 1312 | 1188 | 1434 |
| Hydrocephalus | 281 | 314 | 249 | 127 | 149 | 107 | 237 | 274 | 200 | 333 | 363 | 304 |
| Apoplexy | 173 | 188 | 157 | 137 | 189 | 89 | 185 | 200 | 170 | 164 | 179 | 150 |
| Paralysis | 253 | 254 | 252 | 278 | 319 | 241 | 284 | 280 | 288 | 222 | 226 | 218 |
| Epilepsy | 37 | 37 | 37 | 28 | 19 | 36 | 39 | 40 | 39 | 35 | 36 | 35 |
| Convulsions | 129 | 145 | 115 | 33 | 49 | 18 | 90 | 100 | 78 | 174 | 193 | 156 |
| BRONCHITIS | 1028 | 1012 | 1043 | 448 | 418 | 474 | 811 | 807 | 818 | 1270 | 1244 | 1295 |
| Pneumonia | 313 | 393 | 266 | 202 | 209 | 197 | 301 | 353 | 250 | 333 | 381 | 285 |
| Teething | 146 | 153 | 138 | 56 | 59 | 54 | 118 | 126 | 111 | 177 | 185 | 169 |
| Enteritis | 141 | 150 | 132 | 99 | 119 | 80 | 152 | 158 | 147 | 133 | 144 | 122 |
| All Liver Diseases | 152 | 161 | 143 | 158 | 169 | 134 | 169 | 187 | 151 | 136 | 135 | 137 |
| CHILDBIRTH | 49 | — | 96 | 104 | — | 197 | 49 | — | 97 | 45 | — | 80 |
| Burns and Scalds | 37 | 40 | 35 | 19 | 19 | 18 | 39 | 42 | 32 | 37 | 40 | 34 |
| Drowning | 70 | 123 | 19 | 207 | 408 | 26 | 85 | 145 | 25 | 48 | 84 | 13 |
| Fracture & Contusion . . . | 137 | 233 | 43 | 56 | 69 | 45 | 143 | 245 | 41 | 137 | 231 | 44 |

And while at the ages of 80 to 90 years, 248·51 died in every thousand males in the town, only 186·51 died in the Rural Districts.

The series of Tables XXXVI. to XLII. inclusive, shows the mortality in ages and sexes in each of the Eight Principal Towns of Scotland, and generally agrees with those of former years.

CAUSES OF DEATH.

Of the 69068 deaths registered in Scotland during the year 1867, the cause of death was accurately recorded in 65947 instances. In the remaining 3121 cases, being $4\frac{1}{2}$ per cent. of the whole, the causes of death were stated in such indefinite terms that they could not be referred to any particular class of diseases, while in a small number the disease of which the person died was not named. In mentioning the proportion in which the several diseases proved fatal to the population, a correction is made for the non-specified causes of death.

The Zymotic or epidemic and contagious class of diseases cut off 13256 persons in Scotland during the year 1867, of whom 6530 were males and 6726 females. That class of diseases, therefore, caused a proportion of 433

TABLE XLV.—TOWN DEATHS, 1867. Per-centage of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland in 1867 (allowing for Causes not specified).

| DISEASES. | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Paisley. | Greenock. | Leith. | Perth. |
|--|----------|------------|---------|-----------|----------|-----------|--------|--------|
| TOTAL DEATHS | 2·878 | 2·708 | 2·982 | 2·428 | 2·814 | 2·989 | 2·770 | 2·108 |
| I. Zymotic Class | 0·631 | 0·576 | 0·634 | 0·367 | 0·673 | 0·587 | 0·703 | 0·256 |
| III. Tubercular Class | 0·577 | 0·440 | 0·571 | 0·541 | 0·480 | 0·573 | 0·418 | 0·414 |
| IV. Brain, etc., Diseases | 0·201 | 0·261 | 0·233 | 0·241 | 0·266 | 0·257 | 0·276 | 0·252 |
| V. Heart, etc., Diseases | 0·111 | 0·175 | 0·152 | 0·132 | 0·090 | 0·207 | 0·152 | 0·135 |
| VI. Respiratory Organs, Dis. | 0·630 | 0·440 | 0·474 | 0·328 | 0·393 | 0·504 | 0·439 | 0·305 |
| VII. Organs of Digestion, Dis. | 0·213 | 0·162 | 0·184 | 0·182 | 0·240 | 0·233 | 0·166 | 0·128 |
| XIII. Premature Debility | 0·151 | 0·138 | 0·231 | 0·143 | 0·158 | 0·144 | 0·145 | 0·131 |
| XV. Old Age | 0·104 | 0·141 | 0·156 | 0·183 | 0·225 | 0·128 | 0·116 | 0·238 |
| XVII. Violent Deaths | 0·078 | 0·106 | 0·090 | 0·079 | 0·067 | 0·172 | 0·097 | 0·056 |
| Small-pox | 0·007 | 0·003 | 0·016 | 0·002 | 0·000 | 0·008 | 0·003 | 0·000 |
| Measles | 0·090 | 0·127 | 0·006 | 0·002 | 0·058 | 0·048 | 0·155 | 0·064 |
| Scarlatina | 0·112 | 0·082 | 0·066 | 0·018 | 0·108 | 0·100 | 0·152 | 0·007 |
| Diphtheria | 0·017 | 0·021 | 0·018 | 0·009 | 0·010 | 0·028 | 0·013 | 0·000 |
| Hooping-cough | 0·076 | 0·064 | 0·266 | 0·056 | 0·168 | 0·054 | 0·063 | 0·037 |
| Croup | 0·036 | 0·030 | 0·048 | 0·020 | 0·030 | 0·041 | 0·050 | 0·023 |
| Diarrhoea | 0·071 | 0·061 | 0·056 | 0·080 | 0·060 | 0·048 | 0·029 | 0·041 |
| Dysentery | 0·005 | 0·004 | 0·007 | 0·014 | 0·008 | 0·013 | 0·010 | 0·018 |
| Cholera | 0·004 | 0·005 | 0·008 | 0·004 | 0·000 | 0·017 | 0·010 | 0·000 |
| Fevers, viz. | 0·173 | 0·129 | 0·087 | 0·103 | 0·199 | 0·192 | 0·194 | 0·056 |
| Typhus | 0·115 | 0·065 | 0·046 | 0·049 | 0·160 | 0·163 | 0·118 | 0·033 |
| Enteric | 0·046 | 0·058 | 0·034 | 0·047 | 0·026 | 0·022 | 0·064 | 0·019 |
| Relapsing | 0·002 | 0·000 | 0·001 | 0·000 | 0·000 | 0·000 | 0·002 | 0·000 |
| Continued | 0·004 | 0·002 | 0·001 | 0·001 | 0·000 | 0·000 | 0·005 | 0·000 |
| Infantile | 0·006 | 0·004 | 0·005 | 0·006 | 0·013 | 0·007 | 0·005 | 0·004 |
| Dropsy | 0·023 | 0·015 | 0·074 | 0·013 | 0·054 | 0·015 | 0·050 | 0·023 |
| Cancer | 0·033 | 0·069 | 0·050 | 0·079 | 0·041 | 0·032 | 0·058 | 0·037 |
| Phthisis | 0·399 | 0·277 | 0·407 | 0·379 | 0·344 | 0·427 | 0·205 | 0·313 |
| Apoplexy | 0·035 | 0·055 | 0·037 | 0·056 | 0·075 | 0·056 | 0·052 | 0·064 |
| Paralysis | 0·040 | 0·072 | 0·059 | 0·065 | 0·097 | 0·039 | 0·094 | 0·105 |
| Convulsions | 0·054 | 0·044 | 0·087 | 0·041 | 0·043 | 0·043 | 0·042 | 0·011 |
| Bronchitis | 0·456 | 0·305 | 0·346 | 0·233 | 0·296 | 0·375 | 0·308 | 0·233 |
| Pneumonia | 0·120 | 0·078 | 0·069 | 0·056 | 0·086 | 0·089 | 0·089 | 0·049 |
| Teething | 0·052 | 0·012 | 0·084 | 0·064 | 0·073 | 0·100 | 0·034 | 0·033 |

deaths in every hundred thousand persons, or constituted 20·10 per cent. of the mortality during the year. This was a proportion greatly below the average; seeing that, during the ten years 1855 to 1864, the zymotic class of diseases caused the annual proportion of 518 deaths in every hundred thousand persons, or constituted 24·26 per cent. of the ascertained deaths.

As usual, males were cut off by these diseases in a much higher ratio than females; for while 458 males died from the zymotic diseases in every hundred thousand males, only 419 females died out of an equal number of females.

The zymotic diseases constituted 14·81 per cent. of the ascertained deaths in the Insular, 19·34 per cent. in the Mainland-Rural, and 21·18 per cent. in the Town Districts. As compared with the population, however, these diseases caused 243 deaths in every hundred thousand persons in the Insular, 344 deaths in the Mainland-Rural, but 578 deaths in a like population in the Town Districts.

Of the Eight Principal Towns, the mortality from the zymotic class of diseases was heaviest in Leith, and lightest in Perth and Aberdeen. Thus, in every ten thousand persons in each town, 25·6 died from the zymotic diseases during the year in Perth, 36·7 in Aberdeen, 57·6 in Edinburgh, 58·7 in Greenock, 63·1 in Glasgow, 63·4 in Dundee, 67·3 in Paisley, and 70·3 in Leith. If we compare the proportion of zymotic deaths to the total deaths, the towns arrange themselves in nearly the same order,—Perth and

TABLE XLVI.—TOWN DEATHS, 1867. Per-centage of Deaths from different Diseases to the total Specified Causes of Death in each of the Eight Principal Towns of Scotland in 1867.

| DISEASES. | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Paisley. | Greenock. | Leith. | Perth. |
|--|----------|------------|---------|-----------|----------|-----------|--------|--------|
| I. Zymotic Class | 21·93 | 21·21 | 21·27 | 15·14 | 23·92 | 19·63 | 25·38 | 12·16 |
| III. Tubercular Class | 20·07 | 16·25 | 19·16 | 22·27 | 17·07 | 19·19 | 15·11 | 19·67 |
| IV. Brain, etc., Diseases | 7·00 | 9·63 | 7·81 | 9·95 | 9·46 | 8·61 | 9·98 | 11·98 |
| V. Heart, etc., Diseases | 3·87 | 6·47 | 5·12 | 5·47 | 3·23 | 6·93 | 5·51 | 6·44 |
| VI. Respiratory Organs, Dis. | 21·91 | 16·25 | 15·91 | 13·54 | 14·00 | 16·86 | 15·87 | 14·49 |
| VII. Organs of Digestion, Dis. | 7·42 | 5·98 | 6·19 | 7·51 | 8·53 | 7·88 | 5·98 | 6·08 |
| XIII. Premature Debility | 5·27 | 5·10 | 7·74 | 5·91 | 5·61 | 4·81 | 5·22 | 6·26 |
| XV. Old Age | 3·49 | 5·21 | 5·25 | 7·57 | 8·00 | 4·30 | 4·18 | 11·45 |
| XVII. Violent Deaths | 2·74 | 3·92 | 3·04 | 3·26 | 2·38 | 5·76 | 3·51 | 2·68 |
| Small-pox | 0·25 | 0·10 | 0·55 | 0·11 | 0·00 | 0·29 | 0·09 | 0·00 |
| Measles | 3·12 | 4·72 | 0·20 | 0·11 | 2·07 | 1·60 | 5·60 | 3·04 |
| Scarlatina | 3·90 | 3·03 | 2·21 | 0·77 | 3·83 | 3·35 | 5·51 | 0·35 |
| Diphtheria | 0·60 | 0·78 | 0·62 | 0·38 | 0·38 | 0·94 | 0·47 | 0·00 |
| Hooping-cough | 2·66 | 2·38 | 8·92 | 2·32 | 6·00 | 1·82 | 2·28 | 1·78 |
| Croup | 1·28 | 1·12 | 1·62 | 0·82 | 1·00 | 1·38 | 1·80 | 1·07 |
| Diarrhœa | 2·49 | 2·27 | 1·90 | 3·31 | 2·15 | 1·60 | 1·04 | 1·96 |
| Dysentery | 0·18 | 0·15 | 0·27 | 0·60 | 0·30 | 0·43 | 0·38 | 0·35 |
| Cholera | 0·13 | 0·17 | 0·31 | 0·16 | 0·00 | 0·58 | 0·38 | 0·00 |
| Fevers, viz. | 6·02 | 4·76 | 2·94 | 4·25 | 7·07 | 6·42 | 7·03 | 2·68 |
| Typhus | 4·00 | 2·38 | 1·56 | 1·99 | 5·69 | 5·47 | 4·28 | 1·61 |
| Enteric | 1·63 | 2·13 | 1·15 | 1·94 | 0·92 | 0·73 | 2·28 | 0·89 |
| Relapsing | 0·05 | 0·02 | 0·03 | 0·00 | 0·00 | 0·00 | 0·09 | 0·00 |
| Continued | 0·13 | 0·08 | 0·03 | 0·05 | 0·00 | 0·00 | 0·19 | 0·00 |
| Infantile | 0·21 | 0·15 | 0·17 | 0·27 | 0·46 | 0·22 | 0·19 | 0·18 |
| Dropsy | 0·82 | 0·57 | 2·49 | 0·55 | 1·92 | 0·51 | 1·80 | 1·00 |
| Cancer | 1·16 | 2·55 | 1·69 | 3·26 | 1·46 | 1·09 | 2·09 | 1·78 |
| Phthisis | 13·87 | 10·24 | 13·66 | 15·64 | 12·23 | 15·03 | 7·41 | 14·84 |
| Apoplexy | 1·21 | 2·02 | 1·59 | 2·32 | 2·69 | 1·89 | 1·90 | 3·04 |
| Paralysis | 1·40 | 2·68 | 2·00 | 2·70 | 3·46 | 1·31 | 3·42 | 5·00 |
| Convulsions | 1·89 | 1·69 | 2·94 | 1·71 | 1·53 | 1·46 | 1·52 | 0·71 |
| Bronchitis | 15·84 | 11·28 | 11·62 | 9·61 | 10·53 | 12·55 | 11·14 | 11·09 |
| Pneumonia | 4·22 | 2·89 | 2·31 | 2·32 | 3·07 | 2·98 | 3·23 | 2·32 |
| Teething | 1·83 | 0·46 | 2·83 | 2·65 | 2·61 | 3·35 | 1·23 | 1·61 |

Aberdeen with the smallest proportional mortality, and Leith the highest. Thus, in Perth, 12·16 per cent. of the deaths were caused by the zymotic class of diseases; in Aberdeen, 15·14 per cent.; in Greenock, 19·63; in Edinburgh, 21·21; in Dundee, 21·27; in Glasgow, 21·93; in Paisley, 23·92; and in Leith, 25·38 per cent.

During the year 1867, Small-pox caused only 100 deaths in Scotland—the lowest mortality from that disease ever registered in Scotland, so far as known, during the present century up to that year. Table XLVII. shows the deaths from Small-pox during each year since the Registration Act came into operation, and it will be seen that it has waves of increase and decrease. But as the mortality has been steadily declining during the years 1865, 1866, and 1867, during which periods the Vaccination Act has been

TABLE XLVII.—SMALL-POX Deaths in Scotland.

| YEARS. | Small-pox Deaths. | YEARS. | Small-pox Deaths. |
|--------|-------------------|--------|-------------------|
| 1855 | 1309 | 1862 | 426 |
| 1856 | 1306 | 1863 | 1646 |
| 1857 | 845 | 1864 | 1741 |
| 1858 | 332 | 1865 | 383 |
| 1859 | 682 | 1866 | 200 |
| 1860 | 1495 | 1867 | 100 |
| 1861 | 766 | * | |

* It was estimated that only 24 Deaths from Small-pox occurred in Scotland in 1868, and 100 in 1869.

TABLE XLVIII.—VACCINATION of Children whose Births were registered in Scotland during the Years 1864, 1865, 1866, and 1867.

| YEAR. | | Success-fully Vaccinated. | Vaccina-tion Post-poned. | Insusceptible of Vaccination. | | | DIED before Vaccina-tion. | Removed from District before Vaccination, or not otherwise accounted for. | TOTAL BIRTHS.* |
|-------|-------------|---------------------------|--------------------------|---|----------------------------|-----------------------------------|---------------------------|---|----------------|
| | | | | From Constitu-tional Insuscep-tibility. | From having had Small-pox. | From being previously Vaccinated. | | | |
| 1864 | Number . | 95,047 | 662 | 667 | 154 | 440 | 9180 | 2701 | 103,851 |
| 1865 | Number . | 99,648 | 719 | 474 | 34 | 207 | 9366 | 2681 | 113,129 |
| 1866 | Number . | 100,408 | 579 | 332 | 30 | 227 | 9433 | 2721 | 113,730 |
| 1867 | Number . | 101,139 | 670 | 233 | 16 | 151 | 9355 | 2617 | 114,181 |
| 1864 | Per-centage | 87·32 | 0·61 | 0·61 | 0·14 | 0·40 | 8·44 | 2·48 | 100·00 |
| 1865 | Per-centage | 88·08 | 0·64 | 0·42 | 0·03 | 0·18 | 8·28 | 2·37 | 100·00 |
| 1866 | Per-centage | 88·29 | 0·51 | 0·29 | 0·02 | 0·20 | 8·29 | 2·40 | 100·00 |
| 1867 | Per-centage | 88·58 | 0·58 | 0·21 | 0·02 | 0·13 | 8·19 | 2·29 | 100·00 |

* The slight discrepancy between the annual number of Births as here given and those published in these Reports, arises from the circumstance that some of the Registrars have included the transcript Births in their Returns.

TABLE XLIX.—VACCINATION of the surviving Children whose Births were Registered in Scotland in 1864, 1865, 1866, and 1867.

| YEAR. | | Successfully Vaccinated. | Vaccina-tion Postponed. | Insusceptible of Vaccination. | | | Removed from District before Vaccination, or not otherwise accounted for. | TOTAL LIVING. |
|-------|-------------|--------------------------|-------------------------|---|----------------------------|---|---|---------------|
| | | | | From Constitu-tional Insuscep-tibility. | From having had Small-pox. | From having been previously Vaccinated. | | |
| 1864 | Number . | 85,047 | 662 | 667 | 154 | 440 | 2701 | 99,671 |
| 1865 | Number . | 99,648 | 719 | 474 | 34 | 207 | 2681 | 103,763 |
| 1866 | Number . | 100,408 | 579 | 332 | 30 | 227 | 2721 | 104,297 |
| 1867 | Number . | 101,139 | 670 | 233 | 16 | 151 | 2617 | 104,826 |
| 1864 | Per-centage | 95·36 | 0·67 | 0·67 | 0·15 | 0·44 | 2·71 | 100·00 |
| 1865 | Per-centage | 96·04 | 0·69 | 0·46 | 0·03 | 0·20 | 2·58 | 100·00 |
| 1866 | Per-centage | 96·27 | 0·56 | 0·32 | 0·02 | 0·22 | 2·61 | 100·00 |
| 1867 | Per-centage | 96·48 | 0·64 | 0·22 | 0·02 | 0·15 | 2·49 | 100·00 |

in full operation, it seems fair to assume that the low mortality from Small-pox may fairly be ascribed to the successful working of that Act.

Tables XLVIII. and XLIX. show how perfectly the Vaccination Act has worked in Scotland. These Tables show that, of the children whose births were registered in 1867, and who survived till vaccinated, only 2·49 per cent. remained unaccounted for, and they were chiefly the children of parents who were vagrants, or who had removed from the district, and were thus lost sight of before the vaccination of the child could be enforced.

Fever was the most fatal of the zymotic diseases during 1867, proving fatal to 3387 persons, and thus constituting 5·14 per cent. of the deaths in Scotland, or causing 111 deaths in every hundred thousand persons. Fever was proportionally more fatal to males than females; for though the absolute number of male deaths from fever was only 1669, while the female deaths numbered 1727, females so preponderate in the population that, in every hundred thousand of each sex, 118 males died, but only 108 females. Of the 3387 deaths from fever, 1745 were caused by Typhus or Spotted Fever, 1378 by Enteric or Typhoid Fever, 40 by Relapsing Fever, 105 by Simple Continued Fever, and 119 by Infantile Fever, which is a mere variety of Enteric Fever. During the same year, therefore, the whole known varieties of continued fever were present; and it only requires one or other fever to take the lead, to constitute the epidemic one of Typhus, or of Enteric, or of Relapsing Fever.

It is worthy of note, however, that in ordinary years Typhus or Spotted Fever is most common in the Towns, while Enteric (Gastric or Typhoid) Fever is most prevalent in the Rural Districts. Thus, it will be seen by Table L., that while 60 per cent. of the fever deaths in the Towns were caused by Typhus Fever, only 40 per cent. were caused by Typhus in the Mainland-Rural Districts. But, on the other hand, while 50 per cent. of the fever deaths in the Mainland-Rural Districts were caused by Enteric Fever, only 32 per cent. of the deaths were caused by that form of fever in the Town Districts.

Fever had a very different mortality in each of the Eight Principal Towns. Thus, 2·68 per cent. of the deaths were caused by fever in Perth, 2·94 per cent. in Dundee, 4·25 per cent. in Aberdeen, 4·76 per cent. in Edinburgh, 6·02 per cent. in Glasgow, 6·42 per cent. in Greenock, 7·03 per cent. in Leith, and 7·07 per cent. in Paisley.

Scarlatina was the next most fatal of the epidemic diseases, having cut off 2253 persons, of whom 1154 were males and 1099 females, being in the

TABLE L.—DEATHS from FEVER in 1867.

| FEVERS. | MAINLAND-RURAL DISTRICTS. | | TOWN DISTRICTS. | |
|----------------------|---------------------------|-----------------------------------|-----------------|-----------------------------------|
| | Fever Deaths. | Proportion to Total Fever Deaths. | Fever Deaths. | Proportion to Total Fever Deaths. |
| Typhus | 648 | 40·86 | 1045 | 60·51 |
| Enteric | 798 | 50·31 | 563 | 32·60 |
| Relapsing | 25 | 1·58 | 15 | 0·87 |
| Simple Continued . . | 62 | 3·91 | 39 | 2·26 |
| Infantile | 53 | 3·34 | 65 | 3·76 |
| ALL FEVERS . . . | 1586 | 100·00 | 1727 | 100·00 |

proportion of 81 male deaths, but only 68 female deaths in every hundred thousand of each sex. The relative per-centage of deaths from Scarlet Fever was almost identical in the Town and Rural Districts, seeing that 3·45 per cent. of the deaths were caused by that disease in the Rural Districts, and 3·47 per cent. in the Town Districts.

The Eight Principal Towns suffered very differently from Scarlatina during 1867, the mortality therefrom being lowest in Perth and Aberdeen and highest in Leith; Perth having only 0·35 per cent. of its deaths caused by Scarlatina, but Leith 5·51 of its deaths.

Measles and Hooping-cough were less than usually prevalent and fatal during 1867, the former causing only 1341 deaths, or 2 per cent. of the deaths over Scotland; the latter causing 1728 deaths, or 2·6 per cent. of the mortality.

The mortality from Diarrhœa, Dysentery, and Cholera, was little above the average in 1867; Diarrhœa having caused 1481 deaths, Dysentery 255, and Cholera 142. The Cholera, which during the previous year had assumed the epidemic type, and cut off 1270 persons, did not put on the epidemic form during 1867. Still, the tendency to it was strong, and little might have developed its fatal epidemic virulence. Even as it was, the deaths from Cholera were three times greater than the average.

Diphtheria caused only 610 deaths in Scotland during 1867, and, as in former years, was more prevalent and fatal in the Rural than in the Town Districts.

Of the other diseases belonging to the zymotic class, Croup caused 925 deaths, Thrush 30, Influenza 210, Purpura 49, Ague 1, Worms 27, Metria 163, Rheumatic Fever 125, Erysipelas 225, Pyæmia 34, Syphilis 156 (of which 124 congenital), and Noma 14.

As throwing light on the causes of infantile mortality, and as showing that the younger the child the more liable it is to be cut off by certain diseases, notice may be taken of the proportions in which the epidemic and a few other diseases proved fatal to children under two years of age, as compared with the total deaths from each disease at all ages. 63 per cent. of the persons who died from Hooping-cough were under two years of age. 60½ per cent. of the persons who died from Measles, 61 per cent. of those who died from Diarrhœa, 61 per cent. of those who died from Hydrocephalus, 60 per cent. of those who died from Enteritis, 83 per cent. of those who died from Convulsions, 48½ per cent. of those who died from Croup, 48 per cent. of those who died from Small-pox, 28 per cent. of those who died from Diphtheria, and 21½ per cent. of those who died from Scarlatina, were under two years of age. Of course, almost all the deaths from Teething were under two years. These proportions show that the above are the diseases to which the very young are especially prone, and every effort ought to be made to prevent children being attacked with these diseases till a few years have rolled over them, seeing that, as a general rule, they are less and less liable to fall victims to the disease the older they are.

The diseases of uncertain seat caused 2408 deaths, and thus constituted 3·65 per cent. of the mortality, or caused 80 deaths in every hundred thousand of the population. Cancer was the most fatal of the diseases under this class, causing the death of 1288 persons, of whom 416 were males and 872 females. Of the other diseases belonging to this class, Dropsy (whose cause or exact seat was not stated) caused 711 deaths, Hæmorrhage (not otherwise defined) 63, Abscess 163, Ulcer 39, Fistula 12, Mortification 117, and Gout 15.

The Tubercular class of diseases caused 11668 deaths, of which 5690

were males and 5978 females. This indicates an annual proportion of 399 male and 373 female deaths in every hundred thousand of each sex, showing, as in former years, that males died from these diseases in higher proportion than females. As compared with the population, the proportion of persons dying from these complaints was nearly twice as great in the Town as in the Rural Districts, seeing that, for every hundred thousand persons in each district, 289 died from tubercular diseases in the Mainland-Rural Districts, but 520 in the Town Districts. Compared with the deaths, 16·5 per cent. of the deaths were caused by the tubercular class of diseases in the Mainland-Rural Districts, but 19 per cent. in the Town Districts.

Phthisis, or Consumption, is not only the most fatal of the diseases under the tubercular class, but it is the individual disease which cuts off a larger number of our race than any other. In 1867 it caused the death of 8248 persons, of whom 3810 were males and 4438 females. It thus cut off in the proportion of 268 males and 277 females in every hundred thousand persons of each sex. During 1867, therefore, as in former years, females died in a higher proportion than males from Phthisis. This disease is very much more fatal to the inhabitants of the Town than to those residing in the Rural Districts. Thus it caused 209 deaths in the Mainland-Rural, but 358 deaths in the Town Districts, in every hundred thousand persons in each.

Of the other diseases belonging to the tubercular class, Scrofula caused 620 deaths, Tabes Mesenterica 945, and Hydrocephalus 1855. This last disease is much more fatal to males than to females, seeing it caused the deaths of 1028 males, but only of 827 females, being in the proportion of 72 males, but only 51 females in every hundred thousand of each sex.

Diseases of the Brain caused 5458 deaths, of which 2922 were males and 2536 females, indicating a proportion of 205 male, but only 158 female deaths in every hundred thousand persons of each sex.

Diseases of the Heart and Blood-vessels caused 3380 deaths, of which 1702 were males and 1678 females, being in the proportion of 119 male and 104 female deaths in every hundred thousand of each sex.

Inflammatory Affections of the Respiratory Organs caused 10019 deaths, of which 5152 were males and 4867 females, indicating a proportion of 361 male but only 303 female deaths from these diseases, in every hundred thousand inhabitants—the males again showing a great preponderance of deaths, contrary to what was noticed in Consumption.

Of the individual diseases belonging to this class, Bronchitis was the most fatal, and caused 6777 deaths. Pneumonia caused 2070 deaths, Asthma 530, Laryngitis 123, Pleurisy 203, and Diseases of the Lungs (not otherwise specified) 316 deaths.

It is worthy of note, as being a characteristic of these inflammatory affections of the respiratory organs, that they are always twice as fatal to the inhabitants of the Town as they are to those of the Rural Districts. Thus, in every hundred thousand persons, these diseases of the lungs caused 158 deaths in the Insular, and 225 deaths in the Mainland-Rural, but 486 deaths in the Town Districts of Scotland, during the year 1867. A ten years' summary of the deaths shows the same fact; for, from 1855 to 1864, in every hundred thousand persons, 150 died from these lung diseases in the Insular, 204 in the Mainland-Rural, but 407 in the Town Districts. There is no other class of diseases where the Town mortality is constantly double that of the Rural Districts; and the fact that it is

diseases of the lungs which are so especially fatal to our race in the towns, seems clearly to indicate the especial cause of the high mortality in towns, and what it is which sanitary legislation should attempt to remedy—viz. give a purer air to breathe inside and outside the dwellings.

Diseases of the Organs of Digestion caused 4907 deaths, 2519 being males and 2388 females. This indicates that, in every hundred thousand persons of each sex, 177 male deaths and 149 female deaths occurred from these diseases. Of the diseases belonging to this class, Teething caused 962 deaths, Quinsey 56, Gastritis 155, Enteritis 933, Peritonitis 273, Ascites 82, Ulceration of Intestines 187, Hernia 92, Ileus 297, Intussusception 30, Stricture of Intestines 32, indefinite Disease of Stomach 773, Disease of Pancreas 1, Hepatitis 143, Jaundice 161, other Diseases of Liver 700, and Disease of Spleen 30 deaths.

Kidney and Urinary Diseases caused 1013 deaths, of which 659 were males and 354 females, indicating that 46 males, but only 22 females, died from these complaints in every hundred thousand of each sex. Of these diseases, Nephritis caused 87 deaths, Nephria 239, Ischuria 57, Diabetes 81, Stone 65, Cystitis 170, Stricture of Urethra 16, and undefined Disease of the Kidneys 290 deaths. Eight deaths were ascribed to Addison's Disease—affection of the supra-renal capsules.

Diseases of the Generative Organs caused 486 deaths, confined to females alone. Of these, 321 were ascribed to one or other of the diseases attending childbirth, to which must be added the 163 deaths from Metria, or childbed fever, in order to give us the total number of deaths from childbirth during the year 1867. This gives 484 deaths among the 112,651 mothers who bare children during the year, indicating one death in childbearing in every 233 mothers, or 43 deaths in every ten thousand mothers—a small proportion, which would be much reduced had the mothers proper medical attendance, as is proved by the fact that the relative mortality in childbirth, unlike that of all diseases, was greatest in the Insular Districts, where there is almost no medical attendance to be had, and least in the Town Districts, where no one need want medical aid who wishes to have it. Thus, for every ten thousand female deaths in each group of districts, the proportion of 233 died from childbirth (including Metria) in the Insular Districts, 152 in the Mainland Districts, but only 124 in the Town Districts.

Diseases of the Organs of Locomotion caused 391 deaths, of which 211 were males and 180 females. Of these, 78 deaths were ascribed to Diseases of the Bones, 140 to Diseases of the Joints, and 173 to Rheumatism.

75 deaths were attributed to Diseases of the Skin and subcutaneous cellular tissue. Of these, 18 were caused by Carbuncle, 15 by Phlegmon, and 42 by Diseases of the Skin.

Malformation caused 207 deaths; Premature Birth and Debility at Birth, caused 3367 deaths; Atrophy, 521 deaths; Age, without apparent disease, 6449 deaths; while 146 deaths were sudden, the immediate cause not having been ascertained.

2196 deaths were ascribed to violent causes, being in the proportion of 72 deaths in every hundred thousand persons—being the exact average of the ten years 1855–1864,—indeed, no deaths are so regular, year after year, as those which are caused not by natural but by violent causes. Of these deaths, 905 were attributed to fractures and contusions, 467 to drowning, 249 to burns and scalds, 139 to suffocation (92 of which were from over-lying), 25 to gunshot wounds, 32 to cuts and stabs, 63 to hanging, 76 to intemperance, 1 to privation, 82 to want of breast milk, 1 to neglect, 29 to

exposure to cold, 54 to poison, 1 to poisoned wound, and 72 to other violent causes not included in the above.

Of the above violent deaths, 145 were suicides; of which 62 were by hanging, 25 by cut-throat, 20 by drowning, 8 by gunshot, 7 by precipitation from a height, 17 by poison (15 of which were by opium or some of its preparations), while in six the form of suicide was not stated.

Table LI. shows the eighteen most fatal diseases in Scotland and England, arranged according to the order of their fatality, and giving the proportions in which they prove fatal to the population. From that Table it will be seen that the different diseases have very different death-rates in the two countries during the same year, though they are inhabited by the same races, and are usually considered to be subject to very nearly the same meteorological influences.

From that Table it would appear that Consumption and Bronchitis were more prevalent and fatal in Scotland during 1867 than in England, but that Pneumonia was more fatal in England. A very much larger proportion of persons seem to die from Old Age in Scotland than England; while in England the deaths from Atrophy, Debility, and Premature Birth greatly exceed the proportion in Scotland. But one of the most striking peculiarities is the difference in the two countries in the proportion of deaths from Convulsions. This is a complaint, as all are aware, to which very young children are especially liable. But Scotland only lost from Convulsions in the proportion of 28 out of every hundred thousand persons of the population, while England lost 123 from Convulsions out of a like population. The essentially different manner in which infants are fed in the two countries is quite sufficient to account for the difference in the mortality. It does not arise from a greater proportion of infants being drugged with preparations of opium in the one country than in the other, for that vice is equally prevalent in the manufacturing districts of both countries; and a comparison of the mortality from Convulsions in the truly agricultural

TABLE LI.—The Eighteen most fatal Diseases in Scotland and England in 1867, arranged in the order and proportion of their fatality.

| SCOTLAND. | | ENGLAND. | |
|--|---|--|---|
| Diseases. | Proportion of Deaths to 100,000 living. | Diseases. | Proportion of Deaths to 100,000 living. |
| Phthisis | 272 | Phthisis | 259 |
| Bronchitis | 224 | Debility, Atrophy, Premature Birth | 194 |
| Old Age | 213 | Bronchitis | 190 |
| Atrophy, Debility, Premature Birth | 128 | Old Age | 135 |
| Heart, etc., Diseases | 112 | Convulsions | 123 |
| Fever (Typhus, etc.) | 111 | Heart, etc., Diseases | 107 |
| Scarlet Fever | 74 | Pneumonia | 99 |
| Pneumonia | 68 | Diarrhœa | 93 |
| Hydrocephalus | 61 | Fever (Typhus, etc.) | 79 |
| Hooping-cough | 57 | Scarlet Fever | 58 |
| Paralysis | 55 | Hooping-cough | 55 |
| Diarrhœa | 49 | Paralysis | 50 |
| Measles | 44 | Apoplexy | 49 |
| Cancer | 42 | Cancer | 40 |
| Apoplexy | 38 | All Liver Diseases | 39 |
| All Liver Diseases | 33 | Dropsy | 33 |
| Teething | 32 | Hydrocephalus | 33 |
| Tabes Mesenterica | 31 | Tabes Mesenterica | 32 |

counties of England with those of Scotland, shows that in these, where no opiates are abused, the difference in the mortality is proportionally as great as within the manufacturing counties of Scotland and of England. The English, as a general rule, begin to stuff the infant with bread-pap and other more solid foods almost from birth. The Scotch, as a general rule, give no solid food till the first teeth are cut, and till nature thus shows that she has prepared the suckling for digesting more solid food than that which it drew from its mother's breasts.

Fever and Scarlatina were more prevalent and fatal in Scotland than in England during 1867; while Hooping-cough was also somewhat more fatal in Scotland. Liver diseases, however, were more fatal in England; while Cancer was slightly more fatal in Scotland.

WEATHER, AND ITS INFLUENCE ON THE HEALTH.

It may be regarded as an ascertained fact, that the weather is the great regulator of the mortality in Scotland, and that two or three months of a very low temperature, or a month or two of very high temperature, do more to raise the mortality than the existence of any epidemics. The high temperature in this country seems directly to induce bowel complaints, of which the most fatal are Diarrhœa, Dysentery, and Cholera; while extremely cold weather increases the prevalence and fatality of all diseases, whether they be epidemic or sporadic. It is of great importance, therefore, that attention should be paid to the character of the weather.

It may be stated, in a general way, that the health of the population was generally good during the year 1867, and the mortality below its average. During the first quarter of the year, however, the death-rate was considerably above the average; but this arose solely from the severity of the wintry weather, which increased the deaths from all diseases, and did not arise from the special prevalence or fatality of any particular epidemic. During the three remaining quarters of the year the mortality, on the other hand, was below its average, and none of the diseases to which we apply the term epidemic was more prevalent than usual.

During the greater part of January keen frosts prevailed, the ground was covered with snow, and the falls of snow were occasionally so heavy as to arrest traffic. This kind of weather came on suddenly on the 30th December 1866, on the wind changing from south-west to north-east. The temperature fell very low during January, the lowest temperature noted being -6° , or 38 degrees below the freezing-point of water. The frost and snow continued uninterrupted from the last day of December 1866 till the evening of the 23d January 1867, when the balmy south-west winds regained the mastery, a rapid thaw set in, and the snow disappeared so rapidly, that by the 25th most of the hills were clear of snow. The mild weather which came with these south-westerly breezes continued till the close of the month. The cold weather which prevailed during the first three weeks of January depressed the mean temperature of the month to $31^{\circ}8$, and thus caused it to be $5^{\circ}3$ below the mean of previous years; but the mean temperature of the frosty period was about 28° .

During the previous month (December 1866) the mean temperature had been $40^{\circ}6$, and 205 persons had died daily in Scotland. But the reduction of the mean temperature during January to $31^{\circ}8$, increased the daily deaths to 238. In other words, the fall of the mean monthly temperature by 9 degrees had increased the monthly deaths over Scotland by 1016.

February was an unusually mild month, with the wind almost constantly from the south-west. The mean temperature was therefore unusually high, viz. $41^{\circ}4$, or $3^{\circ}8$ above the mean of former years. On the 24th, however, the wind veered to the north and north-east, bringing with it frost and occasional falls of snow. The high mean temperature of February, as compared with that of the previous month, had a marked effect in reducing the deaths, for under the milder temperature only 210 persons died daily over Scotland. In other words, allowing for difference in the length of the month, a rise of $10^{\circ}4$ of mean temperature caused a monthly saving of 777 lives in Scotland.

The keen east and north-east winds which prevailed during almost the whole of March rendered it a cold ungenial month, notwithstanding the much greater warmth of the day temperatures, under the potent influence of the sun's rays. The mean temperature of March, therefore, fell to $36^{\circ}2$, and thus presented the anomaly of being $5^{\circ}2$ below the temperature of February, and $3^{\circ}3$ below the mean of former years. The mortality kept exact pace with the reduction of temperature, for the daily deaths, which numbered 210 during February, rose to 217 daily during March. In other words, February, with its high mean temperature of $41^{\circ}4$, registered only 5876 deaths, while March, with its much lower mean temperature of $36^{\circ}2$, registered 6736 deaths.

April was a cold ungenial month, with a more clouded sky, less sunshine, and more rain than usual. The mean temperature was, however, somewhat higher than usual, viz. $45^{\circ}3$; but this was caused by the nights being less cold, in consequence of the clouded sky arresting the radiation of caloric from the surface of the earth. The range of temperature was consequently $2^{\circ}4$ less than the average for the month. Under the milder temperature the deaths fell to 208 daily.

May was also a cold ungenial month, particularly during its latter half. During the first and second weeks south-west winds prevailed, and during their continuance vegetation advanced rapidly. During the latter half, however, of the month, cold easterly winds prevailed, and in all the higher parts of the country, frost occurred almost every morning, blighting vegetation. During the month, the weather in Scotland was often the very opposite of that in England. Thus, during the second week of the month, while the mean temperature in the Eight Principal Towns of Scotland was $51^{\circ}8$, that of London and the English towns ranged from 60° to 63° , the usual difference due to difference of latitude being two degrees only. The mean temperature of May being $47^{\circ}5$, or two degrees higher than that of April, the deaths over Scotland fell to 194 daily.

June had a lower mean temperature than the average of former years, viz. $54^{\circ}3$, with a greater amount of cloud, less sunshine, smaller daily range of temperature, and less rain, yet with a greater amount of humidity in the atmosphere. The close heat, from the great amount of humidity in the atmosphere, was for some days very oppressive, particularly on the 11th; yet such was the hazy state of the atmosphere, that on that day the highest degree of temperature noted in the self-registering thermometer was 75° . In many parts of the country, frost was observed on the morning of the 21st. The more genial mean temperature of the month, however, allowed the deaths in Scotland to fall to 174 daily.

July was warm and genial till the 13th, when a rainy period set in, the rain continuing to fall almost constantly till the 24th. In many places on the 21st, from $1\frac{1}{2}$ to 2 inches of rain fell in 24 hours. This rainy period was followed by a cold one, which continued till the close of the month; and the cold east winds which then prevailed so reduced the temperature,

that the mean temperature of the month was only $54^{\circ}8$, or two degrees below the mean of former years.

August was the warmest month of the year, having a mean temperature of $57^{\circ}4$; but there was a great deficiency of sunshine, from the sky being more clouded than usual.

September differed little in its weather from its ordinary character in former years, and its mean temperature of $53^{\circ}4$ was four degrees below that of August.

As is usual when the mean temperature does not rise above 58° , the mortality attained its minimum, or lowest point, in September, when only 157 persons died daily in Scotland.

During the remaining months of the year the weather did not deviate materially from its ordinary character, and the year closed without the mean temperature of any week having been so low as 32° . Indeed, the coldest week was the first week of December, when the mean temperature was $35^{\circ}5$, but the last week of the year had a mean temperature of $41^{\circ}9$.

Smart frost occurred on the 3d and 4th of October, mowing down the garden flowers and arresting vegetation. Cold, bleak, misty days followed till the 18th, when the mild enjoyable weather known as the Indian Summer commenced, and continued till the close of the month. Under its influence the mean temperature rose from 45° to 50° , but the mean temperature of the month was $46^{\circ}4$.

November entered with cold north-west winds, but, on the whole, the winds were less keen than usual. The air was clearer, there was less cloud, less mist or fog, less rain, less humidity of atmosphere, and more sunshine than usual, rendering the month less unpleasant than ordinary Novembers.

December was, on the whole, a mild month, with strong westerly and south-westerly breezes, occasionally rising into hurricanes.

With the fall of temperature the mortality increased, so that October, with its mean temperature of $46^{\circ}4$, had 169 deaths daily in Scotland; November, with its mean temperature of $41^{\circ}6$, had 174 deaths daily; while December, with its mean temperature of $38^{\circ}8$, had its deaths increased to 195 daily.

Table LII. shows the chief points of the meteorology of Scotland for every month of the year 1867. By that Table it appears, that the mean barometric pressure for the year, corrected to 32° Fahr. and to the sea-level, was 29.872 inches. The mean temperature was $45^{\circ}7$, being more than half of a degree lower than that of the previous year. The highest temperature noted at any station in the protected thermometer was 85° , and the lowest -6° . The mean of the day temperatures was $51^{\circ}5$, and the mean of the night temperatures $40^{\circ}0$, giving a mean daily range of $11^{\circ}5$. The highest temperature in the sun, noted in the black bulb thermometer exposed to its direct rays, was 135° , or $6^{\circ}4$ less than that of the previous year; and the greatest degree of cold during the night, noted in the black bulb thermometer exposed on the grass, was -9° , being 5° lower than that of the previous year. Rain, sleet, or snow fell on 182 days, with a mean depth of water of 38.52 inches, being 2.89 inches of water less than during the previous year. The sun shone during 1518 hours in the course of the year, and the mean humidity of the air was 86° . Easterly winds, on the average, blew 100 days during the year, or six days more than during the previous year; and westerly winds blew 174 days, or six days less than during the previous year.

But though Table LII. and the above statement show the powerful effect of weather on the mortality, when traced month by month, it is

instructive to know that the deleterious effects arising from depression of temperature may be traced from week to week, and even from day to day. For instance, if a very severe night occurs during the winter or spring months, when the temperature becomes lowered to zero, or thereabouts, it has been again and again noticed by the registrars, that that night proves fatal to most of the very aged persons in the parish, and otherwise increases the general mortality. In consequence of publishing weekly the number of births, deaths, and marriages, the temperature, and the fall of rain, in each of the Eight Principal Towns of Scotland, we have the means of tracing the effect of the weekly variations of temperature on the public health, and

TABLE LII.—Meteorology of Scotland for the Year 1867, deduced from Observations made at 55 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General for 1867; also the Number of Births, Deaths, and Marriages registered during each Month of the Year 1867.

| 1867. | Jan. | Feb. | Mar. | Apr. | May. | June. | July. | Aug. | Sept. | Oct. | Nov. | Dec. | YEAR. |
|---|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Highest Temperature in shade (degrees) | 52.7 | 59.0 | 60.6 | 62.7 | 76.5 | 78.0 | 83.0 | 85.0 | 72.0 | 71.2 | 65.0 | 59.0 | 85.0 |
| Lowest Temperatures in do. | —6.0 | 17.0 | 0.0 | 25.7 | 23.3 | 32.3 | 33.7 | 35.3 | 30.3 | 24.0 | 21.0 | 12.0 | —6.0 |
| Day Temperatures (Mean) | 36.6 | 46.1 | 41.9 | 51.1 | 53.6 | 61.4 | 61.3 | 64.5 | 59.3 | 52.4 | 46.8 | 43.4 | 51.5 |
| Night Temperatures (Mean) | 26.9 | 36.6 | 30.5 | 39.6 | 41.4 | 47.2 | 48.4 | 50.8 | 47.6 | 40.5 | 36.3 | 34.2 | 40.0 |
| Daily Range (Mean) | 9.7 | 9.5 | 11.4 | 11.5 | 12.2 | 13.9 | 12.9 | 13.7 | 11.7 | 11.9 | 10.4 | 9.2 | 11.5 |
| Mean Temperature | 31.8 | 41.4 | 36.2 | 45.3 | 47.5 | 54.3 | 54.8 | 57.4 | 53.4 | 46.4 | 41.6 | 38.8 | 45.7 |
| Highest Day Temperature in Sun | 82.0 | 101.1 | 110.3 | 120.2 | 125.7 | 135.0 | 134.7 | 134.0 | 120.0 | 111.0 | 102.0 | 86.0 | 135.0 |
| Lowest on Grass at Night | —9.0 | 9.0 | 0.0 | 15.0 | 19.4 | 22.0 | 26.0 | 26.0 | 21.0 | 13.0 | 12.0 | 10.0 | —9.0 |
| Wet-bulb Temperature (Mean) | 30.5 | 39.1 | 33.8 | 42.9 | 44.7 | 51.2 | 52.1 | 55.0 | 51.1 | 44.6 | 39.4 | 37.4 | 43.5 |
| Dew-point Temperature (Mean) | 27.9 | 37.2 | 31.4 | 40.6 | 42.1 | 43.5 | 49.7 | 53.0 | 49.1 | 42.8 | 37.4 | 35.7 | 41.3 |
| Humidity of Air | 86 | 88 | 86 | 86 | 84 | 82 | 84 | 86 | 87 | 89 | 87 | 89 | 86 |
| Elastic Force of Vapour (inch) | .154 | .222 | .177 | .254 | .268 | .342 | .358 | .403 | .350 | .276 | .224 | .210 | .269 |
| Number of Days Rain fell (inches) | 18 | 16 | 14 | 20 | 14 | 12 | 14 | 15 | 16 | 18 | 9 | 16 | 182 |
| Amount of Rain (inches) | 4.74 | 3.09 | 2.26 | 4.43 | 2.83 | 2.11 | 4.38 | 2.82 | 3.17 | 4.29 | 1.25 | 3.15 | 38.52 |
| Amount of Cloud | 6.5 | 6.5 | 6.1 | 7.6 | 7.6 | 6.8 | 7.3 | 6.8 | 6.6 | 6.5 | 6.1 | 6.7 | 6.7 |
| Hours of Sunshine | 78 | 94 | 136 | 118 | 143 | 196 | 168 | 174 | 134 | 115 | 94 | 68 | 1518 |
| Mean Barometer (inches) | 29.632 | 29.816 | 29.875 | 29.591 | 29.938 | 30.050 | 29.861 | 29.856 | 29.931 | 29.765 | 30.230 | 29.919 | 29.872 |
| Easterly Winds (No. of days) | 12 | 4 | 17 | 7 | 19 | 6 | 13 | 5 | 5 | 4 | 4 | 14 | 100 |
| Westerly Winds (No. of days) | 10 | 19 | 7 | 18 | 5 | 16 | 9 | 18 | 16 | 19 | 18 | 19 | 174 |
| Births | 9417 | 8820 | 9715 | 10254 | 10437 | 9684 | 9927 | 9244 | 8699 | 9795 | 8903 | 9149 | 114044 |
| Deaths | 7365 | 5876 | 6736 | 6242 | 6010 | 5223 | 5443 | 4952 | 4730 | 5242 | 5212 | 6037 | 69068 |
| Marriages | 2648 | 1322 | 1386 | 1359 | 1068 | 3200 | 2259 | 1421 | 1391 | 1363 | 2286 | 2915 | 22618 |
| Daily Births | 304 | 315 | 314 | 342 | 337 | 323 | 320 | 298 | 290 | 316 | 297 | 295 | 312 |
| Daily Deaths | 238 | 210 | 217 | 208 | 194 | 174 | 175 | 160 | 157 | 169 | 174 | 195 | 189 |
| Daily Marriages* | 115 | 66 | 68 | 61 | 46 | 160 | 98 | 64 | 66 | 59 | 108 | 132 | 86 |

* As few or no Marriages are contracted in Scotland on Saturday or Sunday, these days are excluded from each month in calculating the daily number of Marriages.

Table LIII. gives a summary of the results for every week of the year 1867.

In studying that Table it is necessary to observe, that although a sudden fall of temperature manifests immediately its deleterious effects on the human frame, a day or two frequently elapses before the person's death is registered. Consequently, if the fall of temperature occurs at the beginning of a week, the deaths registered during the week, in general, accurately express the effect of the fall of temperature; but if the fall occurs at the end of a week, we must look to the deaths registered during the following week to see the full effects of that depression of temperature. Thus, during the week ending 5th January, the lowest temperature occurred during the

TABLE LIII.—Deaths, Temperatures, and Fall of Rain, in the Eight Principal Towns of Scotland during each Week of the Year 1867.

| No. of Week. | Week ending | DEATHS. | TEMPERATURE. | | | RAIN, in inches | No. of Week. | Week ending | DEATHS. | TEMPERATURE. | | | RAIN, in inches |
|-----------------|-------------|---------|--------------|---------|---------|-----------------------|-----------------|-------------|---------|--------------|---------|---------|-----------------------|
| | | | Mean. | Highest | Lowest. | | | | | Mean. | Highest | Lowest. | |
| 1 | January 5 | 602 | 29·6 | 51·0 | 10·2 | 0·520 | 27 | July 6 | 484 | 54·7 | 74·0 | 35·0 | 0·269 |
| 2 | 12 | 641 | 34·2 | 47·0 | 19·8 | 1·278 | 28 | 13 | 456 | 60·4 | 83·0 | 41·7 | 0·859 |
| 3 | 19 | 597 | 27·9 | 38·5 | 14·2 | 0·761 | 29 | 20 | 485 | 56·8 | 68·0 | 43·0 | 2·067 |
| 4 | 26 | 705 | 33·8 | 49·8 | 15·2 | 1·759 | 30 | 27 | 454 | 51·2 | 64·0 | 41·0 | 1·888 |
| 5 | February 2 | 597 | 43·5 | 56·0 | 33·0 | 1·702 | 31 | August 3 | 464 | 56·5 | 72·0 | 44·1 | 0·015 |
| 6 | 9 | 605 | 40·1 | 59·0 | 23·0 | 1·218 | 32 | 10 | 409 | 57·5 | 69·0 | 45·5 | 0·879 |
| 7 | 16 | 562 | 43·3 | 56·5 | 32·0 | 0·768 | 33 | 17 | 441 | 61·1 | 80·0 | 50·0 | 0·857 |
| 8 | 23 | 509 | 45·7 | 57·0 | 36·3 | 0·218 | 34 | 24 | 405 | 57·9 | 72·0 | 46·2 | 0·980 |
| 9 | March 2 | 497 | 38·9 | 55·0 | 24·8 | 0·140 | 35 | 31 | 411 | 58·2 | 72·0 | 43·6 | 0·935 |
| 10 | 9 | 535 | 38·7 | 53·0 | 28·5 | 0·379 | 36 | September 7 | 427 | 55·8 | 70·0 | 44·2 | 1·297 |
| 11 | 16 | 576 | 33·1 | 49·0 | 20·6 | 0·386 | 37 | 14 | 456 | 56·8 | 68·0 | 42·0 | 0·848 |
| 12 | 23 | 582 | 33·9 | 46·0 | 17·0 | 0·285 | 38 | 21 | 427 | 51·7 | 64·5 | 34·3 | 0·077 |
| 13 | 30 | 612 | 43·1 | 57·0 | 33·0 | 0·721 | 39 | 28 | 463 | 52·8 | 63·0 | 41·0 | 0·384 |
| 14 | April 6 | 556 | 47·3 | 63·0 | 32·1 | 0·334 | 40 | October 5 | 462 | 46·9 | 67·0 | 28·0 | 0·607 |
| 15 | 13 | 565 | 45·4 | 59·0 | 31·2 | 1·191 | 41 | 12 | 447 | 45·4 | 63·0 | 27·2 | 0·155 |
| 16 | 20 | 516 | 47·9 | 62·0 | 34·8 | 0·847 | 42 | 19 | 463 | 50·3 | 59·0 | 40·0 | 1·260 |
| 17 | 27 | 481 | 45·9 | 60·9 | 33·0 | 1·348 | 43 | 26 | 425 | 49·6 | 65·5 | 31·0 | 0·866 |
| 18 | May 4 | 522 | 46·9 | 65·3 | 33·4 | 0·665 | 44 | November 2 | 415 | 44·4 | 53·2 | 32·0 | 0·751 |
| 19 | 11 | 568 | 51·8 | 70·0 | 39·0 | 0·905 | 45 | 9 | 471 | 44·2 | 56·0 | 28·0 | 0·010 |
| 20 | 18 | 488 | 42·8 | 58·0 | 32·0 | 0·859 | 46 | 16 | 431 | 42·5 | 52·7 | 27·0 | 0·323 |
| 21 | 25 | 553 | 45·1 | 68·4 | 25·0 | 0·056 | 47 | 23 | 492 | 39·7 | 51·2 | 25·9 | 0·001 |
| 22 | June 1 | 557 | 52·1 | 69·0 | 37·5 | 1·274 | 48 | 30 | 548 | 42·3 | 52·0 | 28·6 | 0·482 |
| 23 | 8 | 539 | 54·6 | 70·8 | 33·5 | 1·542 | 49 | December 7 | 548 | 35·5 | 50·0 | 20·0 | 0·593 |
| 24 | 15 | 464 | 55·9 | 75·7 | 39·8 | 0·205 | 50 | 14 | 579 | 44·5 | 56·0 | 32·3 | 0·622 |
| 25 | 22 | 466 | 54·7 | 74·0 | 41·4 | 0·226 | 51 | 21 | 511 | 39·2 | 57·0 | 24·6 | 1·232 |
| 26 | 29 | 460 | 58·5 | 78·0 | 45·2 | 0·027 | 52 | 28 | 545 | 41·9 | 52·0 | 30·7 | 0·366 |

TABLE LIV.—Showing the connection between Atmospheric Phenomena, especially Mean Monthly Temperature, and the Deaths from certain Diseases and Classes of Diseases, in the Eight Principal Towns of Scotland, during each Month of the Year 1867.

| 1867. | Jan. | Feb. | Mar. | April. | May. | June. | July. | Aug. | Sept. | Oct. | Nov. | Dec. |
|---------------------------------------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|
| Mean Temperature | 32°·9 | 42°·1 | 36°·8 | 46°·0 | 47°·4 | 55°·8 | 55°·6 | 58°·6 | 53°·9 | 47°·0 | 42°·2 | 39°·7 |
| Highest Temperature | 49°·6 | 54°·3 | 53°·1 | 59°·7 | 67°·1 | 74°·2 | 74°·5 | 75°·2 | 65°·6 | 61°·8 | 54°·0 | 54°·3 |
| Lowest Temperature | 16°·6 | 27°·5 | 20°·4 | 33°·4 | 33°·3 | 41°·7 | 42°·4 | 46°·4 | 39°·2 | 31°·2 | 29°·8 | 26°·2 |
| Rainfall in inches | 4·74 | 3·05 | 2·16 | 4·48 | 3·31 | 1·96 | 4·95 | 3·42 | 2·99 | 3·85 | 1·00 | 2·78 |
| Total Deaths | 2822 | 2198 | 2437 | 2347 | 2411 | 1989 | 2154 | 1855 | 1901 | 1969 | 2049 | 2379 |
| Daily Deaths | 91 | 78 | 78 | 78 | 78 | 66 | 69 | 60 | 63 | 63 | 68 | 77 |
| Zymotic Diseases | 518 | 425 | 453 | 452 | 499 | 398 | 479 | 410 | 476 | 492 | 457 | 480 |
| Small-pox | 13 | 10 | 8 | 7 | 4 | 3 | 2 | 6 | 0 | 3 | 2 | 4 |
| Measles | 78 | 63 | 80 | 88 | 109 | 83 | 99 | 51 | 33 | 23 | 18 | 26 |
| Scarlatina and Diphtheria | 90 | 73 | 76 | 58 | 72 | 56 | 50 | 51 | 90 | 136 | 129 | 159 |
| Hooping-Cough | 75 | 68 | 88 | 76 | 72 | 82 | 97 | 70 | 56 | 73 | 69 | 72 |
| Croup | 31 | 18 | 10 | 29 | 29 | 23 | 24 | 23 | 40 | 36 | 37 | 41 |
| Typhus | 140 | 109 | 119 | 116 | 136 | 90 | 104 | 64 | 95 | 115 | 131 | 119 |
| Diarrhœa | 31 | 34 | 39 | 33 | 37 | 32 | 67 | 93 | 128 | 62 | 30 | 18 |
| Cholera | 9 | 3 | 0 | 0 | 2 | 2 | 2 | 11 | 8 | 4 | 2 | 4 |
| Consumption | 321 | 281 | 355 | 327 | 332 | 301 | 292 | 260 | 229 | 224 | 208 | 249 |
| Diseases Respiratory Organs | 712 | 463 | 479 | 434 | 423 | 317 | 259 | 192 | 203 | 329 | 460 | 538 |
| Heart, etc., Diseases | 153 | 96 | 126 | 82 | 100 | 106 | 108 | 70 | 84 | 83 | 72 | 101 |
| Brain, etc., Diseases | 203 | 183 | 208 | 194 | 176 | 169 | 171 | 157 | 159 | 151 | 164 | 235 |
| Age | 177 | 122 | 125 | 105 | 116 | 86 | 108 | 89 | 80 | 82 | 86 | 118 |

last day of the week, and consequently, though the mean temperature of the second week was nearly five degrees higher than that of the first week, the deaths really produced by the intense cold on the 5th of January were registered during the second week, so that, while only 602 deaths were registered during the first week, they numbered 641 during the second week. In like manner, the coldest week of the year was that ending January 19, its mean temperature having been $27^{\circ}9$; but as the intense cold continued to its very close, it was the following week which registered the greatest number of deaths, viz. 705, the deaths registered during the previous week having been 597. A week of mild mean temperature (for winter months), viz. $43^{\circ}5$, occurred on the week ending 2d February, and the deaths fell to 562, having on the last week of January been 705. The continuance of comparatively mild weather during the second, third, and fourth weeks of February, during the last of which the mean temperature was $45^{\circ}7$, allowed the deaths to fall to 509. Four cold weeks occurred after this in March, the mean temperature slowly and regularly descending till it reached the mean of $33^{\circ}1$ and $33^{\circ}9$,—the greatest cold being on the 21st, when the lowest temperature was $17^{\circ}0$; the consequence was that the deaths gradually increased, till they numbered 616 on the week ending 30th March. After this milder weather set in, and the mean temperature rose, varying during April from 43° to 47° . With this increase of temperature the deaths decreased, so that on the last week of April they numbered only 481.

A careful study of that Table will show that the closest possible connection exists between the temperature and the mortality, and that in this country it is cold which has the most baneful effects on health. In those countries where the summer heats are great, the hot months are the most fatal to the human race, because the heat encourages or excites attacks of fevers and various bowel complaints, as Diarrhoea, Dysentery, and Cholera. Even in Scotland the tendency of the mortality to increase under the influence of a warm temperature is noticed; but the increased deaths from that cause are so few that they do not in general materially increase the deaths, nor invalidate the general statement, that in Scotland our most deadly enemy is cold. Thus, during one week alone, viz. that ending 17th August, the mean temperature was $61^{\circ}1$, having been $57^{\circ}5$ the week previous, and $57^{\circ}9$ the week following. During that hot week the deaths rose to 441, having been 409 the previous, and 405 the following week. The above examples may suffice to prove the general truth of the facts brought under consideration, and the Table is there to speak for itself.

Table LIV. is drawn with the view of showing the influence of the weather, but especially of the mean monthly temperature, on different diseases and classes of disease in the Eight Principal Towns of Scotland. This Table is worthy of attentive study, because it not only tends to confirm all that has been advanced with regard to the influence of temperature on the general mortality, but also proves that the same agent has an equally powerful influence on each disease and class of diseases. Nay more, it proves that those diseases which we call epidemics are subject to the very same law of temperature in Scotland, as are those diseases which we style sporadic, such as Bronchitis, Pneumonia, Enteritis, etc. Thus, the zymotic (epidemic and contagious) class of diseases, which caused in the Eight Towns 398 deaths in June, caused 480 deaths in December, and 518 deaths in January, the coldest month; Scarlatina, which caused only 50 deaths in July, caused 159 in December; Typhus, which caused 90 deaths in June, caused 140 deaths in January; Diseases of the Respiratory Organs, which

caused 192 deaths in August, caused 538 deaths in December, and 712 in January; Brain Diseases, which caused 157 deaths in August, caused 235 deaths in December; and Old Age, which caused 89 deaths in August, caused 118 in December, and 177 in January, the coldest month.

In countries where the mass of the population is dependent for their sustenance on the crops which they raise, and where they have little or no external trade, it is the crops which are the great regulators of the mortality, after the weather. For if the crops partially or wholly fail, the price of the food rises so high as to be beyond the power of purchasing by the lower classes. In such countries, therefore, the amount of sickness and death almost invariably rises and falls with the price of the provisions. When provisions are abundant, and consequently cheap, the amount of sickness is small and the death-rate low; but a failure of the crops almost invariably brings a high amount of sickness, and the death-rate becomes excessive.

In a country like this, where the great mass of the population is dependent on trade and commerce for their livelihood, and where there exists the means of procuring from other countries any kinds of food which may be deficient in this, we have not been able to trace any connection between the mortality and the price of provisions, as Table LV. will show. The prices of wheat and potatoes which are quoted are those of the official returns for England and Wales, as they are more to be depended on for correctness than the Scottish returns. Here we see that, while the price of wheat, the staple of life, steadily diminished in price from 69s. per quarter in 1856, to 44s. per quarter in 1858, the deaths in Scotland as steadily increased from 52529 in 1856 to 63539 in 1858. Again, the price of wheat was the same in 1861 and 1862, viz. 55s. per quarter; but the deaths, which only numbered 62341 in 1861, had increased in 1862 to 67195. The price of wheat and of all provisions regularly diminished from 1862 to 1864, so that wheat, which sold at 55s. the quarter in 1862, fell to 44s. 8d. the quarter in 1863, and to 40s. 2d. in 1864; while potatoes, which brought 137s. the ton in 1862, fell to 100s. in 1863, and to 75s. the ton in 1864. If a plentiful supply of provisions, therefore, and cheapness in price, could of themselves exert appreciable influence on the mortality, there ought to have been a marked diminution of the deaths during these years. But, on the other hand, the mortality largely increased from year to year; for while only 67195 deaths occurred in 1862, the year of high prices, they increased to 71481 deaths in 1863, and to 74416 deaths in 1864.

TABLE LV.—Deaths in Scotland compared with the Average Price of Wheat and Potatoes during the Thirteen Years 1855–1867.

| YEAR. | Average Price of WHEAT per quarter. | | DEATHS IN SCOTLAND. | Average Price of POTATOES per ton. | |
|-------|---|----|------------------------|--|----|
| | s. | d. | | s. | d. |
| 1855 | 74 | 8 | 62,004 | 100 | 6 |
| 1856 | 69 | 2 | 52,529 | 85 | 6 |
| 1857 | 56 | 5 | 61,906 | 120 | 8 |
| 1858 | 44 | 3 | 63,539 | 120 | 0 |
| 1859 | 43 | 10 | 61,714 | 94 | 0 |
| 1860 | 53 | 3 | 68,170 | 132 | 6 |
| 1861 | 55 | 4 | 62,341 | 124 | 0 |
| 1862 | 55 | 5 | 67,195 | 137 | 0 |
| 1863 | 44 | 8 | 71,481 | 100 | 0 |
| 1864 | 40 | 2 | 74,416 | 75 | 0 |
| 1865 | 41 | 9 | 70,891 | 85 | 5 |
| 1866 | 49 | 11 | 71,348 | 89 | 6 |
| 1867 | 64 | 5 | 69,068 | 138 | 0 |

The same want of connection between the prices of provisions and the mortality was noticed during the years 1864 and 1865, and again during the years 1866 and 1867. Thus, in 1866, the price of wheat was only 49s. 11d. per quarter, while potatoes sold for 89s. 6d. per ton; but in 1867 the average price of wheat had risen to the almost famine price of 64s. 5d. per quarter, and potatoes to 138s. per ton. Notwithstanding of this, the cheap year had the large number of 71348 deaths in Scotland, while the year of high prices allowed the deaths to fall to 69068. In other words, 2280 fewer deaths occurred in Scotland during the year when provisions were at fabulously high prices, than during the previous year, when provisions were very low in price.

I have the honour to be,

SIR,

Your most obedient Servant,

JAMES STARK.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, *December 7, 1869.*

TABLE I.—PRINCIPAL TOWNS. Ten Years' Summary of Births, Deaths, and Marriages, 1856-1865; so that Census Numbers of Population in 1861 are Mean Population.

| YEARS. | POPULATION. Census 1861. | | | BIRTHS. | | | | DEATHS. | | | MAR- RIAGES. |
|---------------|-----------------------------|--------|--------|---------|--------|--------|----------|---------|--------|--------|-----------------|
| | Males. | Fem. | Total. | Total. | Males. | Fem. | Illegit. | Total. | Males. | Fem. | |
| 1856 | ... | ... | ... | 31719 | 16266 | 15453 | 2421 | 22254 | 11155 | 11099 | 7507 |
| 1857 | ... | ... | ... | 32674 | 16854 | 15820 | 2519 | 23363 | 11692 | 11371 | 7476 |
| 1858 | ... | ... | ... | 32563 | 16828 | 15735 | 2779 | 23445 | 11770 | 11675 | 6865 |
| 1859 | ... | ... | ... | 33027 | 16885 | 16142 | 2818 | 22352 | 11075 | 11277 | 7554 |
| 1860 | ... | ... | ... | 32958 | 17035 | 15923 | 2874 | 26066 | 12814 | 13252 | 7688 |
| 1861 | 407839 | 477116 | 884955 | 34351 | 17444 | 16907 | 3211 | 23149 | 11464 | 11685 | 7753 |
| 1862 | ... | ... | ... | 34436 | 17649 | 16787 | 3457 | 24960 | 12270 | 12690 | 7724 |
| 1863 | ... | ... | ... | 35888 | 18537 | 17351 | 3550 | 27045 | 13624 | 13421 | 8544 |
| 1864 | ... | ... | ... | 37058 | 18930 | 18128 | 3660 | 28845 | 14504 | 14341 | 8897 |
| 1865 | ... | ... | ... | 38109 | 19591 | 18518 | 3731 | 28515 | 14263 | 14252 | 9347 |
| Ten Years. | ... | ... | ... | 342783 | 176019 | 166764 | 31020 | 249994 | 124631 | 125363 | 79355 |

TABLE II.—LARGE TOWNS. Ten Years' Summary of Births, Deaths, and Marriages, 1856-1865; so that Census Numbers of Population in 1861 are Mean Population.

| YEARS. | POPULATION. Census 1861. | | | BIRTHS. | | | | DEATHS. | | | MAR- RIAGES. |
|---------------|-----------------------------|--------|--------|---------|--------|-------|----------|---------|--------|-------|-----------------|
| | Males. | Fem. | Total. | Total. | Males. | Fem. | Illegit. | Total. | Males. | Fem. | |
| 1856 | ... | ... | ... | 9221 | 4756 | 4465 | 678 | 5374 | 2703 | 2671 | 1975 |
| 1857 | ... | ... | ... | 9387 | 4748 | 4639 | 682 | 5860 | 2917 | 2943 | 2113 |
| 1858 | ... | ... | ... | 9282 | 4728 | 4554 | 757 | 6163 | 3034 | 3129 | 1824 |
| 1859 | ... | ... | ... | 9545 | 4927 | 4618 | 756 | 5775 | 2946 | 2829 | 1918 |
| 1860 | ... | ... | ... | 9223 | 4733 | 4490 | 743 | 6042 | 2972 | 3070 | 1983 |
| 1861 | 119602 | 134428 | 254030 | 9695 | 4983 | 4712 | 808 | 5831 | 2869 | 2962 | 1940 |
| 1862 | ... | ... | ... | 9618 | 4994 | 4624 | 864 | 6566 | 3286 | 3280 | 1837 |
| 1863 | ... | ... | ... | 9895 | 5086 | 4809 | 909 | 6780 | 3358 | 3422 | 2086 |
| 1864 | ... | ... | ... | 10263 | 5222 | 5041 | 871 | 7132 | 3544 | 3588 | 2234 |
| 1865 | ... | ... | ... | 10594 | 5491 | 5103 | 891 | 6896 | 3352 | 3544 | 2304 |
| Ten Years. | ... | ... | ... | 96723 | 49668 | 47055 | 7959 | 62419 | 30981 | 31438 | 20214 |

TABLE III.—SMALL TOWNS. Ten Years' Summary of Births, Deaths, and Marriages, 1856-1865; so that Census Numbers of Population in 1861 are Mean Population.

| YEARS. | POPULATION. Census 1861. | | | BIRTHS. | | | | DEATHS. | | | MAR- RIAGES. |
|---------------|-----------------------------|--------|--------|---------|--------|-------|----------|---------|--------|-------|-----------------|
| | Males. | Fem. | Total. | Total. | Males. | Fem. | Illegit. | Total. | Males. | Fem. | |
| 1856 | ... | ... | ... | 17289 | 8947 | 8342 | 1526 | 9542 | 4785 | 4757 | 3428 |
| 1857 | ... | ... | ... | 17848 | 9144 | 8704 | 1600 | 10009 | 4911 | 5098 | 3442 |
| 1858 | ... | ... | ... | 17678 | 9194 | 8484 | 1574 | 10076 | 5046 | 5030 | 3133 |
| 1859 | ... | ... | ... | 18533 | 9538 | 8995 | 1705 | 10045 | 4975 | 5070 | 3643 |
| 1860 | ... | ... | ... | 18239 | 9385 | 8854 | 1611 | 11070 | 5480 | 5590 | 3443 |
| 1861 | 239074 | 265223 | 504297 | 18453 | 9352 | 9101 | 1611 | 10366 | 5150 | 5216 | 3365 |
| 1862 | ... | ... | ... | 18376 | 9551 | 8825 | 1663 | 10933 | 5368 | 5565 | 3289 |
| 1863 | ... | ... | ... | 18707 | 9626 | 9081 | 1793 | 11542 | 5862 | 5680 | 3521 |
| 1864 | ... | ... | ... | 19389 | 9952 | 9437 | 1898 | 12294 | 6132 | 6162 | 3750 |
| 1865 | ... | ... | ... | 19233 | 9963 | 9320 | 1873 | 11256 | 5598 | 5658 | 3779 |
| Ten Years. | ... | ... | ... | 183795 | 94652 | 89143 | 16854 | 107133 | 53307 | 53826 | 34793 |

TABLE IV.—TOTAL TOWN DISTRICTS. Ten Years' Summary of Births, Deaths, and Marriages, 1856-65; so that Census of 1861 is the Mean Population for the period.

| YEARS. | POPULATION. Census 1861. | | | BIRTHS. | | | | DEATHS. | | | MAR- RIAGES. |
|---------------|-----------------------------|--------|---------|---------|--------|--------|----------|---------|--------|--------|-----------------|
| | Males. | Fem. | Total. | Total. | Males. | Fem. | Illegit. | Total. | Males. | Fem. | |
| 1856 | ... | ... | ... | 58229 | 29969 | 28260 | 4625 | 37170 | 18643 | 18527 | 12910 |
| 1857 | ... | ... | ... | 59909 | 30746 | 29163 | 4801 | 39232 | 19520 | 19712 | 13031 |
| 1858 | ... | ... | ... | 59523 | 30750 | 28773 | 5110 | 39684 | 19850 | 19834 | 11822 |
| 1859 | ... | ... | ... | 61105 | 31350 | 29755 | 5279 | 38172 | 18996 | 19176 | 13115 |
| 1860 | ... | ... | ... | 60420 | 31153 | 29267 | 5228 | 43178 | 21266 | 21912 | 13114 |
| 1861 | 766515 | 876767 | 1643282 | 62499 | 31779 | 30720 | 5630 | 39346 | 19483 | 19863 | 13058 |
| 1862 | ... | ... | ... | 62430 | 32194 | 30236 | 5984 | 42459 | 20924 | 21535 | 12850 |
| 1863 | ... | ... | ... | 64490 | 33249 | 31241 | 6252 | 45367 | 22844 | 22523 | 14151 |
| 1864 | ... | ... | ... | 66710 | 34104 | 32606 | 6429 | 48271 | 24180 | 24091 | 14881 |
| 1865 | ... | ... | ... | 67986 | 35045 | 32941 | 6495 | 46667 | 23213 | 23454 | 15430 |
| Ten Years. | ... | ... | ... | 623301 | 320339 | 302962 | 55833 | 419546 | 208919 | 210627 | 134362 |

TABLE V.—RURAL DISTRICTS. Ten Years' Summary of Births, Deaths, and Marriages, 1856-1865; so that Census of 1861 is the Mean Population for the period.

| YEARS. | POPULATION. Census 1861. | | | BIRTHS. | | | | DEATHS. | | | MAR- RIAGES. |
|---------------|-----------------------------|--------|---------|---------|--------|--------|----------|---------|--------|--------|-----------------|
| | Males. | Fem. | Total. | Total. | Males. | Fem. | Illegit. | Total. | Males. | Fem. | |
| 1856 | ... | ... | ... | 43592 | 22270 | 21322 | 4070 | 21359 | 10775 | 10584 | 7830 |
| 1857 | ... | ... | ... | 43506 | 22412 | 21094 | 4068 | 22674 | 11417 | 11257 | 8338 |
| 1858 | ... | ... | ... | 44495 | 22944 | 21551 | 4244 | 23855 | 11802 | 12053 | 7833 |
| 1859 | ... | ... | ... | 45438 | 23278 | 22160 | 4436 | 23542 | 11592 | 11950 | 8086 |
| 1860 | ... | ... | ... | 45209 | 23256 | 21953 | 4508 | 24992 | 12344 | 12648 | 8111 |
| 1861 | 683333 | 735679 | 1419012 | 44510 | 22827 | 21683 | 4299 | 22995 | 11407 | 11588 | 7838 |
| 1862 | ... | ... | ... | 44639 | 23063 | 21576 | 4392 | 24736 | 12255 | 12481 | 7747 |
| 1863 | ... | ... | ... | 44851 | 22977 | 21874 | 4696 | 26114 | 12787 | 13327 | 8083 |
| 1864 | ... | ... | ... | 45623 | 23270 | 22353 | 4768 | 26145 | 12830 | 13315 | 7844 |
| 1865 | ... | ... | ... | 45084 | 23175 | 21909 | 4767 | 24224 | 11977 | 12247 | 8181 |
| Ten Years. | ... | ... | ... | 446947 | 229472 | 217475 | 44248 | 240636 | 119186 | 121450 | 79891 |

TABLE VI.—SCOTLAND. Ten Years' Summary of Births, Deaths, and Marriages, 1856-1865; so that Census of 1861 is the Mean Population for the period.

| YEARS. | POPULATION. Census 1861. | | | BIRTHS. | | | | DEATHS. | | | MAR- RIAGES. |
|---------------|-----------------------------|---------|---------|---------|--------|--------|----------|---------|--------|--------|-----------------|
| | Males. | Fem. | Total. | Total. | Males. | Fem. | Illegit. | Total. | Males. | Fem. | |
| 1856 | ... | ... | ... | 101821 | 52239 | 49582 | 8695 | 58529 | 29418 | 29111 | 20740 |
| 1857 | ... | ... | ... | 103415 | 53158 | 50257 | 8869 | 61606 | 30937 | 30969 | 21369 |
| 1858 | ... | ... | ... | 104018 | 53694 | 50324 | 9354 | 63539 | 31652 | 31887 | 19655 |
| 1859 | ... | ... | ... | 106543 | 54628 | 51915 | 9715 | 61714 | 30588 | 31126 | 21201 |
| 1860 | ... | ... | ... | 105629 | 54409 | 51220 | 9736 | 68170 | 33610 | 34560 | 21225 |
| 1861 | 1449848 | 1612446 | 3062294 | 107009 | 54606 | 52403 | 9929 | 62341 | 30890 | 31451 | 20896 |
| 1862 | ... | ... | ... | 107069 | 55257 | 51812 | 10376 | 67195 | 33179 | 34016 | 20597 |
| 1863 | ... | ... | ... | 109341 | 56226 | 53115 | 10948 | 71481 | 35631 | 35850 | 22234 |
| 1864 | ... | ... | ... | 112333 | 57374 | 54959 | 11197 | 74416 | 37010 | 37406 | 22725 |
| 1865 | ... | ... | ... | 113070 | 58220 | 54850 | 11262 | 70891 | 35190 | 35701 | 23611 |
| Ten Years. | ... | ... | ... | 1070248 | 549811 | 520437 | 100081 | 660182 | 328105 | 332077 | 214253 |

TABLE VII.—Annual Proportion of Births, Deaths, and Marriages in the Town and Country Districts, during the Ten Years 1856–1865, to the Mean Population of these years—viz. the Census 1861; and the Proportion of Illegitimate to Total Births.

| | BIRTHS' Per-centage. | | | | DEATHS' Per-centage. | | | Per-centage of MAR-RIAGES. |
|--------------------------|----------------------|--------|-------|---------------------------|----------------------|--------|-------|----------------------------|
| | Total. | Males. | Fem. | Illegit. to Total Births. | Total. | Males. | Fem. | |
| Eight Principal Towns . | 3·873 | 4·316 | 3·495 | 9·0 | 2·825 | 3·056 | 2·627 | 0·896 |
| Large Towns . . . | 3·807 | 4·152 | 3·500 | 8·2 | 2·457 | 2·903 | 2·338 | 0·795 |
| Small Towns . . . | 3·644 | 3·959 | 3·361 | 8·1 | 2·124 | 2·233 | 2·029 | 0·689 |
| Total Town Districts . . | 3·793 | 4·179 | 3·456 | 8·9 | 2·553 | 2·725 | 2·402 | 0·817 |
| Rural Districts . . . | 3·149 | 3·358 | 2·956 | 9·9 | 1·695 | 1·744 | 1·651 | 0·563 |
| SCOTLAND . . . | 3·495 | 3·785 | 3·227 | 9·3 | 2·156 | 2·263 | 2·059 | 0·700 |

ABSTRACTS, 1867.

BIRTHS, DEATHS, and MARRIAGES registered in SCOTLAND during the YEAR 1867.

| 1867. | POPULATION. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. | Excess of Births over Deaths. | Number of Statute Acres. * |
|----------------------------|-------------|-----------|---|-------|--------|-------------------------|------|--------|---------|-------|--------|------------|----------------------------------|--|
| | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem. | Total. | Males. | Fem. | Total. | | | |
| SCOTLAND - - | 2,888,742 | 3,062,294 | 58517 | 55527 | 114044 | 5766 | 5382 | 11148 | 34363 | 34705 | 69068 | 22618 | 44976 | 19,639,377 |
| DIVISIONS. | | | | | | | | | | | | | | |
| NORTHERN, . . . | 127,035 | 130,422 | 1698 | 1645 | 3343 | 99 | 93 | 192 | 878 | 993 | 1871 | 643 | 1472 | 2,261,662 |
| NORTH-WESTERN, . | 175,735 | 167,329 | 2286 | 2155 | 4441 | 136 | 135 | 271 | 1261 | 1434 | 2695 | 815 | 1746 | 4,739,876 |
| NORTH-EASTERN, . | 348,366 | 366,783 | 6561 | 6196 | 12757 | 958 | 903 | 1861 | 3082 | 3329 | 6411 | 2389 | 6346 | 2,429,594 |
| EAST-MIDLAND, . | 515,966 | 523,822 | 9523 | 9100 | 18623 | 995 | 922 | 1917 | 5462 | 5737 | 11199 | 4010 | 7424 | 2,790,492 |
| WEST-MIDLAND, . | 241,447 | 242,507 | 4149 | 3865 | 8014 | 354 | 296 | 650 | 2595 | 2373 | 4968 | 1412 | 3046 | 2,693,176 |
| SOUTH-WESTERN, . | 881,092 | 1,008,253 | 22756 | 21794 | 44550 | 1944 | 1865 | 3809 | 14233 | 13900 | 28133 | 8698 | 16417 | 1,462,397 |
| SOUTH-EASTERN, . | 383,217 | 408,962 | 8141 | 7670 | 15811 | 765 | 725 | 1490 | 4908 | 4919 | 9827 | 3473 | 5984 | 1,192,524 |
| SOUTHERN, . . . | 215,884 | 214,216 | 3403 | 3102 | 6505 | 515 | 443 | 958 | 1944 | 2020 | 3964 | 1178 | 2541 | 2,069,696 |
| COUNTIES. | | | | | | | | | | | | | | |
| I. NORTHERN. | | | | | | | | | | | | | | |
| Shetland, . . . | 31,078 | 31,670 | 441 | 419 | 860 | 15 | 15 | 30 | 211 | 251 | 462 | 168 | 398 | 598,726 |
| Orkney, . . . | 31,455 | 32,395 | 400 | 380 | 780 | 21 | 17 | 38 | 205 | 278 | 483 | 182 | 297 | |
| Caithness, . . . | 39,782 | 42,200 | 591 | 583 | 1174 | 52 | 45 | 97 | 297 | 275 | 572 | 198 | 602 | |
| Sutherland, . . . | 24,720 | 24,157 | 266 | 263 | 529 | 11 | 16 | 27 | 165 | 189 | 354 | 95 | 175 | 1,207,188 |
| II. NORTH-WESTERN. | | | | | | | | | | | | | | |
| Ross and Cromarty, . | 83,781 | 82,427 | 1115 | 1062 | 2177 | 46 | 53 | 99 | 584 | 699 | 1283 | 391 | 894 | 2,016,375 |
| Inverness, . . . | 91,954 | 84,902 | 1171 | 1093 | 2264 | 90 | 82 | 172 | 677 | 735 | 1412 | 424 | 852 | 2,723,501 |
| III. NORTH-EASTERN. | | | | | | | | | | | | | | |
| Nairn, . . . | 8,076 | 8,347 | 111 | 132 | 243 | 8 | 16 | 24 | 82 | 89 | 171 | 38 | 72 | 137,500 |
| Elgin (or Moray), . | 40,532 | 44,218 | 728 | 642 | 1370 | 99 | 76 | 175 | 351 | 361 | 712 | 231 | 658 | 340,000 |
| Banff, . . . | 51,353 | 56,020 | 971 | 900 | 1871 | 135 | 138 | 273 | 454 | 517 | 971 | 334 | 900 | 439,219 |
| Aberdeen, . . . | 213,461 | 223,344 | 4181 | 3982 | 8163 | 630 | 593 | 1223 | 1960 | 2083 | 4043 | 1549 | 4120 | 1,260,625 |
| Kincardine, . . . | 34,944 | 34,854 | 570 | 540 | 1110 | 86 | 80 | 166 | 235 | 279 | 514 | 237 | 596 | 252,250 |
| IV. EAST-MIDLAND. | | | | | | | | | | | | | | |
| Forfar, . . . | 193,627 | 206,750 | 4350 | 4194 | 8544 | 508 | 449 | 957 | 2515 | 2650 | 5165 | 1889 | 3379 | 563,750 |
| Perth, . . . | 137,369 | 133,198 | 1898 | 1769 | 3667 | 219 | 201 | 420 | 1210 | 1198 | 2408 | 775 | 1259 | 1,814,063 |
| Fife,* . . . | 153,789 | 155,021 | 2783 | 2664 | 5447 | 215 | 223 | 438 | 1442 | 1587 | 3029 | 1167 | 2418 | 328,427 |
| Kinross,* . . . | 9,626 | 8,731 | 110 | 116 | 226 | 12 | 15 | 27 | 64 | 84 | 148 | 55 | 78 | 49,812 |
| Clackmannan, . . . | 21,555 | 20,122 | 382 | 357 | 739 | 41 | 34 | 75 | 231 | 218 | 449 | 124 | 290 | 29,440 |
| V. WEST-MIDLAND. | | | | | | | | | | | | | | |
| Stirling, . . . | 83,802 | 88,138 | 1741 | 1664 | 3405 | 162 | 131 | 293 | 1005 | 901 | 1906 | 599 | 1499 | 295,875 |
| Dumbarton, . . . | 46,995 | 54,179 | 1076 | 969 | 2045 | 85 | 68 | 153 | 690 | 642 | 1332 | 369 | 713 | 204,800 |
| Argyll, . . . | 94,042 | 83,859 | 1117 | 1024 | 2141 | 81 | 83 | 164 | 704 | 653 | 1357 | 353 | 784 | 2,083,126 |
| Bute, . . . | 16,608 | 16,331 | 215 | 208 | 423 | 26 | 14 | 40 | 196 | 177 | 373 | 91 | 50 | 109,375 |
| VI. SOUTH-WESTERN. | | | | | | | | | | | | | | |
| Renfrew,* . . . | 157,950 | 168,746 | 3542 | 3505 | 7047 | 257 | 259 | 516 | 2395 | 2305 | 4700 | 1422 | 2347 | 158,268 |
| Ayr,* . . . | 189,973 | 199,063 | 3807 | 3747 | 7554 | 339 | 351 | 690 | 2229 | 2217 | 4446 | 1412 | 3108 | 735,262 |
| Lanark,* . . . | 533,169 | 640,444 | 15407 | 14542 | 29949 | 1348 | 1255 | 2603 | 9609 | 9378 | 18987 | 5864 | 10962 | 568,867 |
| VII. SOUTH-EASTERN. | | | | | | | | | | | | | | |
| Linlithgow,* . . . | 30,590 | 39,045 | 950 | 911 | 1861 | 84 | 70 | 154 | 417 | 423 | 840 | 289 | 1021 | 81,113 |
| Edinburgh,* . . . | 259,493 | 274,093 | 5600 | 5161 | 10761 | 535 | 476 | 1011 | 3668 | 3655 | 7323 | 2623 | 3438 | 234,925 |
| Haddington,* . . . | 36,363 | 37,626 | 589 | 598 | 1187 | 49 | 64 | 113 | 318 | 320 | 638 | 216 | 549 | 179,142 |
| Berwick,* . . . | 36,165 | 36,488 | 573 | 560 | 1133 | 59 | 67 | 126 | 291 | 296 | 587 | 199 | 546 | 302,951 |
| Peebles,* . . . | 10,804 | 11,300 | 188 | 209 | 397 | 22 | 23 | 45 | 86 | 89 | 175 | 61 | 222 | 227,869 |
| Selkirk,* . . . | 9,802 | 10,410 | 241 | 231 | 472 | 16 | 25 | 41 | 128 | 136 | 264 | 85 | 203 | 166,524 |
| VIII. SOUTHERN. | | | | | | | | | | | | | | |
| Roxburgh,* . . . | 51,225 | 53,722 | 872 | 793 | 1665 | 111 | 87 | 198 | 479 | 504 | 983 | 308 | 682 | 428,494 |
| Dumfries,* . . . | 78,149 | 75,904 | 1228 | 1106 | 2334 | 178 | 162 | 340 | 745 | 729 | 1474 | 435 | 860 | 702,953 |
| Kirkcudbright,* . . | 43,121 | 42,495 | 687 | 648 | 1335 | 112 | 98 | 210 | 343 | 399 | 742 | 248 | 593 | 610,343 |
| Wigtown,* . . . | 43,389 | 42,095 | 616 | 555 | 1171 | 114 | 96 | 210 | 377 | 388 | 765 | 187 | 406 | 327,906 |

* In all the Counties marked thus *, the number of Acres is given from actual survey by the Ordnance Staff; and these measurements were procured from the Ordnance Survey Office, through the kindness of Col. Sir Henry James. The measurements of the other Counties, with the exception of Shetland and Orkney, were taken from Major Dawson's estimate for the Census of 1851. In that estimate he included as land all the channels between the islands in Shetland and Orkney. These channels are excluded in the estimate given in the above Table.

| No. of District. | REGISTRATION DISTRICTS. | POPULATION. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|------------------|---|-------------|-------|---|------|--------|-------------------------|------|-------|---------|------|--------|------------|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem. | Totl. | Mal. | Fem. | Total. | |
| | | | | | | | | | | | | | |
| I. NORTHERN. | | | | | | | | | | | | | |
| 1. SHETLAND. | | | | | | | | | | | | | |
| 1 | Bressay, etc.—(1) Bressay | 906 | 915 | 11 | 8 | 19 | — | — | — | 3 | 10 | 13 | 6 |
| | (2) Burra and Quarff, | 906 | 890 | 12 | 2 | 14 | — | — | — | 4 | 7 | 11 | 10 |
| 2 | Delting, | 2124 | 1975 | 24 | 23 | 47 | 2 | 3 | 5 | 10 | 9 | 19 | 10 |
| 3 | Dunrossness, etc.— | | | | | | | | | | | | |
| | (1) Dunrossness, | c. 2005 | 2113 | 35 | 34 | 69 | — | 1 | 1 | 7 | 19 | 26 | 7 |
| | (2) Sandwick and Cunningsburgh, | c. 2220 | 2337 | 29 | 33 | 62 | — | — | — | 13 | 20 | 33 | 10 |
| | (3) Fair Isle, | 280 | 380 | 9 | 5 | 14 | — | — | — | 2 | 4 | 6 | 4 |
| 4 | Fetlar, etc.— | | | | | | | | | | | | |
| | (1) Fetlar, | 658 | 548 | 7 | 6 | 13 | — | — | — | 2 | 6 | 8 | 1 |
| | (2) North Yell, | 998 | 932 | 4 | 19 | 23 | — | 1 | 1 | 2 | 10 | 12 | 6 |
| 5 | LERWICK (incl. Town), | 3390 | 3631 | 52 | 52 | 104 | 1 | 3 | 4 | 42 | 36 | 78 | 42 |
| 6 | Mid and South Yell, | 1741 | 1784 | 17 | 25 | 42 | — | — | — | 13 | 18 | 31 | 3 |
| 7 | Nesting, etc.— | | | | | | | | | | | | |
| | (1) Nesting, | c. 806 | 855 | 10 | 15 | 25 | 1 | — | 1 | 6 | 5 | 11 | 5 |
| | (2) Lunnasting, | c. 830 | 880 | 11 | 15 | 26 | — | 1 | 1 | 9 | 7 | 16 | 3 |
| | (3) Whalsay and Skerries | 784 | 848 | 14 | 14 | 28 | — | — | — | 4 | 4 | 8 | 4 |
| 8 | Northmavine, | 2534 | 2585 | 33 | 24 | 57 | 1 | 1 | 2 | 18 | 15 | 33 | 6 |
| 9 | Sandsting and Aithsting, | 2603 | 2670 | 53 | 40 | 93 | 2 | 1 | 3 | 16 | 14 | 30 | 10 |
| 10 | Tingwall, etc.— | | | | | | | | | | | | |
| | (1) Tingwall, | c. 1654 | 1554 | 25 | 14 | 39 | 4 | 2 | 6 | 13 | 12 | 25 | 8 |
| | (2) Whiteness & Weisdale | c. 1220 | 1143 | 14 | 16 | 30 | 2 | 1 | 3 | 9 | 14 | 23 | 7 |
| 11 | Unst, | 2977 | 3060 | 39 | 42 | 81 | — | — | — | 24 | 23 | 47 | 16 |
| 12 | Walls, etc.—(1) Walls, | c. 1280 | 1365 | 19 | 11 | 30 | 1 | 1 | 2 | 6 | 10 | 16 | 5 |
| | (2) Sandness, | c. 563 | 606 | 16 | 9 | 25 | 1 | — | 1 | 6 | 3 | 9 | 5 |
| | (3) Papa-Stour, | 359 | 366 | 6 | 8 | 14 | — | — | — | — | 2 | 2 | — |
| | (4) Foula, | 240 | 233 | 1 | 4 | 5 | — | — | — | 2 | 3 | 5 | — |
| Total, | | 31078 | 31670 | 441 | 419 | 860 | 15 | 15 | 30 | 211 | 251 | 462 | 168 |
| 2. ORKNEY. | | | | | | | | | | | | | |
| 13 | Birsay, | 1749 | 1774 | 16 | 22 | 38 | — | — | — | 12 | 15 | 27 | 10 |
| 14 | Deerness, | 786 | 813 | 12 | 15 | 27 | — | — | — | 6 | — | 6 | 3 |
| 15 | Eday and Pharay, | 1016 | 979 | 13 | 14 | 27 | — | — | — | 8 | 8 | 16 | 2 |
| 16 | Evie and Rendall, | 1446 | 1408 | 14 | 13 | 27 | 1 | — | 1 | 12 | 14 | 26 | 8 |
| 17 | Firth and Stennes, | 1327 | 1493 | 19 | 16 | 35 | 1 | 1 | 2 | 2 | 16 | 18 | 5 |
| 18 | Harray, | 750 | 819 | 4 | 5 | 9 | — | — | — | 6 | 10 | 16 | 7 |
| 19 | Holm and Paplay, | 749 | 834 | 15 | 10 | 25 | 2 | 1 | 3 | 3 | 9 | 12 | 3 |
| 20 | Hoy and Græmsay, | 615 | 556 | 4 | 10 | 14 | — | — | — | 2 | 7 | 9 | 6 |
| 21 | KIRKWALL & ST OLA (incl. Burgh), | 3990 | 4422 | 59 | 38 | 97 | 5 | 8 | 13 | 32 | 39 | 72 | 26 |
| 22 | North Ronaldshay, | 526 | 532 | 7 | 7 | 14 | 1 | 2 | 3 | 10 | 5 | 15 | 2 |
| 23 | Orphir, | 1157 | 1133 | 18 | 15 | 33 | — | — | — | 3 | 12 | 15 | 8 |
| 24 | Rousay and Egilsay, | 1215 | 1152 | 13 | 13 | 26 | 1 | — | 1 | 14 | 12 | 26 | 3 |
| 25 | St Andrews, | 926 | 868 | 8 | 9 | 17 | — | 1 | 1 | 4 | 12 | 16 | 3 |
| 26 | Sanday, | 2004 | 2145 | 34 | 26 | 60 | 1 | — | 1 | 10 | 16 | 26 | 12 |
| 27 | Sandwick, | 1107 | 1225 | 13 | 9 | 22 | — | — | — | 7 | 7 | 14 | 5 |
| 28 | Shapinshay, | 899 | 973 | 11 | 9 | 20 | — | 1 | 1 | 6 | 3 | 9 | 2 |
| 29 | South Ronaldshay and Burray, | 3086 | 3282 | 50 | 50 | 100 | 3 | 2 | 5 | 17 | 31 | 48 | 22 |
| 30 | Stromness, | 2770 | 2540 | 24 | 29 | 53 | 2 | — | 2 | 21 | 24 | 45 | 13 |
| 31 | Stronsay, | 1211 | 1228 | 25 | 20 | 45 | 2 | — | 2 | 12 | 5 | 17 | 7 |
| 32 | Walls, etc.—(1) Walls, | 1278 | 1254 | 7 | 11 | 18 | — | — | — | 4 | 13 | 17 | 8 |
| | (2) Flotta, | 389 | 420 | 3 | 8 | 11 | — | 1 | 1 | 1 | 3 | 4 | 4 |
| 33 | Westray, etc.—(1) Westray | 2088 | 2153 | 29 | 26 | 55 | 2 | — | 2 | 10 | 16 | 26 | 22 |
| | (2) Papa-Westray, | 371 | 392 | 2 | 5 | 7 | — | — | — | 2 | 1 | 3 | 1 |
| Total, | | 31455 | 32395 | 400 | 380 | 780 | 21 | 17 | 38 | 205 | 278 | 483 | 182 |

N.B.—Royal and Parliamentary Burghs are printed in capitals; thus: EDINBURGH. Towns with Populations of 2000 and upwards in small capitals; thus: THURSO.

| No. of District. | REGISTRATION DISTRICTS. | POPULATION. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|-----------------------|------------------------------|-------------|-------|---|------|--------|-------------------------|------|--------|---------|------|--------|------------|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem. | Total. | Mal. | Fem. | Total. | |
| | | | | | | | | | | | | | |
| 3. CAITHNESS. | | | | | | | | | | | | | |
| 34 | Bower, | 1658 | 1746 | 22 | 22 | 44 | 3 | — | 3 | 5 | 13 | 18 | 8 |
| 35 | Canisbay, | 2437 | 2730 | 47 | 39 | 86 | 1 | 3 | 4 | 13 | 21 | 34 | 12 |
| 36 | Dunnet, | 1868 | 1861 | 17 | 14 | 31 | 2 | 1 | 3 | 11 | 13 | 24 | 9 |
| 37 | Halkirk, | 2918 | 2864 | 33 | 33 | 66 | 1 | 3 | 4 | 16 | 17 | 33 | 16 |
| 38 | Latheron, | 8224 | 8571 | 95 | 92 | 187 | 10 | 7 | 17 | 51 | 50 | 101 | 30 |
| 39 | Olrig, | 1873 | 2059 | 34 | 30 | 64 | 2 | 2 | 4 | 4 | 5 | 9 | 13 |
| 40 | Reay, | 2506 | 2476 | 28 | 38 | 66 | 1 | 3 | 4 | 19 | 10 | 29 | 5 |
| 41 | THURSO (incl. Town), . | 5096 | 5561 | 79 | 70 | 149 | 9 | 7 | 16 | 44 | 40 | 84 | 31 |
| 42 | Watten, | 1351 | 1491 | 12 | 17 | 29 | — | — | — | 8 | 7 | 15 | 4 |
| 43 | WICK—(1) Burgh, . . . | 6796 | 7505 | 155 | 151 | 306 | 13 | 10 | 23 | 94 | 78 | 172 | 54 |
| | (2) Landward, | 5055 | 5336 | 69 | 77 | 146 | 10 | 9 | 19 | 32 | 21 | 53 | 16 |
| | Total, | 39782 | 42200 | 591 | 583 | 1174 | 52 | 45 | 97 | 297 | 275 | 572 | 198 |
| 4. SUTHERLAND. | | | | | | | | | | | | | |
| 44 | Assynt—(1) Kirkton, . . c. | 510 | 553 | 7 | 5 | 12 | — | — | — | 1 | 5 | 6 | 1 |
| | (2) Stoer, c. | 2479 | 2625 | 28 | 22 | 50 | 1 | — | 1 | 12 | 18 | 30 | 7 |
| 45 | Clyne, | 1933 | 1886 | 15 | 16 | 31 | — | 1 | 1 | 11 | 19 | 30 | 11 |
| 46 | Creich—(1) Bonar, . . . c. | 2134 | 1982 | 26 | 16 | 42 | 3 | — | 3 | 12 | 11 | 23 | 6 |
| | (2) Rosehall, c. | 580 | 539 | 6 | 7 | 13 | — | 1 | 1 | 1 | 10 | 11 | 2 |
| 47 | DORNOCH (incl. Burgh), . | 2981 | 2885 | 28 | 28 | 56 | — | 2 | 2 | 19 | 19 | 38 | 17 |
| 48 | Durness, | 1152 | 1109 | 12 | 16 | 28 | — | — | — | 7 | 12 | 19 | 2 |
| 49 | Eddrachillis—(1) Scourie, c. | 700 | 727 | 7 | 6 | 13 | — | — | — | 6 | 2 | 8 | 4 |
| | (2) Kinlochbervie, . . c. | 876 | 914 | 15 | 10 | 25 | 1 | — | 1 | 5 | 5 | 10 | 2 |
| 50 | Farr—(1) Kirkton, . . . c. | 1313 | 1251 | 10 | 16 | 26 | — | 1 | 1 | 5 | 9 | 14 | 1 |
| | (2) Strathy, c. | 890 | 852 | 10 | 14 | 24 | 1 | 3 | 4 | 7 | 3 | 10 | 3 |
| 51 | Golspie, | 1529 | 1615 | 20 | 20 | 40 | — | 1 | 1 | 11 | 14 | 25 | 5 |
| 52 | Kildonan, | 2288 | 2132 | 25 | 23 | 48 | — | 1 | 1 | 22 | 13 | 35 | 6 |
| 53 | Lairg, | 1162 | 961 | 11 | 9 | 20 | 2 | 2 | 4 | 9 | 15 | 24 | 9 |
| 54 | Loth, | 640 | 610 | 7 | 7 | 14 | 2 | — | 2 | 9 | 4 | 13 | 1 |
| 55 | Rogart, | 1535 | 1439 | 17 | 18 | 35 | — | 1 | 1 | 12 | 16 | 28 | 11 |
| 56 | Tongue, | 2018 | 2077 | 22 | 30 | 52 | 1 | 3 | 4 | 16 | 14 | 30 | 7 |
| | Total, | 24720 | 24157 | 266 | 263 | 529 | 11 | 16 | 27 | 165 | 189 | 354 | 95 |
| II. NORTH-WESTERN. | | | | | | | | | | | | | |
| 5. ROSS AND CROMARTY. | | | | | | | | | | | | | |
| Mainland. | | | | | | | | | | | | | |
| 57 | Alness, | 1240 | 1178 | 13 | 8 | 21 | 2 | — | 2 | 13 | 11 | 24 | 1 |
| 58 | Applecross— | | | | | | | | | | | | |
| | (1) Applecross, c. | 1130 | 1064 | 17 | 13 | 30 | 2 | — | 2 | 11 | 11 | 22 | 6 |
| | (2) Shieldaig, c. | 1579 | 1480 | 23 | 15 | 38 | — | 2 | 2 | 18 | 15 | 33 | 6 |
| 59 | Avoch, | 2029 | 1788 | 24 | 35 | 59 | 1 | 1 | 2 | 15 | 21 | 36 | 20 |
| 60 | Contin, | 1562 | 1509 | 16 | 13 | 29 | — | 1 | 1 | 5 | 14 | 19 | 4 |
| 61 | CROMARTY (incl. Burgh), . | 2727 | 2300 | 33 | 45 | 78 | 3 | 1 | 4 | 15 | 27 | 42 | 7 |
| 62 | DINGWALL (incl. Burgh), . | 2364 | 2412 | 39 | 27 | 66 | 2 | 2 | 4 | 25 | 19 | 44 | 19 |
| 63 | Edderton, | 890 | 836 | 16 | 9 | 25 | 1 | — | 1 | 2 | 4 | 6 | 3 |
| 64 | Fearn, | 2122 | 2083 | 36 | 27 | 63 | 2 | — | 2 | 18 | 12 | 30 | 10 |
| 65 | Fodderty, | 2342 | 2247 | 24 | 22 | 46 | 3 | 5 | 8 | 15 | 15 | 30 | 9 |
| 66 | Gairloch— | | | | | | | | | | | | |
| | (1) Northern District, . c. | 1822 | 1927 | 28 | 22 | 50 | 2 | 1 | 3 | 13 | 15 | 28 | 11 |
| | (2) Southern District, . c. | 3340 | 3522 | 45 | 26 | 71 | 1 | — | 1 | 21 | 22 | 43 | 14 |
| 67 | Glenshiel, | 573 | 485 | 5 | 2 | 7 | — | — | — | 1 | 2 | 3 | 1 |
| 68 | Killearnan, | 1794 | 1494 | 11 | 10 | 21 | — | 2 | 2 | 5 | 11 | 16 | 7 |
| 69 | Kilmuir-Easter, | 1437 | 1295 | 11 | 12 | 23 | 1 | 1 | 2 | 14 | 8 | 22 | 3 |
| 70 | Kiltearn, | 1538 | 1634 | 18 | 15 | 33 | 1 | — | 1 | 11 | 17 | 28 | 7 |
| 71 | Kincardine, | 1896 | 1746 | 18 | 26 | 44 | 3 | 6 | 9 | 15 | 15 | 30 | 6 |

| No. of District. | REGISTRATION DISTRICTS. | POPULATION. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|------------------|---|-------------|---------|---|------|--------|----------------------|------|--------|---------|------|--------|------------|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem. | Total. | Mal. | Fem. | Total. | |
| 72 | Kintail, | 1009 | 890 | 10 | 4 | 14 | — | — | — | 10 | 4 | 14 | — |
| 73 | Knockbain, | 3005 | 2485 | 35 | 28 | 63 | 2 | 2 | 4 | 13 | 12 | 25 | 4 |
| 74 | Lochalsh, | 2299 | 2413 | 23 | 29 | 52 | — | — | — | 10 | 21 | 31 | 10 |
| 75 | Lochbroom— | | | | | | | | | | | | |
| | (1) Lochbroom, | c. 3540 | 3577 | 37 | 35 | 72 | 1 | 2 | 3 | 27 | 23 | 50 | 15 |
| | (2) Coigach, | c. 1273 | 1285 | 17 | 16 | 33 | — | — | — | 7 | 5 | 12 | — |
| 76 | Lochcarron, | 1612 | 1592 | 13 | 18 | 31 | 1 | 4 | 5 | 16 | 14 | 30 | 7 |
| 77 | Logie-Easter, | 965 | 932 | 10 | 20 | 30 | 3 | 3 | 6 | 6 | 12 | 18 | 3 |
| 78 | Nigg, | 1457 | 1253 | 14 | 13 | 27 | — | 1 | 1 | 7 | 8 | 15 | 2 |
| 79 | Resolis, | 1551 | 1568 | 16 | 15 | 31 | 1 | 3 | 4 | 8 | 21 | 29 | 9 |
| 80 | Rosemarkie (incl. Burgh of FORTROSE), | 1776 | 1545 | 20 | 14 | 34 | — | 1 | 1 | 20 | 21 | 41 | 5 |
| 81 | Roskeen, | 3699 | 3766 | 41 | 41 | 82 | 4 | 2 | 6 | 22 | 38 | 60 | 21 |
| 82 | TAIN (incl. Burgh), | 3574 | 3294 | 43 | 26 | 69 | 4 | 2 | 6 | 18 | 32 | 50 | 13 |
| 83 | Tarbat, | 2151 | 2269 | 35 | 34 | 69 | 1 | — | 1 | 22 | 28 | 50 | 11 |
| 84 | Urquhart & Logie-Wester, | 3153 | 3147 | 30 | 33 | 63 | 4 | 6 | 10 | 18 | 37 | 55 | 10 |
| 85 | Urray, | 2621 | 2355 | 23 | 20 | 43 | — | 1 | 1 | 16 | 15 | 31 | 10 |
| | <i>Insular.</i> | | | | | | | | | | | | |
| a86 | Barvas, | 4189 | 4609 | 76 | 89 | 165 | — | 1 | 1 | 27 | 26 | 53 | 36 |
| b86 | Carloway, | c. 2120 | 2204 | 59 | 42 | 101 | — | — | — | 13 | 27 | 40 | 7 |
| 87 | Lochs, | c. 3109 | 3568 | 65 | 78 | 143 | 1 | — | 1 | 27 | 31 | 58 | 25 |
| 88 | STORNOWAY (incl. Town), | 8057 | 8668 | 141 | 140 | 281 | — | 3 | 3 | 67 | 67 | 134 | 55 |
| 89 | Uig, | c. 2236 | 2007 | 30 | 40 | 70 | — | — | — | 13 | 18 | 31 | 14 |
| | Total, | 83781 | 82427 | 1115 | 1062 | 2177 | 46 | 53 | 99 | 584 | 699 | 1283 | 391 |
| | 6. INVERNESS. | | | | | | | | | | | | |
| | <i>Mainland.</i> | | | | | | | | | | | | |
| 90 | Alvie, | 914 | 833 | 11 | 13 | 24 | 2 | — | 2 | 6 | 7 | 13 | 1 |
| 91 | Ardersier, | 1337 | 1239 | 10 | 21 | 31 | 2 | 3 | 5 | 14 | 9 | 23 | 6 |
| 92 | Boleskine & Abertarff— | | | | | | | | | | | | |
| | (1) Boleskine, | c. 936 | 813 | 11 | 11 | 22 | 1 | 2 | 3 | 8 | 6 | 14 | 1 |
| | (2) Fort-Augustus or Abertarff, | c. 1070 | 930 | 11 | 11 | 22 | 1 | 1 | 2 | 9 | 7 | 16 | 6 |
| 93 | Cromdale—(1) Cromdale, | 3990 | c. 1647 | 18 | 17 | 35 | 3 | 2 | 5 | 7 | 8 | 15 | 6 |
| | (2) Inverallan, | | c. 2295 | 37 | 38 | 75 | 8 | 3 | 11 | 22 | 26 | 48 | 15 |
| 94 | Croy and Dalcross, | 1777 | 1873 | 32 | 21 | 53 | 5 | 5 | 10 | 16 | 17 | 33 | 7 |
| 95 | Daviot and Dunlichty, | 1857 | 1741 | 19 | 17 | 36 | — | 1 | 1 | 10 | 11 | 21 | 7 |
| 96 | Dores, | 1650 | 1506 | 18 | 12 | 30 | — | 1 | 1 | 10 | 7 | 17 | 5 |
| 97 | Glenelg—(1) Glenelg, | c. 1070 | 800 | 8 | 3 | 11 | 1 | 1 | 2 | 6 | 5 | 11 | 3 |
| | (2) Knoydart, | c. 770 | 574 | 13 | 8 | 21 | 1 | — | 1 | 1 | 4 | 5 | 2 |
| | (3) North Morar, | c. 630 | 469 | 9 | 12 | 21 | — | — | — | 1 | 5 | 6 | 2 |
| 98 | INVERNESS (including Burgh), | 16496 | 16162 | 289 | 231 | 520 | 20 | 18 | 38 | 183 | 200 | 383 | 112 |
| 99 | Kilmonivaig— | | | | | | | | | | | | |
| | (1) Glengarry, | c. 710 | 625 | 10 | 4 | 14 | — | — | — | 4 | 4 | 8 | 4 |
| | (2) Lochaber, | c. 1873 | 1651 | 16 | 14 | 30 | 2 | 2 | 4 | 11 | 11 | 22 | 4 |
| 100 | Kilmorack, | 3007 | 2852 | 33 | 23 | 56 | 2 | 1 | 3 | 25 | 21 | 46 | 10 |
| 101 | Kiltarlity, | 2965 | 2839 | 37 | 31 | 68 | 2 | 2 | 4 | 18 | 18 | 36 | 10 |
| 102 | Kingussie and Insh, | 2201 | 2033 | 22 | 36 | 58 | 6 | 5 | 11 | 14 | 11 | 25 | 9 |
| 103 | Kirkhill, | 1730 | 1757 | 11 | 19 | 30 | 1 | 1 | 2 | 13 | 19 | 32 | 5 |
| 104 | Laggan, | 1223 | 986 | 8 | 15 | 23 | 2 | — | 2 | 5 | 4 | 9 | 2 |
| 105 | Moy and Dalarossie, | 1018 | 1026 | 8 | 7 | 15 | 1 | — | 1 | 9 | 7 | 16 | 7 |
| 106 | Petty, | 1784 | 1671 | 21 | 17 | 38 | 1 | — | 1 | 12 | 12 | 24 | 8 |
| 107 | Urquhart, etc.— | | | | | | | | | | | | |
| | (1) Urquhart, | c. 2585 | 2294 | 29 | 20 | 49 | — | — | — | 19 | 15 | 34 | 8 |
| | (2) Glenmoriston, | c. 695 | 617 | 3 | 2 | 5 | 1 | — | 1 | 1 | 5 | 6 | 2 |
| | <i>Insular.</i> | | | | | | | | | | | | |
| 108 | Barra, | 1873 | 1853 | 31 | 38 | 69 | — | 1 | 1 | 18 | 14 | 32 | 11 |
| 109 | Bracadale, | 1597 | 1335 | 8 | 12 | 20 | 2 | — | 2 | 6 | 8 | 14 | 5 |
| 110 | Duirinish, | 5330 | 4775 | 64 | 55 | 119 | 2 | 3 | 5 | 37 | 35 | 72 | 13 |

| No. of District. | REGISTRATION DISTRICTS. | POPULATION. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|------------------|------------------------------------|-------------|-------|---|------|--------|-------------------------|------|--------|---------|------|--------|------------|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem. | Total. | Mal. | Fem. | Total. | |
| | | | | | | | | | | | | | |
| 111 | Harris—(1) Harris, | 3663 | 3769 | 71 | 56 | 127 | 5 | 5 | 10 | 22 | 24 | 46 | 21 |
| | (2) Bernera, | 477 | 336 | 8 | 7 | 15 | — | 1 | 1 | 2 | 5 | 7 | 7 |
| | (3) St Kilda, | 110 | 78 | 1 | 1 | 2 | — | — | — | 1 | 2 | 3 | 1 |
| 112 | Kilmuir—(1) Kilmuir, | c. 1743 | 1561 | 21 | 19 | 40 | 2 | 3 | 5 | 10 | 14 | 24 | 13 |
| | (2) Stenscoll, | c. 1464 | 1311 | 24 | 15 | 39 | 3 | 1 | 4 | 11 | 14 | 25 | 9 |
| 113 | North Uist, | 3918 | 3959 | 58 | 66 | 124 | 3 | 5 | 8 | 24 | 35 | 59 | 18 |
| 114 | Portree—(1) Portree, | 2805 | 2579 | 26 | 33 | 59 | — | 2 | 2 | 14 | 21 | 35 | 8 |
| | (2) Raasay, | 752 | 580 | 9 | 11 | 20 | — | — | — | 4 | 2 | 6 | — |
| 115 | Sleat, | 2531 | 2330 | 29 | 33 | 62 | — | 1 | 1 | 11 | 21 | 32 | 9 |
| 116 | Small Isles, | 916 | 567 | 4 | 3 | 7 | — | — | — | 2 | 1 | 3 | 4 |
| 117 | Snizort—(1) North } | c. 3071 | 2613 | { 13 | 8 | 21 | 4 | 1 | 5 | 6 | 7 | 13 | — |
| | (2) South } | | | { 19 | 14 | 33 | 2 | 1 | 3 | 10 | 14 | 24 | 15 |
| 118 | South Uist— | | | | | | | | | | | | |
| | (1) Benbecula, | 1762 | 1544 | 20 | 22 | 42 | 1 | 3 | 4 | 12 | 7 | 19 | 9 |
| | (2) Howmore, | c. 2040 | 1763 | 19 | 37 | 56 | 1 | 1 | 2 | 24 | 16 | 40 | 16 |
| | (3) Boisdale, | c. 2371 | 2051 | 30 | 35 | 65 | 2 | 5 | 7 | 17 | 32 | 49 | 6 |
| 119 | Strath, | 3243 | 2664 | 32 | 25 | 57 | 1 | 1 | 2 | 22 | 24 | 46 | 17 |
| | — Total, | 91954 | 84902 | 1171 | 1093 | 2264 | 90 | 82 | 172 | 677 | 735 | 1412 | 424 |
| | III. NORTH-EASTERN. | | | | | | | | | | | | |
| | 7. NAIRN. | | | | | | | | | | | | |
| 120 | Ardclach, | 1278 | 1330 | 11 | 22 | 33 | 3 | 3 | 6 | 7 | 9 | 16 | 3 |
| 121 | Auldearn, | 1480 | 1328 | 19 | 19 | 38 | — | 1 | 1 | 8 | 12 | 20 | 6 |
| 122 | Cawdor, | 1202 | 1203 | 8 | 8 | 16 | — | — | — | 12 | 13 | 25 | 6 |
| 123 | NAIRN (incl. Burgh), | 4116 | 4486 | 73 | 83 | 156 | 5 | 12 | 17 | 55 | 55 | 110 | 23 |
| | Total, | 8076 | 8347 | 111 | 132 | 243 | 8 | 16 | 24 | 82 | 89 | 171 | 38 |
| | 8. ELGIN (OR MORAY). | | | | | | | | | | | | |
| 124 | Abernethy & Kincardine, | 1871 | 1928 | 21 | 23 | 44 | 3 | 2 | 5 | 18 | 16 | 34 | 8 |
| 125 | Alves, | 919 | 1010 | 18 | 11 | 29 | 2 | 2 | 4 | 8 | 11 | 19 | 3 |
| 126 | Bellie, | 2017 | 1967 | 18 | 23 | 41 | 2 | 4 | 6 | 11 | 16 | 27 | 4 |
| 127 | Birnie, | 427 | 411 | — | 9 | 9 | — | — | — | 2 | 2 | 4 | 1 |
| 128 | Boharm, | 1368 | 1412 | 23 | 22 | 45 | 5 | 3 | 8 | 7 | 4 | 11 | 4 |
| 129 | Dallas, | 1226 | 1102 | 23 | 16 | 39 | 4 | 6 | 10 | 9 | 8 | 17 | 3 |
| 130 | Drainy, | 1856 | 3028 | 75 | 59 | 134 | 3 | 2 | 5 | 24 | 22 | 46 | 24 |
| 131 | Duffus, | 2983 | 3308 | 64 | 58 | 122 | 6 | 1 | 7 | 37 | 26 | 63 | 41 |
| 132 | Duthil, etc.—(1) Duthil, | c. 1493 | 1609 | 24 | 20 | 44 | — | 4 | 4 | 12 | 13 | 25 | 5 |
| | (2) Rothiemurchus, | c. 295 | 319 | 7 | 6 | 13 | 2 | 1 | 3 | 7 | 6 | 13 | 2 |
| 133 | Dyke, | 1369 | 1247 | 13 | 17 | 30 | 2 | — | 2 | 4 | 8 | 12 | 4 |
| 134 | Edinkillie, | 1343 | 1303 | 24 | 19 | 43 | 2 | — | 2 | 8 | 9 | 17 | 7 |
| 135 | ELGIN (incl. Burgh), | 8231 | 9866 | 151 | 141 | 292 | 26 | 12 | 38 | 79 | 83 | 162 | 50 |
| 136 | New Spynie, | 445 | 518 | 11 | 9 | 20 | 2 | 3 | 5 | 9 | 12 | 21 | 2 |
| 137 | FORRES (incl. Burgh), | 4069 | 4112 | 76 | 65 | 141 | 13 | 12 | 25 | 37 | 41 | 78 | 21 |
| 138 | Kinloss, | 1370 | 1315 | 19 | 11 | 30 | 1 | — | 1 | 10 | 13 | 23 | 5 |
| 139 | Knockando, | 1771 | 1736 | 36 | 24 | 60 | 5 | 8 | 13 | 12 | 12 | 24 | 12 |
| 140 | Rafford, | 1020 | 1055 | 23 | 16 | 39 | 3 | — | 3 | 12 | 5 | 17 | 1 |
| 141 | Rothies, | 2022 | 2407 | 35 | 29 | 64 | 9 | 7 | 16 | 16 | 21 | 37 | 9 |
| 142 | St Andrews-Lhanbryde, | 1208 | 1344 | 13 | 16 | 29 | 1 | 3 | 4 | 8 | 12 | 20 | 5 |
| 143 | Speymouth, | 685 | 689 | 13 | 3 | 16 | — | 2 | 2 | 5 | 2 | 7 | 5 |
| 144 | Urquhart, | 2544 | 2532 | 41 | 45 | 86 | 8 | 4 | 12 | 16 | 19 | 35 | 15 |
| | Total, | 40532 | 44218 | 728 | 642 | 1370 | 99 | 76 | 175 | 351 | 361 | 712 | 231 |
| | 9. BANFF. | | | | | | | | | | | | |
| 145 | Aberlour, | 1447 | 1665 | 24 | 23 | 47 | 3 | 4 | 7 | 19 | 20 | 39 | 7 |
| 146 | Alvah, | 1402 | 1467 | 16 | 29 | 45 | 2 | 4 | 6 | 5 | 6 | 11 | 11 |
| 147 | BANFF (incl. Burgh), | 6953 | 7740 | 160 | 127 | 287 | 16 | 24 | 40 | 67 | 70 | 137 | 41 |
| 148 | Botriphnie, | 713 | 867 | 11 | 13 | 24 | 3 | 2 | 5 | 6 | 10 | 16 | 4 |
| 149 | Boyndie, | 1564 | 1711 | 37 | 26 | 63 | 1 | 5 | 6 | 20 | 14 | 34 | 18 |
| 150 | CULLEN (pt. of Burgh), | 1697 | 1821 | 37 | 30 | 67 | 5 | 2 | 7 | 21 | 25 | 46 | 8 |

| No. of District. | REGISTRATION DISTRICTS. | POPULATION. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|------------------|--|-------------|---------|---|------|--------|-------------------------|------|--------|---------|------|--------|------------|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem. | Total. | Mal. | Fem. | Total. | |
| 151 | Deskford, | 917 | 1031 | 11 | 15 | 26 | 3 | 3 | 6 | 3 | 8 | 11 | 8 |
| 152 | Enzie, | c. 1872 | 2072 | 44 | 35 | 79 | 6 | 10 | 16 | 19 | 15 | 34 | 15 |
| 153 | Fordyce, | 3807 | 4145 | 82 | 65 | 147 | 13 | 9 | 22 | 41 | 44 | 85 | 23 |
| 154 | Forglen, | 695 | 783 | 16 | 12 | 28 | 1 | 1 | 2 | 7 | 2 | 9 | 2 |
| a155 | Gamrie, | 2758 | 3019 | 46 | 48 | 94 | 2 | 6 | 8 | 16 | 24 | 40 | 19 |
| b155 | Glenrinn, | ? | c. 472 | 6 | 6 | 12 | 1 | 1 | 2 | 5 | 8 | 13 | 2 |
| 156 | Grange, | 1851 | 1909 | 32 | 25 | 57 | 7 | 6 | 13 | 17 | 13 | 30 | 14 |
| 157 | Inveravon—(1) Inveravon, c. 894 | 868 | 16 | 14 | 30 | 2 | — | 2 | 6 | 4 | 10 | 1 | 1 |
| | (2) Auchbreck, c. 1820 | 1771 | 20 | 27 | 47 | 4 | 6 | 10 | 11 | 8 | 19 | 7 | 7 |
| 158 | Inverkeithny, | 835 | 880 | 13 | 13 | 26 | 2 | 3 | 5 | 3 | 2 | 5 | 1 |
| 159 | Keith, | 4986 | 5943 | 96 | 96 | 192 | 19 | 14 | 33 | 35 | 52 | 87 | 45 |
| 160 | Kirkmichael, etc.— | | | | | | | | | | | | |
| | (1) Kirkmichael, | c. 568 | 551 | 7 | 6 | 13 | 1 | 1 | 2 | 1 | 2 | 3 | 1 |
| | (2) Tomintoul, | c. 990 | 960 | 12 | 10 | 22 | 4 | 2 | 6 | 4 | 10 | 14 | 2 |
| 161 | Marnoch, | 2994 | 3289 | 43 | 55 | 98 | 11 | 11 | 22 | 20 | 28 | 48 | 22 |
| 162 | Mortlach, | 2804 | 3095 | 36 | 39 | 75 | 9 | 6 | 15 | 23 | 19 | 42 | 9 |
| 163 | Ordiquhill, | 644 | 764 | 9 | 13 | 22 | 1 | 3 | 4 | 3 | 7 | 10 | 5 |
| 164 | Rathven (incl. BUCKIE, Town), | c. 4664 | 4922 | 116 | 104 | 220 | 11 | 8 | 19 | 53 | 76 | 129 | 40 |
| 165 | Rothiemay, | 1413 | 1414 | 27 | 14 | 41 | 6 | 3 | 9 | 10 | 11 | 21 | 10 |
| 166 | St Fergus, | 1597 | 1608 | 26 | 21 | 47 | 1 | 3 | 4 | 12 | 15 | 27 | 11 |
| 167 | Seafeld (pt. of CULLEN, Burgh), | c. 1468 | 1725 | 28 | 34 | 62 | 1 | 1 | 2 | 27 | 24 | 51 | 8 |
| | Total, | 51353 | 56020 | 971 | 900 | 1871 | 135 | 138 | 273 | 454 | 517 | 971 | 334 |
| | 10. ABERDEEN. | | | | | | | | | | | | |
| 168 | ABERDEEN— | | | | | | | | | | | | |
| | (1) St Nicholas (Burgh), | 41465 | 41962 | 950 | 826 | 1776 | 132 | 120 | 252 | 547 | 532 | 1079 | 338 |
| | (2) Old Machar (Burgh), | 30503 | 31938 | 591 | 616 | 1207 | 72 | 94 | 166 | 343 | 402 | 745 | 316 |
| | (3) Do. (Landward), | 1254 | 1298 | 25 | 19 | 44 | 1 | 1 | 2 | 7 | 8 | 15 | 9 |
| 169 | Aberdour, | 1707 | 1837 | 37 | 35 | 72 | 5 | 8 | 13 | 9 | 19 | 28 | 12 |
| 170 | Aboyne, | 1108 | 1160 | 19 | 25 | 44 | 7 | 4 | 11 | 6 | 9 | 15 | 4 |
| 171 | Alford, | 1143 | 1264 | 21 | 30 | 51 | 2 | 6 | 8 | 15 | 18 | 33 | 7 |
| 172 | Auchindoir, | 1369 | 1593 | 23 | 25 | 48 | 6 | 4 | 10 | 11 | 8 | 19 | 13 |
| 173 | Auchterless, | 1837 | 2010 | 35 | 40 | 75 | 7 | 7 | 14 | 13 | 14 | 27 | 10 |
| 174 | Belhelvie, | 1692 | 1807 | 27 | 29 | 56 | 2 | 1 | 3 | 12 | 14 | 26 | 5 |
| 175 | Birse, | 1533 | 1284 | 22 | 16 | 38 | 3 | 5 | 8 | 6 | 9 | 15 | 6 |
| 176 | Bourtie, | 529 | 547 | 9 | 2 | 11 | 1 | — | 1 | — | 2 | 2 | 5 |
| 177 | Cabrach, | 750 | 794 | 15 | 8 | 23 | 1 | 2 | 3 | 2 | 5 | 7 | 2 |
| 178 | Cairney, | 1565 | 1490 | 16 | 23 | 39 | 3 | 9 | 12 | 7 | 9 | 16 | 8 |
| 179 | Chapel of Garioch, | 2102 | 2023 | 37 | 31 | 68 | — | 5 | 5 | 10 | 18 | 28 | 10 |
| 180 | Clatt, | 543 | 511 | 6 | 3 | 9 | 1 | 1 | 2 | 5 | 4 | 9 | — |
| 181 | Cluny, | 1149 | 1254 | 14 | 25 | 39 | 1 | 5 | 6 | 12 | 8 | 20 | 9 |
| 182 | Coull, | 734 | 792 | 16 | 12 | 28 | 2 | 2 | 4 | 9 | 6 | 15 | 2 |
| 183 | Crathie and Braemar, | 1788 | 1574 | 18 | 20 | 38 | 3 | 2 | 5 | 7 | 10 | 17 | 6 |
| 184 | Crimond, | 893 | 892 | 16 | 14 | 30 | 3 | 1 | 4 | 3 | 5 | 8 | 9 |
| 185 | Cruden, | 2479 | 2743 | 57 | 42 | 99 | 9 | 4 | 13 | 21 | 18 | 39 | 20 |
| 186 | Culsamond, | 1042 | 1165 | 12 | 15 | 27 | 5 | 2 | 7 | 11 | 4 | 15 | 5 |
| 187 | Daviot, | 601 | 614 | 4 | 7 | 11 | — | — | — | 6 | 7 | 13 | 5 |
| 188 | Drumblade, | 949 | 926 | 7 | 15 | 22 | 2 | 3 | 5 | 5 | 3 | 8 | 5 |
| 189 | Drumoak, | 948 | 996 | 16 | 14 | 30 | 2 | 2 | 4 | 6 | 4 | 10 | 8 |
| 190 | Dyce, | 470 | 585 | 8 | 16 | 24 | — | 2 | 2 | 5 | 5 | 10 | 3 |
| 191 | Echt, | 1206 | 1287 | 18 | 18 | 36 | 4 | — | 4 | 8 | 5 | 13 | 7 |
| 192 | Ellon, | c. 2750 | 3239 | 44 | 58 | 102 | 9 | 10 | 19 | 27 | 17 | 44 | 18 |
| 193 | Fintray, | 1080 | 1003 | 15 | 23 | 38 | 1 | 5 | 6 | 5 | 5 | 10 | 5 |
| 194 | Forgue, | 2626 | 2686 | 46 | 47 | 93 | 6 | 9 | 15 | 12 | 13 | 25 | 17 |
| 195 | Foveran, | 1638 | 1891 | 34 | 36 | 70 | 4 | 5 | 9 | 12 | 12 | 24 | 12 |
| 196 | FRASERBURGH (incl. Twn.), | 4447 | 4511 | 103 | 84 | 187 | 14 | 6 | 20 | 46 | 40 | 86 | 37 |
| 197 | Fyvie, | c. 2927 | c. 3264 | 47 | 54 | 101 | 8 | 5 | 13 | 8 | 23 | 31 | 18 |
| 198 | Gartly, | 990 | 1029 | 9 | 12 | 21 | 2 | 1 | 3 | 2 | 7 | 9 | 5 |

| No. of District. | REGISTRATION DISTRICTS. | POPULATION. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|------------------|--|-------------|---------|---|------|--------|-------------------------|------|--------|---------|------|--------|------------|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem. | Total. | Mal. | Fem. | Total. | |
| | | | | | | | | | | | | | |
| 199 | Glass, | 972 | 1049 | 17 | 12 | 29 | 3 | — | 3 | 9 | 8 | 17 | 12 |
| 200 | Glenbucket, | 542 | 552 | 4 | 7 | 11 | — | — | — | 7 | 4 | 11 | 4 |
| 201 | Glenmuick, Tullich, and Glengairn, | 1984 | 1668 | 36 | 31 | 67 | 3 | 4 | 7 | 20 | 8 | 28 | 11 |
| 202 | HUNTLY (incl. Town), . . | 4061 | 4329 | 64 | 57 | 121 | 15 | 13 | 28 | 29 | 49 | 78 | 19 |
| 203 | Insch, | 1519 | 1565 | 29 | 21 | 50 | 7 | 1 | 8 | 14 | 12 | 26 | 8 |
| 204 | INVERURIE (including part of Burgh), | c. 2649 | 2668 | 55 | 64 | 119 | 7 | 9 | 16 | 27 | 30 | 57 | 17 |
| 205 | Keig, | 772 | 811 | 17 | 15 | 32 | 4 | 1 | 5 | 3 | 1 | 4 | 5 |
| 206 | Keithhall, | 920 | 933 | 11 | 13 | 24 | 2 | 2 | 4 | 4 | 7 | 11 | 3 |
| 207 | Kemnay, | 680 | 832 | 23 | 21 | 44 | 2 | — | 2 | 9 | 4 | 13 | 3 |
| 208 | Kildrummy, | 643 | 590 | 13 | 7 | 20 | 3 | 1 | 4 | 2 | 1 | 3 | 2 |
| 209 | Kincardine O'Neil, . . . | 2098 | 2186 | 29 | 32 | 61 | 6 | 5 | 11 | 6 | 19 | 25 | 9 |
| 210 | King-Edward, | 2749 | 2843 | 46 | 47 | 93 | 9 | 9 | 18 | 11 | 26 | 37 | 15 |
| 211 | Kinnellar, | 590 | 691 | 6 | 9 | 15 | 1 | 2 | 3 | 3 | 4 | 7 | 3 |
| 212 | Kinnethmont, | 1108 | 1187 | 14 | 22 | 36 | 5 | 4 | 9 | 6 | 8 | 14 | 4 |
| 213 | KINTORE (incl. Burgh, and part of Burgh of INVERURIE), | 1342 | 1895 | 28 | 40 | 68 | 5 | 4 | 9 | 13 | 13 | 26 | 15 |
| 214 | Leochel-Cushnie, | 1068 | 1173 | 31 | 11 | 42 | 6 | 2 | 8 | 12 | 12 | 24 | 4 |
| 215 | Leslie, | 559 | 577 | 6 | 8 | 14 | 1 | 1 | 2 | 2 | 8 | 10 | 2 |
| 216 | Logie-Buchan, | 724 | 762 | 10 | 14 | 24 | 4 | 2 | 6 | 4 | 5 | 9 | 4 |
| 217 | Logie-Coldstone, | 889 | 932 | 8 | 18 | 26 | 3 | 1 | 4 | 13 | 8 | 21 | 1 |
| 218 | Longside, | 2952 | 3008 | 59 | 59 | 118 | 16 | 8 | 24 | 29 | 37 | 66 | 22 |
| 219 | Lonmay, | 1964 | 2142 | 39 | 33 | 72 | 7 | 7 | 14 | 14 | 19 | 33 | 12 |
| 220 | Lumphanan, | 1088 | 1251 | 23 | 14 | 37 | 5 | 2 | 7 | 10 | 7 | 17 | 6 |
| 221 | Methlic, | 1997 | 2157 | 36 | 23 | 59 | 9 | 4 | 13 | 16 | 14 | 30 | 9 |
| a222 | Midmar, | 1166 | 1091 | 13 | 19 | 32 | 1 | 7 | 8 | 5 | 12 | 17 | 10 |
| b222 | Millbrex, | c. 1215 | c. 1295 | 31 | 29 | 60 | 5 | 7 | 12 | 8 | 15 | 23 | 11 |
| 223 | Monquhitter, | c. 2080 | c. 2365 | 50 | 41 | 91 | 8 | 11 | 19 | 22 | 7 | 29 | 13 |
| 224 | Monymusk, | 940 | 988 | 13 | 18 | 31 | 3 | 1 | 4 | 10 | 7 | 17 | 6 |
| 225 | New Deer, | c. 3383 | 3736 | 85 | 68 | 153 | 16 | 13 | 29 | 28 | 25 | 53 | 23 |
| 226 | Newhills, | 3325 | 3463 | 64 | 78 | 142 | 4 | 7 | 11 | 24 | 30 | 54 | 21 |
| a227 | New Machar, | c. 1338 | 1556 | 19 | 28 | 47 | 2 | 2 | 4 | 7 | 11 | 18 | 5 |
| b227 | New Pitsligo, | c. 2425 | 2609 | 70 | 47 | 117 | 16 | 12 | 28 | 23 | 27 | 50 | 21 |
| 228 | Old Deer, | c. 4025 | 4392 | 69 | 74 | 143 | 14 | 11 | 25 | 32 | 27 | 59 | 33 |
| 229 | Old Meldrum, | 2002 | 2343 | 45 | 44 | 89 | 6 | 8 | 14 | 12 | 23 | 35 | 17 |
| 230 | Oyne, | 919 | 1127 | 24 | 11 | 35 | 3 | 2 | 5 | 6 | 6 | 12 | 3 |
| 231 | Peterculter, | 1351 | 1410 | 31 | 27 | 58 | 3 | 5 | 8 | 10 | 10 | 20 | 17 |
| 232 | PETERHEAD (incl. Burgh), | 9429 | 9796 | 235 | 192 | 427 | 24 | 19 | 43 | 92 | 113 | 205 | 76 |
| 233 | Pitsligo, | 1801 | 1890 | 40 | 35 | 75 | 5 | 2 | 7 | 10 | 13 | 23 | 12 |
| 234 | Premnay, | 793 | 916 | 29 | 20 | 49 | 8 | 6 | 14 | 7 | 6 | 13 | 7 |
| 235 | Rathen, | 2368 | 2554 | 44 | 36 | 80 | 6 | 2 | 8 | 31 | 16 | 47 | 15 |
| 236 | Rayne, | 1550 | 1514 | 26 | 19 | 45 | 4 | 1 | 5 | 10 | 11 | 21 | 8 |
| a237 | Rhynie, | 1017 | 1061 | 15 | 19 | 34 | 2 | 2 | 4 | 7 | 8 | 15 | 8 |
| b237 | Savoch, | c. 1852 | 2061 | 31 | 38 | 69 | 4 | 1 | 5 | 9 | 15 | 24 | 4 |
| 238 | Skene, | 1862 | 1831 | 24 | 21 | 45 | 2 | 3 | 5 | 15 | 11 | 26 | 13 |
| 239 | Slains, | 1232 | 1266 | 20 | 22 | 42 | 2 | 3 | 5 | 12 | 5 | 17 | 7 |
| 240 | Strathdon, | 1531 | 1459 | 21 | 20 | 41 | 5 | 3 | 8 | 13 | 13 | 26 | 11 |
| 241 | Strichen, | c. 2223 | 2409 | 42 | 41 | 83 | 9 | 11 | 20 | 19 | 16 | 35 | 8 |
| 242 | Tarland, | 1197 | 1246 | 18 | 11 | 29 | 1 | 2 | 3 | 12 | 7 | 19 | 9 |
| 243 | Tarves, | c. 2339 | 2377 | 45 | 42 | 87 | 11 | 11 | 22 | 15 | 16 | 31 | 10 |
| 244 | Tough, | 891 | 874 | 12 | 13 | 25 | 3 | 4 | 7 | 5 | 7 | 12 | 5 |
| 245 | Towie, | 758 | 839 | 16 | 14 | 30 | 2 | 4 | 6 | 6 | 3 | 9 | 6 |
| 246 | Tullynessle and Forbes, . | 930 | 957 | 19 | 11 | 30 | — | 1 | 1 | 5 | 4 | 9 | 5 |
| 247 | Turriff, | 3584 | 3693 | 71 | 73 | 144 | 15 | 8 | 23 | 27 | 31 | 58 | 23 |
| 248 | Tyrie, | c. 775 | 833 | 13 | 20 | 33 | 2 | 4 | 6 | 5 | 7 | 12 | 5 |
| 249 | Udny, | c. 1473 | 1623 | 25 | 33 | 58 | 3 | 7 | 10 | 12 | 14 | 26 | 11 |
| Total, | | 213461 | 223344 | 4181 | 3982 | 8163 | 630 | 593 | 1223 | 1960 | 2083 | 4043 | 1549 |

| No. of District. | REGISTRATION DISTRICTS. | POPULATION. | | Total Births including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|-------------------|--|-------------|-------|--|------|--------|-------------------------|------|--------|---------|------|--------|------------|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem. | Total. | Mal. | Fem. | Total. | |
| | | | | | | | | | | | | | |
| | 11. KINCARDINE. | | | | | | | | | | | | |
| 250 | Arbuthnot, | 1002 | 932 | 9 | 12 | 21 | 3 | 1 | 4 | 7 | 7 | 14 | 3 |
| 251 | Banchory-Devenick— (1) Ban.-Devenick (incl pt. of ABERDEEN, Burgh), | c. 1298 | 1232 | 15 | 25 | 40 | 1 | 1 | 2 | 6 | 6 | 12 | 5 |
| | (2) Portlethen, | c. 1780 | 1687 | 37 | 32 | 69 | 9 | 8 | 17 | 6 | 11 | 17 | 10 |
| 252 | Banchory-Ternan, | 2462 | 2947 | 42 | 49 | 91 | 8 | 9 | 17 | 27 | 23 | 50 | 20 |
| 253 | Benholm, | 1641 | 1574 | 32 | 22 | 54 | 5 | 2 | 7 | 15 | 12 | 27 | 21 |
| 254 | BERVIE (or Inverbervie) —(incl. Burgh), | 1459 | 1561 | 34 | 26 | 60 | 2 | 4 | 6 | 15 | 12 | 27 | 16 |
| 255 | Dunnottar (incl. part of STONEHAVEN, Town), | 1949 | 1828 | 27 | 38 | 65 | 4 | 6 | 10 | 15 | 16 | 31 | 19 |
| 256 | Durris, | 962 | 1109 | 20 | 24 | 44 | 4 | 4 | 8 | 6 | 10 | 16 | 3 |
| 257 | Fettercairn, | 1741 | 1700 | 28 | 23 | 51 | 2 | 3 | 5 | 6 | 18 | 24 | 4 |
| 258 | Fetteresso— (1) Fetteresso (incl. pt. of STONEHAVEN, Town), | c. 3730 | 3575 | 55 | 46 | 101 | 10 | 9 | 19 | 28 | 37 | 65 | 21 |
| | (2) Cookney, | c. 1990 | 1952 | 40 | 40 | 80 | 7 | 4 | 11 | 17 | 13 | 30 | 17 |
| 259 | Fordoun, | 2386 | 2297 | 38 | 28 | 66 | 5 | 1 | 6 | 16 | 19 | 35 | 9 |
| 260 | Garvock, | 457 | 458 | 6 | 4 | 10 | 1 | — | 1 | 2 | 3 | 5 | 2 |
| 261 | Glenbervie, | 1239 | 1219 | 18 | 10 | 28 | 3 | 1 | 4 | 9 | 6 | 15 | 8 |
| 262 | Kinneff and Catterline, | 1069 | 1054 | 19 | 14 | 33 | 2 | 2 | 4 | 8 | 8 | 16 | 7 |
| 263 | Laurencekirk, | 2125 | 2110 | 38 | 31 | 69 | 3 | 7 | 10 | 7 | 30 | 37 | 14 |
| 264 | Maryculter, | 1055 | 1055 | 11 | 20 | 31 | 3 | 2 | 5 | 6 | 2 | 8 | 8 |
| 265 | Marykirk, | 2232 | 2068 | 20 | 22 | 42 | 6 | 3 | 9 | 4 | 11 | 15 | 8 |
| 266 | Nigg, | 1841 | 2074 | 42 | 38 | 80 | 4 | 5 | 9 | 22 | 15 | 37 | 21 |
| 267 | St Cyrus, | 1579 | 1552 | 26 | 22 | 48 | 3 | 4 | 7 | 9 | 14 | 23 | 17 |
| 268 | Strachan, | 947 | 870 | 13 | 14 | 27 | 1 | 4 | 5 | 4 | 6 | 10 | 4 |
| Total, | | 34944 | 34854 | 570 | 540 | 1110 | 86 | 80 | 166 | 235 | 279 | 514 | 237 |
| IV. EAST-MIDLAND. | | | | | | | | | | | | | |
| 12. FORFAR. | | | | | | | | | | | | | |
| 269 | Aberlemno, | 1116 | 1054 | 17 | 9 | 26 | — | — | — | 6 | 7 | 13 | 6 |
| 270 | Airlie, | 856 | 845 | 3 | 3 | 6 | — | — | — | 1 | 1 | 2 | 5 |
| 271 | Arbirlot, | 990 | 960 | 11 | 10 | 21 | 2 | — | 2 | 6 | 3 | 9 | 3 |
| 272 | ARBROATH (incl. Bur.), | 17238 | 17831 | 398 | 358 | 756 | 26 | 33 | 59 | 185 | 187 | 372 | 131 |
| 273 | Auchterhouse, | 686 | 706 | 12 | 8 | 20 | — | 2 | 2 | 10 | 4 | 14 | 6 |
| 274 | Barry, | 2175 | 2465 | 36 | 45 | 81 | 4 | 4 | 8 | 19 | 38 | 57 | 24 |
| 275 | BRECHIN (incl. Burgh), | 8210 | 8810 | 141 | 142 | 283 | 25 | 25 | 50 | 102 | 97 | 199 | 45 |
| 276 | Carmylie, | 1240 | 1286 | 17 | 18 | 35 | 5 | 3 | 8 | 9 | 7 | 16 | 9 |
| 277 | Careston, | 207 | 225 | 4 | 3 | 7 | — | — | — | — | 2 | 2 | 2 |
| 278 | Cortachy and Clova, | 722 | 653 | 14 | 6 | 20 | 1 | 2 | 3 | 7 | 7 | 14 | 2 |
| 279 | Coupar-Angus, | 2685 | 2642 | 38 | 43 | 81 | 9 | 4 | 13 | 34 | 24 | 58 | 16 |
| 280 | Craig (incl. part of MON- TROSE, Burgh), | 1934 | 2177 | 35 | 56 | 91 | 3 | 4 | 7 | 27 | 17 | 44 | 13 |
| 281 | Dun, | 522 | 552 | 11 | 9 | 20 | 1 | — | 1 | 5 | 3 | 8 | 2 |
| 282 | DUNDEE— (1) First District, | c. 39960 | 44064 | 1152 | 1131 | 2283 | 115 | 96 | 211 | 661 | 666 | 1327 | 550 |
| | (2) Second District, | c. 34835 | 40813 | 958 | 969 | 1927 | 127 | 126 | 253 | 618 | 742 | 1360 | 438 |
| | (3) Third (or Lochee) Dis., | c. 5232 | 6787 | 229 | 221 | 450 | 31 | 29 | 60 | 137 | 127 | 264 | 114 |
| 283 | Dunnichen, | 1884 | 1932 | 27 | 25 | 52 | 5 | 3 | 8 | 13 | 20 | 33 | 8 |
| 284 | Eassie and Nevay, | 706 | 748 | 11 | 13 | 24 | 4 | — | 4 | 7 | 5 | 12 | 3 |
| 285 | Edzell, | 1084 | 1025 | 16 | 15 | 31 | 5 | 3 | 8 | 11 | 4 | 15 | 6 |
| 286 | Farnell, | 650 | 703 | 9 | 7 | 16 | 3 | — | 3 | 5 | 1 | 6 | 3 |
| 287 | Fearn, | 392 | 439 | 5 | 7 | 12 | — | — | — | 3 | 1 | 4 | 2 |
| 288 | FORFAR (incl. Burgh), | 11009 | 10838 | 233 | 220 | 453 | 38 | 26 | 64 | 150 | 158 | 308 | 102 |
| 289 | Glamis, | 2152 | 1980 | 27 | 26 | 53 | 4 | 4 | 8 | 23 | 19 | 42 | 9 |
| 290 | Glenisla, | 1050 | 1008 | 8 | 15 | 23 | 1 | 2 | 3 | 4 | 5 | 9 | 4 |

| No. of District. | REGISTRATION DISTRICTS. | POPULATION. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|------------------|--|-------------|---------|---|------|--------|-------------------------|------|--------|---------|------|--------|------------|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem. | Total. | Mal. | Fem. | Total. | |
| 291 | Guthrie, | 469 | 476 | 6 | 8 | 14 | - | 1 | 1 | 3 | 2 | 5 | 5 |
| 292 | Inverarity, | 948 | 961 | 16 | 9 | 25 | 3 | - | 3 | 6 | 4 | 10 | 8 |
| 293 | Inverkeillor, | 1871 | 1792 | 29 | 23 | 52 | 4 | 4 | 8 | 7 | 8 | 15 | 6 |
| 294 | Kettins, | 995 | 962 | 11 | 13 | 24 | - | 1 | 1 | 3 | 5 | 8 | 8 |
| 295 | Kingoldrum, | 429 | 473 | 4 | 3 | 7 | - | 1 | 1 | 1 | 1 | 2 | 1 |
| 296 | Kinnell, | 826 | 816 | 24 | 10 | 34 | 5 | 3 | 8 | 3 | 2 | 5 | 6 |
| 297 | Kinnettles, | 460 | 447 | 8 | 6 | 14 | 1 | - | 1 | 4 | - | 4 | 5 |
| 298 | Kirkden, | 1763 | 1862 | 28 | 32 | 60 | 1 | 3 | 4 | 10 | 9 | 19 | 16 |
| 299 | KIRRIEMUIR (incl. Town), | 7617 | 7359 | 102 | 98 | 200 | 18 | 18 | 36 | 79 | 80 | 159 | 46 |
| 300 | Lethnott and Navar, . . | 408 | 446 | 4 | 4 | 8 | 1 | - | 1 | - | 2 | 2 | - |
| 301 | Liff, Benvie, and Inver- gowrie, | 1467 | 1430 | 17 | 22 | 39 | 2 | 1 | 3 | 10 | 12 | 22 | 4 |
| 302 | Lintrathen, | 926 | 898 | 9 | 10 | 19 | 1 | 1 | 2 | 9 | 4 | 13 | 5 |
| 303 | Lochlee, | 615 | 495 | 4 | 6 | 10 | - | 1 | 1 | 2 | 2 | 4 | - |
| 304 | Logie-Pert, | 1609 | 1483 | 26 | 14 | 40 | 5 | 2 | 7 | 10 | 8 | 18 | 4 |
| 305 | Lunan, | 279 | 259 | 4 | 1 | 5 | - | - | - | 1 | 1 | 2 | 2 |
| 306 | Lundie, | 450 | 442 | 10 | 6 | 16 | - | - | - | 2 | 5 | 7 | 2 |
| 307 | Mains, etc.—(1) Mains, . | 1299 | 1392 | 28 | 27 | 55 | 6 | 1 | 7 | 20 | 16 | 36 | 15 |
| | (2) Strathmartine, . . | 735 | 789 | 11 | 10 | 21 | - | 1 | 1 | 7 | 4 | 11 | 7 |
| 308 | Marytown, | 366 | 417 | 7 | 8 | 15 | 1 | 2 | 3 | 5 | 3 | 8 | 3 |
| 309 | Menmuir, | 693 | 796 | 16 | 14 | 30 | - | - | - | 4 | 4 | 8 | 5 |
| 310 | Monifieth (including part of BROUGHTY FERRY), | 4267 | 5052 | 121 | 108 | 229 | 11 | 6 | 17 | 38 | 48 | 86 | 46 |
| 311 | Monikie, | 1317 | 1460 | 24 | 14 | 38 | 3 | - | 3 | 16 | 16 | 32 | 6 |
| 312 | MONTROSE (incl. part of Burgh), | 16037 | 15668 | 274 | 243 | 517 | 22 | 22 | 44 | 152 | 200 | 352 | 132 |
| 313 | Murroes, | 643 | 763 | 16 | 21 | 37 | - | 2 | 2 | 7 | 4 | 11 | 4 |
| 314 | Newtyle, | 1141 | 1139 | 19 | 17 | 36 | 4 | 2 | 6 | 16 | 13 | 29 | 8 |
| 315 | Oathlaw, | 424 | 399 | 9 | 3 | 12 | 1 | 1 | 2 | 2 | - | 2 | 3 |
| 316 | Panbride, | 1372 | 1299 | 23 | 21 | 44 | 2 | - | 2 | 13 | 11 | 24 | 11 |
| 317 | Rescobie, | 711 | 747 | 10 | 7 | 17 | - | 1 | 1 | 5 | 1 | 6 | 7 |
| 318 | Ruthven, | 503 | 265 | 2 | 3 | 5 | - | 1 | 1 | 1 | 1 | 2 | - |
| 319 | St Vigeans, | 2591 | 2553 | 32 | 35 | 67 | 4 | 3 | 7 | 19 | 18 | 37 | 10 |
| 320 | Stracathro, | 505 | 546 | 6 | 4 | 10 | 1 | 2 | 3 | 4 | 1 | 5 | 2 |
| 321 | Tannadice, | 1517 | 1438 | 26 | 23 | 49 | 2 | 2 | 4 | 7 | 12 | 19 | 6 |
| 322 | Tealing, | 844 | 883 | 12 | 12 | 24 | 1 | 1 | 2 | 6 | 8 | 14 | 3 |
| Total, | | 193627 | 206750 | 4350 | 4194 | 8544 | 508 | 449 | 957 | 2515 | 2650 | 5165 | 1889 |
| 13. PERTH. | | | | | | | | | | | | | |
| 323 | Aberdalgie, | 343 | 295 | 3 | 4 | 7 | - | - | - | 1 | 1 | 2 | - |
| 324 | Aberfeldy, | c. 2702 | 2402 | 37 | 32 | 69 | 3 | 4 | 7 | 29 | 22 | 51 | 10 |
| 325 | Aberfoyle, | 514 | 565 | 9 | 3 | 12 | 2 | 1 | 3 | 6 | 3 | 9 | 1 |
| 326 | Abernethy, | 2026 | 1960 | 33 | 27 | 60 | 1 | 2 | 3 | 21 | 14 | 35 | 5 |
| 327 | Abernyte, | 275 | 310 | 3 | 4 | 7 | - | - | - | 2 | - | 2 | 1 |
| 328 | ALYTH (incl. Town), . . | c. 2946 | 3198 | 58 | 46 | 104 | 10 | 6 | 16 | 33 | 26 | 59 | 29 |
| 329 | AUCHTERARDER (includ- ing Town), | 4160 | 4208 | 54 | 51 | 105 | 12 | 12 | 24 | 25 | 34 | 59 | 10 |
| 330 | Auchtergaven, | 3232 | 2562 | 31 | 31 | 62 | 4 | 5 | 9 | 24 | 25 | 49 | 14 |
| 331 | Balquhidder, | c. 974 | c. 846 | 13 | 12 | 25 | - | 2 | 2 | 12 | 9 | 21 | 4 |
| 332 | Bendochy, | c. 552 | 549 | 4 | 6 | 10 | 1 | - | 1 | 4 | 2 | 6 | 3 |
| 333 | Blackford, | c. 2012 | 2084 | 25 | 35 | 60 | 4 | 4 | 8 | 18 | 19 | 37 | 9 |
| 334 | Blair-Athol, | c. 1951 | 1553 | 19 | 18 | 37 | 3 | - | 3 | 10 | 15 | 25 | 11 |
| 335 | BLAIRGOWRIE (incl. Town), | c. 4081 | 4423 | 70 | 68 | 138 | 9 | 5 | 14 | 42 | 55 | 97 | 29 |
| 336 | Callander, | 1716 | 1676 | 38 | 16 | 54 | 4 | 6 | 10 | 30 | 23 | 53 | 9 |
| 337 | Caputh, | c. 1920 | 1728 | 11 | 19 | 30 | - | - | - | 12 | 20 | 32 | 7 |
| 338 | Cargill, | 1629 | 1647 | 22 | 21 | 43 | 1 | 5 | 6 | 14 | 13 | 27 | 9 |
| 339 | Clunie, | 723 | 699 | 7 | 6 | 13 | 2 | - | 2 | 6 | 4 | 10 | 3 |
| 340 | Collace, | 581 | 534 | 5 | 5 | 10 | 2 | - | 2 | 2 | 4 | 6 | 2 |
| 341 | Comrie, | c. 2363 | c. 2126 | 32 | 17 | 49 | 4 | 1 | 5 | 16 | 8 | 24 | 8 |
| 342 | CRIEFF (incl. Town), . . | 4504 | 4490 | 59 | 55 | 114 | 6 | 14 | 20 | 47 | 44 | 91 | 21 |

| No. of District. | REGISTRATION DISTRICTS. | POPULATION. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|------------------|--|-------------|-------|---|------|--------|-------------------------|------|--------|---------|------|--------|------------|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem. | Total. | Mal. | Fem. | Total. | |
| 343 | CULROSS (incl. Burgh), | 1487 | 1423 | 25 | 28 | 53 | 2 | 1 | 3 | 18 | 14 | 32 | 10 |
| 344 | Dowally, c. | 531 | 486 | 5 | 6 | 11 | — | 1 | 1 | 5 | — | 5 | 5 |
| 345 | Dron, | 394 | 376 | 7 | 6 | 13 | 1 | — | 1 | 2 | 3 | 5 | 3 |
| 346 | Dull, c. | 855 | 753 | 6 | 10 | 16 | 1 | 2 | 3 | 5 | 7 | 12 | 2 |
| 347 | Dunbarney, | 1066 | 1035 | 19 | 10 | 29 | 1 | — | 1 | 17 | 11 | 28 | 5 |
| 348 | Dunblane, c. | 3213 | 3096 | 42 | 43 | 85 | 6 | 4 | 10 | 31 | 31 | 62 | 18 |
| 349 | Dunkeld, c. | 1199 | 1086 | 13 | 11 | 24 | — | — | — | 6 | 12 | 18 | 6 |
| 350 | Dunning, | 2206 | 2084 | 26 | 28 | 54 | 5 | 5 | 10 | 23 | 11 | 34 | 8 |
| 351 | Errol, | 2796 | 2759 | 38 | 43 | 81 | 6 | 2 | 8 | 19 | 30 | 49 | 13 |
| 352 | Findo-Gask, | 405 | 399 | 7 | 2 | 9 | 1 | 1 | 2 | 5 | 2 | 7 | 3 |
| 353 | Forgandenny, | 828 | 739 | 5 | 7 | 12 | — | — | — | 5 | 5 | 10 | 6 |
| 354 | Forteviot, | 638 | 595 | 9 | 6 | 15 | 3 | — | 3 | 5 | 3 | 8 | 2 |
| a355 | Fortingall, c. | 1409 | 1244 | 11 | 14 | 25 | 2 | 2 | 4 | 11 | 7 | 18 | 6 |
| b355 | Foss, c. | 432 | 381 | 3 | 4 | 7 | — | 1 | 1 | 2 | 1 | 3 | — |
| 356 | Fowlis-Easter, | 300 | 317 | 7 | 8 | 15 | 1 | — | 1 | 1 | 1 | 2 | 2 |
| 357 | Fowlis-Wester, | 1321 | 1276 | 21 | 15 | 36 | 2 | 3 | 5 | 11 | 9 | 20 | 5 |
| 358 | Glendevon, | 128 | 138 | — | — | — | — | — | — | — | 1 | 1 | — |
| 359 | Inchture, | 745 | 659 | 12 | 9 | 21 | — | — | — | 3 | 5 | 8 | 7 |
| 360 | Kenmore, c. | 1718 | 1515 | 21 | 9 | 30 | 1 | 1 | 2 | 9 | 4 | 13 | 6 |
| 361 | Killin, c. | 1817 | 1681 | 10 | 16 | 26 | 1 | 2 | 3 | 12 | 14 | 26 | — |
| 362 | Kilmadock, | 3659 | 3312 | 40 | 43 | 83 | 2 | 4 | 6 | 26 | 34 | 60 | 14 |
| 363 | Kilspindie, | 684 | 665 | 13 | 13 | 26 | 4 | — | 4 | 4 | 2 | 6 | 6 |
| 364 | Kincardine, | 1993 | 1778 | 26 | 26 | 52 | 4 | 7 | 11 | 14 | 17 | 31 | 12 |
| 365 | Kinclaven, | 881 | 758 | 11 | 12 | 23 | 2 | 4 | 6 | 3 | 3 | 6 | 5 |
| 366 | Kinfauns, | 650 | 659 | 12 | 8 | 20 | — | 1 | 1 | 4 | 6 | 10 | 5 |
| 367 | Kinloch-Rannoch, c. | 1303 | 1147 | 12 | 8 | 20 | 3 | 1 | 4 | 7 | 5 | 12 | 4 |
| 368 | Kinnaird, | 370 | 318 | 10 | 6 | 16 | 2 | 1 | 3 | 3 | 3 | 6 | 2 |
| 369 | Kinnoull, | 771 | 796 | 8 | 11 | 19 | — | — | — | 9 | 9 | 18 | 1 |
| 370 | Kirkmichael— | | | | | | | | | | | | |
| | (1) Kirkmichael, c. | 849 | 812 | 11 | 6 | 17 | 4 | 1 | 5 | 6 | 10 | 16 | 7 |
| | (2) Glenshee, c. | 349 | 334 | 4 | 4 | 8 | — | 1 | 1 | 3 | 4 | 7 | — |
| 371 | Lecropt, | 442 | 538 | 10 | 10 | 20 | 1 | 1 | 2 | 4 | 6 | 10 | — |
| 372 | Lethendy and Kinloch— | | | | | | | | | | | | |
| | (1) Lethendy c. | 544 | 530 | 1 | 2 | 3 | — | — | — | — | 1 | 1 | 1 |
| | (2) Kinloch } | | | 4 | 4 | 8 | — | — | — | 3 | 1 | 4 | — |
| 373 | Little Dunkeld, c. | 2140 | 2089 | 25 | 40 | 55 | 2 | 5 | 7 | 28 | 27 | 55 | 13 |
| 374 | Logie (including part of STIRLING), | 2551 | 3483 | 37 | 50 | 87 | 5 | 7 | 12 | 43 | 27 | 70 | 21 |
| 375 | Logiealmond, c. | 959 | 815 | 7 | 5 | 12 | 1 | — | 1 | 4 | 5 | 9 | 2 |
| 376 | Logierait, c. | 2109 | 1902 | 24 | 15 | 39 | 2 | 1 | 3 | 10 | 16 | 26 | 9 |
| 377 | Longforgan, | 1787 | 1823 | 38 | 27 | 65 | 4 | — | 4 | 14 | 18 | 32 | 8 |
| 378 | Madderty, | 593 | 536 | 2 | 4 | 6 | — | — | — | 4 | 4 | 8 | 2 |
| 379 | Meigle, | 978 | 1122 | 15 | 15 | 30 | 1 | — | 1 | 6 | 8 | 14 | 8 |
| 380 | Methven, c. | 2394 | 2290 | 30 | 28 | 58 | 5 | 3 | 8 | 14 | 28 | 42 | 6 |
| 381 | Moneydie, | 321 | 252 | 2 | 3 | 5 | — | 1 | 1 | 1 | 1 | 2 | — |
| 382 | Monzie, c. | 569 | 461 | 3 | 4 | 7 | — | 1 | 1 | 1 | — | 1 | 1 |
| 383 | Monzievaird, | 790 | 782 | 13 | 9 | 22 | 1 | — | 1 | 6 | 5 | 11 | 2 |
| 384 | Moulin, c. | 1772 | 1605 | 27 | 18 | 45 | 3 | 1 | 4 | 6 | 15 | 21 | 6 |
| 385 | Muckhart, | 685 | 615 | 4 | 5 | 9 | 1 | 1 | 2 | 3 | 5 | 8 | 2 |
| a386 | Muthill, c. | 2972 | 2008 | 37 | 34 | 71 | 8 | 6 | 14 | 19 | 20 | 39 | 13 |
| b386 | Persie, c. | 814 | 839 | 15 | 11 | 26 | — | — | — | 6 | 6 | 12 | 1 |
| 387 | PERTH (incl. Burgh), | 24670 | 26094 | 446 | 403 | 849 | 47 | 37 | 84 | 298 | 271 | 569 | 237 |
| 388 | Port of Menteith, | 1419 | 1375 | 18 | 16 | 34 | 1 | 2 | 3 | 10 | 8 | 18 | 4 |
| 389 | Ratray, c. | 2308 | 2234 | 38 | 34 | 72 | 5 | 5 | 10 | 20 | 27 | 47 | 13 |
| 390 | Redgorton, c. | 1955 | 1596 | 22 | 23 | 45 | — | 2 | 2 | 9 | 23 | 32 | 9 |
| 391 | Rhynd, | 338 | 297 | 2 | 4 | 6 | — | 1 | 1 | — | 3 | 3 | 3 |
| 392 | St Madoes, | 288 | 280 | 4 | 3 | 7 | — | 1 | 1 | 4 | 2 | 6 | — |
| 393 | St Martins, | 983 | 904 | 9 | 5 | 14 | 2 | 1 | 3 | 8 | 6 | 14 | 4 |
| a394 | Scone, | 2332 | 2153 | 31 | 35 | 66 | 3 | 4 | 7 | 18 | 33 | 51 | 23 |
| b394 | Strathfillan, c. | 435 | 411 | 3 | 2 | 5 | — | — | — | 2 | — | 2 | 1 |

| No. of District. | REGISTRATION DISTRICTS. | POPULATION. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|------------------|---|-------------|--------|---|------|--------|----------------------|------|--------|---------|------|--------|------------|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem. | Total. | Mal. | Fem. | Total. | |
| c394 | Tenandry, | c. 681 | 595 | 6 | 7 | 13 | 1 | — | 1 | 2 | 3 | 5 | 2 |
| 395 | Tibbermore, | 1469 | 1182 | 9 | 21 | 30 | — | 1 | 1 | 7 | 3 | 10 | 12 |
| 396 | Trinity-Gask, | 597 | 488 | 7 | 6 | 13 | — | — | — | 7 | 3 | 10 | 5 |
| 397 | Tulliallan (including KINCARDINE), | 3043 | 2410 | 41 | 36 | 77 | 3 | 7 | 10 | 30 | 18 | 48 | 17 |
| 398 | Weem, | c. 230 | 215 | 1 | 2 | 3 | 1 | 1 | 2 | — | — | — | 2 |
| | Total, | 137369 | 133198 | 1898 | 1769 | 3667 | 219 | 201 | 420 | 1210 | 1198 | 2408 | 775 |
| | 14. FIFE. | | | | | | | | | | | | |
| 399 | Abbotshall, | 688 | 808 | 10 | 8 | 18 | 1 | 1 | 2 | 6 | 5 | 11 | 2 |
| 400 | Abdie, | c. 1353 | 1257 | 19 | 13 | 32 | 1 | 1 | 2 | 6 | 6 | 12 | 4 |
| 401 | Aberdour, | 1945 | 1874 | 34 | 23 | 57 | 4 | 3 | 7 | 10 | 16 | 26 | 12 |
| 402 | ANSTRUTHER-EASTER (pt. of Burgh), | 1161 | 1155 | 23 | 15 | 38 | 3 | 1 | 4 | 14 | 7 | 21 | 9 |
| 403 | ANSTRUTHER-WESTER (incl. Burgh), | 443 | 438 | 11 | 6 | 17 | 1 | — | 1 | 3 | 5 | 8 | 2 |
| 404 | Arngask, | 689 | 705 | 9 | 11 | 20 | 3 | — | 3 | 7 | 5 | 12 | 5 |
| 405 | Auchterderran, | 3210 | 3457 | 89 | 80 | 169 | 4 | 4 | 8 | 34 | 33 | 67 | 23 |
| 406 | AUCHTERMUCHTY (incl. Burgh), | 3704 | 3285 | 43 | 53 | 96 | 4 | 4 | 8 | 25 | 39 | 64 | 26 |
| 407 | Auchtertool, | 517 | 609 | 11 | 7 | 18 | 2 | 1 | 3 | 5 | 5 | 10 | 2 |
| 408 | Ballingry, | 568 | 736 | 19 | 16 | 35 | 3 | 1 | 4 | 7 | 6 | 13 | 4 |
| 409 | Balmerino, | 945 | 815 | 13 | 11 | 24 | — | 1 | 1 | 8 | 6 | 14 | 3 |
| 410 | Beath, | 1252 | 2390 | 96 | 88 | 184 | 4 | 8 | 12 | 30 | 29 | 59 | 18 |
| 411 | BURNTISLAND (incl. Burgh), | 3158 | 3670 | 73 | 69 | 142 | 7 | 6 | 13 | 29 | 27 | 56 | 36 |
| 412 | Cameron, | 1207 | 1362 | 13 | 21 | 34 | — | 1 | 1 | 6 | 6 | 12 | 11 |
| 413 | Carnbee, | 1129 | 1157 | 14 | 13 | 27 | — | 1 | 1 | 7 | 6 | 13 | 7 |
| 414 | Carnock, | 3191 | 2925 | 48 | 27 | 75 | 2 | 3 | 5 | 21 | 14 | 35 | 13 |
| 415 | Ceres, | 2833 | 2723 | 33 | 29 | 62 | 2 | 3 | 5 | 25 | 37 | 62 | 9 |
| 416 | Collessie, | 1520 | 1530 | 29 | 26 | 55 | — | 1 | 1 | 18 | 15 | 33 | 10 |
| 417 | CRAIL (incl. Burgh), | 1903 | 1931 | 25 | 26 | 51 | 2 | 1 | 3 | 15 | 16 | 31 | 9 |
| 418 | Creich, | 386 | 377 | 8 | 6 | 14 | — | — | — | 6 | 3 | 9 | 3 |
| 419 | Cults, | 915 | 800 | 11 | 16 | 27 | 2 | 3 | 5 | 4 | 4 | 8 | 8 |
| 420 | CUPAR (incl. Burgh), | 7427 | 6750 | 106 | 111 | 217 | 12 | 19 | 31 | 75 | 80 | 155 | 53 |
| 421 | Dairsie, | 708 | 638 | 8 | 7 | 15 | 1 | 1 | 2 | 7 | 8 | 15 | 3 |
| 422 | Dalgetty, | 1513 | 1569 | 30 | 26 | 56 | 2 | 2 | 4 | 13 | 12 | 25 | 12 |
| 423 | Dunbog, | c. 409 | 414 | 7 | 16 | 23 | — | 3 | 3 | 2 | 4 | 6 | 2 |
| 424 | DUNFERMLINE— | | | | | | | | | | | | |
| | (1) Burgh, | 13836 | 13506 | 244 | 250 | 494 | 19 | 17 | 36 | 124 | 141 | 265 | 165 |
| | (2) Landward, | c. 7602 | 7609 | 165 | 170 | 335 | 13 | 6 | 19 | 73 | 72 | 145 | 44 |
| 425 | Dunino, | 289 | 370 | 5 | 5 | 10 | — | 1 | 1 | — | 2 | 2 | 2 |
| 426 | DYSART (incl. Burgh), | 8739 | 8842 | 158 | 149 | 307 | 8 | 13 | 21 | 91 | 97 | 188 | 83 |
| 427 | Elie, | 843 | 826 | 12 | 14 | 26 | — | 1 | 1 | 7 | 14 | 21 | 8 |
| 428 | FALKLAND (incl. Burgh), | 3102 | 2937 | 44 | 45 | 89 | 3 | 5 | 8 | 24 | 26 | 50 | 21 |
| 429 | Ferry-Port-on-Craig, | 2238 | 2013 | 46 | 49 | 95 | 6 | 6 | 12 | 22 | 29 | 51 | 18 |
| 430 | Flisk, | c. 157 | 230 | 3 | 4 | 7 | — | 1 | 1 | — | 1 | 1 | 1 |
| 431 | Forgan, | 1125 | 1326 | 25 | 29 | 54 | 1 | — | 1 | 9 | 14 | 23 | 7 |
| 432 | INVERKEITHING (incl. Burgh), | c. 2748 | 3196 | 53 | 54 | 107 | 6 | 5 | 11 | 24 | 25 | 49 | 16 |
| 433 | Kemback, | 956 | 896 | 15 | 10 | 25 | 1 | — | 1 | 9 | 15 | 24 | 13 |
| 434 | Kennoway, | 2257 | 2012 | 23 | 27 | 50 | 4 | 4 | 8 | 21 | 23 | 44 | 11 |
| 435 | Kettle, | 2601 | 2474 | 29 | 36 | 65 | 3 | 7 | 10 | 10 | 20 | 30 | 15 |
| 436 | Kilconquhar (including EARLSFERRY), | 2489 | 2431 | 28 | 29 | 57 | 1 | 3 | 4 | 17 | 18 | 35 | 14 |
| 437 | Kilmany, | 662 | 656 | 12 | 7 | 19 | — | 1 | 1 | 4 | 8 | 12 | 4 |
| 438 | KILRENNY (incl. Burgh and part of ANSTRUTHER-EASTER), | 2194 | 2534 | 65 | 56 | 121 | 8 | 4 | 12 | 19 | 33 | 52 | 13 |
| 439 | KINGHORN (incl. Burgh), | 2455 | 2349 | 42 | 50 | 92 | 5 | 5 | 10 | 29 | 30 | 59 | 22 |

| No. of District. | REGISTRATION DISTRICTS. | POPULATION. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|------------------|---|-------------|--------|---|------|--------|-------------------------|------|--------|---------|------|--------|------------|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem. | Total. | Mal. | Fem. | Total. | |
| 440 | Kinglassie, | 1186 | 1266 | 22 | 15 | 37 | 1 | 1 | 2 | 13 | 6 | 19 | 4 |
| 441 | Kingsbarns, | 893 | 937 | 12 | 17 | 29 | — | — | — | 7 | 4 | 11 | 9 |
| 442 | KIRKCALDY (including Burgh), | 10636 | 11117 | 202 | 212 | 414 | 13 | 11 | 24 | 116 | 144 | 260 | 105 |
| 443 | Largo, | 2800 | 2626 | 41 | 38 | 79 | 4 | 2 | 6 | 33 | 33 | 66 | 15 |
| 444 | LESLIE (incl. Town), . | 3800 | 4332 | 89 | 54 | 143 | 10 | 3 | 13 | 47 | 49 | 96 | 33 |
| 445 | Leuchars, | 1991 | 1903 | 26 | 31 | 57 | 3 | 4 | 7 | 22 | 21 | 43 | 10 |
| 446 | Logie, | 467 | 410 | 10 | 10 | 20 | — | 2 | 2 | 2 | 3 | 5 | 4 |
| 447 | Markinch, | 5843 | 5375 | 99 | 91 | 190 | 6 | 14 | 20 | 59 | 78 | 137 | 39 |
| 448 | Monimail, | 1102 | 1054 | 15 | 15 | 30 | 2 | 2 | 4 | 4 | 14 | 18 | 5 |
| 449 | Moonzie, | 198 | 179 | 3 | 4 | 7 | — | — | — | — | 2 | 2 | 1 |
| 450 | NEWBURGH (including Burgh), | 2986 | 2693 | 59 | 50 | 109 | 7 | 6 | 13 | 29 | 21 | 50 | 14 |
| 451 | Newburn, | 375 | 374 | 5 | 7 | 12 | 2 | — | 2 | 3 | 5 | 8 | — |
| 452 | PITTENWEEM (incl. Burgh), | 1473 | 1710 | 28 | 30 | 58 | 1 | 5 | 6 | 16 | 17 | 33 | 9 |
| 453 | ST ANDREWS and St Leonards (incl. Burgh of St Andrews), . . | 7327 | 7605 | 108 | 118 | 226 | 9 | 8 | 17 | 61 | 70 | 131 | 55 |
| 454 | St Monance (or Aber- crombie), | 1241 | 1498 | 30 | 39 | 69 | 2 | — | 2 | 8 | 16 | 24 | 6 |
| 455 | Saline, | 1792 | 1610 | 33 | 18 | 51 | 3 | — | 3 | 10 | 11 | 21 | 6 |
| 456 | Scoonie (incl. LEVEN), . | 3115 | 3257 | 68 | 49 | 117 | 2 | 3 | 5 | 37 | 31 | 68 | 32 |
| 457 | Strathmiglo, | 2509 | 2261 | 29 | 34 | 63 | 4 | 8 | 12 | 26 | 27 | 53 | 18 |
| 458 | Torryburn, | 1341 | 1229 | 23 | 13 | 36 | 1 | — | 1 | 12 | 13 | 25 | 12 |
| 459 | Wemyss, | 5647 | 6003 | 130 | 111 | 241 | 7 | 6 | 13 | 71 | 60 | 131 | 47 |
| | Total, | 153789 | 155021 | 2783 | 2664 | 5447 | 215 | 223 | 438 | 1442 | 1587 | 3029 | 1167 |
| | 15. KINROSS. | | | | | | | | | | | | |
| 460 | Cleish, | 659 | 649 | 5 | 4 | 9 | — | — | — | 3 | 6 | 9 | 8 |
| 461 | Fossoway and Tulliebole, . | 1621 | 1584 | 24 | 27 | 51 | 2 | 5 | 7 | 9 | 9 | 18 | 8 |
| 462 | KINROSS (incl. Town), . | 3227 | 2649 | 35 | 26 | 61 | 5 | 4 | 9 | 25 | 33 | 58 | 16 |
| 463 | Orwell, | 2569 | 2399 | 26 | 35 | 61 | 3 | 2 | 5 | 17 | 25 | 42 | 17 |
| 464 | Portmoak, | 1550 | 1450 | 20 | 24 | 44 | 2 | 4 | 6 | 10 | 11 | 21 | 6 |
| | Total, | 9626 | 8731 | 110 | 116 | 226 | 12 | 15 | 27 | 64 | 84 | 148 | 55 |
| | 16. CLACKMANNAN. | | | | | | | | | | | | |
| 465 | ALLOA (incl. Town), . | 9493 | 8867 | 183 | 162 | 345 | 20 | 10 | 30 | 113 | 92 | 205 | 59 |
| 466 | Clackmannan, | 5802 | 4425 | 95 | 83 | 178 | 13 | 7 | 20 | 56 | 59 | 115 | 29 |
| 467 | Dollar, | 1574 | 1776 | 29 | 25 | 54 | 1 | 5 | 6 | 13 | 19 | 32 | 7 |
| 468 | TILlicOUNTRY (including Town), | 4686 | 5054 | 75 | 87 | 162 | 7 | 12 | 19 | 49 | 48 | 97 | 29 |
| | Total, | 21555 | 20122 | 382 | 357 | 739 | 41 | 34 | 75 | 231 | 218 | 449 | 124 |
| | V. WEST-MIDLAND. | | | | | | | | | | | | |
| | 17. STIRLING. | | | | | | | | | | | | |
| 469 | Airth, | 1319 | 1194 | 30 | 34 | 64 | — | 4 | 4 | 8 | 15 | 23 | 16 |
| 470 | ALVA (incl. Town), . | 3204 | 3283 | 87 | 70 | 157 | 12 | 5 | 17 | 49 | 37 | 86 | 16 |
| 471 | Baldernock, | 801 | 718 | 2 | 6 | 8 | — | — | — | 2 | 5 | 7 | 4 |
| 472 | Balfron, | 1900 | 1517 | 24 | 30 | 54 | — | 3 | 3 | 16 | 22 | 38 | 5 |
| 473 | Bothkennar, | 1179 | 1722 | 54 | 38 | 92 | 3 | 1 | 4 | 21 | 8 | 29 | 12 |
| 474 | Buchanan, | 632 | 705 | 6 | 13 | 19 | 1 | — | 1 | 6 | 5 | 11 | 3 |
| 475 | Campsie (including LEN- NOXTOWN), | 6918 | 6483 | 110 | 105 | 215 | 10 | 7 | 17 | 67 | 50 | 117 | 46 |
| 476 | DENNY (incl. Town), . | 4754 | 4988 | 82 | 85 | 167 | 10 | 6 | 16 | 54 | 53 | 107 | 32 |
| 477 | Drymen, | 1481 | 1619 | 13 | 21 | 34 | 1 | 1 | 2 | 11 | 9 | 20 | 8 |
| 478 | Dunipace, | 1472 | 1731 | 32 | 33 | 65 | — | 2 | 2 | 18 | 5 | 23 | 6 |
| 479 | FALKIRK—(1) Burgh, . | 8752 | 9030 | 166 | 149 | 315 | 21 | 10 | 31 | 124 | 102 | 226 | 67 |
| | (2) Landward, | 7686 | 7996 | 176 | 175 | 351 | 13 | 12 | 25 | 73 | 67 | 140 | 62 |

| No. of District | REGISTRATION DISTRICTS. | POPULATION. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|--------------------------|---|-------------|-------|---|------|--------|-------------------------|------|-------|---------|------|--------|------------|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem. | Totl. | Mal. | Fem. | Total. | |
| | | | | | | | | | | | | | |
| 480 | Fintry, | 823 | 685 | 13 | 7 | 20 | 2 | 2 | 4 | 8 | 9 | 17 | 1 |
| 481 | Gargunnoch, | 754 | 728 | 9 | 6 | 15 | — | — | — | 6 | 6 | 12 | — |
| 482 | Killearn, | 1176 | 1171 | 14 | 28 | 42 | — | 2 | 2 | 8 | 11 | 19 | 61 |
| 483 | KILSYTH (incl. Town), . | 5346 | 6112 | 142 | 153 | 295 | 17 | 24 | 41 | 67 | 66 | 133 | 2 |
| 484 | Kippen, | 1892 | 1722 | 34 | 26 | 60 | 5 | — | 5 | 16 | 14 | 30 | 6 |
| 485 | Larbert, | 4606 | 4999 | 88 | 106 | 194 | 8 | 11 | 19 | 49 | 54 | 103 | 30 |
| 486 | Muiravonside, | 2647 | 2660 | 51 | 51 | 102 | 2 | 1 | 3 | 36 | 19 | 55 | 17 |
| 487 | Polmont, | 3764 | 4111 | 75 | 70 | 145 | 9 | 5 | 14 | 40 | 39 | 79 | 18 |
| 488 | St Ninians (includ. BAN- NOCKBURN, Town), . . | 7630 | 6648 | 151 | 119 | 270 | 11 | 9 | 20 | 69 | 69 | 138 | 30 |
| 489 | Slamannan, | 1655 | 2916 | 106 | 101 | 207 | 7 | 3 | 10 | 43 | 38 | 81 | 130 |
| 490 | STIRLING (incl. Burgh), | 12401 | 14012 | 244 | 223 | 467 | 26 | 23 | 49 | 208 | 189 | 397 | 5 |
| 491 | Strathblane, | 1010 | 1388 | 32 | 15 | 47 | 4 | — | 4 | 6 | 9 | 15 | 22 |
| Total, | | 83802 | 88138 | 1741 | 1664 | 3405 | 162 | 131 | 293 | 1005 | 901 | 1906 | 599 |
| 18. DUMBARTON. | | | | | | | | | | | | | |
| 492 | Arrochar, | 562 | 629 | 3 | 10 | 13 | — | — | — | 5 | 1 | 6 | 3 |
| 493 | BONHILL (includ. Town, & ALEXANDRIA, Town), | 7819 | 9059 | 149 | 156 | 305 | 10 | 9 | 19 | 107 | 121 | 228 | 78 |
| 494 | Cardross (incl. RENTON), | 3402 | 4168 | 82 | 66 | 148 | 6 | 4 | 10 | 58 | 68 | 126 | 26 |
| 495 | Cumbernauld, | 3778 | 3513 | 94 | 65 | 159 | 10 | 7 | 17 | 35 | 29 | 64 | 32 |
| 496 | DUMBARTON (incl. Burgh) | 5445 | 8268 | 238 | 204 | 442 | 9 | 14 | 23 | 181 | 139 | 320 | 52 |
| 497 | Kilmaronock, | 1033 | 1085 | 10 | 15 | 25 | — | 3 | 3 | 10 | 6 | 16 | 8 |
| 498 | KIRKINTILLOCH (incl. Town) | 8426 | 8179 | 160 | 144 | 304 | 23 | 15 | 38 | 90 | 80 | 170 | 63 |
| 499 | Luss, | 907 | 831 | 9 | 9 | 18 | — | — | — | 6 | 8 | 14 | 1 |
| 500 | New, or East, Kilpatrick, | 4286 | 4910 | 120 | 105 | 225 | 9 | 6 | 15 | 59 | 52 | 111 | 23 |
| 501 | Old, or West, Kilpatrick (incl. DUNTOCHER, Town) | 5921 | 5577 | 89 | 92 | 181 | 9 | 5 | 14 | 56 | 48 | 104 | 34 |
| 502 | Roseneath, | 1044 | 1626 | 14 | 13 | 27 | — | 1 | 1 | 14 | 13 | 27 | 11 |
| 503 | Row (incl. HELENSBURGH), | 4372 | 6334 | 108 | 90 | 198 | 9 | 4 | 13 | 69 | 77 | 146 | 38 |
| Total, | | 46995 | 54179 | 1076 | 969 | 2045 | 85 | 68 | 153 | 690 | 642 | 1332 | 369 |
| 19. ARGYLL. Mainland. | | | | | | | | | | | | | |
| 504 | Ardchattan, | 1525 | 1381 | 9 | 20 | 29 | — | 1 | 1 | 9 | 8 | 17 | 1 |
| 505 | Ardnamurchan— (1) Aharacle, c. | 1791 | 1544 | 17 | 25 | 42 | — | — | — | 12 | 11 | 23 | 8 |
| | (2) Arisaig, c. | 1555 | 1343 | 22 | 9 | 31 | — | 1 | 1 | 8 | 10 | 18 | 4 |
| | (3) Sunart (or Strontian) c. | 875 | 759 | 8 | 8 | 16 | — | 1 | 1 | 7 | 11 | 18 | 2 |
| | (4) Western District, . c. | 1225 | 1054 | 10 | 14 | 24 | 2 | 2 | 4 | 11 | 9 | 20 | 2 |
| 506 | Ballachulish and Corran of Ardgour, c. | 1125 | 919 | 18 | 12 | 30 | 3 | 1 | 4 | 7 | 4 | 11 | 1 |
| 507 | CAMPBELTOWN (incl. Burgh), | 9381 | 8149 | 119 | 109 | 228 | 9 | 11 | 20 | 76 | 80 | 156 | 61 |
| 508 | Craignish, | 756 | 618 | 6 | 4 | 10 | 1 | — | 1 | 4 | 5 | 9 | 3 |
| 509 | Cumlodden, | 1095 | 1033 | 20 | 13 | 33 | 1 | — | 1 | 4 | 5 | 9 | 7 |
| 510 | DUNOON and KILMUN (incl. DUNOON & KIRN), | 4518 | 5461 | 79 | 75 | 154 | 2 | 4 | 6 | 56 | 46 | 102 | 34 |
| 511 | Glassary, c. | 1860 | 1769 | 34 | 22 | 56 | 1 | 3 | 4 | 18 | 12 | 30 | 6 |
| 512 | Glenorchy and Inishail, . | 1450 | 1307 | 12 | 14 | 26 | 3 | 2 | 5 | 3 | 12 | 15 | 4 |
| 513 | INVERARAY (including Burgh), | 1755 | 1650 | 23 | 24 | 47 | 1 | 3 | 4 | 8 | 16 | 24 | 4 |
| 514 | Inverchaolain, | 474 | 424 | 8 | 8 | 16 | 1 | — | 1 | 4 | — | 4 | 3 |
| 515 | Kilbrandon & Kilchattan, c. | 2571 | 2053 | 31 | 25 | 56 | — | 2 | 2 | 14 | 12 | 26 | 7 |
| 516 | Kilcalmonell, etc.— (1) Kilcalmonell, . . . c. | 930 | 742 | 11 | 6 | 17 | — | 1 | 1 | 8 | 5 | 13 | 4 |
| | (2) Kilberry, | 689 | 583 | 8 | 6 | 14 | 1 | — | 1 | 7 | 6 | 13 | 1 |
| 517 | Kilchrenan, etc.— (1) Kilchrenan, | 494 | 385 | 2 | 3 | 5 | — | — | — | 3 | 3 | 6 | 2 |
| | (2) Dalavich, | 282 | 230 | 3 | 4 | 7 | — | — | — | 2 | 1 | 3 | 1 |

| No. of District. | REGISTRATION DISTRICTS. | POPULATION. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|------------------|--|-------------|------------------|---|------|--------|-------------------------|------|--------|---------|------|--------|------------|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem. | Total. | Mal. | Fem. | Total. | |
| 518 | Kilfinan, | 1695 | 1891 | 37 | 33 | 70 | 4 | 2 | 6 | 14 | 19 | 33 | 12 |
| 519 | Killean and Kilchenzie, . . | 2219 | 1890 | 26 | 26 | 52 | 1 | 1 | 2 | 11 | 15 | 26 | 9 |
| 520 | Kilmalie, | c. 4110 | 3353 | 46 | 32 | 78 | 5 | 2 | 7 | 27 | 32 | 59 | 18 |
| 521 | Kilmartin, | 1144 | 949 | 10 | 15 | 25 | — | 1 | 1 | 2 | — | 2 | 3 |
| 522 | Kilmodan, | 500 | 433 | 6 | 6 | 12 | — | — | — | 5 | 2 | 7 | — |
| 523 | Kilmore and Kilbride (incl. Burgh of OBAN), | 3131 | 2962 | 43 | 38 | 81 | 3 | 3 | 6 | 24 | 38 | 62 | 21 |
| 524 | Kilninner, etc.— (1) Kilninner, | 449 | 314 | 4 | 3 | 7 | 1 | — | 1 | 1 | 2 | 3 | 1 |
| | (2) Kilmelford, | 265 | 486 | 8 | 7 | 15 | — | 1 | 1 | 2 | 3 | 5 | 1 |
| 525 | Lismore, etc.— (1) Lismore, | c. 1167 | 1023 | 13 | 12 | 25 | 1 | 1 | 2 | 6 | 8 | 14 | 3 |
| | (2) Appin, | c. 940 | 825 | 4 | 8 | 12 | — | — | — | 10 | 4 | 14 | 1 |
| | (3) Glencoe & Ballachu- lish, | c. 1510 | 1324 | 30 | 29 | 59 | 1 | 3 | 4 | 14 | 11 | 25 | 4 |
| | (4) Duror, | c. 480 | 423 | 6 | 1 | 7 | — | 1 | 1 | 4 | 1 | 5 | 3 |
| 526 | Lochgilphead, | c. 3263 | 3312 | 60 | 50 | 110 | 3 | 3 | 6 | 35 | 31 | 66 | 11 |
| 527 | Lochgailhead, etc.— (1) Lochgailhead, | 446 | 418 | 8 | 7 | 15 | — | 1 | 1 | 6 | 4 | 10 | 3 |
| | (2) Kilmorich, | 388 | 284 | 5 | 4 | 9 | — | 1 | 1 | 3 | 4 | 7 | 1 |
| 528 | Morvern, | 1547 | 1226 | 14 | 19 | 33 | — | — | — | 9 | 3 | 12 | 2 |
| 529 | Muckairn, | 788 | 729 | 4 | 4 | 8 | 1 | — | 1 | 3 | 6 | 9 | 1 |
| 530 | North Knapdale, | 1666 | 1327 | 9 | 11 | 20 | 1 | 1 | 2 | 6 | 10 | 16 | 2 |
| 531 | Saddell, etc.— (1) Saddell, | 791 | 739 | 6 | 11 | 17 | — | — | — | 3 | 3 | 6 | 3 |
| | (2) Skipness, | c. 705 | 533 | 6 | 3 | 9 | 1 | — | 1 | 3 | 3 | 6 | 1 |
| 532 | Southend, | 1406 | 1214 | 16 | 15 | 31 | 1 | 2 | 3 | 5 | 5 | 10 | 5 |
| 533 | South Knapdale, | 565 | 654 | 5 | 6 | 11 | — | — | — | 2 | 1 | 3 | 1 |
| 534 | Stralachlan, etc.— (1) Stralachlan, | 397 | 309 | 5 | 7 | 12 | — | — | — | 4 | 1 | 5 | 2 |
| | (2) Strachur, | 518 | 563 | 10 | 4 | 14 | 1 | — | 1 | 2 | — | 2 | 6 |
| 535 | Tarbert, | c. 1828 | 1661 | 36 | 31 | 67 | 5 | 1 | 6 | 21 | 12 | 33 | 15 |
| | <i>Insular.</i> | | | | | | | | | | | | |
| 536 | Bowmore (or Kilarrow), . . | 3469 | 2701 | 27 | 34 | 61 | 5 | 7 | 12 | 31 | 32 | 63 | 4 |
| 537 | Gigha, | 547 | 467 | 4 | 4 | 8 | 3 | 1 | 4 | 3 | 4 | 7 | 3 |
| 538 | Iona, | c. 900 | 743 | 6 | 15 | 21 | 2 | — | 2 | 8 | 3 | 11 | 2 |
| 539 | Jura, etc.—(1) Jura, | c. 868 | 858 | 14 | 7 | 21 | 5 | 1 | 6 | 5 | 3 | 8 | 1 |
| | (2) Colonsay, | 837 | 598 | 2 | 9 | 11 | — | 1 | 1 | 5 | 2 | 7 | 1 |
| 540 | Kilchoman, | c. 2865 | 2377 | 28 | 24 | 52 | 2 | 2 | 4 | 34 | 20 | 54 | 3 |
| 541 | Kildalton, | c. 2450 | 2187 | 21 | 23 | 44 | 2 | 5 | 7 | 11 | 14 | 25 | 9 |
| 542 | Kilfinichen & Kilvickeon, . . | c. 2171 | 1792 | 27 | 16 | 43 | — | 2 | 2 | 15 | 10 | 25 | 8 |
| 543 | Kilmeny, | 1413 | 1268 | 14 | 10 | 24 | 1 | 1 | 2 | 9 | 11 | 20 | 7 |
| 544 | Kilninian and Kilmore, . . | c. 1890 | 1641 | 13 | 16 | 29 | — | 2 | 2 | 9 | 11 | 20 | 4 |
| 545 | Kinlochspelve, | c. 420 | 428 | 5 | 2 | 7 | — | — | — | 2 | 3 | 5 | 1 |
| 546 | Oa, | c. 860 | 769 | 5 | 2 | 7 | — | — | — | 10 | 6 | 16 | 3 |
| 547 | Portnahaven, | c. 1277 | 1059 | 18 | 11 | 29 | 2 | 1 | 3 | 18 | 10 | 28 | 2 |
| 548 | Salen, | c. 634 | 604 | 2 | 6 | 8 | — | — | — | 4 | 4 | 8 | 2 |
| 549 | Tobermory, | c. 1804 | 1566 | 18 | 13 | 31 | 3 | 1 | 4 | 23 | 13 | 36 | 5 |
| 550 | Torosay, | c. 550 | 557 | 11 | 8 | 19 | — | 1 | 1 | — | 4 | 4 | 1 |
| 551 | Tyree, etc.—(1) Tyree, . . | 3709 | 3217 | 32 | 26 | 58 | 1 | 1 | 2 | 30 | 27 | 57 | 9 |
| | (2) Coll, | 1109 | 781 | 13 | 15 | 28 | 1 | 1 | 2 | 4 | 2 | 6 | 4 |
| | Total, | 94042 | 83859 | 1117 | 1024 | 2141 | 81 | 83 | 164 | 704 | 653 | 1357 | 353 |
| | 20. BUTE. | | | | | | | | | | | | |
| 552 | Cumraes, | 1275 | 1256 | 16 | 10 | 26 | — | — | — | 22 | 11 | 33 | 4 |
| 553 | Kilbride, part of— (1) Brodick, | c. 2340 | { c1253 c1000 | 11 | 14 | 25 | — | — | — | 8 | 5 | 13 | 8 |
| | (2) Kilbride, | | | 8 | 8 | 16 | — | — | — | 16 | 8 | 24 | 2 |
| 554 | Kilmory, | c. 2724 | 2515 | 17 | 26 | 43 | 3 | 2 | 5 | 19 | 12 | 31 | 11 |

| No. of District. | REGISTRATION DISTRICTS. | POPULATION. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|------------------|---|-------------|---------|---|------|--------|-------------------------|------|--------|---------|------|--------|------------|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem. | Total. | Mal. | Fem. | Total. | |
| 555 | Kingarth, . . . | 1007 | 905 | 12 | 9 | 21 | 4 | — | 4 | 13 | 8 | 21 | 6 |
| 556 | Lochranza, . . . | c. 883 | 824 | 18 | 11 | 29 | 2 | — | 2 | 12 | 6 | 18 | 7 |
| 557 | North Bute, . . . | c. 1235 | 1351 | 17 | 10 | 27 | — | 1 | 1 | 20 | 10 | 30 | 6 |
| 558 | ROTHESAY, . . . | c. 7144 | 7227 | 116 | 120 | 236 | 17 | 11 | 28 | 86 | 117 | 203 | 47 |
| | Total, | 16608 | 16331 | 215 | 208 | 423 | 26 | 14 | 40 | 196 | 177 | 373 | 91 |
| | VI. SOUTH-WESTERN. | | | | | | | | | | | | |
| | 21. RENFREW. | | | | | | | | | | | | |
| 559 | ABBAY— | | | | | | | | | | | | |
| | (1) Part of PAISLEY, | 16351 | 15889 | 280 | 297 | 577 | 27 | 26 | 53 | 213 | 199 | 412 | 179 |
| | (2) Landward (including part of BARRHEAD), | c. 4867 | 5670 | 85 | 87 | 172 | 4 | 6 | 10 | 62 | 56 | 118 | 33 |
| | (3) JOHNSTONE (includ- ing Town), . . . | c. 7363 | 8142 | 181 | 168 | 349 | 20 | 8 | 28 | 112 | 107 | 219 | 58 |
| 560 | Cathcart, . . . | 2916 | 3782 | 82 | 97 | 179 | 2 | 4 | 6 | 51 | 38 | 89 | 36 |
| 561 | Eaglesham, . . . | 2524 | 2328 | 28 | 25 | 53 | 1 | — | 1 | 26 | 38 | 64 | 24 |
| 562 | EASTWOOD, . . . | 9243 | 11314 | 249 | 246 | 495 | 25 | 23 | 48 | 155 | 145 | 300 | 76 |
| 563 | Erskine, . . . | 1232 | 1457 | 32 | 12 | 44 | — | — | — | 9 | 9 | 18 | 11 |
| 564 | GREENOCK— | | | | | | | | | | | | |
| | (1) New, or Middle . . . | 9414 | 9446 | 231 | 243 | 474 | 23 | 19 | 42 | 146 | 145 | 291 | 36 |
| | (2) East, . . . | 7704 | 12135 | 354 | 322 | 676 | 13 | 21 | 34 | 157 | 184 | 341 | 107 |
| | (3) Old, or West, . . . | 20318 | 22313 | 581 | 597 | 1178 | 37 | 28 | 65 | 452 | 349 | 801 | 287 |
| 565 | Houston and Killellan, . . | 2753 | 2490 | 36 | 38 | 74 | 2 | 3 | 5 | 30 | 33 | 63 | 14 |
| 566 | Inchinnan, . . . | 649 | 619 | 8 | 9 | 17 | — | — | — | 14 | 4 | 18 | 9 |
| 567 | Innerkip— | | | | | | | | | | | | |
| | (1) Innerkip, . . . | c. 1026 | 1188 | 11 | 21 | 32 | 1 | 1 | 2 | 9 | 10 | 19 | 5 |
| | (2) GOUROCK (including Town), . . . | c. 1992 | 2307 | 49 | 49 | 98 | 2 | 5 | 7 | 29 | 42 | 71 | 12 |
| 568 | KILBARCHAN, . . . | 5474 | 6348 | 109 | 119 | 228 | 6 | 11 | 17 | 86 | 59 | 145 | 44 |
| 569 | Kilmalcolm, . . . | 1399 | 1455 | 31 | 29 | 60 | 3 | 3 | 6 | 15 | 18 | 33 | 10 |
| 570 | Lochwinnoch, . . . | 4153 | 3821 | 41 | 47 | 88 | 5 | 9 | 14 | 38 | 46 | 84 | 26 |
| 571 | Mearns, . . . | 3704 | 3547 | 51 | 54 | 105 | 2 | 7 | 9 | 28 | 21 | 49 | 16 |
| 572 | Neilston—(1) Neilston, } | 12233 | c. 3013 | 74 | 73 | 147 | 9 | 12 | 21 | 41 | 28 | 69 | 35 |
| | (2) Barrhead, } | | c. 8000 | 101 | 105 | 206 | 12 | 4 | 16 | 70 | 80 | 150 | 36 |
| 573 | PAISLEY— | | | | | | | | | | | | |
| | (1) High, . . . | 14643 | 14900 | 282 | 275 | 557 | 15 | 21 | 36 | 171 | 207 | 378 | 111 |
| | (2) Low, . . . | 7205 | 6712 | 126 | 119 | 245 | 8 | 12 | 20 | 147 | 124 | 271 | 55 |
| | (3) Middle, . . . | 9904 | 9926 | 186 | 166 | 352 | 19 | 15 | 34 | 122 | 152 | 274 | 86 |
| 574 | PORT-GLASGOW (incl. Burgh), . . . | 7017 | 7294 | 218 | 215 | 433 | 17 | 17 | 34 | 122 | 138 | 260 | 90 |
| 575 | RENFREW (incl. Burgh), | 3866 | 4650 | 116 | 92 | 208 | 4 | 4 | 8 | 90 | 73 | 163 | 26 |
| | Total, | 157950 | 168746 | 3542 | 3505 | 7047 | 257 | 259 | 516 | 2395 | 2305 | 4700 | 1422 |
| | 22. AYR. | | | | | | | | | | | | |
| 576 | ARDROSSAN— | | | | | | | | | | | | |
| | (1) Old (including part of SALTCOATS), . . . | c. 3434 | 3530 | 60 | 60 | 120 | 6 | 2 | 8 | 32 | 46 | 78 | 32 |
| | (2) New (including AR- DROSSAN), . . . | c. 2147 | 3246 | 59 | 75 | 134 | — | 5 | 5 | 28 | 32 | 60 | 19 |
| 577 | Auchinleck, . . . | 3697 | 4213 | 114 | 115 | 229 | 7 | 5 | 12 | 63 | 55 | 118 | 26 |
| 578 | AYR (incl. Burgh), . . . | 18845 | 19659 | 323 | 319 | 642 | 37 | 41 | 78 | 212 | 243 | 455 | 144 |
| 579 | Ballantrae, . . . | 1801 | 1483 | 16 | 16 | 32 | 1 | 2 | 3 | 13 | 20 | 33 | 7 |
| 580 | Barr, . . . | 907 | 910 | 12 | 14 | 26 | 1 | 1 | 2 | 10 | 4 | 14 | 6 |
| 581 | BEITH (incl. Town), . . . | 6425 | 5775 | 94 | 103 | 197 | 7 | 8 | 15 | 53 | 51 | 104 | 42 |
| 582 | Colmonell, . . . | 2934 | 2588 | 41 | 32 | 73 | 7 | 4 | 11 | 26 | 17 | 43 | 16 |
| 583 | Coylton, . . . | 1542 | 1604 | 20 | 24 | 44 | 4 | 1 | 5 | 16 | 15 | 31 | 8 |
| 584 | Craigie, . . . | 793 | 730 | 7 | 10 | 17 | — | — | — | 3 | 4 | 7 | 3 |
| 585 | Dailly, . . . | 2413 | 2050 | 24 | 38 | 62 | 3 | 2 | 5 | 10 | 20 | 30 | 10 |

| No. of District. | REGISTRATION DISTRICTS. | POPULATION. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|------------------|---|-------------|--------|---|------|--------|-------------------------|------|--------|---------|------|--------|------------|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem. | Total. | Mal. | Fem. | Total. | |
| 586 | Dalmellington, . . . | 2910 | 4194 | 123 | 115 | 238 | 14 | 8 | 22 | 56 | 55 | 111 | 23 |
| 587 | DALRY (incl. Town), . . | 8865 | 11156 | 290 | 263 | 553 | 14 | 13 | 27 | 121 | 91 | 212 | 79 |
| 588 | Dalrymple, . . . | 1096 | 1325 | 29 | 28 | 57 | 4 | 3 | 7 | 11 | 10 | 21 | 7 |
| 589 | Dreghorn, . . . | 1828 | 3283 | 79 | 68 | 147 | 3 | 6 | 9 | 29 | 22 | 51 | 21 |
| 590 | Dundonald (incl. TROON), | 4555 | 4694 | 77 | 67 | 144 | 2 | 5 | 7 | 45 | 44 | 89 | 33 |
| 591 | Dunlop, . . . | 1115 | 1038 | 16 | 18 | 34 | 1 | — | 1 | 12 | 11 | 23 | 10 |
| 592 | Fenwick, . . . | 1741 | 1532 | 23 | 25 | 48 | 2 | — | 2 | 14 | 12 | 26 | 14 |
| 593 | GALSTON (incl. Town), . | 4392 | 5254 | 125 | 145 | 270 | 6 | 10 | 16 | 63 | 68 | 131 | 49 |
| 594 | GIRVAN (incl. Town), . | 8588 | 7053 | 99 | 86 | 185 | 17 | 23 | 40 | 69 | 74 | 143 | 37 |
| 595 | IRVINE (incl. Burgh), . | 8463 | 8607 | 149 | 177 | 326 | 18 | 16 | 34 | 105 | 104 | 209 | 76 |
| 596 | KILBIRNIE (incl. Town), | 5484 | 5265 | 109 | 108 | 217 | 10 | 9 | 19 | 54 | 58 | 112 | 44 |
| 597 | KILMARNOCK (incl. part of Burgh), . . . | 21287 | 23556 | 476 | 475 | 951 | 50 | 52 | 102 | 336 | 335 | 671 | 192 |
| 598 | Kilmaurs, . . . | 3144 | 3526 | 74 | 63 | 137 | 6 | 4 | 10 | 34 | 29 | 63 | 28 |
| 599 | KILWINNING (incl. Town), | 6359 | 7717 | 179 | 168 | 347 | 15 | 11 | 26 | 82 | 96 | 178 | 38 |
| 600 | Kirkmichael, . . . | 3262 | 2823 | 38 | 38 | 76 | 3 | 8 | 11 | 19 | 21 | 40 | 11 |
| 601 | Kirkoswald, . . . | 2242 | 2060 | 19 | 41 | 60 | 2 | 8 | 10 | 21 | 12 | 33 | 11 |
| 602 | LARGS (incl. Town), . . | 3715 | 3620 | 60 | 55 | 115 | 2 | 5 | 7 | 41 | 28 | 69 | 27 |
| 603 | Loudoun (incl. NEW- MILNS), . . . | 4720 | 4840 | 122 | 103 | 225 | 8 | 6 | 14 | 63 | 64 | 127 | 41 |
| 604 | Mauchline, . . . | 2470 | 2303 | 44 | 34 | 78 | 4 | 3 | 7 | 30 | 26 | 56 | 18 |
| 605 | MAYBOLE (incl. Town), . | 7615 | 6713 | 107 | 99 | 206 | 13 | 15 | 28 | 58 | 67 | 125 | 31 |
| 606 | Monkton and Prestwick, | 1960 | 1937 | 32 | 24 | 56 | 3 | 3 | 6 | 23 | 20 | 43 | 14 |
| 607 | MUIRKIRK (incl. Town), | 3423 | 3270 | 68 | 67 | 135 | 9 | 7 | 16 | 37 | 27 | 64 | 28 |
| 608 | New Cumnock, . . . | 2759 | 2891 | 60 | 49 | 109 | 4 | 5 | 9 | 32 | 47 | 79 | 28 |
| 609 | Ochiltree, . . . | 1787 | 1676 | 14 | 18 | 32 | 1 | 2 | 3 | 6 | 14 | 20 | 5 |
| 610 | Old Cumnock (including Town), . . . | 3777 | 3721 | 67 | 86 | 153 | 6 | 9 | 15 | 47 | 45 | 92 | 34 |
| 611 | Riccarton (incl. part of KILMARNOCK), . . | 4583 | 5629 | 128 | 138 | 266 | 8 | 5 | 13 | 81 | 76 | 157 | 33 |
| 612 | St Quivox and Newton- upon-Ayr, . . . | 2231 | 1870 | 30 | 25 | 55 | 3 | 3 | 6 | 12 | 18 | 30 | 8 |
| 613 | Sorn (incl. CATRINE), . | 4174 | 4042 | 58 | 55 | 113 | 5 | 5 | 10 | 30 | 41 | 71 | 29 |
| 614 | Stair, . . . | 820 | 743 | 4 | 9 | 13 | — | 1 | 1 | 5 | 5 | 10 | 6 |
| 615 | STEVENSTON (incl. Town and part of SALTCOATS), | 3811 | 5452 | 120 | 98 | 218 | 6 | 17 | 23 | 58 | 58 | 116 | 35 |
| 616 | STEWARTON (incl. Town), | 4572 | 4449 | 79 | 55 | 134 | 10 | 8 | 18 | 74 | 77 | 151 | 40 |
| 617 | Straiton, . . . | 1540 | 1544 | 28 | 28 | 56 | 5 | 2 | 7 | 14 | 9 | 23 | 12 |
| 618 | Symington, . . . | 902 | 855 | 10 | 13 | 23 | — | 1 | 1 | 5 | 6 | 11 | 6 |
| 619 | Tarbolton, . . . | 2824 | 2669 | 67 | 68 | 135 | 8 | 4 | 12 | 58 | 27 | 85 | 22 |
| 620 | West Kilbride, . . . | 2021 | 1968 | 34 | 32 | 66 | 4 | 3 | 7 | 18 | 13 | 31 | 9 |
| Total, | | 189973 | 199063 | 3807 | 3747 | 7554 | 339 | 351 | 690 | 2229 | 2217 | 4446 | 1412 |
| 23. LANARK. | | | | | | | | | | | | | |
| 621 | Avondale (incl. STRATH- AVEN), . . . | 6451 | 6125 | 97 | 98 | 195 | 9 | 10 | 19 | 64 | 61 | 125 | 50 |
| 622 | Barony— (1) MARYHILL (incl. Town and part of GLASGOW), . . . | c. 4007 | 6734 | 177 | 158 | 335 | 10 | 10 | 20 | 74 | 91 | 165 | 55 |
| | (2) Springburn (incl. pt. of GLASGOW), . . . | c. 6386 | 8911 | 271 | 255 | 526 | 30 | 34 | 64 | 255 | 262 | 517 | 53 |
| | (3) Shettleston, . . . | c. 6564 | 6914 | 137 | 134 | 271 | 13 | 3 | 16 | 94 | 75 | 169 | 39 |
| 623 | Biggar, . . . | 2049 | 1999 | 26 | 35 | 61 | 5 | 6 | 11 | 15 | 14 | 29 | 16 |
| 624 | Blantyre, . . . | 2848 | 3092 | 60 | 54 | 114 | 5 | 6 | 11 | 37 | 42 | 79 | 19 |
| 625 | Bothwell— (1) Bothwell (including BELLSHILL), . . . | c. 5583 | 7059 | 166 | 149 | 315 | 3 | 9 | 12 | 98 | 90 | 188 | 43 |
| | (2) Holytown, . . . | c. 9700 | 10844 | 252 | 249 | 501 | 22 | 11 | 33 | 113 | 119 | 232 | 73 |

| No. of District. | REGISTRATION DISTRICTS. | POPULATION. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|------------------|--|-------------|---------|---|------|--------|----------------------|------|--------|---------|------|--------|------------|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem. | Total. | Mal. | Fem. | Total. | |
| a626 | Cadder— | | | | | | | | | | | | |
| | (1) Western District, . . . | c. 2550 | 3023 | 62 | 57 | 119 | 3 | 3 | 6 | 29 | 22 | 51 | 13 |
| | (2) Eastern District, . . . | c. 2464 | 2925 | 63 | 60 | 123 | 4 | 6 | 10 | 22 | 22 | 44 | 19 |
| b626 | Calderhead, | c. 2140 | 3789 | 88 | 90 | 178 | 5 | 4 | 9 | 49 | 48 | 97 | 39 |
| 627 | Cambuslang, | 3306 | 3647 | 84 | 62 | 146 | 6 | 3 | 9 | 50 | 20 | 70 | 21 |
| 628 | Cambusnethan (including WISHAW) (part of), . . . | c. 8571 | c.13377 | 444 | 465 | 909 | 18 | 32 | 50 | 218 | 205 | 423 | 122 |
| 629 | CARLUKE (incl. Town), . . . | 6283 | 6176 | 130 | 114 | 244 | 14 | 14 | 28 | 69 | 50 | 119 | 63 |
| 630 | Carmichael, | 805 | 836 | 12 | 14 | 26 | 3 | 1 | 4 | 5 | 6 | 11 | 5 |
| 631 | Carmunnock, | 710 | 734 | 15 | 12 | 27 | — | — | — | 5 | 5 | 10 | 6 |
| 632 | Carnwath, | 3551 | 3584 | 123 | 89 | 212 | 14 | 15 | 29 | 50 | 46 | 96 | 29 |
| 633 | Carstairs, | 1066 | 1345 | 34 | 30 | 64 | 4 | 3 | 7 | 10 | 18 | 28 | 8 |
| 634 | Covington & Thankerton, . . . | 548 | 532 | 5 | 4 | 9 | 1 | — | 1 | 4 | 1 | 5 | 3 |
| 635 | Crawford— | | | | | | | | | | | | |
| | (1) Crawford, | c. 730 | 694 | 14 | 12 | 26 | — | 2 | 2 | 8 | 3 | 11 | 2 |
| | (2) Leadhills, | c. 940 | 896 | 27 | 14 | 41 | 2 | 1 | 3 | 15 | 9 | 24 | 11 |
| 636 | Crawfordjohn, | 1111 | 980 | 12 | 10 | 22 | 3 | 2 | 5 | 11 | 8 | 19 | 9 |
| 637 | Culter, | 472 | 665 | 10 | 7 | 17 | — | 1 | 1 | 5 | 4 | 9 | 3 |
| 638 | Dalserf— | | | | | | | | | | | | |
| | (1) LARKHALL (including Town), | c. 2670 | 3629 | 116 | 106 | 222 | 12 | 10 | 22 | 46 | 49 | 95 | 43 |
| | (2) Dalserf, | c. 913 | 1247 | 41 | 39 | 80 | 3 | — | 3 | 24 | 12 | 36 | 10 |
| 639 | Dalziel (incl. MOTHERWELL), | 2262 | 5438 | 186 | 178 | 364 | 12 | 11 | 23 | 86 | 75 | 161 | 33 |
| 640 | Dolphington, | 305 | 260 | 1 | 2 | 3 | — | — | — | 1 | 2 | 3 | 2 |
| 641 | Douglas, | 2611 | 2490 | 54 | 40 | 94 | 5 | 6 | 11 | 22 | 16 | 38 | 17 |
| 642 | Dunsyre, | 312 | 312 | 5 | 3 | 8 | 1 | — | 1 | 5 | — | 5 | 3 |
| 643 | East Kilbride, | 3760 | 4064 | 62 | 62 | 124 | 8 | 5 | 13 | 29 | 41 | 70 | 20 |
| 644 | GLASGOW— | | | | | | | | | | | | |
| | (1) Central District, | c. 43270 | 49678 | 1330 | 1187 | 2517 | 252 | 198 | 450 | 1049 | 1105 | 2154 | 416 |
| | (2) High, | c. 42005 | 48119 | 1128 | 1103 | 2231 | 103 | 102 | 205 | 1069 | 947 | 2016 | 425 |
| | (3) Bridgeton, | c. 38385 | 45485 | 1092 | 1078 | 2170 | 106 | 72 | 178 | 651 | 662 | 1313 | 407 |
| | (4) Calton, | c. 33310 | 36625 | 831 | 760 | 1591 | 84 | 69 | 153 | 530 | 509 | 1039 | 376 |
| | (5) Clyde, | c. 32800 | 29975 | 617 | 564 | 1181 | 98 | 104 | 202 | 409 | 405 | 814 | 176 |
| | (6) Blythwood, | c. 21405 | 28697 | 458 | 440 | 898 | 43 | 40 | 83 | 261 | 277 | 538 | 518 |
| | (7) Milton, | c. 26240 | 33360 | 902 | 848 | 1750 | 58 | 78 | 136 | 468 | 486 | 954 | 344 |
| | (8) Anderston, | c. 30035 | 40945 | 1042 | 994 | 2036 | 53 | 59 | 112 | 588 | 605 | 1193 | 374 |
| | (9) Tradeston, | c. 27163 | 38600 | 906 | 893 | 1799 | 59 | 59 | 118 | 619 | 610 | 1229 | 532 |
| | (10) Hutchesontown, | c. 34484 | 44019 | 1179 | 995 | 2174 | 78 | 78 | 156 | 668 | 660 | 1328 | 351 |
| 645 | Glassford, | 1955 | 1938 | 35 | 26 | 61 | 3 | 4 | 7 | 20 | 21 | 41 | 10 |
| 646 | GOVAN— | | | | | | | | | | | | |
| | (1) GOVAN (incl. Town), . . . | c. 6238 | 13725 | 463 | 495 | 958 | 21 | 21 | 42 | 246 | 239 | 485 | 163 |
| | (2) PARTICK (incl. Town) . . . | c. 7852 | 14859 | 361 | 347 | 708 | 12 | 13 | 25 | 243 | 251 | 494 | 163 |
| 647 | HAMILTON (incl. Burgh), . . . | 11740 | 14047 | 275 | 316 | 591 | 17 | 19 | 36 | 166 | 181 | 347 | 120 |
| 648 | LANARK (incl. Burgh), | 8243 | 7891 | 141 | 105 | 246 | 20 | 14 | 34 | 100 | 111 | 211 | 47 |
| 649 | Lesmahagow, | 7746 | 9266 | 208 | 190 | 398 | 22 | 25 | 47 | 112 | 80 | 192 | 74 |
| 650 | Libberton, | 800 | 836 | 16 | 9 | 25 | 2 | 3 | 5 | 2 | 6 | 8 | 6 |
| 651 | New Monkland— | | | | | | | | | | | | |
| | (1) AIRDRIE, | 14435 | 12922 | 331 | 270 | 601 | 23 | 19 | 42 | 147 | 150 | 297 | 126 |
| | (2) Landward, | 8766 | 7632 | 171 | 177 | 348 | 15 | 17 | 32 | 85 | 76 | 161 | 54 |
| 652 | Old Monkland— | | | | | | | | | | | | |
| | (1) Western District, | c. 6646 | 6932 | 175 | 180 | 355 | 7 | 13 | 20 | 107 | 88 | 195 | 37 |
| | (2) Middle District (incl. COATBRIDGE), | c. 13168 | 15303 | 374 | 394 | 768 | 18 | 17 | 35 | 201 | 181 | 382 | 124 |
| | (3) Eastern District (incl. CALDERBANK), | c. 7519 | 7308 | 182 | 172 | 354 | 16 | 7 | 23 | 79 | 73 | 152 | 22 |
| 653 | Pettinain, | 428 | 407 | 6 | 6 | 12 | — | 1 | 1 | 1 | 1 | 2 | 3 |
| 654 | RUTHERGLEN (incl. Burgh), | 7954 | 9335 | 204 | 203 | 407 | 8 | 4 | 12 | 153 | 134 | 287 | 100 |
| 655 | Shotts (part of), | c. 3892 | c. 4778 | 107 | 96 | 203 | 6 | 4 | 10 | 50 | 42 | 92 | 15 |

| No. of District. | REGISTRATION DISTRICTS. | POPULATION. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|------------------|--|-------------|---------|---|-------|--------|-------------------------|------|--------|---------|------|--------|------------|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem. | Total. | Mal. | Fem. | Total. | |
| 656 | STONEHOUSE (incl. Town), | 2781 | 3267 | 82 | 61 | 143 | 6 | 3 | 9 | 52 | 44 | 96 | 31 |
| 657 | Symington, | 536 | 528 | 5 | 10 | 15 | 2 | 1 | 3 | 9 | 7 | 16 | 8 |
| 658 | Walston, | 497 | 480 | 3 | 6 | 9 | — | 2 | 2 | 6 | 4 | 10 | 6 |
| 659 | Wandell and Lamington, | 369 | 380 | 4 | 8 | 12 | — | — | — | — | 1 | 1 | 1 |
| 660 | Wiston and Roberton, . | 839 | 786 | 5 | 7 | 12 | 1 | 1 | 2 | 5 | 6 | 11 | 6 |
| | Total, | 533169 | 640444 | 15407 | 14542 | 29949 | 1348 | 1255 | 2603 | 9609 | 9378 | 18987 | 5864 |
| | VII. SOUTH-EASTERN. | | | | | | | | | | | | |
| | 24. LINLITHGOW. | | | | | | | | | | | | |
| 661 | Abercorn, | 977 | 965 | 14 | 14 | 28 | 2 | 3 | 5 | 9 | 10 | 19 | 11 |
| 662 | BATHGATE—(1) BATHGATE | 4533 | c. 5434 | 167 | 164 | 331 | 26 | 12 | 38 | 75 | 79 | 154 | 81 |
| | (2) ARMADALE | | c. 4700 | 109 | 110 | 219 | 3 | 7 | 10 | 39 | 45 | 84 | 23 |
| 663 | BORROWSTOUNNESS (incl. Town), | 5192 | 5698 | 113 | 130 | 243 | 10 | 6 | 16 | 41 | 55 | 96 | 42 |
| 664 | Carriden, | 1724 | 1821 | 37 | 49 | 86 | 3 | 8 | 11 | 15 | 13 | 28 | 8 |
| 665 | Dalmeny, | 768 | 804 | 11 | 17 | 28 | — | 2 | 2 | 6 | 9 | 15 | 6 |
| 666 | Ecclesmachan, . . . | 289 | 309 | 3 | 8 | 11 | — | 1 | 1 | 2 | 3 | 5 | — |
| 667 | Kirkliston, | 2029 | 1907 | 44 | 42 | 86 | 5 | 2 | 7 | 19 | 19 | 38 | 10 |
| 668 | LINLITHGOW— | | | | | | | | | | | | |
| | (1) Burgh, | 4213 | 3843 | 75 | 77 | 152 | 11 | 8 | 19 | 41 | 48 | 89 | 27 |
| | (2) Landward, . . . | 1902 | 1941 | 48 | 16 | 64 | 5 | 1 | 6 | 25 | 27 | 52 | 7 |
| 669 | Livingstone, | 1289 | 1366 | 32 | 24 | 56 | 2 | 1 | 3 | 14 | 9 | 23 | 6 |
| 670 | QUEENSFERRY (incl. Burgh), | 1195 | 1391 | 28 | 28 | 56 | 2 | 2 | 4 | 17 | 15 | 32 | 6 |
| 671 | Torphichen, | 1356 | 1848 | 37 | 36 | 73 | 5 | 2 | 7 | 15 | 7 | 22 | 10 |
| 672 | Uphall, | 1331 | 1507 | 63 | 54 | 117 | 2 | 2 | 4 | 27 | 20 | 47 | 15 |
| 673 | Whitburn, | 3792 | 5511 | 169 | 142 | 311 | 8 | 13 | 21 | 72 | 64 | 136 | 37 |
| | Total, | 30590 | 39045 | 950 | 911 | 1861 | 84 | 70 | 154 | 417 | 423 | 840 | 289 |
| | 25. EDINBURGH. | | | | | | | | | | | | |
| 674 | Borthwick, | 1614 | 1742 | 35 | 34 | 69 | 2 | 3 | 5 | 22 | 15 | 37 | 10 |
| 675 | Carrington, | 710 | 681 | 14 | 15 | 29 | 3 | 1 | 4 | 2 | 6 | 8 | 6 |
| 676 | Cockpen, | 3228 | 2902 | 70 | 53 | 123 | 7 | 2 | 9 | 28 | 21 | 49 | 20 |
| 677 | Colinton, | 2676 | 2656 | 48 | 53 | 101 | 2 | 8 | 10 | 39 | 35 | 74 | 21 |
| 678 | Corstorphine, . . . | 1499 | 1579 | 25 | 22 | 47 | 1 | 2 | 3 | 11 | 21 | 32 | 9 |
| 679 | Cramond, | 2547 | 2695 | 53 | 45 | 98 | 6 | 5 | 11 | 32 | 24 | 56 | 12 |
| 680 | Cranston, | 1235 | 1035 | 25 | 21 | 46 | — | 1 | 1 | 9 | 7 | 16 | 4 |
| 681 | Crichton, | 1387 | 1304 | 27 | 18 | 45 | 2 | 1 | 3 | 11 | 13 | 24 | 15 |
| 682 | Currie, | 2190 | 2248 | 35 | 37 | 72 | 4 | 4 | 8 | 16 | 13 | 29 | 20 |
| 683 | DALKEITH (incl. Town), | 6521 | 7114 | 160 | 124 | 284 | 8 | 8 | 16 | 105 | 76 | 181 | 49 |
| 684 | Duddingston— | | | | | | | | | | | | |
| | (1) PORTOBELLO, . | 3559 | 4366 | 76 | 71 | 147 | 10 | 4 | 14 | 49 | 65 | 114 | 32 |
| | (2) Landward, . . . | 904 | 857 | 18 | 13 | 31 | 3 | 1 | 4 | 9 | 6 | 15 | 6 |
| 685 | EDINBURGH— | | | | | | | | | | | | |
| | (1) St George (incl. Landward of St Cuth- bert), | c. 38540 | 42068 | 812 | 774 | 1586 | 66 | 46 | 112 | 531 | 661 | 1192 | 367 |
| | (2) St Andrew, . . . | c. 37435 | 38731 | 527 | 453 | 980 | 34 | 26 | 60 | 284 | 316 | 600 | 400 |
| | (3) Canongate (incl. Landward), | c. 29230 | 30169 | 680 | 686 | 1366 | 70 | 68 | 138 | 768 | 635 | 1403 | 266 |
| | (4) St Giles, | c. 29245 | 29679 | 641 | 633 | 1274 | 137 | 135 | 272 | 408 | 416 | 824 | 296 |
| | (5) Newington, . . . | c. 27198 | 29797 | 662 | 594 | 1256 | 34 | 43 | 77 | 347 | 399 | 746 | 377 |
| 686 | Fala and Soutra, . . | 434 | 382 | 7 | 9 | 16 | 1 | 1 | 2 | 1 | 2 | 3 | 3 |
| 687 | Glencross, | 1138 | 1217 | 21 | 11 | 32 | 2 | — | 2 | 15 | 2 | 17 | 8 |
| 688 | Heriot, | 352 | 407 | 5 | 10 | 15 | — | 1 | 1 | 1 | 1 | 2 | 2 |
| 689 | Inveresk (incl. MUSSEL- BURGH), | 8653 | 9518 | 192 | 147 | 339 | 22 | 12 | 34 | 124 | 121 | 245 | 74 |

| No. of District. | REGISTRATION DISTRICTS. | POPULATION. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|------------------|--------------------------------------|-------------|--------|---|------|--------|----------------------|------|--------|---------|------|--------|------------|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem. | Total. | Mal. | Fem. | Total. | |
| 690 | Kirknewton and East-Calder, | 1630 | 1549 | 44 | 35 | 79 | 7 | 5 | 12 | 29 | 22 | 51 | 14 |
| 691 | Lasswade, | 5821 | 5688 | 119 | 89 | 208 | 11 | 9 | 20 | 45 | 54 | 99 | 56 |
| 692 | LEITH— | | | | | | | | | | | | |
| | (1) North Leith, | c. 9494 | 11562 | 283 | 261 | 544 | 10 | 7 | 17 | 142 | 140 | 282 | 125 |
| | (2) South Leith | c. 22725 | 24467 | 577 | 531 | 1108 | 54 | 37 | 91 | 415 | 367 | 782 | 266 |
| 693 | Liberton, | 3528 | 3510 | 60 | 49 | 109 | 3 | 9 | 12 | 50 | 37 | 87 | 14 |
| 694 | Mid-Calder, | 1474 | 1389 | 34 | 30 | 64 | 4 | 6 | 10 | 15 | 15 | 30 | 9 |
| 695 | Newbattle, | 2518 | 2837 | 60 | 61 | 121 | 3 | 10 | 13 | 23 | 19 | 42 | 27 |
| 696 | Newton, | 1780 | 1553 | 18 | 20 | 38 | 2 | 1 | 3 | 12 | 13 | 25 | 9 |
| 697 | Penicuik, | 3003 | 3249 | 55 | 49 | 104 | 4 | 4 | 8 | 29 | 31 | 60 | 31 |
| 698 | Ratho, | 1718 | 1659 | 29 | 25 | 54 | 1 | 4 | 5 | 15 | 19 | 34 | 14 |
| 699 | Stow, | 1973 | 2171 | 38 | 35 | 73 | 6 | 3 | 9 | 15 | 16 | 31 | 19 |
| 700 | Temple, | 1414 | 1385 | 34 | 22 | 56 | 5 | 2 | 7 | 9 | 10 | 19 | 6 |
| 701 | West-Calder, | 2120 | 1927 | 116 | 131 | 247 | 11 | 7 | 18 | 57 | 57 | 114 | 36 |
| | Total, | 259493 | 274093 | 5600 | 5161 | 10761 | 535 | 476 | 1011 | 3668 | 3655 | 7323 | 2623 |
| | 26. HADDINGTON. | | | | | | | | | | | | |
| 702 | Aberlady, | 1099 | 1019 | 8 | 17 | 25 | — | 3 | 3 | 10 | 8 | 18 | 7 |
| 703 | Athelstaneford, | 971 | 902 | 13 | 9 | 22 | 1 | — | 1 | 6 | 2 | 8 | 3 |
| 704 | Bolton, | 373 | 332 | 5 | 3 | 8 | — | — | — | 2 | 2 | 4 | 1 |
| 705 | Dirleton, | 1634 | 1540 | 15 | 12 | 27 | 3 | — | 3 | 15 | 17 | 32 | 8 |
| 706 | DUNBAR (incl. Burgh), | 4415 | 4944 | 93 | 82 | 175 | 4 | 9 | 13 | 38 | 49 | 87 | 23 |
| 707 | Garvald, | 869 | 891 | 15 | 9 | 24 | 2 | 2 | 4 | 9 | 4 | 13 | 4 |
| 708 | Gladsmuir, | 1780 | 1945 | 21 | 34 | 55 | 2 | 5 | 7 | 13 | 14 | 27 | 9 |
| 709 | HADDINGTON (incl. Burgh), | 5525 | 5548 | 78 | 80 | 158 | 4 | 7 | 11 | 58 | 44 | 102 | 38 |
| 710 | Humbie, | 925 | 997 | 13 | 15 | 28 | 1 | 2 | 3 | 6 | 13 | 19 | 6 |
| 711 | Innerwick, | 1012 | 937 | 15 | 20 | 35 | 1 | — | 1 | 7 | 3 | 10 | 2 |
| 712 | Morham, | 249 | 281 | — | — | — | — | — | — | 3 | 1 | 4 | — |
| 713 | NORTH BERWICK (incl. Burgh), | 1643 | 2071 | 37 | 32 | 69 | 9 | 2 | 11 | 16 | 18 | 34 | 11 |
| 714 | Oldhamstocks, | 692 | 615 | 8 | 10 | 18 | — | 1 | 1 | 1 | 1 | 2 | 3 |
| 715 | Ormiston, | 811 | 915 | 17 | 16 | 33 | — | 5 | 5 | 4 | 7 | 11 | 6 |
| 716 | Pencaitland, | 1175 | 1187 | 23 | 23 | 46 | 1 | 2 | 3 | 6 | 15 | 21 | 11 |
| 717 | Prestonkirk, | 1894 | 1960 | 35 | 44 | 79 | 5 | 6 | 11 | 21 | 26 | 47 | 10 |
| 718 | Prestonpans, | 2123 | 2080 | 34 | 43 | 77 | 2 | 1 | 3 | 25 | 22 | 47 | 16 |
| 719 | Salton, | 697 | 712 | 2 | 9 | 11 | — | — | — | 7 | 6 | 13 | 2 |
| 720 | Spott, | 595 | 555 | 12 | 6 | 18 | 1 | — | 1 | 1 | 2 | 3 | 2 |
| 721 | Stenton, | 719 | 692 | 12 | 5 | 17 | 3 | 2 | 5 | 8 | 9 | 17 | 3 |
| 722 | TRANENT (incl. Town), . . | 4158 | 4647 | 98 | 100 | 198 | 5 | 14 | 19 | 44 | 43 | 87 | 33 |
| 723 | Whitekirk & Tynninghame | 1131 | 1113 | 12 | 14 | 26 | 2 | — | 2 | 5 | 5 | 10 | 4 |
| 724 | Whittinghame, | 671 | 710 | 7 | 6 | 13 | 1 | 1 | 2 | 3 | 3 | 6 | 7 |
| 725 | Yester (or Gifford), . . | 1202 | 1033 | 16 | 9 | 25 | 2 | 2 | 4 | 10 | 6 | 16 | 7 |
| | Total, | 36363 | 37626 | 589 | 598 | 1187 | 49 | 64 | 113 | 318 | 320 | 638 | 216 |
| | 27. BERWICK. | | | | | | | | | | | | |
| 726 | Abbey St Bathans, | 155 | 179 | 1 | 2 | 3 | — | — | — | — | 1 | 1 | — |
| 727 | Ayton, | 1959 | 2014 | 35 | 23 | 58 | 3 | — | 3 | 11 | 16 | 27 | 13 |
| 728 | Bunkle and Preston, . . . | 715 | 756 | 9 | 10 | 19 | — | 2 | 2 | 3 | 8 | 11 | 4 |
| 729 | Channelkirk, | 728 | 671 | 8 | 6 | 14 | 2 | 1 | 3 | 5 | 4 | 9 | 6 |
| 730 | Chirnside, | 1384 | 1502 | 15 | 22 | 37 | — | 4 | 4 | 14 | 15 | 29 | 11 |
| 731 | Cockburnspath, | 1196 | 1194 | 23 | 18 | 41 | 5 | 1 | 6 | 13 | 6 | 19 | 4 |
| 732 | Coldingham, | 3188 | 3241 | 55 | 54 | 109 | 5 | 4 | 9 | 24 | 17 | 41 | 17 |
| 733 | Coldstream, | 3245 | 2823 | 42 | 32 | 74 | 7 | 4 | 11 | 32 | 23 | 55 | 11 |
| 734 | Cranshaws, | 127 | 134 | 1 | 1 | 2 | — | — | — | — | 1 | 1 | 1 |
| 735 | DUNSE (incl. Town), . . . | 3407 | 3595 | 40 | 57 | 97 | 2 | 8 | 10 | 26 | 43 | 69 | 17 |
| 736 | Earlston, | 1819 | 1825 | 35 | 30 | 65 | 6 | 5 | 11 | 14 | 15 | 29 | 10 |

| No. of District. | REGISTRATION DISTRICTS. | POPULATION. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|------------------|---|-------------|-------|---|------|--------|-------------------------|------|--------|---------|------|--------|------------|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem. | Total. | Mal. | Fem. | Total. | |
| 737 | Eccles, | 1892 | 1861 | 30 | 22 | 52 | 4 | 2 | 6 | 12 | 18 | 30 | 5 |
| 738 | Edrom, | 1474 | 1592 | 17 | 14 | 31 | 1 | 1 | 2 | 14 | 11 | 25 | 9 |
| 739 | Eyemouth, | 1488 | 1804 | 61 | 53 | 114 | 3 | 3 | 6 | 18 | 12 | 30 | 5 |
| 740 | Fogo, | 604 | 559 | 9 | 6 | 15 | — | 2 | 2 | 6 | 3 | 9 | 2 |
| 741 | Foulden, | 430 | 431 | 11 | 7 | 18 | 1 | 1 | 2 | 1 | 2 | 3 | 2 |
| 742 | Gordon, | 983 | 931 | 15 | 15 | 30 | — | 3 | 3 | 7 | 11 | 18 | 7 |
| 743 | Greenlaw, | 1378 | 1370 | 21 | 19 | 40 | 2 | 3 | 5 | 15 | 14 | 29 | 8 |
| 744 | Hume, | 406 | 420 | 8 | 7 | 15 | — | 1 | 1 | 6 | 8 | 14 | 1 |
| 745 | Hutton, | 1102 | 1067 | 11 | 18 | 29 | 1 | 2 | 3 | 3 | 8 | 11 | 5 |
| 746 | Ladykirk, | 561 | 564 | 9 | 6 | 15 | 1 | — | 1 | 6 | 5 | 11 | 1 |
| 747 | Langton, | 484 | 502 | 8 | 4 | 12 | 1 | — | 1 | 4 | 1 | 5 | 4 |
| 748 | LAUDER (incl. Burgh), | 2154 | 2198 | 31 | 41 | 72 | 7 | 4 | 11 | 18 | 19 | 37 | 15 |
| 749 | Legerwood, | 587 | 599 | 6 | 9 | 15 | — | — | — | 2 | 2 | 4 | 7 |
| 750 | Longformacus, | 411 | 448 | 9 | 10 | 19 | 1 | — | 1 | 5 | 3 | 8 | 3 |
| 751 | Merton, | 692 | 729 | 14 | 11 | 25 | 4 | 1 | 5 | 5 | 6 | 11 | 6 |
| 752 | Mordington, | 427 | 377 | 1 | 7 | 8 | — | 3 | 3 | 3 | 2 | 5 | 1 |
| 753 | Nenthorn, | 441 | 461 | 5 | 6 | 11 | — | — | — | 3 | 1 | 4 | 4 |
| 754 | Polwarth, | 331 | 251 | 3 | 2 | 5 | — | — | — | 1 | 1 | 2 | 2 |
| 755 | Swinton, | 994 | 964 | 20 | 22 | 42 | 1 | 8 | 9 | 12 | 12 | 24 | 7 |
| 756 | Westruther, | 791 | 786 | 11 | 17 | 28 | 1 | 2 | 3 | 3 | 5 | 8 | 7 |
| 757 | Whitsome, | 612 | 640 | 9 | 9 | 18 | 1 | 2 | 3 | 5 | 3 | 8 | 4 |
| | Total, | 36165 | 36488 | 573 | 560 | 1133 | 59 | 67 | 126 | 291 | 296 | 587 | 199 |
| | 28. PEEBLES. | | | | | | | | | | | | |
| 758 | Broughton, | 284 | 297 | 2 | 4 | 6 | 1 | 2 | 3 | 1 | — | 1 | 2 |
| 759 | Drumelzier, | 244 | 209 | 1 | 6 | 7 | — | — | — | 1 | 2 | 3 | — |
| 760 | Eddlestone, | 790 | 753 | 11 | 16 | 27 | 1 | 1 | 2 | 6 | 5 | 11 | 7 |
| 761 | Glenholm, | 252 | 198 | 5 | 2 | 7 | — | — | — | 2 | 1 | 3 | 4 |
| 762 | Innerleithen, | 1236 | 1823 | 34 | 49 | 83 | 4 | 6 | 10 | 11 | 18 | 29 | 16 |
| 763 | Kilbucho, | 345 | 228 | 2 | 5 | 7 | — | — | — | 1 | 1 | 2 | — |
| 764 | Kirkurd, | 326 | 362 | 5 | 4 | 9 | — | — | — | 3 | 4 | 7 | 1 |
| 765 | Lyne, etc.—(1) Lyne, | 95 | 81 | 4 | 2 | 6 | 1 | — | 1 | 1 | 1 | 2 | — |
| | (2) Meggat, | 63 | 53 | 2 | 1 | 3 | 1 | — | 1 | — | — | — | — |
| 766 | Manor, | 256 | 247 | 3 | 3 | 6 | — | — | — | 2 | 3 | 5 | 2 |
| 767 | Newlands, | 950 | 987 | 25 | 12 | 37 | 3 | 2 | 5 | 8 | 3 | 11 | 4 |
| 768 | PEEBLES (incl. Burgh), | 2673 | 2850 | 46 | 45 | 91 | 5 | 5 | 10 | 27 | 34 | 61 | 15 |
| 769 | Skirling, | 316 | 317 | 1 | 5 | 6 | — | 1 | 1 | 3 | — | 3 | — |
| 770 | Stobo, | 478 | 478 | 8 | 12 | 20 | — | 1 | 1 | 4 | 5 | 9 | 1 |
| 771 | Traquair, | 646 | 687 | 11 | 14 | 25 | 1 | 2 | 3 | 5 | 3 | 8 | 4 |
| 772 | Tweedsmuir, | 220 | 196 | 1 | — | 1 | — | — | — | 1 | — | 1 | — |
| 773 | West Linton, | 1630 | 1534 | 27 | 29 | 56 | 5 | 3 | 8 | 10 | 9 | 19 | 5 |
| | Total, | 10804 | 11300 | 188 | 209 | 397 | 22 | 23 | 45 | 86 | 89 | 175 | 61 |
| | 29. SELKIRK. | | | | | | | | | | | | |
| 774 | Ettrick, | 477 | 454 | 4 | 9 | 13 | — | 1 | 1 | 1 | 2 | 3 | 1 |
| 775 | GALASHIELS (incl. part of Town), | 3014 | 3379 | 120 | 100 | 220 | 9 | 11 | 20 | 64 | 67 | 131 | 35 |
| 776 | Kirkhope, c. | 600 | 555 | 7 | 9 | 16 | — | 2 | 2 | 1 | 6 | 7 | 3 |
| 777 | Roberton, | 670 | 640 | 10 | 9 | 19 | — | — | — | 4 | 4 | 8 | 6 |
| 778 | SELKIRK (incl. Burgh), | 4347 | 4739 | 86 | 93 | 179 | 6 | 9 | 15 | 53 | 51 | 104 | 37 |
| 779 | Yarrow, c. | 694 | 643 | 14 | 11 | 25 | 1 | 2 | 3 | 5 | 6 | 11 | 3 |
| | Total, | 9802 | 10410 | 241 | 231 | 472 | 16 | 25 | 41 | 128 | 136 | 264 | 85 |
| | VIII. SOUTHERN. | | | | | | | | | | | | |
| | 30. ROXBURGH. | | | | | | | | | | | | |
| 780 | Ancrum, | 1554 | 1511 | 24 | 25 | 49 | 4 | 4 | 8 | 8 | 9 | 17 | 5 |
| 781 | Ashkirk, | 578 | 578 | 6 | 7 | 13 | 1 | 1 | 2 | 2 | 4 | 6 | 3 |

| No. of District. | REGISTRATION DISTRICTS. | POPULATION. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|------------------|---|-------------|-------|---|------|--------|----------------------|------|--------|---------|------|--------|------------|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem. | Total. | Mal. | Fem. | Total. | |
| 782 | Bedrule, | 240 | 222 | 10 | 1 | 11 | 1 | — | 1 | 1 | 1 | 2 | 1 |
| 783 | Bowden, | 981 | 864 | 22 | 10 | 32 | 2 | — | 2 | 5 | 6 | 11 | 1 |
| 784 | Castleton, | 2130 | 3688 | 44 | 30 | 74 | 3 | 6 | 9 | 22 | 22 | 44 | 12 |
| 785 | Cavers, | 1495 | 1824 | 31 | 19 | 50 | 4 | 1 | 5 | 15 | 9 | 24 | 9 |
| 786 | Crailing, | 734 | 673 | 10 | 9 | 19 | 3 | — | 3 | 4 | 8 | 12 | 2 |
| a787 | Eckford, | 1073 | 957 | 12 | 12 | 24 | 3 | 2 | 5 | 6 | 5 | 11 | 6 |
| b787 | Edgerston, | c. 373 | 359 | 7 | 5 | 12 | 1 | — | 1 | — | 1 | 1 | 7 |
| 788 | Ednam, | 658 | 599 | 7 | 10 | 17 | — | — | — | 2 | 2 | 4 | 4 |
| 789 | HAWICK (incl. part of Town), | 7801 | 8726 | 169 | 148 | 317 | 24 | 19 | 43 | 109 | 136 | 245 | 51 |
| 790 | Hobkirk, | 720 | 771 | 11 | 9 | 20 | 1 | 2 | 3 | 3 | 1 | 4 | 6 |
| 791 | Hownam, | 252 | 289 | 2 | 7 | 9 | — | — | — | 3 | 2 | 5 | — |
| 792 | JEDBURGH (incl. Burgh), | c. 5220 | 5011 | 70 | 75 | 145 | 12 | 8 | 20 | 47 | 53 | 100 | 23 |
| 793 | KELSO (incl. Town), | 5634 | 5192 | 55 | 61 | 116 | 7 | 5 | 12 | 51 | 43 | 94 | 43 |
| 794 | Kirktown, | 282 | 421 | 4 | 8 | 12 | — | — | — | 3 | 1 | 4 | 2 |
| 795 | Lilliesleaf, | 798 | 772 | 11 | 9 | 20 | 2 | — | 2 | 6 | 3 | 9 | 2 |
| 796 | Linton, | 630 | 608 | 8 | 4 | 12 | 2 | 1 | 3 | 2 | 2 | 4 | 1 |
| 797 | Makerston, | 345 | 380 | 4 | 5 | 9 | — | 3 | 3 | — | 1 | 1 | 3 |
| 798 | Maxton, | 550 | 497 | 6 | 10 | 16 | 1 | 1 | 2 | 5 | 3 | 8 | 2 |
| 799 | Melrose— (1) Melrose, | 3592 | 3557 | 65 | 51 | 116 | 3 | 2 | 5 | 35 | 26 | 61 | 14 |
| | (2) Ladhope (incl. part of GALASHIELS), | 3773 | 4154 | 81 | 90 | 171 | 9 | 9 | 18 | 63 | 63 | 126 | 39 |
| 800 | Minto, | 467 | 430 | 5 | 4 | 9 | 2 | 1 | 3 | 6 | 2 | 8 | 3 |
| 801 | Morebattle, | 997 | 1031 | 17 | 9 | 26 | — | 2 | 2 | 11 | 5 | 16 | 5 |
| 802 | Oxnam, | c. 632 | 592 | 7 | 8 | 15 | — | — | — | 2 | 3 | 5 | 1 |
| 803 | Roxburgh, | 1141 | 1178 | 19 | 16 | 35 | 1 | 2 | 3 | 3 | 9 | 12 | 10 |
| 804 | St Boswells, | 884 | 865 | 12 | 12 | 24 | 1 | — | 1 | 3 | 10 | 13 | 1 |
| 805 | Smailholm, | 617 | 554 | 8 | 6 | 14 | 2 | — | 2 | 3 | 7 | 10 | 5 |
| 806 | Southdean, | c. 765 | 687 | 12 | 11 | 23 | 1 | 1 | 2 | 2 | 3 | 5 | 1 |
| 807 | Sprouston, | 1424 | 1305 | 22 | 19 | 41 | — | 3 | 3 | 14 | 5 | 19 | 13 |
| 808 | Stitchel, | 426 | 425 | 7 | 6 | 13 | 1 | — | 1 | — | 2 | 2 | 3 |
| 809 | Teviothead, | 550 | 438 | 9 | 12 | 21 | 2 | 1 | 3 | 4 | — | 4 | 5 |
| 810 | WILTON (incl. Town and part of HAWICK), | 2557 | 3357 | 76 | 73 | 149 | 15 | 12 | 27 | 31 | 51 | 82 | 18 |
| 811 | Yetholm, | 1352 | 1207 | 19 | 12 | 31 | 3 | 1 | 4 | 8 | 6 | 14 | 7 |
| | Total, | 51225 | 53722 | 872 | 793 | 1665 | 111 | 87 | 198 | 479 | 504 | 983 | 308 |
| | 31. DUMFRIES. | | | | | | | | | | | | |
| 812 | ANNAN (incl. part of Burgh), | c. 5128 | 5113 | 84 | 87 | 171 | 14 | 14 | 28 | 63 | 76 | 139 | 31 |
| a813 | Applegarth, | 918 | 935 | 17 | 14 | 31 | 3 | 1 | 4 | 8 | 7 | 15 | 8 |
| b813 | Brydekirk (incl. part of ANNAN), | c. 864 | 779 | 15 | 7 | 22 | — | 2 | 2 | 3 | 8 | 11 | 2 |
| 814 | Canonbie, | 3163 | 3219 | 54 | 47 | 101 | 11 | 5 | 16 | 28 | 25 | 53 | 15 |
| 815 | Carlaverock, | 1418 | 1248 | 15 | 13 | 28 | 3 | 1 | 4 | 12 | 13 | 25 | 10 |
| 816 | Closeburn, | 1732 | 1651 | 35 | 29 | 64 | 3 | 3 | 6 | 17 | 17 | 34 | 5 |
| 817 | Cummertrees, | c. 1334 | 1184 | 22 | 13 | 35 | 3 | 3 | 6 | 2 | 5 | 7 | 5 |
| 818 | Dalton, | 761 | 679 | 4 | 6 | 10 | — | 2 | 2 | 3 | 3 | 6 | 4 |
| 819 | Dornock, | 936 | 856 | 12 | 15 | 27 | 1 | 2 | 3 | 7 | 3 | 10 | 3 |
| 820 | Dryfesdale, | 2409 | 2509 | 45 | 37 | 82 | 4 | 5 | 9 | 25 | 30 | 55 | 21 |
| 821 | DUMFRIES (incl. part of Burgh), | 12298 | 13523 | 251 | 240 | 491 | 32 | 33 | 65 | 192 | 177 | 369 | 83 |
| 822 | Dunscore, | 1578 | 1554 | 26 | 20 | 46 | 5 | — | 5 | 10 | 11 | 21 | 3 |
| 823 | Durrisdeer, | 1795 | 1320 | 18 | 15 | 33 | 1 | 1 | 2 | 18 | 14 | 32 | 12 |
| 824 | Eskdalemuir, | 672 | 590 | 7 | 7 | 14 | 1 | 1 | 2 | 3 | 2 | 5 | 4 |
| 825 | Ewes, | 354 | 356 | 8 | 6 | 14 | — | 4 | 4 | 3 | 4 | 7 | 1 |
| 826 | Glencairn, | 1980 | 1867 | 30 | 21 | 51 | 5 | 3 | 8 | 16 | 18 | 34 | 8 |

| No. of District. | REGISTRATION DISTRICTS. | POPULATION. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|--------------------|--|-------------|------------------|---|---------|---------|-------------------------|--------|---------|---------|---------|---------|------------|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem. | Total. | Mal. | Fem. | Total. | |
| 827 | Graitney (or Gretna), . . . | 1830 | 1620 | 19 | 23 | 42 | 3 | 4 | 7 | 11 | 11 | 22 | 11 |
| 828 | Halfmorton, | 687 | 713 | 11 | 8 | 19 | — | 1 | 1 | 3 | 5 | 8 | 2 |
| 829 | Hoddam, | c. 1705 | 1568 | 29 | 28 | 57 | 5 | 8 | 13 | 15 | 16 | 31 | 6 |
| 830 | Holywood, | 1060 | 1115 | 13 | 7 | 20 | 2 | — | 2 | 8 | 12 | 20 | 4 |
| 831 | Hutton, | 836 | 876 | 10 | 11 | 21 | 1 | 2 | 3 | 7 | 11 | 18 | 2 |
| 832 | Johnstone, | 1261 | 1149 | 18 | 11 | 29 | 1 | — | 1 | 7 | 6 | 13 | 7 |
| 833 | Keir, | 960 | 849 | 12 | 15 | 27 | 2 | 4 | 6 | 5 | 2 | 7 | 9 |
| 834 | Kirkconnel, | 1245 | 996 | 19 | 18 | 37 | 2 | 2 | 4 | 13 | 15 | 28 | 6 |
| 835 | Kirkmahoe, | 1553 | 1462 | 18 | 15 | 33 | 3 | 1 | 4 | 11 | 14 | 25 | 9 |
| 836 | Kirkmichael, | 1124 | 1026 | 12 | 11 | 23 | 1 | 2 | 3 | 11 | 6 | 17 | 10 |
| 837 | Kirkpatrick-Fleming— (1.) Northern Dist., } (2.) Southern Dist., } | 1829 | {c. 483 c1442 | 5 23 | 3 18 | 8 41 | 1 7 | 2 7 | 3 14 | 3 18 | 1 20 | 4 38 | 1 8 |
| 838 | Kirkpatrick-Juxta, . . . | 1097 | 1025 | 25 | 12 | 37 | 5 | 1 | 6 | 4 | 5 | 9 | 7 |
| 839 | Langholm, | 2990 | 2979 | 66 | 52 | 118 | 7 | 6 | 13 | 40 | 27 | 67 | 11 |
| 840 | LOCHMABEN (includ. Burgh), | 3127 | 3087 | 53 | 45 | 98 | 15 | 5 | 20 | 28 | 28 | 56 | 19 |
| 841 | Middlebie, | 2163 | 2004 | 28 | 43 | 71 | 5 | 7 | 12 | 18 | 20 | 38 | 18 |
| 842 | Moffat, | 2304 | 2232 | 38 | 32 | 70 | 6 | 2 | 8 | 20 | 16 | 36 | 15 |
| 843 | Morton, | 2482 | 2253 | 26 | 30 | 56 | 3 | 4 | 7 | 27 | 22 | 49 | 13 |
| 844 | Mousewald, | 686 | 633 | 11 | 7 | 18 | 2 | 2 | 4 | 3 | 3 | 6 | 5 |
| 845 | Penpont, | 1411 | 1326 | 14 | 17 | 31 | 2 | 2 | 4 | 8 | 8 | 16 | 4 |
| 846 | Ruthwell, | 1110 | 1046 | 18 | 14 | 32 | 3 | 3 | 6 | 9 | 2 | 11 | 6 |
| 847 | St Mungo, | 645 | 686 | 8 | 4 | 12 | 1 | — | 1 | 3 | 3 | 6 | 2 |
| 848 | SANQUHAR (including Burgh), | c. 3155 | 2758 | 27 | 42 | 69 | 1 | 10 | 11 | 17 | 19 | 36 | 14 |
| 849 | Tinwald, | 1080 | 1079 | 20 | 16 | 36 | 2 | 2 | 4 | 7 | 5 | 12 | 6 |
| 850 | Torthorwald, | 1313 | 1254 | 18 | 14 | 32 | 5 | 3 | 8 | 12 | 16 | 28 | 10 |
| 851 | Tundergarth, | 577 | 507 | 6 | 6 | 12 | — | — | — | 8 | 8 | 16 | 1 |
| 852 | Tynron, | 482 | 446 | 4 | 5 | 9 | 2 | — | 2 | 3 | 2 | 5 | 5 |
| a853 | Wamphray, | 523 | 559 | 8 | 7 | 15 | 1 | — | 1 | 5 | 3 | 8 | 2 |
| b853 | Wanlockhead, | c. 916 | 811 | 12 | 12 | 24 | — | 2 | 2 | 6 | 7 | 13 | 6 |
| 854 | Westerkirk, | 658 | 537 | 14 | 3 | 17 | 4 | — | 4 | 5 | 3 | 8 | 1 |
| Total, | | 78149 | 75904 | 1228 | 1106 | 2334 | 178 | 162 | 340 | 745 | 729 | 1474 | 435 |
| 32. KIRKCUDBRIGHT. | | | | | | | | | | | | | |
| 855 | Anwoth, | 900 | 899 | 6 | 13 | 19 | — | 3 | 3 | 9 | 17 | 26 | 10 |
| 856 | Balmaclellan, | c. 938 | 890 | 22 | 13 | 35 | 4 | 1 | 5 | 8 | 4 | 12 | 4 |
| a857 | Balmaghie, | 1217 | 1225 | 12 | 11 | 23 | 5 | 1 | 6 | 9 | 10 | 19 | 3 |
| b857 | Bargrennan, | c. 500 | c. 500 | 3 | 2 | 5 | 1 | — | 1 | 1 | 4 | 5 | 3 |
| 858 | Borgue, | 1043 | 1162 | 19 | 12 | 31 | 3 | 2 | 5 | 9 | 4 | 13 | 3 |
| 859 | Buittle, | 1042 | 1165 | 18 | 11 | 29 | — | — | — | 3 | 8 | 11 | 9 |
| 860 | Carsphairn, | 855 | 553 | 7 | 8 | 15 | 2 | 2 | 4 | 1 | 5 | 6 | 2 |
| 861 | Colvend, | 1398 | 1366 | 15 | 16 | 31 | 2 | 3 | 5 | 8 | 10 | 18 | 7 |
| 862 | Corsock-Bridge, | c. 550 | 544 | 7 | 7 | 14 | 1 | 1 | 2 | 1 | 4 | 5 | 4 |
| 863 | Crossmichael, | 1362 | 1536 | 25 | 19 | 44 | 2 | 6 | 8 | 12 | 13 | 25 | 8 |
| 864 | Dalbeattie, | c. 1927 | 2054 | 63 | 53 | 116 | 4 | 6 | 10 | 26 | 28 | 54 | 27 |
| 865 | Dalry, | 1238 | 1149 | 15 | 16 | 31 | 4 | 3 | 7 | 10 | 14 | 24 | 9 |
| 866 | Girthon, | 1787 | 1702 | 22 | 20 | 42 | 5 | 3 | 8 | 30 | 20 | 50 | 10 |
| 867 | Irongray, | 918 | 913 | 12 | 11 | 23 | 2 | 1 | 3 | 10 | 8 | 18 | 7 |
| 868 | Kells (incl. NEW GAL- LOWAY), | 1091 | 1170 | 14 | 22 | 36 | 2 | 6 | 8 | 8 | 7 | 15 | 9 |
| 869 | Kelton, | 3186 | 3436 | 54 | 49 | 103 | 10 | 7 | 17 | 30 | 39 | 69 | 19 |
| 870 | Kirkbean, | 982 | 942 | 15 | 12 | 27 | 2 | 2 | 4 | 9 | 6 | 15 | 1 |
| 871 | KIRKCUDBRIGHT (in- cluding Burgh), | 3555 | 3407 | 52 | 53 | 105 | 12 | 5 | 17 | 26 | 32 | 58 | 18 |
| 872 | Kirkgunzeon, | 734 | 793 | 11 | 16 | 27 | 1 | 1 | 2 | 9 | 12 | 21 | 4 |
| 873 | Kirkmabreck, | 2266 | 1851 | 36 | 28 | 64 | 6 | 5 | 11 | 13 | 18 | 31 | 8 |
| 874 | Kirkpatrick-Durham, . . . | c. 1349 | 1323 | 26 | 18 | 44 | 7 | 5 | 12 | 8 | 13 | 21 | 6 |

| No. of District. | REGISTRATION DISTRICTS. | POPULATION. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|------------------|--|-------------|-------|---|------|--------|-------------------------|------|--------|---------|------|--------|------------|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem. | Total. | Mal. | Fem. | Total. | |
| 875 | Lochrutton, | 726 | 677 | 11 | 11 | 22 | 3 | 1 | 4 | 7 | 5 | 12 | 10 |
| 876 | Minnigaff, c. | 1804 | 1554 | 22 | 16 | 38 | 3 | 2 | 5 | 11 | 8 | 19 | 8 |
| 877 | New Abbey, | 1098 | 1063 | 11 | 17 | 28 | 1 | 5 | 6 | 5 | 11 | 16 | 5 |
| 878 | Parton, c. | 547 | 572 | 5 | 5 | 10 | — | — | — | 1 | 1 | 2 | 3 |
| 879 | Rerrick, | 1725 | 1738 | 34 | 33 | 67 | 4 | 5 | 9 | 17 | 16 | 33 | 7 |
| 880 | Terregles (incl. part of DUMFRIES), | 566 | 580 | 11 | 7 | 18 | 1 | 2 | 3 | 1 | 5 | 6 | 7 |
| 881 | Tongland, | 924 | 892 | 14 | 17 | 31 | 3 | 2 | 5 | 6 | 4 | 10 | 4 |
| 882 | Troqueer (incl. part of DUMFRIES), | 4925 | 4743 | 91 | 97 | 188 | 16 | 14 | 30 | 38 | 50 | 88 | 17 |
| 883 | Twynholm, | 782 | 815 | 12 | 10 | 22 | 2 | 2 | 4 | 4 | 6 | 10 | 5 |
| 884 | Urr, c. | 1436 | 1531 | 22 | 25 | 47 | 4 | 2 | 6 | 13 | 17 | 30 | 11 |
| Total, | | 43121 | 42495 | 687 | 648 | 1335 | 112 | 98 | 210 | 343 | 399 | 742 | 248 |
| 33. WIGTOWN. | | | | | | | | | | | | | |
| 885 | Glasserton, | 1487 | 1472 | 24 | 12 | 36 | 6 | 4 | 10 | 12 | 9 | 21 | 6 |
| 886 | Inch, | 2579 | 2460 | 36 | 23 | 59 | 5 | 2 | 7 | 23 | 29 | 52 | 6 |
| 887 | Kirkcolm, | 2018 | 1860 | 30 | 32 | 62 | 4 | 6 | 10 | 15 | 19 | 34 | 15 |
| 888 | Kirkcowan, | 1541 | 1434 | 24 | 28 | 52 | 6 | 4 | 10 | 10 | 22 | 32 | 4 |
| 889 | Kirkinner, | 1914 | 1716 | 14 | 19 | 33 | 2 | 1 | 3 | 10 | 9 | 19 | 12 |
| 890 | Kirkmaiden, | 2681 | 2333 | 40 | 41 | 81 | 7 | 8 | 15 | 16 | 18 | 34 | 13 |
| 891 | Leswalt, | 1703 | 1417 | 20 | 14 | 34 | 3 | 1 | 4 | 7 | 9 | 16 | 11 |
| 892 | Mochrum, | 2946 | 2694 | 42 | 24 | 66 | 7 | 7 | 14 | 22 | 17 | 39 | 13 |
| 893 | New Luce, | 791 | 731 | 8 | 9 | 17 | 2 | 2 | 4 | 7 | 6 | 13 | 6 |
| 894 | Old Luce (or Glenluce), . | 2841 | 2800 | 45 | 35 | 80 | 9 | 6 | 15 | 24 | 22 | 46 | 11 |
| 895 | Penninghame (incl. NEW- TON-STEWART), | 4155 | 4061 | 42 | 50 | 92 | 5 | 9 | 14 | 48 | 37 | 85 | 20 |
| 896 | Portpatrick, | 1963 | 2189 | 23 | 25 | 48 | 5 | 5 | 10 | 20 | 17 | 37 | 4 |
| 897 | Sorbie, | 1886 | 1814 | 21 | 23 | 44 | 5 | 3 | 8 | 17 | 14 | 31 | 2 |
| 898 | Stoneykirk, | 3321 | 3228 | 48 | 39 | 87 | 7 | 9 | 16 | 22 | 24 | 46 | 15 |
| 899 | STRANRAER (incl. Burgh) | 5738 | 6315 | 114 | 109 | 223 | 24 | 24 | 48 | 82 | 89 | 171 | 28 |
| 900 | WHITHORN (incl. Burgh) | 3001 | 2934 | 47 | 33 | 80 | 10 | 2 | 12 | 30 | 25 | 55 | 11 |
| 901 | WIGTOWN (incl. Burgh) | 2824 | 2637 | 38 | 39 | 77 | 7 | 3 | 10 | 12 | 22 | 34 | 10 |
| Total, | | 43389 | 42095 | 616 | 555 | 1171 | 114 | 96 | 210 | 377 | 388 | 765 | 187 |

SUMMARY.

| DISTRICTS. | POPULATION. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---------------------|-------------|-----------|---|-------|--------|-------------------------|------|--------|---------|-------|--------|------------|
| | 1851. | 1861. | Mal. | Fem. | Total. | Mal. | Fem. | Total. | Mal. | Fem. | Total. | |
| INSULAR, | 166,487 | 1,60733 | 2174 | 2127 | 4301 | 118 | 111 | 229 | 1233 | 1350 | 2583 | 829 |
| MAINLAND-RURAL, . . | 1,711,717 | 1,762,576 | 30896 | 29184 | 60080 | 3200 | 2980 | 6180 | 16589 | 16601 | 33190 | 10763 |
| TOWN, | 1,010,538 | 1,138,985 | 25447 | 24216 | 49663 | 2448 | 2291 | 4739 | 16541 | 16754 | 33295 | 11026 |
| SCOTLAND, | 2,888,742 | 3,062,294 | 58517 | 55527 | 114044 | 5766 | 5382 | 11148 | 34363 | 34705 | 69068 | 22618 |

MARRIAGES registered in SCOTLAND in 1867 according to the Rites of the several Religious Denominations, with the Conditions of Parties, and the Number of Men and Women who signed the Register with Marks.

| DISTRICTS, DIVISIONS, AND COUNTIES. | | TOTAL MARRIAGES. | Regular Marriages, according to the Rites of | | | | | | | Irregular Marriages. | Condition of Parties. | | | | | Signed the Register by Marks. | |
|---|-----------------------|------------------|---|--------------|-----------------------------|----------------|------------------------|----------------------|-------------|----------------------|--------------------------|-----------------------|-------------------------|----------------------|-------------|-------------------------------------|--------|
| | | | Established Church. | Free Church. | United Presbyterian Church. | Episcopalians. | Roman Catholic Church. | Other Denominations. | Not stated. | | Bachelors and Spinsters. | Bachelors and Widows. | Widowers and Spinsters. | Widowers and Widows. | Not stated. | Men. | Women. |
| SCOTLAND | | 22618 | 10066 | 5347 | 3247 | 488 | 2039 | 1323 | 65 | 43 | 19067 | 578 | 2075 | 689 | 209 | 2394 | 4687 |
| INSULAR DISTRICTS | | 829 | 348 | 333 | 67 | 1 | 41 | 34 | 4 | 1 | 690 | 8 | 81 | 10 | 40 | 226 | 349 |
| MAINLAND-RURAL DIST. | | 10763 | 5717 | 2524 | 1449 | 133 | 520 | 406 | 12 | 2 | 9261 | 202 | 913 | 225 | 162 | 808 | 1623 |
| TOWN DISTRICTS | | 11026 | 4001 | 2490 | 1731 | 354 | 1478 | 883 | 49 | 40 | 9116 | 368 | 1081 | 454 | 7 | 1360 | 2715 |
| DIVISIONS. | | | | | | | | | | | | | | | | | |
| I. | NORTHERN | 643 | 258 | 275 | 68 | — | — | 37 | 4 | 1 | 550 | 8 | 65 | 8 | 12 | 44 | 109 |
| II. | NORTH-WESTERN | 815 | 197 | 523 | 20 | 4 | 57 | 14 | — | — | 675 | 12 | 80 | 8 | 40 | 275 | 409 |
| III. | NORTH-EASTERN | 2389 | 1393 | 625 | 121 | 89 | 45 | 115 | — | 1 | 2104 | 42 | 200 | 34 | 9 | 78 | 226 |
| IV. | EAST-MIDLAND | 4010 | 1961 | 827 | 705 | 97 | 258 | 153 | 8 | 1 | 3416 | 90 | 360 | 112 | 32 | 249 | 621 |
| V. | WEST-MIDLAND | 1412 | 679 | 346 | 183 | 23 | 117 | 62 | 2 | — | 1188 | 40 | 108 | 38 | 38 | 151 | 303 |
| VI. | SOUTH-WESTERN | 8698 | 3393 | 1686 | 1347 | 170 | 1283 | 758 | 44 | 17 | 7199 | 288 | 816 | 370 | 25 | 1331 | 2575 |
| VII. | SOUTH-EASTERN | 3473 | 1527 | 862 | 623 | 90 | 221 | 122 | 5 | 23 | 2939 | 83 | 328 | 91 | 32 | 211 | 351 |
| VIII. | SOUTHERN | 1178 | 658 | 203 | 180 | 15 | 58 | 62 | 2 | — | 996 | 15 | 118 | 28 | 21 | 55 | 93 |
| COUNTIES. | | | | | | | | | | | | | | | | | |
| 1 | Shetland | 168 | 104 | 37 | 7 | — | — | 16 | 4 | — | 146 | 1 | 12 | 2 | 7 | 15 | 56 |
| 2 | Orkney | 182 | 83 | 37 | 51 | — | — | 10 | — | 1 | 155 | 1 | 23 | 3 | — | 5 | 7 |
| 3 | Caithness | 198 | 62 | 115 | 10 | — | — | 11 | — | — | 172 | 4 | 19 | 3 | — | 5 | 16 |
| 4 | Sutherland | 95 | 9 | 86 | — | — | — | — | — | — | 77 | 2 | 11 | — | 5 | 19 | 36 |
| 5 | Ross & Cromarty | 391 | 47 | 330 | 4 | — | — | 10 | — | — | 333 | 4 | 36 | 2 | 16 | 154 | 212 |
| 6 | Inverness | 424 | 150 | 193 | 16 | 4 | 57 | 4 | — | — | 342 | 8 | 44 | 6 | 24 | 121 | 197 |
| 7 | Nairn | 38 | 8 | 17 | 9 | — | 1 | 3 | — | — | 36 | 1 | 1 | — | — | 2 | 7 |
| 8 | Elgin | 231 | 102 | 99 | 20 | 4 | 3 | 3 | — | — | 206 | 4 | 15 | 3 | 3 | 15 | 36 |
| 9 | Banff | 334 | 204 | 79 | 18 | 5 | 13 | 15 | — | — | 291 | 4 | 35 | 4 | — | 17 | 49 |
| 10 | Aberdeen | 1549 | 908 | 384 | 70 | 66 | 28 | 92 | — | 1 | 1367 | 28 | 124 | 24 | 6 | 39 | 123 |
| 11 | Kincardine | 237 | 171 | 46 | 4 | 14 | — | 2 | — | — | 204 | 5 | 25 | 3 | — | 5 | 9 |
| 12 | Forfar | 1889 | 793 | 378 | 325 | 81 | 212 | 96 | 4 | — | 1608 | 54 | 163 | 62 | 2 | 181 | 456 |
| 13 | Perth | 775 | 401 | 219 | 102 | 10 | 22 | 17 | 4 | — | 686 | 11 | 57 | 16 | 5 | 22 | 69 |
| 14 | Fife | 1167 | 672 | 197 | 236 | 5 | 21 | 36 | — | — | 968 | 20 | 123 | 31 | 25 | 42 | 92 |
| 15 | Kinross | 55 | 26 | 12 | 16 | — | — | — | — | 1 | 50 | 1 | 4 | — | — | — | — |
| 16 | Clackmannan | 124 | 69 | 21 | 26 | 1 | 3 | 4 | — | — | 104 | 4 | 13 | 3 | — | 4 | 15 |
| 17 | Stirling | 599 | 281 | 130 | 102 | 6 | 46 | 32 | 2 | — | 504 | 18 | 48 | 16 | 13 | 66 | 126 |
| 18 | Dumbarton | 369 | 176 | 67 | 54 | 5 | 52 | 15 | — | — | 319 | 11 | 24 | 13 | 2 | 43 | 95 |
| 19 | Argyll | 353 | 190 | 107 | 21 | 11 | 13 | 11 | — | — | 290 | 10 | 25 | 7 | 21 | 34 | 70 |
| 20 | Bute | 91 | 32 | 42 | 6 | 1 | 6 | 4 | — | — | 75 | 1 | 11 | 2 | 2 | 8 | 12 |
| 21 | Renfrew | 1422 | 640 | 266 | 175 | 38 | 234 | 68 | — | 1 | 1184 | 56 | 115 | 59 | 8 | 243 | 424 |
| 22 | Ayr | 1412 | 760 | 294 | 157 | 19 | 97 | 85 | — | — | 1168 | 36 | 141 | 59 | 8 | 187 | 348 |
| 23 | Lanark | 5864 | 1993 | 1126 | 1015 | 113 | 952 | 605 | 44 | 16 | 4847 | 196 | 560 | 252 | 9 | 901 | 1803 |
| 24 | Linlithgow | 289 | 102 | 68 | 60 | 6 | 41 | 12 | — | — | 257 | 7 | 15 | 5 | 5 | 44 | 74 |
| 25 | Edinburgh | 2623 | 1098 | 701 | 454 | 81 | 167 | 95 | 5 | 22 | 2195 | 69 | 272 | 72 | 15 | 143 | 238 |
| 26 | Haddington | 216 | 137 | 43 | 25 | — | 11 | — | — | — | 185 | 3 | 16 | 8 | 4 | 20 | 31 |
| 27 | Berwick | 199 | 113 | 31 | 47 | 1 | — | 6 | — | 1 | 178 | 1 | 11 | 1 | 8 | 3 | 1 |
| 28 | Peebles | 61 | 35 | 6 | 16 | — | 2 | 2 | — | — | 47 | 2 | 11 | 1 | — | 1 | 1 |
| 29 | Selkirk | 85 | 42 | 13 | 21 | 2 | — | 7 | — | — | 77 | 1 | 3 | 4 | — | — | 2 |
| 30 | Roxburgh | 308 | 146 | 47 | 72 | 5 | 14 | 24 | — | — | 268 | 5 | 28 | 6 | 1 | 9 | 19 |
| 31 | Dumfries | 435 | 232 | 82 | 70 | 8 | 16 | 26 | 1 | — | 364 | 4 | 43 | 13 | 11 | 13 | 21 |
| 32 | Kirkcudbright | 248 | 168 | 45 | 16 | 2 | 12 | 5 | — | — | 207 | 4 | 26 | 5 | 6 | 11 | 18 |
| 33 | Wigtown | 187 | 112 | 29 | 22 | — | 16 | 7 | 1 | — | 157 | 2 | 21 | 4 | 3 | 22 | 33 |

CONDITION and AGE of PERSONS married in SCOTLAND in 1867.

CONDITION AND AGE OF PERSONS MARRIED IN SCOTLAND IN 1867.

| CONDITION. | TOTAL. | AGES. | | | | | | | | | | | | | | | | | | | | Age not stated. |
|---------------------------------|--------|----------|----|----|-----|-----|------|------|------|------|------|------|-----|-----|-----|-----|-----|----|----|----|----|-----------------|
| | | Under 15 | 16 | 17 | 18 | 19 | 20 | 21 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | |
| BACHELORS with SPINSTERS. | 19067 | - | - | - | 7 | 119 | 445 | 926 | 7463 | 6464 | 2121 | 838 | 357 | 181 | 74 | 26 | 19 | 7 | 4 | - | - | - |
| | 19067 | - | 11 | 67 | 292 | 825 | 1402 | 1866 | 7950 | 4796 | 1233 | 404 | 140 | 49 | 8 | 3 | - | 1 | - | - | - | 20 |
| BACHELORS with WIDOWS. | 578 | - | - | - | - | - | 8 | 8 | 91 | 171 | 129 | 65 | 55 | 25 | 14 | 6 | 3 | 2 | 1 | - | - | - |
| | 578 | - | - | - | - | - | 1 | 2 | 42 | 154 | 174 | 120 | 52 | 22 | 5 | 4 | 2 | - | - | - | - | - |
| WIDOWERS with SPINSTERS. | 2075 | - | - | - | - | - | - | 1 | 40 | 251 | 402 | 413 | 361 | 227 | 153 | 107 | 71 | 26 | 10 | 11 | 1 | 1 |
| | 2075 | - | - | - | 5 | 19 | 32 | 48 | 315 | 519 | 435 | 354 | 187 | 99 | 36 | 20 | 4 | - | - | - | - | 2 |
| WIDOWERS with WIDOWS. | 689 | - | - | - | - | - | - | - | 2 | 26 | 64 | 106 | 134 | 146 | 93 | 49 | 44 | 16 | 6 | 2 | 1 | - |
| | 689 | - | - | - | - | - | - | - | 9 | 55 | 118 | 142 | 172 | 108 | 52 | 22 | 8 | 1 | - | - | - | 2 |
| { MEN. WOMEN. | 209 | - | - | - | 1 | 1 | 5 | 11 | 52 | 67 | 32 | 16 | 7 | 3 | 2 | 5 | - | - | - | - | - | 7 |
| | 209 | - | - | - | 4 | 4 | 11 | 22 | 64 | 60 | 20 | 9 | 4 | 2 | 1 | - | - | - | - | - | - | 8 |
| TOTAL MEN..... | 22618 | - | - | - | 8 | 120 | 458 | 946 | 7648 | 6979 | 2748 | 1438 | 914 | 582 | 336 | 193 | 137 | 51 | 21 | 13 | 2 | 24 |
| TOTAL WOMEN..... | 22618 | - | 11 | 67 | 301 | 848 | 1446 | 1938 | 8380 | 5584 | 1980 | 1029 | 555 | 280 | 102 | 49 | 14 | 2 | - | - | - | 32 |

Condition not stated.

AGES of FEMALES married in Scotland in 1867.

[illegible]

AGES of FEMALES married in Scotland in 1867.

[illegible]

DEATHS at Different Ages in SCOTLAND during the YEAR 1867.—BOTH SEXES.

| | POPULATION. | | BOTH SEXES. | | | | | | | | | | | | |
|-------------------|-------------|---------|-------------|-----------|------|------|------|------|------|------|------|------|------|------|------|
| | 1851. | 1861. | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | | | 3 | 6 | 12 | | | | | | | | | |
| SCOTLAND . . | 2888742 | 3062294 | 69068 | 6684 | 2390 | 4447 | 5730 | 2818 | 1802 | 1248 | 3209 | 1753 | 2238 | 2565 | 2443 |
| Insular . . | 166487 | 160733 | 2583 | 213 | 52 | 90 | 92 | 57 | 40 | 34 | 93 | 49 | 60 | 97 | 96 |
| Mainland . . | 1711717 | 1762576 | 33190 | 3144 | 987 | 1867 | 2201 | 1147 | 798 | 534 | 1558 | 910 | 1121 | 1211 | 1091 |
| Towns . . | 1010538 | 1138985 | 33295 | 3327 | 1351 | 2490 | 3437 | 1614 | 964 | 680 | 1558 | 794 | 1057 | 1257 | 1256 |
| Shetland . . | 31078 | 31670 | 462 | 40 | 9 | 9 | 9 | 9 | 10 | 6 | 6 | 4 | 11 | 17 | 21 |
| Orkney . . | 31455 | 32395 | 483 | 16 | 7 | 8 | 9 | 7 | 2 | 9 | 20 | 15 | 9 | 15 | 21 |
| Caithness . . | 39782 | 42200 | 572 | 43 | 15 | 28 | 28 | 16 | 18 | 8 | 18 | 14 | 20 | 22 | 16 |
| Sutherland . . | 24720 | 24157 | 354 | 24 | 3 | 10 | 6 | 5 | 5 | 1 | 8 | 20 | 15 | 18 | 10 |
| Ross & Cromarty | 83781 | 82427 | 1283 | 136 | 32 | 52 | 47 | 29 | 13 | 9 | 34 | 25 | 30 | 44 | 49 |
| Inverness . . | 91954 | 84902 | 1412 | 154 | 30 | 65 | 56 | 20 | 17 | 11 | 50 | 18 | 35 | 57 | 53 |
| Nairn . . | 8076 | 8347 | 171 | 16 | 9 | 9 | 5 | 3 | 5 | 2 | 3 | 2 | 5 | 6 | 8 |
| Elgin . . | 40532 | 44218 | 712 | 63 | 24 | 30 | 33 | 15 | 12 | 9 | 25 | 14 | 15 | 22 | 30 |
| Banff . . | 51353 | 56020 | 971 | 80 | 24 | 46 | 50 | 34 | 26 | 18 | 61 | 36 | 26 | 29 | 32 |
| Aberdeen . . | 213461 | 223344 | 4043 | 404 | 138 | 200 | 203 | 102 | 71 | 55 | 163 | 120 | 157 | 145 | 162 |
| Kincardine . . | 34944 | 34854 | 514 | 39 | 13 | 16 | 28 | 11 | 12 | 5 | 14 | 10 | 22 | 20 | 18 |
| Forfar . . | 193627 | 206750 | 5165 | 631 | 213 | 328 | 430 | 201 | 148 | 90 | 192 | 124 | 158 | 183 | 180 |
| Perth . . | 137369 | 133198 | 2408 | 190 | 63 | 83 | 121 | 54 | 29 | 26 | 76 | 42 | 74 | 96 | 83 |
| Fife . . | 153789 | 155021 | 3029 | 269 | 99 | 153 | 215 | 93 | 73 | 56 | 148 | 81 | 109 | 77 | 81 |
| Kinross . . | 9626 | 8731 | 148 | 14 | 3 | 8 | 4 | 2 | 2 | 4 | 7 | 3 | 6 | 4 | 5 |
| Clackmannan . . | 21555 | 20122 | 449 | 50 | 20 | 31 | 38 | 14 | 6 | 8 | 20 | 10 | 14 | 19 | 13 |
| Stirling . . | 83802 | 88138 | 1906 | 196 | 68 | 111 | 147 | 71 | 49 | 33 | 76 | 54 | 74 | 68 | 64 |
| Dumbarton . . | 46995 | 54179 | 1332 | 116 | 37 | 100 | 126 | 79 | 55 | 33 | 86 | 35 | 36 | 52 | 48 |
| Argyll . . | 94042 | 83859 | 1357 | 80 | 27 | 46 | 49 | 35 | 27 | 15 | 42 | 30 | 39 | 60 | 48 |
| Bute . . | 16608 | 16331 | 373 | 23 | 9 | 17 | 17 | 11 | 8 | 7 | 14 | 9 | 9 | 16 | 5 |
| Renfrew . . | 157950 | 168746 | 4700 | 434 | 192 | 351 | 449 | 247 | 139 | 105 | 264 | 122 | 155 | 180 | 151 |
| Ayr . . | 189973 | 199063 | 4446 | 417 | 151 | 275 | 381 | 176 | 130 | 82 | 242 | 153 | 175 | 180 | 136 |
| Lanark . . | 533169 | 640444 | 18987 | 1837 | 762 | 1652 | 2205 | 1016 | 618 | 420 | 1035 | 522 | 636 | 767 | 712 |
| Linlithgow . . | 30590 | 39045 | 840 | 108 | 22 | 79 | 89 | 44 | 20 | 14 | 33 | 19 | 21 | 18 | 28 |
| Edinburgh . . | 259493 | 274093 | 7323 | 733 | 251 | 464 | 674 | 345 | 191 | 144 | 329 | 150 | 198 | 236 | 272 |
| Haddington . . | 36363 | 37626 | 638 | 74 | 22 | 37 | 39 | 22 | 4 | 7 | 30 | 12 | 22 | 25 | 19 |
| Berwick . . | 36165 | 36488 | 587 | 61 | 14 | 18 | 16 | 18 | 12 | 6 | 30 | 8 | 22 | 17 | 19 |
| Peebles . . | 10804 | 11300 | 175 | 22 | 7 | 7 | 9 | 6 | 2 | 2 | 11 | 3 | 2 | 8 | 7 |
| Selkirk . . | 9802 | 10410 | 264 | 33 | 16 | 19 | 25 | 10 | 5 | 5 | 14 | 8 | 6 | 11 | 10 |
| Roxburgh . . | 51225 | 53722 | 983 | 104 | 31 | 54 | 73 | 42 | 32 | 22 | 45 | 25 | 32 | 44 | 27 |
| Dumfries . . | 78149 | 75904 | 1474 | 144 | 38 | 65 | 71 | 32 | 30 | 20 | 55 | 33 | 46 | 53 | 59 |
| Kirkcudbright . . | 43121 | 42495 | 742 | 59 | 21 | 42 | 37 | 25 | 11 | 8 | 29 | 21 | 26 | 27 | 19 |
| Wigtown . . | 43389 | 42095 | 765 | 74 | 20 | 34 | 41 | 24 | 20 | 8 | 29 | 11 | 33 | 29 | 37 |

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1867.—BOTH SEXES.

| | | | | | | | | | | | | | | | |
|------------------|--------|--------|-------|------|-----|------|------|-----|-----|-----|-----|-----|-----|-----|-----|
| Inverness . . | 16496 | 16162 | 383 | 42 | 12 | 22 | 20 | 6 | 6 | 3 | 11 | 4 | 9 | 10 | 14 |
| Aberdeen . . | 71973 | 73900 | 1824 | 188 | 73 | 98 | 117 | 53 | 34 | 25 | 67 | 46 | 85 | 60 | 81 |
| Arbroath . . | 17238 | 17831 | 372 | 41 | 16 | 18 | 16 | 12 | 6 | 5 | 14 | 10 | 22 | 11 | 9 |
| Dundee . . | 80027 | 91664 | 2951 | 393 | 147 | 223 | 330 | 134 | 92 | 59 | 112 | 63 | 67 | 111 | 117 |
| Forfar . . | 11009 | 10838 | 308 | 28 | 8 | 24 | 23 | 12 | 6 | 4 | 15 | 14 | 11 | 7 | 11 |
| Montrose . . | 16037 | 15668 | 352 | 29 | 16 | 20 | 18 | 10 | 12 | 1 | 12 | 8 | 11 | 15 | 11 |
| Perth . . | 24670 | 26094 | 569 | 52 | 17 | 22 | 47 | 19 | 4 | 9 | 13 | 10 | 21 | 19 | 25 |
| Dunfermline . . | 13836 | 13506 | 265 | 28 | 11 | 12 | 22 | 11 | 6 | 4 | 12 | 11 | 12 | 9 | 6 |
| Kirkcaldy . . | 10636 | 11117 | 260 | 24 | 8 | 17 | 28 | 9 | 7 | 12 | 17 | 8 | 5 | 6 | 7 |
| Stirling . . | 12401 | 14012 | 397 | 35 | 11 | 29 | 45 | 18 | 11 | 7 | 15 | 11 | 20 | 9 | 8 |
| Greenock . . | 37436 | 43894 | 1433 | 155 | 61 | 108 | 133 | 73 | 45 | 31 | 62 | 33 | 38 | 63 | 55 |
| Paisley . . | 48071 | 47427 | 1335 | 115 | 56 | 98 | 125 | 68 | 43 | 26 | 67 | 37 | 45 | 43 | 43 |
| Ayr . . | 18845 | 19659 | 455 | 49 | 16 | 17 | 29 | 13 | 16 | 13 | 19 | 21 | 12 | 20 | 24 |
| Kilmarnock . . | 21287 | 23556 | 671 | 69 | 26 | 45 | 74 | 40 | 18 | 13 | 31 | 15 | 28 | 25 | 20 |
| Glasgow . . | 329097 | 395503 | 12578 | 1228 | 552 | 1115 | 1553 | 661 | 408 | 280 | 641 | 301 | 414 | 516 | 488 |
| Barony . . | 16050 | 22559 | 851 | 78 | 19 | 70 | 79 | 40 | 22 | 10 | 45 | 23 | 26 | 37 | 33 |
| Govan . . | 14996 | 28584 | 979 | 87 | 31 | 82 | 118 | 74 | 42 | 30 | 60 | 31 | 26 | 32 | 40 |
| Hamilton . . | 11740 | 14047 | 347 | 15 | 14 | 20 | 26 | 18 | 8 | 5 | 18 | 16 | 14 | 18 | 13 |
| Airdrie . . | 14435 | 12922 | 297 | 33 | 13 | 23 | 24 | 21 | 7 | 7 | 30 | 8 | 10 | 15 | 7 |
| Coatbridge, etc. | 13168 | 13303 | 382 | 30 | 20 | 34 | 41 | 21 | 12 | 11 | 23 | 8 | 17 | 16 | 9 |
| Edinburgh . . | 161648 | 170444 | 4765 | 437 | 158 | 295 | 431 | 237 | 118 | 98 | 190 | 87 | 127 | 175 | 184 |
| Leith . . | 32219 | 36029 | 1064 | 120 | 46 | 73 | 121 | 56 | 31 | 22 | 69 | 19 | 24 | 21 | 38 |
| Dumfries . . | 17223 | 18266 | 457 | 51 | 20 | 25 | 17 | 8 | 10 | 5 | 15 | 10 | 13 | 19 | 13 |

DEATHS at Different Ages in SCOTLAND during the YEAR 1867.—BOTH SEXES.

| | BOTH SEXES. | | | | | | | | | | | | | | | | |
|-------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|-----|-----|-----|----|--|
| | AGE UNDER | | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? | |
| SCOTLAND . . . | 2140 | 2165 | 2212 | 2280 | 2434 | 2544 | 3093 | 3319 | 3536 | 3223 | 2494 | 1461 | 572 | 170 | 20 | 78 | |
| Insular . . . | 79 | 66 | 57 | 72 | 97 | 85 | 132 | 169 | 215 | 203 | 199 | 132 | 71 | 17 | 4 | 12 | |
| Mainland . . . | 914 | 871 | 923 | 964 | 1091 | 1173 | 1528 | 1807 | 2043 | 2078 | 1650 | 1008 | 393 | 128 | 8 | 42 | |
| Towns . . . | 1147 | 1228 | 1232 | 1244 | 1246 | 1286 | 1433 | 1343 | 1278 | 942 | 645 | 321 | 108 | 25 | 8 | 24 | |
| Shetland . . . | 20 | 16 | 8 | 18 | 16 | 19 | 15 | 38 | 32 | 37 | 35 | 26 | 19 | 5 | — | 7 | |
| Orkney . . . | 13 | 14 | 10 | 14 | 11 | 16 | 26 | 41 | 51 | 54 | 44 | 34 | 11 | 3 | — | 3 | |
| Caithness . . . | 20 | 11 | 11 | 15 | 15 | 22 | 28 | 32 | 44 | 47 | 36 | 25 | 16 | 3 | — | 1 | |
| Sutherland . . . | 10 | 8 | 8 | 11 | 8 | 11 | 15 | 22 | 27 | 37 | 34 | 21 | 12 | 3 | — | 2 | |
| Ross and Cromarty . . . | 34 | 29 | 29 | 34 | 38 | 35 | 79 | 82 | 103 | 99 | 111 | 57 | 30 | 17 | 4 | 2 | |
| Inverness . . . | 34 | 35 | 38 | 49 | 55 | 51 | 84 | 83 | 111 | 107 | 94 | 50 | 35 | 12 | 4 | 4 | |
| Nairn . . . | 9 | 3 | 7 | 8 | 8 | 3 | 6 | 13 | 16 | 10 | 7 | 4 | 3 | — | — | 1 | |
| Elgin . . . | 20 | 24 | 17 | 17 | 29 | 27 | 28 | 39 | 55 | 60 | 65 | 28 | 6 | 5 | — | — | |
| Banff . . . | 23 | 21 | 23 | 24 | 38 | 24 | 39 | 57 | 66 | 62 | 62 | 39 | 19 | 9 | 1 | 2 | |
| Aberdeen . . . | 123 | 130 | 141 | 122 | 123 | 146 | 187 | 238 | 232 | 241 | 222 | 135 | 53 | 22 | 1 | 7 | |
| Kincardine . . . | 16 | 8 | 13 | 12 | 12 | 20 | 22 | 40 | 37 | 57 | 39 | 14 | 12 | 4 | — | — | |
| Forfar . . . | 184 | 168 | 169 | 186 | 192 | 222 | 241 | 222 | 245 | 186 | 142 | 92 | 28 | 3 | 1 | 6 | |
| Perth . . . | 62 | 62 | 61 | 76 | 87 | 110 | 143 | 166 | 213 | 188 | 171 | 90 | 27 | 14 | — | 1 | |
| Fife . . . | 84 | 85 | 85 | 81 | 120 | 127 | 161 | 177 | 204 | 187 | 152 | 76 | 27 | 5 | 1 | 3 | |
| Kinross . . . | 4 | 3 | 4 | 6 | 6 | 11 | 4 | 9 | 11 | 12 | 8 | 4 | 4 | — | — | — | |
| Clackmannan . . . | 12 | 16 | 12 | 11 | 15 | 18 | 25 | 25 | 22 | 27 | 10 | 8 | 3 | 2 | — | — | |
| Stirling . . . | 58 | 52 | 67 | 54 | 73 | 95 | 97 | 94 | 86 | 97 | 65 | 35 | 15 | 3 | 1 | 3 | |
| Dumbarton . . . | 39 | 47 | 31 | 46 | 41 | 38 | 65 | 47 | 60 | 49 | 31 | 25 | 7 | 1 | — | 2 | |
| Argyll . . . | 43 | 38 | 21 | 47 | 49 | 65 | 80 | 77 | 112 | 114 | 107 | 65 | 28 | 8 | 2 | 3 | |
| Bute . . . | 13 | 11 | 20 | 10 | 20 | 10 | 21 | 22 | 32 | 22 | 23 | 15 | 8 | — | — | 1 | |
| Renfrew . . . | 147 | 161 | 173 | 178 | 160 | 175 | 188 | 185 | 199 | 162 | 96 | 48 | 22 | 9 | 2 | 6 | |
| Ayr . . . | 135 | 121 | 136 | 124 | 132 | 126 | 181 | 215 | 243 | 211 | 152 | 129 | 32 | 6 | — | 5 | |
| Lanark . . . | 625 | 658 | 669 | 680 | 705 | 637 | 731 | 640 | 540 | 436 | 254 | 144 | 66 | 12 | 3 | 5 | |
| Linlithgow . . . | 20 | 15 | 26 | 20 | 22 | 26 | 41 | 24 | 42 | 55 | 24 | 22 | 5 | 2 | — | 1 | |
| Edinburgh . . . | 239 | 277 | 280 | 276 | 269 | 286 | 328 | 383 | 373 | 294 | 197 | 98 | 26 | 6 | — | 4 | |
| Haddington . . . | 8 | 20 | 20 | 12 | 21 | 23 | 27 | 47 | 47 | 41 | 35 | 15 | 3 | 4 | — | 2 | |
| Berwick . . . | 14 | 11 | 16 | 21 | 21 | 22 | 28 | 48 | 42 | 54 | 41 | 20 | 4 | 2 | — | 2 | |
| Peebles . . . | 4 | 6 | 3 | 3 | 8 | 9 | 9 | 9 | 7 | 11 | 14 | 4 | 2 | — | — | — | |
| Selkirk . . . | 7 | 7 | 7 | 5 | 9 | 8 | 8 | 8 | 17 | 16 | 5 | 5 | — | — | — | — | |
| Roxburgh . . . | 17 | 26 | 22 | 25 | 30 | 36 | 38 | 56 | 61 | 57 | 58 | 18 | 6 | — | — | 2 | |
| Dumfries . . . | 54 | 50 | 49 | 55 | 56 | 62 | 74 | 94 | 100 | 90 | 67 | 55 | 19 | 3 | — | — | |
| Kirkcudbright . . . | 25 | 19 | 22 | 18 | 23 | 28 | 38 | 51 | 52 | 48 | 44 | 33 | 12 | 3 | — | 1 | |
| Wigtown . . . | 24 | 13 | 14 | 22 | 22 | 36 | 36 | 35 | 54 | 55 | 49 | 27 | 12 | 4 | — | 2 | |

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1867.—BOTH SEXES.

| | | | | | | | | | | | | | | | | |
|----------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|----|---|---|---|
| Inverness . . . | 12 | 17 | 17 | 15 | 14 | 17 | 25 | 20 | 25 | 24 | 25 | 6 | 1 | 2 | 1 | 3 |
| Aberdeen . . . | 63 | 67 | 69 | 65 | 60 | 80 | 88 | 106 | 94 | 77 | 72 | 36 | 9 | 7 | 1 | 3 |
| Arbroath . . . | 14 | 11 | 15 | 9 | 21 | 22 | 21 | 15 | 26 | 16 | 10 | 10 | 2 | — | — | — |
| Dundee . . . | 106 | 92 | 112 | 118 | 115 | 123 | 91 | 96 | 49 | 46 | 29 | 8 | — | — | 1 | 2 |
| Forfar . . . | 9 | 9 | 8 | 6 | 10 | 14 | 17 | 18 | 16 | 13 | 5 | 2 | — | — | — | — |
| Montrose . . . | 19 | 20 | 4 | 13 | 13 | 22 | 20 | 19 | 17 | 16 | 14 | 9 | 3 | — | — | — |
| Perth . . . | 20 | 23 | 22 | 11 | 20 | 36 | 38 | 25 | 39 | 30 | 31 | 13 | 3 | — | — | — |
| Dunfermline . . . | 9 | 10 | 8 | 8 | 5 | 12 | 15 | 16 | 8 | 9 | 11 | 5 | 3 | — | 1 | 1 |
| Kirkcaldy . . . | 9 | 7 | 7 | 8 | 6 | 14 | 15 | 15 | 16 | 9 | 3 | 1 | 2 | — | — | — |
| Stirling . . . | 10 | 16 | 9 | 16 | 15 | 20 | 20 | 13 | 25 | 17 | 11 | 4 | 1 | — | 1 | — |
| Greenock . . . | 55 | 56 | 62 | 57 | 56 | 59 | 63 | 58 | 50 | 22 | 23 | 10 | 3 | 2 | — | — |
| Paisley . . . | 39 | 47 | 46 | 53 | 44 | 48 | 58 | 54 | 70 | 62 | 16 | 18 | 5 | 2 | 1 | 6 |
| Ayr . . . | 11 | 12 | 6 | 13 | 12 | 16 | 21 | 24 | 28 | 30 | 20 | 10 | 2 | — | — | 1 |
| Kilmarnock . . . | 23 | 19 | 19 | 27 | 15 | 23 | 19 | 23 | 41 | 24 | 15 | 15 | 3 | — | — | 1 |
| Glasgow . . . | 429 | 450 | 471 | 475 | 500 | 430 | 488 | 401 | 325 | 234 | 125 | 59 | 27 | 5 | 1 | 1 |
| Barony . . . | 29 | 42 | 38 | 23 | 34 | 30 | 48 | 36 | 36 | 19 | 21 | 10 | — | 1 | 1 | 1 |
| Govan . . . | 32 | 46 | 30 | 34 | 21 | 24 | 29 | 34 | 26 | 27 | 8 | 6 | 8 | — | — | 1 |
| Hamilton . . . | 18 | 8 | 9 | 14 | 10 | 13 | 12 | 22 | 23 | 15 | 11 | 2 | 3 | 2 | — | — |
| Airdrie . . . | 8 | 4 | 11 | 8 | 18 | 10 | 7 | 18 | 4 | 6 | 2 | 2 | — | — | — | 1 |
| Coatbridge, etc. . . | 14 | 13 | 13 | 22 | 10 | 12 | 23 | 7 | 9 | 8 | 2 | 4 | 3 | — | — | — |
| Edinburgh . . . | 164 | 191 | 201 | 187 | 186 | 214 | 223 | 245 | 237 | 184 | 126 | 50 | 16 | 1 | — | 3 |
| Leith . . . | 36 | 49 | 30 | 39 | 37 | 29 | 42 | 54 | 45 | 27 | 21 | 10 | 3 | 2 | — | — |
| Dumfries . . . | 18 | 19 | 25 | 23 | 24 | 26 | 18 | 29 | 20 | 21 | 19 | 7 | 1 | 1 | — | — |

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1867.—MALES.

| | MALE POPULATION. | | MALES. | | | | | | | | | | | | |
|-----------------|---------------------|---------|--------------|-----------|------|------|------|------|-----|-----|------|-----|------|------|------|
| | | | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | 1851. | 1861. | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | | | 3 | 6 | 12 | | | | | | | | | |
| SCOTLAND . | 1375479 | 1449848 | 34363 | 3820 | 1291 | 2433 | 3002 | 1468 | 902 | 620 | 1646 | 892 | 1096 | 1332 | 1143 |
| Insular . . | 76760 | 73409 | 1233 | 120 | 28 | 54 | 43 | 30 | 16 | 16 | 44 | 22 | 26 | 63 | 53 |
| Mainland . | 828852 | 848998 | 16589 | 1838 | 543 | 1023 | 1170 | 599 | 389 | 267 | 803 | 462 | 585 | 647 | 530 |
| Towns . . | 469867 | 527441 | 16541 | 1862 | 720 | 1356 | 1789 | 839 | 497 | 337 | 799 | 408 | 485 | 622 | 560 |
| Shetland . . | 13145 | 13053 | 211 | 19 | 5 | 5 | 6 | 5 | 2 | 4 | 2 | 2 | 2 | 11 | 15 |
| Orkney . . | 14350 | 14924 | 205 | 6 | 4 | 4 | 1 | 3 | 2 | 5 | 9 | 5 | 5 | 9 | 9 |
| Caithness . | 18809 | 19846 | 297 | 23 | 11 | 17 | 14 | 9 | 8 | 3 | 11 | 9 | 15 | 10 | 8 |
| Sutherland . | 11437 | 11058 | 165 | 15 | 2 | 6 | 4 | 2 | 2 | 1 | 4 | 9 | 10 | 11 | 6 |
| Ross & Cromarty | 39489 | 38462 | 584 | 74 | 13 | 27 | 22 | 15 | 7 | 3 | 18 | 10 | 15 | 22 | 31 |
| Inverness . | 42814 | 39479 | 677 | 94 | 21 | 36 | 29 | 10 | 7 | 3 | 23 | 9 | 18 | 34 | 27 |
| Nairn . . | 3831 | 3976 | 82 | 10 | 2 | 5 | 3 | 2 | 1 | 1 | 1 | 2 | 1 | 3 | 4 |
| Elgin . . | 18943 | 20737 | 351 | 38 | 14 | 16 | 18 | 7 | 7 | 5 | 14 | 12 | 6 | 15 | 23 |
| Banff . . | 24195 | 26401 | 454 | 44 | 14 | 18 | 29 | 16 | 12 | 11 | 33 | 19 | 13 | 12 | 13 |
| Aberdeen . | 100935 | 105322 | 1960 | 226 | 70 | 106 | 112 | 51 | 36 | 30 | 87 | 61 | 74 | 78 | 70 |
| Kincardine . | 17188 | 16939 | 235 | 26 | 8 | 8 | 17 | 8 | 7 | 2 | 5 | 7 | 8 | 7 | 8 |
| Forfar . . | 89408 | 93280 | 2515 | 352 | 108 | 167 | 235 | 85 | 77 | 45 | 101 | 56 | 75 | 81 | 81 |
| Perth . . | 65697 | 63169 | 1210 | 121 | 35 | 50 | 64 | 37 | 15 | 15 | 36 | 25 | 46 | 51 | 41 |
| Fife . . | 73305 | 72714 | 1442 | 144 | 54 | 87 | 106 | 45 | 34 | 28 | 69 | 34 | 59 | 37 | 32 |
| Kinross . . | 4660 | 4150 | 64 | 5 | 2 | 4 | 1 | 1 | — | 2 | 5 | 1 | 5 | 4 | 3 |
| Clackmannan . | 10634 | 9742 | 231 | 30 | 12 | 14 | 21 | 7 | 3 | 2 | 13 | 7 | 6 | 12 | 7 |
| Stirling . . | 41113 | 43487 | 1005 | 121 | 36 | 60 | 92 | 38 | 22 | 19 | 41 | 27 | 44 | 35 | 34 |
| Dumbarton . | 23340 | 26455 | 690 | 74 | 24 | 56 | 74 | 37 | 26 | 11 | 46 | 17 | 16 | 28 | 17 |
| Argyll . . | 46197 | 40914 | 704 | 46 | 12 | 29 | 24 | 22 | 12 | 8 | 22 | 17 | 23 | 42 | 30 |
| Bute . . | 7518 | 7208 | 196 | 11 | 6 | 12 | 12 | 6 | 4 | 2 | 6 | 6 | 4 | 9 | 2 |
| Renfrew . . | 74224 | 79380 | 2395 | 260 | 92 | 200 | 226 | 137 | 64 | 57 | 137 | 62 | 67 | 94 | 78 |
| Ayr . . | 92933 | 97035 | 2229 | 231 | 88 | 146 | 190 | 82 | 73 | 43 | 119 | 80 | 92 | 97 | 58 |
| Lanark . . | 258449 | 308263 | 9609 | 1034 | 429 | 925 | 1133 | 548 | 318 | 199 | 515 | 276 | 284 | 382 | 287 |
| Linlithgow . | 15422 | 20069 | 417 | 56 | 15 | 37 | 50 | 20 | 12 | 8 | 16 | 10 | 9 | 9 | 13 |
| Edinburgh . | 119428 | 126429 | 3668 | 425 | 136 | 252 | 368 | 178 | 91 | 78 | 188 | 79 | 107 | 130 | 140 |
| Haddington . | 17592 | 17866 | 318 | 36 | 12 | 21 | 23 | 12 | 2 | 3 | 14 | 2 | 11 | 15 | 8 |
| Berwick . . | 17367 | 17354 | 291 | 42 | 7 | 11 | 9 | 13 | 5 | 2 | 15 | 4 | 12 | 9 | 12 |
| Peebles . . | 5400 | 5603 | 86 | 11 | 2 | 5 | 4 | 3 | 1 | 2 | 5 | 2 | 1 | 2 | 3 |
| Selkirk . . | 4836 | 5069 | 128 | 21 | 8 | 11 | 11 | 6 | 2 | 3 | 8 | 5 | 2 | 6 | 3 |
| Roxburgh . | 25002 | 26593 | 479 | 61 | 12 | 34 | 37 | 20 | 15 | 13 | 25 | 11 | 14 | 20 | 13 |
| Dumfries . | 37200 | 35687 | 745 | 86 | 17 | 25 | 34 | 17 | 18 | 7 | 30 | 13 | 26 | 26 | 33 |
| Kirkcudbright | 20223 | 19789 | 343 | 33 | 12 | 17 | 15 | 13 | 7 | 3 | 13 | 10 | 14 | 16 | 11 |
| Wigtown . | 20335 | 19395 | 377 | 45 | 8 | 22 | 18 | 13 | 10 | 2 | 15 | 3 | 12 | 15 | 23 |

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1867.—MALES.

| | | | | | | | | | | | | | | | |
|--------------------|--------|--------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Inverness . . | 7401 | 7261 | 183 | 23 | 9 | 11 | 13 | 4 | 4 | — | 5 | 2 | 4 | 6 | 9 |
| Aberdeen . . | 31746 | 32554 | 890 | 104 | 38 | 52 | 64 | 23 | 18 | 16 | 41 | 27 | 41 | 33 | 34 |
| Arbroath . . | 7866 | 7770 | 185 | 25 | 4 | 8 | 10 | 8 | 3 | 1 | 9 | 6 | 8 | 5 | 5 |
| Dundee . . | 36364 | 40395 | 1416 | 221 | 80 | 115 | 176 | 60 | 47 | 28 | 55 | 26 | 31 | 46 | 49 |
| Forfar . . | 5017 | 4735 | 150 | 14 | 3 | 11 | 18 | 4 | 3 | 2 | 7 | 5 | 5 | 3 | 5 |
| Montrose . . | 7061 | 6736 | 152 | 10 | 4 | 7 | 7 | 4 | 6 | 1 | 6 | 6 | 7 | 7 | 6 |
| Perth . . | 11689 | 11947 | 298 | 31 | 10 | 15 | 22 | 12 | 2 | 7 | 6 | 8 | 13 | 11 | 15 |
| Dunfermline . . | 6901 | 6447 | 124 | 13 | 3 | 7 | 10 | 6 | 2 | 1 | 4 | 4 | 6 | 4 | 3 |
| Kirkcaldy . . | 4906 | 5074 | 116 | 11 | 4 | 6 | 16 | 3 | 4 | 7 | 7 | 4 | 3 | 4 | 2 |
| Stirling . . | 5908 | 6814 | 208 | 24 | 6 | 16 | 26 | 8 | 8 | 3 | 6 | 3 | 15 | 4 | 6 |
| Greenock . . | 17905 | 21567 | 755 | 86 | 23 | 62 | 66 | 38 | 18 | 20 | 34 | 17 | 22 | 40 | 34 |
| Paisley . . | 22608 | 21913 | 653 | 69 | 29 | 52 | 56 | 39 | 20 | 9 | 36 | 19 | 15 | 19 | 17 |
| Ayr . . | 8675 | 9094 | 212 | 25 | 8 | 10 | 16 | 6 | 7 | 7 | 9 | 12 | 5 | 10 | 9 |
| Kilmarnock . . | 10163 | 11398 | 336 | 38 | 13 | 23 | 39 | 17 | 13 | 6 | 18 | 6 | 11 | 12 | 8 |
| Glasgow . . | 154930 | 185556 | 6312 | 692 | 323 | 622 | 804 | 349 | 219 | 133 | 318 | 164 | 173 | 236 | 194 |
| Barony . . | 8090 | 11221 | 423 | 40 | 9 | 37 | 43 | 21 | 11 | 4 | 22 | 12 | 15 | 16 | 15 |
| Govan . . | 7286 | 13603 | 489 | 44 | 12 | 51 | 67 | 42 | 23 | 15 | 26 | 14 | 7 | 16 | 17 |
| Hamilton . . | 5576 | 6798 | 166 | 7 | 6 | 7 | 12 | 12 | 1 | 2 | 12 | 8 | 5 | 11 | 6 |
| Airdrie . . | 7333 | 6242 | 147 | 16 | 6 | 13 | 14 | 9 | 6 | 3 | 13 | 2 | 4 | 7 | 3 |
| Coatbridge, etc. . | 7084 | 8155 | 201 | 18 | 7 | 23 | 17 | 12 | 5 | 4 | 10 | 4 | 10 | 14 | 3 |
| Edinburgh . . | 72067 | 76013 | 2338 | 259 | 83 | 153 | 217 | 128 | 62 | 54 | 105 | 42 | 70 | 95 | 98 |
| Leith . . | 15482 | 17894 | 557 | 63 | 30 | 44 | 71 | 30 | 10 | 12 | 43 | 11 | 8 | 12 | 15 |
| Dumfries . . | 7809 | 8254 | 230 | 29 | 10 | 11 | 5 | 4 | 5 | 2 | 7 | 6 | 7 | 11 | 7 |

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1867.—MALES.

| | MALES. | | | | | | | | | | | | | | | |
|-------------------------|-----------|------|------|------|------|------|------|------|------|------|-----|-----|-----|-----|-----|----|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| SCOTLAND . . . | 1016 | 1011 | 1045 | 1155 | 1245 | 1317 | 1493 | 1596 | 1578 | 1401 | 992 | 567 | 193 | 58 | 10 | 41 |
| Insular . . . | 36 | 26 | 25 | 42 | 48 | 41 | 61 | 79 | 103 | 95 | 77 | 52 | 19 | 5 | 2 | 7 |
| Mainland . . . | 439 | 389 | 423 | 484 | 577 | 606 | 769 | 888 | 950 | 935 | 670 | 384 | 146 | 49 | 3 | 21 |
| Towns . . . | 541 | 596 | 597 | 629 | 620 | 670 | 663 | 629 | 525 | 371 | 245 | 131 | 28 | 4 | 5 | 13 |
| Shetland . . . | 10 | 8 | 4 | 9 | 6 | 9 | 10 | 15 | 10 | 17 | 14 | 10 | 6 | 2 | — | 3 |
| Orkney . . . | 4 | 8 | 2 | 6 | 8 | 6 | 10 | 23 | 20 | 23 | 16 | 10 | 5 | — | — | 2 |
| Caithness . . . | 10 | 5 | 6 | 7 | 6 | 14 | 15 | 14 | 27 | 28 | 11 | 7 | 6 | 2 | — | 1 |
| Sutherland . . . | 3 | 2 | 4 | 4 | 5 | 6 | 6 | 11 | 12 | 13 | 12 | 12 | 2 | 1 | — | — |
| Ross and Cromarty . . . | 12 | 14 | 12 | 16 | 19 | 18 | 29 | 38 | 38 | 44 | 37 | 29 | 10 | 9 | 1 | 1 |
| Inverness . . . | 16 | 19 | 16 | 22 | 30 | 19 | 31 | 37 | 50 | 43 | 42 | 20 | 14 | 2 | 3 | 2 |
| Nairn . . . | — | 2 | 5 | 4 | 6 | 1 | 3 | 6 | 8 | 6 | 3 | 1 | 1 | — | — | 1 |
| Elgin . . . | 12 | 11 | 7 | 8 | 15 | 12 | 13 | 14 | 22 | 22 | 28 | 9 | 3 | — | — | — |
| Banff . . . | 10 | 10 | 7 | 13 | 14 | 12 | 20 | 21 | 33 | 29 | 25 | 9 | 11 | 4 | 1 | 1 |
| Aberdeen . . . | 68 | 51 | 58 | 62 | 60 | 81 | 91 | 110 | 95 | 116 | 84 | 56 | 18 | 7 | — | 2 |
| Kincardine . . . | 8 | 3 | 8 | 7 | 4 | 6 | 10 | 17 | 9 | 26 | 19 | 4 | 3 | — | — | — |
| Forfar . . . | 86 | 74 | 79 | 90 | 89 | 109 | 103 | 110 | 112 | 87 | 61 | 38 | 8 | 1 | 1 | 4 |
| Perth . . . | 31 | 27 | 30 | 31 | 47 | 59 | 72 | 73 | 98 | 86 | 70 | 35 | 8 | 7 | — | — |
| Fife . . . | 37 | 38 | 35 | 44 | 61 | 59 | 84 | 88 | 90 | 86 | 55 | 25 | 7 | 1 | — | 3 |
| Kinross . . . | 1 | 2 | — | 3 | 3 | 6 | 3 | 4 | 3 | 5 | 1 | — | — | — | — | — |
| Clackmannan . . . | 3 | 10 | 5 | 7 | 9 | 9 | 15 | 11 | 8 | 12 | 2 | 4 | 1 | 1 | — | — |
| Stirling . . . | 28 | 24 | 29 | 25 | 44 | 54 | 44 | 46 | 42 | 42 | 32 | 19 | 4 | 1 | — | 2 |
| Dumbarton . . . | 15 | 17 | 19 | 26 | 28 | 23 | 31 | 27 | 25 | 24 | 15 | 9 | 3 | 1 | — | 1 |
| Argyll . . . | 25 | 15 | 12 | 28 | 19 | 39 | 39 | 44 | 56 | 56 | 45 | 23 | 10 | 4 | 1 | 1 |
| Bute . . . | 6 | 5 | 11 | 7 | 8 | 6 | 15 | 10 | 19 | 12 | 9 | 6 | 1 | — | — | 1 |
| Renfrew . . . | 73 | 77 | 86 | 97 | 85 | 89 | 98 | 90 | 89 | 61 | 42 | 19 | 9 | 3 | 1 | 2 |
| Ayr . . . | 65 | 58 | 63 | 61 | 64 | 68 | 93 | 107 | 121 | 91 | 64 | 57 | 12 | 2 | — | 4 |
| Lanark . . . | 307 | 317 | 339 | 352 | 383 | 322 | 347 | 323 | 233 | 184 | 93 | 53 | 21 | 1 | 2 | 2 |
| Linlithgow . . . | 10 | 7 | 11 | 12 | 13 | 14 | 24 | 9 | 20 | 21 | 15 | 4 | 1 | 1 | — | — |
| Edinburgh . . . | 112 | 140 | 133 | 144 | 121 | 150 | 155 | 169 | 148 | 104 | 72 | 39 | 4 | 2 | — | 3 |
| Haddington . . . | 2 | 7 | 9 | 6 | 9 | 15 | 13 | 33 | 23 | 17 | 17 | 5 | 1 | 1 | — | 1 |
| Berwick . . . | 7 | 4 | 4 | 7 | 9 | 12 | 14 | 25 | 18 | 27 | 13 | 8 | — | 1 | — | 1 |
| Peebles . . . | — | 2 | 1 | 2 | 3 | 6 | 7 | 3 | 4 | 6 | 9 | 2 | — | — | — | — |
| Selkirk . . . | 4 | 3 | 2 | 2 | 5 | 3 | 2 | 2 | 9 | 5 | 2 | 3 | — | — | — | — |
| Roxburgh . . . | 5 | 13 | 7 | 9 | 16 | 23 | 15 | 28 | 28 | 29 | 24 | 4 | 3 | — | — | — |
| Dumfries . . . | 21 | 24 | 26 | 28 | 37 | 38 | 44 | 50 | 56 | 36 | 24 | 20 | 9 | — | — | — |
| Kirkcudbright . . . | 11 | 6 | 8 | 6 | 14 | 10 | 20 | 21 | 23 | 19 | 18 | 17 | 4 | 1 | — | 1 |
| Wigtown . . . | 14 | 8 | 7 | 10 | 5 | 19 | 17 | 17 | 29 | 24 | 18 | 10 | 8 | 3 | — | 2 |

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1867.—MALES.

| | | | | | | | | | | | | | | | | |
|----------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|----|----|---|---|---|---|
| Inverness . . . | 6 | 9 | 7 | 5 | 6 | 9 | 7 | 8 | 10 | 8 | 13 | 2 | 1 | — | 1 | 1 |
| Aberdeen . . . | 31 | 29 | 27 | 29 | 23 | 44 | 48 | 47 | 30 | 39 | 27 | 19 | 3 | 2 | — | 1 |
| Arbroath . . . | 9 | 4 | 2 | 5 | 10 | 14 | 10 | 7 | 10 | 8 | 6 | 6 | 2 | — | — | — |
| Dundee . . . | 44 | 36 | 57 | 57 | 50 | 55 | 51 | 45 | 38 | 20 | 17 | 8 | 2 | — | 1 | 1 |
| Forfar . . . | 3 | 5 | 3 | 4 | 6 | 8 | 6 | 8 | 9 | 8 | 8 | 2 | — | — | — | — |
| Montrose . . . | 7 | 12 | 2 | 7 | 7 | 9 | 7 | 7 | 6 | 6 | 4 | 6 | 1 | — | — | — |
| Perth . . . | 8 | 9 | 11 | 5 | 14 | 22 | 19 | 10 | 17 | 14 | 13 | 4 | — | — | — | — |
| Dunfermline . . . | 1 | 7 | 5 | 3 | 6 | 10 | 7 | 3 | 5 | 5 | 3 | — | — | — | — | — |
| Kirkcaldy . . . | 4 | 4 | 1 | 5 | 2 | 6 | 5 | 6 | 6 | 4 | 1 | — | 1 | — | — | 1 |
| Stirling . . . | 5 | 8 | 4 | 5 | 8 | 15 | 9 | 6 | 10 | 6 | 5 | 2 | — | — | — | — |
| Greenock . . . | 26 | 27 | 34 | 34 | 37 | 30 | 33 | 27 | 20 | 9 | 12 | 5 | — | 1 | — | — |
| Paisley . . . | 19 | 21 | 25 | 27 | 18 | 26 | 33 | 34 | 33 | 17 | 7 | 8 | 2 | — | 1 | 2 |
| Ayr . . . | 5 | 6 | 3 | 3 | 4 | 10 | 6 | 9 | 17 | 10 | 8 | 5 | 1 | — | — | 1 |
| Kilmarnock . . . | 8 | 8 | 11 | 17 | 9 | 13 | 6 | 13 | 22 | 11 | 7 | 6 | — | — | — | 1 |
| Glasgow . . . | 209 | 216 | 236 | 244 | 256 | 217 | 228 | 193 | 130 | 89 | 40 | 19 | 5 | 1 | 1 | 1 |
| Barony . . . | 13 | 22 | 12 | 11 | 21 | 18 | 19 | 22 | 21 | 10 | 5 | 3 | — | — | 1 | 1 |
| Govan . . . | 17 | 22 | 18 | 12 | 15 | 8 | 10 | 19 | 11 | 13 | 3 | 3 | 3 | — | — | 1 |
| Hamilton . . . | 10 | 7 | 5 | 6 | 6 | 8 | 6 | 9 | 7 | 6 | 3 | 2 | 2 | — | — | — |
| Airdrie . . . | 5 | 1 | 7 | 6 | 6 | 7 | 3 | 9 | 2 | 5 | — | — | — | — | — | — |
| Coatbridge, etc. . . | 6 | 8 | 7 | 12 | 4 | 7 | 13 | 4 | 4 | 5 | 1 | 1 | 2 | — | — | — |
| Edinburgh . . . | 79 | 96 | 89 | 95 | 85 | 106 | 104 | 105 | 87 | 57 | 47 | 17 | 2 | — | — | 3 |
| Leith . . . | 18 | 27 | 17 | 23 | 14 | 16 | 18 | 25 | 22 | 15 | 6 | 6 | 1 | — | — | — |
| Dumfries . . . | 8 | 12 | 14 | 12 | 16 | 16 | 12 | 9 | 10 | 6 | 7 | 4 | — | — | — | — |

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1867.—FEMALES.

| | FEMALE POPULATION. | | FEMALES. | | | | | | | | | | | | |
|-------------------|-----------------------|---------|--------------|-----------|------|------|------|------|-----|-----|------|-----|------|------|------|
| | | | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | 1851. | 1861. | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | | | 3 | 6 | 12 | | | | | | | | | |
| SCOTLAND . . | 1513263 | 1612446 | 34705 | 2864 | 1099 | 2014 | 2728 | 1350 | 900 | 628 | 1563 | 861 | 1142 | 1233 | 1300 |
| Insular . . | 89727 | 87324 | 1350 | 93 | 24 | 36 | 49 | 27 | 24 | 18 | 49 | 27 | 34 | 34 | 43 |
| Mainland . . | 882865 | 913578 | 16601 | 1306 | 444 | 844 | 1031 | 548 | 409 | 267 | 755 | 448 | 536 | 564 | 561 |
| Towns . . | 540671 | 611544 | 16754 | 1465 | 631 | 1134 | 1648 | 775 | 467 | 343 | 759 | 386 | 572 | 635 | 696 |
| Shetland . . | 17933 | 18617 | 251 | 21 | 4 | 4 | 3 | 4 | 8 | 2 | 4 | 2 | 9 | 6 | 6 |
| Orkney . . | 17105 | 17471 | 278 | 10 | 3 | 4 | 8 | 4 | — | 4 | 11 | 10 | 4 | 6 | 12 |
| Caithness . . | 20973 | 22354 | 275 | 20 | 4 | 11 | 14 | 7 | 10 | 5 | 7 | 5 | 5 | 12 | 8 |
| Sutherland . . | 13283 | 13099 | 189 | 9 | 1 | 4 | 2 | 3 | 3 | — | 4 | 11 | 5 | 7 | 4 |
| Ross & Cromarty | 44292 | 43965 | 699 | 62 | 19 | 25 | 25 | 14 | 6 | 6 | 16 | 15 | 15 | 22 | 18 |
| Inverness . . | 49140 | 45523 | 735 | 60 | 9 | 29 | 27 | 10 | 10 | 8 | 27 | 9 | 17 | 23 | 26 |
| Nairn . . | 4245 | 4371 | 89 | 6 | 7 | 4 | 2 | 1 | 4 | 1 | 2 | — | 4 | 3 | 4 |
| Elgin . . | 21589 | 23481 | 361 | 25 | 10 | 14 | 15 | 8 | 5 | 4 | 11 | 2 | 9 | 7 | 7 |
| Banff . . | 27158 | 29619 | 517 | 36 | 10 | 28 | 21 | 18 | 14 | 7 | 28 | 17 | 13 | 17 | 19 |
| Aberdeen . . | 112526 | 118022 | 2083 | 178 | 68 | 94 | 91 | 51 | 35 | 25 | 76 | 59 | 83 | 67 | 92 |
| Kincardine . . | 17756 | 17915 | 279 | 13 | 5 | 8 | 11 | 3 | 5 | 3 | 9 | 3 | 14 | 13 | 10 |
| Forfar . . | 104219 | 113470 | 2650 | 279 | 105 | 161 | 195 | 116 | 71 | 45 | 91 | 68 | 83 | 102 | 99 |
| Perth . . | 71672 | 70029 | 1198 | 69 | 28 | 33 | 57 | 17 | 14 | 11 | 40 | 17 | 28 | 45 | 42 |
| Fife . . | 80484 | 82307 | 1587 | 125 | 45 | 66 | 109 | 48 | 39 | 28 | 79 | 47 | 50 | 40 | 49 |
| Kinross . . | 4966 | 4581 | 84 | 9 | 1 | 4 | 3 | 1 | 2 | 2 | 2 | 2 | 1 | — | 2 |
| Clackmannan . . | 10921 | 10380 | 218 | 20 | 8 | 17 | 17 | 7 | 3 | 6 | 7 | 3 | 8 | 7 | 6 |
| Stirling . . | 42689 | 44651 | 901 | 75 | 32 | 51 | 55 | 33 | 27 | 14 | 35 | 27 | 30 | 33 | 30 |
| Dumbarton . . | 23655 | 27724 | 642 | 42 | 13 | 44 | 52 | 42 | 29 | 22 | 40 | 18 | 20 | 24 | 31 |
| Argyll . . | 47845 | 42945 | 653 | 34 | 15 | 17 | 25 | 13 | 15 | 7 | 20 | 13 | 16 | 18 | 18 |
| Bute . . | 9090 | 9123 | 177 | 12 | 3 | 5 | 5 | 5 | 4 | 5 | 8 | 3 | 5 | 7 | 3 |
| Renfrew . . | 83726 | 89366 | 2305 | 174 | 100 | 151 | 223 | 110 | 75 | 48 | 127 | 60 | 88 | 86 | 73 |
| Ayr . . | 96980 | 102028 | 2217 | 186 | 63 | 129 | 191 | 94 | 57 | 39 | 123 | 73 | 83 | 83 | 78 |
| Lanark . . | 274420 | 332181 | 9378 | 803 | 333 | 727 | 1072 | 468 | 300 | 221 | 520 | 246 | 352 | 385 | 425 |
| Linlithgow . . | 15168 | 18976 | 423 | 52 | 7 | 42 | 39 | 24 | 8 | 6 | 17 | 9 | 12 | 9 | 15 |
| Edinburgh . . | 140065 | 147664 | 3655 | 308 | 115 | 212 | 306 | 167 | 100 | 66 | 141 | 71 | 91 | 106 | 132 |
| Haddington . . | 18771 | 19760 | 320 | 38 | 10 | 16 | 16 | 10 | 2 | 4 | 16 | 10 | 11 | 10 | 11 |
| Berwick . . | 18798 | 19134 | 296 | 19 | 7 | 7 | 7 | 5 | 7 | 4 | 15 | 4 | 10 | 8 | 7 |
| Peebles . . | 5404 | 5697 | 89 | 11 | 5 | 2 | 5 | 3 | 1 | — | 6 | 1 | 1 | 6 | 4 |
| Selkirk . . | 4966 | 5341 | 136 | 12 | 8 | 8 | 14 | 4 | 3 | 2 | 6 | 3 | 4 | 5 | 7 |
| Roxburgh . . | 26223 | 27129 | 504 | 43 | 19 | 20 | 36 | 22 | 17 | 9 | 20 | 14 | 18 | 24 | 14 |
| Dumfries . . | 40949 | 42217 | 729 | 58 | 21 | 40 | 37 | 15 | 12 | 13 | 25 | 20 | 20 | 27 | 26 |
| Kirkcudbright . . | 22898 | 22706 | 399 | 26 | 9 | 25 | 22 | 12 | 4 | 5 | 16 | 11 | 12 | 11 | 8 |
| Wigtown . . | 23054 | 22700 | 388 | 29 | 12 | 12 | 23 | 11 | 10 | 6 | 14 | 8 | 21 | 14 | 14 |

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1867 —FEMALES.

| | | | | | | | | | | | | | | | |
|------------------|--------|--------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Inverness . . | 9095 | 8901 | 200 | 19 | 3 | 11 | 7 | 2 | 2 | 3 | 6 | 2 | 5 | 4 | 5 |
| Aberdeen . . | 40227 | 41346 | 934 | 84 | 35 | 46 | 53 | 30 | 16 | 9 | 26 | 19 | 44 | 27 | 47 |
| Arbroath . . | 9372 | 10061 | 187 | 16 | 12 | 10 | 6 | 4 | 3 | 4 | 5 | 4 | 14 | 6 | 4 |
| Dundee . . | 43663 | 51269 | 1535 | 172 | 67 | 108 | 154 | 74 | 45 | 31 | 57 | 37 | 36 | 65 | 68 |
| Forfar . . | 5992 | 6103 | 158 | 14 | 5 | 13 | 5 | 8 | 3 | 2 | 8 | 9 | 6 | 4 | 6 |
| Montrose . . | 8976 | 8932 | 200 | 19 | 12 | 13 | 11 | 6 | 6 | — | 6 | 2 | 4 | 8 | 5 |
| Perth . . | 12981 | 14147 | 271 | 21 | 7 | 7 | 25 | 7 | 2 | 2 | 7 | 2 | 8 | 8 | 10 |
| Dunfermline . . | 6935 | 7059 | 141 | 15 | 8 | 5 | 12 | 5 | 4 | 3 | 8 | 7 | 6 | 5 | 3 |
| Kirkcaldy . . | 5730 | 6043 | 144 | 13 | 4 | 11 | 12 | 6 | 3 | 5 | 10 | 4 | 2 | 2 | 5 |
| Stirling . . | 6493 | 7198 | 189 | 11 | 5 | 13 | 19 | 10 | 3 | 4 | 9 | 8 | 5 | 5 | 2 |
| Greenock . . | 19531 | 22327 | 678 | 69 | 38 | 46 | 67 | 35 | 27 | 11 | 28 | 16 | 16 | 23 | 21 |
| Paisley . . | 25463 | 25514 | 682 | 46 | 27 | 46 | 69 | 29 | 23 | 17 | 31 | 18 | 30 | 24 | 26 |
| Ayr . . | 10170 | 10565 | 243 | 24 | 8 | 7 | 13 | 7 | 9 | 6 | 10 | 9 | 7 | 10 | 15 |
| Kilmarnock . . | 11124 | 12158 | 335 | 31 | 13 | 22 | 35 | 23 | 5 | 7 | 13 | 9 | 17 | 13 | 12 |
| Glasgow . . | 174167 | 209947 | 6266 | 536 | 229 | 493 | 749 | 312 | 189 | 147 | 323 | 137 | 241 | 280 | 294 |
| Barony . . | 7960 | 11338 | 428 | 38 | 10 | 33 | 36 | 19 | 11 | 6 | 23 | 11 | 11 | 21 | 18 |
| Govan . . | 7710 | 14981 | 490 | 43 | 19 | 31 | 51 | 32 | 19 | 15 | 34 | 17 | 19 | 16 | 23 |
| Hamilton . . | 6164 | 7249 | 181 | 8 | 8 | 13 | 14 | 6 | 7 | 3 | 6 | 8 | 9 | 7 | 7 |
| Airdrie . . | 7102 | 6680 | 150 | 17 | 7 | 10 | 10 | 12 | 1 | 4 | 17 | 6 | 6 | 8 | 4 |
| Coatbridge, etc. | 6084 | 7148 | 181 | 12 | 13 | 11 | 24 | 9 | 7 | 7 | 13 | 4 | 7 | 2 | 6 |
| Edinburgh . . | 89581 | 94431 | 2427 | 178 | 75 | 142 | 214 | 109 | 56 | 44 | 85 | 45 | 57 | 80 | 86 |
| Leith . . | 16737 | 18135 | 507 | 57 | 16 | 29 | 50 | 26 | 21 | 10 | 26 | 8 | 16 | 9 | 23 |
| Dumfries . . | 9414 | 10012 | 227 | 22 | 10 | 14 | 12 | 4 | 5 | 3 | 8 | 4 | 6 | 8 | 6 |

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1867.—FEMALES.

| | FEMALES. | | | | | | | | | | | | | | | | |
|---------------------|-----------|------|------|------|------|------|------|------|------|------|------|-----|-----|-----|-----|----|--|
| | AGE UNDER | | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? | |
| SCOTLAND . . . | 1124 | 1154 | 1167 | 1125 | 1189 | 1227 | 1600 | 1723 | 1958 | 1822 | 1502 | 894 | 379 | 112 | 10 | 37 | |
| Insular . . . | 43 | 40 | 32 | 30 | 49 | 44 | 71 | 90 | 112 | 108 | 122 | 80 | 52 | 12 | 2 | 5 | |
| Mainland . . . | 475 | 482 | 500 | 480 | 514 | 567 | 759 | 919 | 1093 | 1143 | 980 | 624 | 247 | 79 | 5 | 21 | |
| Towns . . . | 606 | 632 | 635 | 615 | 626 | 616 | 770 | 714 | 753 | 571 | 400 | 190 | 80 | 21 | 3 | 11 | |
| Shetland . . . | 10 | 8 | 4 | 9 | 10 | 10 | 5 | 23 | 22 | 20 | 21 | 16 | 13 | 3 | — | 4 | |
| Orkney . . . | 9 | 6 | 8 | 8 | 3 | 10 | 16 | 18 | 31 | 31 | 28 | 24 | 6 | 3 | — | 1 | |
| Caithness . . . | 10 | 6 | 5 | 8 | 9 | 8 | 13 | 18 | 17 | 19 | 25 | 18 | 10 | 1 | — | — | |
| Sutherland . . . | 7 | 6 | 4 | 7 | 3 | 5 | 9 | 11 | 15 | 24 | 22 | 9 | 10 | 2 | — | 2 | |
| Ross and Cromarty . | 22 | 15 | 17 | 18 | 19 | 17 | 50 | 44 | 65 | 55 | 74 | 28 | 20 | 8 | 3 | 1 | |
| Inverness . . . | 18 | 16 | 22 | 27 | 25 | 32 | 53 | 46 | 61 | 64 | 52 | 30 | 21 | 10 | 1 | 2 | |
| Nairn . . . | 9 | 1 | 2 | 4 | 2 | 2 | 3 | 7 | 8 | 4 | 4 | 3 | 2 | — | — | — | |
| Elgin . . . | 8 | 13 | 10 | 9 | 14 | 15 | 15 | 25 | 33 | 38 | 37 | 19 | 3 | 5 | — | — | |
| Banff . . . | 13 | 11 | 16 | 11 | 24 | 12 | 19 | 36 | 33 | 33 | 37 | 30 | 8 | 5 | — | 1 | |
| Aberdeen . . . | 55 | 79 | 83 | 60 | 63 | 65 | 96 | 128 | 137 | 125 | 138 | 79 | 35 | 15 | 1 | 5 | |
| Kincardine . . . | 8 | 5 | 5 | 5 | 8 | 14 | 12 | 23 | 28 | 31 | 20 | 10 | 9 | 4 | — | — | |
| Forfar . . . | 98 | 94 | 90 | 96 | 103 | 113 | 138 | 112 | 133 | 99 | 81 | 54 | 20 | 2 | — | 2 | |
| Perth . . . | 31 | 35 | 31 | 45 | 40 | 51 | 71 | 93 | 115 | 102 | 101 | 55 | 19 | 7 | — | 1 | |
| Fife . . . | 47 | 47 | 50 | 37 | 59 | 68 | 77 | 89 | 114 | 101 | 97 | 51 | 20 | 4 | 1 | — | |
| Kinross . . . | 3 | 1 | 4 | 3 | 3 | 5 | 1 | 5 | 8 | 7 | 7 | 4 | 4 | — | — | — | |
| Clackmannan . . . | 9 | 6 | 7 | 4 | 6 | 9 | 10 | 14 | 14 | 15 | 8 | 4 | 2 | 1 | — | — | |
| Stirling . . . | 30 | 28 | 38 | 29 | 29 | 41 | 53 | 48 | 44 | 55 | 33 | 16 | 11 | 2 | 1 | 1 | |
| Dumbarton . . . | 24 | 30 | 12 | 20 | 13 | 15 | 34 | 20 | 35 | 25 | 16 | 16 | 4 | — | — | 1 | |
| Argyll . . . | 18 | 23 | 9 | 19 | 30 | 26 | 41 | 33 | 56 | 58 | 62 | 42 | 18 | 4 | 1 | 2 | |
| Bute . . . | 7 | 6 | 9 | 3 | 12 | 4 | 6 | 12 | 13 | 10 | 14 | 9 | 7 | — | — | — | |
| Renfrew . . . | 74 | 84 | 87 | 81 | 75 | 86 | 90 | 95 | 110 | 101 | 54 | 29 | 13 | 6 | 1 | 4 | |
| Ayr . . . | 70 | 63 | 73 | 63 | 68 | 58 | 88 | 108 | 122 | 120 | 88 | 72 | 20 | 4 | — | 1 | |
| Lanark . . . | 318 | 341 | 330 | 328 | 322 | 315 | 384 | 317 | 307 | 252 | 161 | 91 | 45 | 11 | 1 | 3 | |
| Linlithgow . . . | 10 | 8 | 15 | 8 | 9 | 12 | 17 | 15 | 22 | 34 | 9 | 18 | 4 | 1 | — | 1 | |
| Edinburgh . . . | 127 | 137 | 147 | 132 | 148 | 136 | 173 | 214 | 225 | 190 | 125 | 59 | 22 | 4 | — | 1 | |
| Haddington . . . | 6 | 13 | 11 | 6 | 12 | 8 | 14 | 14 | 24 | 24 | 18 | 10 | 2 | 3 | — | 1 | |
| Berwick . . . | 7 | 7 | 12 | 14 | 12 | 10 | 14 | 23 | 24 | 27 | 28 | 12 | 4 | 1 | — | 1 | |
| Peebles . . . | 4 | 4 | 2 | 1 | 5 | 3 | 2 | 6 | 3 | 5 | 5 | 2 | 2 | — | — | — | |
| Selkirk . . . | 3 | 4 | 5 | 3 | 4 | 5 | 6 | 6 | 8 | 11 | 3 | 2 | — | — | — | — | |
| Roxburgh . . . | 12 | 13 | 15 | 16 | 14 | 13 | 23 | 28 | 33 | 28 | 34 | 14 | 3 | — | — | 2 | |
| Dumfries . . . | 33 | 26 | 23 | 27 | 19 | 24 | 30 | 44 | 44 | 54 | 43 | 35 | 10 | 3 | — | — | |
| Kirkcudbright . . . | 14 | 13 | 14 | 12 | 9 | 18 | 18 | 30 | 29 | 29 | 26 | 16 | 8 | 2 | — | — | |
| Wigtown . . . | 10 | 5 | 7 | 12 | 17 | 17 | 19 | 18 | 25 | 31 | 31 | 17 | 4 | 1 | — | — | |

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1867.—FEMALES.

| | | | | | | | | | | | | | | | | |
|----------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|----|----|---|---|---|
| Inverness . . . | 6 | 8 | 10 | 10 | 8 | 8 | 18 | 12 | 15 | 16 | 12 | 4 | — | 2 | — | 2 |
| Aberdeen . . . | 32 | 38 | 42 | 36 | 37 | 36 | 40 | 59 | 64 | 38 | 45 | 17 | 6 | 5 | 1 | 2 |
| Arbroath . . . | 5 | 7 | 13 | 4 | 11 | 8 | 11 | 8 | 16 | 8 | 4 | 4 | — | — | — | — |
| Dundee . . . | 62 | 56 | 55 | 61 | 65 | 60 | 72 | 46 | 58 | 29 | 29 | 21 | 6 | — | — | 1 |
| Forfar . . . | 6 | 4 | 5 | 2 | 4 | 6 | 11 | 10 | 9 | 8 | 5 | 3 | 2 | — | — | — |
| Montrose . . . | 12 | 8 | 2 | 6 | 6 | 13 | 13 | 12 | 11 | 10 | 10 | 3 | 2 | — | — | — |
| Perth . . . | 12 | 14 | 11 | 6 | 6 | 14 | 19 | 15 | 22 | 16 | 18 | 9 | 3 | — | — | — |
| Dunfermline . . . | 8 | 3 | 3 | 3 | 2 | 6 | 5 | 9 | 5 | 4 | 6 | 2 | 3 | — | 1 | — |
| Kirkcaldy . . . | 5 | 3 | 6 | 3 | 4 | 8 | 10 | 9 | 10 | 5 | 2 | 1 | 1 | — | — | — |
| Stirling . . . | 5 | 8 | 5 | 11 | 7 | 5 | 11 | 7 | 15 | 11 | 6 | 2 | 1 | — | 1 | — |
| Greenock . . . | 29 | 29 | 28 | 23 | 19 | 29 | 30 | 31 | 30 | 13 | 11 | 5 | 3 | 1 | — | — |
| Paisley . . . | 20 | 26 | 21 | 26 | 26 | 22 | 25 | 20 | 37 | 45 | 9 | 10 | 3 | 2 | — | 4 |
| Ayr . . . | 6 | 6 | 3 | 10 | 8 | 6 | 15 | 15 | 11 | 20 | 12 | 5 | 1 | — | — | — |
| Kilmarnock . . . | 15 | 11 | 8 | 10 | 6 | 10 | 13 | 10 | 19 | 13 | 8 | 9 | 3 | — | — | — |
| Glasgow . . . | 220 | 234 | 235 | 231 | 244 | 213 | 260 | 208 | 195 | 145 | 85 | 40 | 22 | 4 | — | — |
| Barony . . . | 16 | 20 | 26 | 12 | 13 | 12 | 29 | 14 | 15 | 9 | 16 | 7 | — | 1 | — | 1 |
| Govan . . . | 15 | 24 | 12 | 22 | 6 | 16 | 19 | 15 | 15 | 14 | 5 | 3 | 5 | — | — | — |
| Hamilton . . . | 8 | 1 | 4 | 8 | 4 | 5 | 6 | 13 | 16 | 9 | 8 | — | 1 | 2 | — | — |
| Airdrie . . . | 3 | 3 | 4 | 2 | 12 | 3 | 4 | 9 | 2 | 1 | 2 | 2 | — | — | — | 1 |
| Coatbridge, etc. . . | 8 | 5 | 6 | 10 | 6 | 5 | 10 | 3 | 5 | 3 | 1 | 3 | 1 | — | — | — |
| Edinburgh . . . | 85 | 95 | 112 | 92 | 101 | 108 | 119 | 140 | 150 | 127 | 79 | 33 | 14 | 1 | — | — |
| Leith . . . | 18 | 22 | 13 | 16 | 23 | 13 | 24 | 29 | 23 | 12 | 15 | 4 | 2 | 2 | — | — |
| Dumfries . . . | 10 | 7 | 11 | 11 | 8 | 10 | 6 | 20 | 10 | 15 | 12 | 3 | 1 | 1 | — | — |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1867.—BOTH SEXES.

| DISEASES. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---------------------------------------|-----------|-----------|---------|------------|-------------|--------------------|------------|--------|--------|--------|-----------|-------------|---------|--------|-------|----------|
| ALL CAUSES | 69068 | 462 | 483 | 572 | 354 | 1283 | 1412 | 171 | 712 | 971 | 4043 | 514 | 5165 | 2408 | 3029 | 148 |
| SPECIFIED CAUSES | 65947 | 349 | 435 | 505 | 305 | 1070 | 1220 | 156 | 657 | 922 | 3862 | 492 | 5034 | 2305 | 2829 | 139 |
| I. Zymotic Class | 13256 | 37 | 34 | 98 | 34 | 155 | 176 | 14 | 104 | 202 | 644 | 86 | 1009 | 302 | 572 | 25 |
| II. Diseases of Uncer. Seat | 2408 | 13 | 14 | 19 | 15 | 54 | 54 | 6 | 26 | 44 | 193 | 18 | 234 | 94 | 127 | 3 |
| III. Tubercular Class | 11668 | 46 | 66 | 88 | 46 | 146 | 158 | 17 | 100 | 132 | 739 | 75 | 895 | 356 | 399 | 19 |
| IV. Brain and Nervous Sys. | 5458 | 13 | 36 | 36 | 14 | 75 | 92 | 23 | 61 | 74 | 373 | 42 | 418 | 232 | 244 | 16 |
| V. Organs of Circulation | 3380 | 6 | 9 | 18 | 8 | 26 | 47 | 11 | 27 | 41 | 229 | 20 | 299 | 168 | 206 | 7 |
| VI. Respiratory Organs | 10019 | 13 | 43 | 67 | 28 | 90 | 137 | 15 | 71 | 118 | 467 | 56 | 752 | 293 | 359 | 22 |
| VII. Organs of Digestion | 4907 | 17 | 30 | 30 | 18 | 52 | 75 | 14 | 72 | 81 | 296 | 50 | 344 | 173 | 180 | 9 |
| VIII. Urinary Organs | 1013 | 5 | 13 | 7 | 6 | 17 | 19 | 3 | 10 | 23 | 87 | 10 | 74 | 36 | 40 | 3 |
| IX. Organs of Generation | 486 | 8 | 2 | 4 | 5 | 18 | 15 | 1 | 7 | 5 | 27 | 5 | 40 | 21 | 15 | 1 |
| X. Organs of Locomotion | 391 | 2 | 3 | 1 | 5 | 5 | 11 | — | 4 | 6 | 22 | 6 | 21 | 12 | 22 | — |
| XI. Skin, etc. | 75 | — | — | — | — | 2 | 1 | — | — | — | 4 | — | 5 | 5 | 6 | 1 |
| XII. Malformation | 207 | — | — | — | — | 1 | 1 | 1 | 3 | 5 | 10 | 3 | 20 | 9 | 4 | 1 |
| XIII. Premature Debility | 3367 | 8 | 6 | 15 | 3 | 27 | 53 | 11 | 25 | 44 | 188 | 22 | 354 | 101 | 138 | 4 |
| XIV. Atrophy | 521 | 4 | 5 | 3 | 2 | 5 | 9 | 4 | 2 | — | 17 | 5 | 24 | 21 | 20 | 1 |
| XV. Age | 6449 | 154 | 160 | 105 | 105 | 363 | 338 | 31 | 126 | 135 | 441 | 74 | 375 | 384 | 387 | 23 |
| XVI. Sudden Deaths | 146 | 2 | 1 | — | 4 | 3 | 6 | 1 | — | — | 7 | — | 6 | 6 | 15 | 1 |
| XVII. Violent Deaths | 2196 | 21 | 13 | 14 | 12 | 31 | 28 | 4 | 19 | 12 | 118 | 20 | 164 | 92 | 95 | 3 |
| I. Small Pox | 100 | 1 | — | — | — | 3 | 2 | — | 1 | — | 2 | — | 18 | 1 | 1 | — |
| Measles | 1341 | — | — | — | — | 2 | 5 | — | 2 | 9 | 6 | 1 | 7 | 27 | 44 | — |
| Scarlatina | 2253 | — | 2 | — | — | 5 | 12 | — | 29 | 81 | 52 | 10 | 70 | 19 | 128 | 10 |
| Diphtheria | 610 | — | 11 | 13 | 8 | 9 | 10 | 3 | 5 | 4 | 64 | 17 | 43 | 18 | 48 | — |
| Hooping Cough | 1728 | — | — | 1 | 2 | 39 | 23 | 2 | 7 | 7 | 79 | 3 | 352 | 39 | 27 | — |
| Croup | 925 | 1 | 7 | 23 | 6 | 29 | 28 | 1 | 3 | 14 | 55 | 4 | 85 | 28 | 40 | 1 |
| Thrush | 30 | 1 | — | — | — | — | — | — | 1 | 2 | 4 | — | 7 | 1 | — | — |
| Diarrhoea | 1481 | 2 | 1 | 10 | 1 | 13 | 17 | 4 | 16 | 21 | 113 | 19 | 91 | 33 | 41 | 7 |
| Dysentery | 255 | 1 | — | — | 2 | 1 | 3 | — | 4 | 10 | 30 | 3 | 24 | 16 | 15 | 1 |
| Cholera | 142 | — | — | — | — | — | — | — | — | — | 6 | 2 | 11 | 2 | 2 | — |
| Influenza | 210 | — | — | 6 | 2 | 12 | 6 | — | 3 | 2 | 18 | 4 | 24 | 12 | 16 | — |
| Purpura | 49 | 8 | 1 | — | — | 1 | 1 | — | 1 | — | 2 | — | 2 | 2 | 3 | — |
| Ague | 1 | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — |
| Worms | 27 | — | 1 | — | 1 | — | 1 | — | — | — | 1 | — | 2 | — | — | — |
| Typhus | 1745 | 17 | 3 | 12 | 5 | 10 | 29 | 2 | 5 | 23 | 67 | 6 | 95 | 27 | 68 | 2 |
| Enteric Fever | 1378 | 3 | 2 | 18 | 4 | 11 | 24 | — | 12 | 16 | 79 | 12 | 105 | 48 | 90 | 1 |
| Relapsing Fever | 40 | — | — | — | — | 3 | — | 1 | — | 1 | — | — | 3 | 1 | 2 | — |
| Simple Cont. Fever | 105 | 2 | 2 | — | — | 2 | — | — | 1 | 1 | 6 | — | 8 | — | 4 | — |
| Infantile Remittent | 119 | — | — | — | 1 | 2 | 1 | — | — | 6 | 7 | 1 | 6 | 3 | 5 | — |
| Metria | 163 | — | 1 | 5 | — | 5 | 2 | 1 | 3 | 2 | 6 | 1 | 13 | 5 | 9 | — |
| Rheumatic Fever | 125 | — | 1 | 5 | 2 | 3 | 2 | — | 4 | — | 5 | — | 12 | 5 | 10 | 2 |
| Erysipelas | 225 | — | 1 | 5 | — | 4 | 10 | — | 5 | 1 | 24 | 2 | 10 | 14 | 6 | 1 |
| Pyæmia | 34 | 1 | — | — | — | 1 | — | — | 1 | 2 | 2 | — | — | — | 4 | — |
| Syphilis | 156 | — | 1 | — | — | — | — | — | 1 | — | 16 | 1 | 19 | 1 | 8 | — |
| Noma | 14 | — | — | — | — | — | — | — | — | — | — | — | 1 | — | 1 | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 63 | — | — | — | — | 1 | 1 | — | 1 | — | 4 | — | 4 | 4 | 2 | — |
| Dropsy | 711 | 10 | 6 | 7 | 6 | 22 | 22 | 1 | 4 | 9 | 28 | 1 | 101 | 30 | 30 | 2 |
| Abscess | 163 | — | — | 3 | — | 1 | 4 | 1 | 1 | 2 | 18 | — | 10 | 1 | 6 | — |
| Ulcer | 39 | — | — | 1 | — | 1 | — | — | 1 | 1 | 1 | — | 2 | — | 2 | — |
| Fistula | 12 | — | — | — | — | — | 1 | — | — | — | 2 | — | — | — | 1 | — |
| Mortification | 117 | — | — | — | 1 | 1 | 2 | — | 1 | 1 | 8 | 2 | 10 | 5 | 8 | — |
| Cancer | 1288 | 2 | 8 | 7 | 8 | 28 | 24 | 4 | 18 | 28 | 128 | 15 | 106 | 53 | 78 | 1 |
| Gout | 15 | 1 | — | 1 | — | — | — | — | — | 3 | 4 | — | 1 | 1 | — | — |
| III. Scrofula | 620 | 5 | 2 | 4 | — | 5 | 9 | 1 | 4 | 15 | 57 | 6 | 36 | 20 | 20 | — |
| Tabes Mesenterica | 945 | — | 2 | 3 | 1 | 5 | 4 | — | 4 | 3 | 37 | 2 | 46 | 12 | 42 | 1 |
| Phthisis | 8248 | 39 | 51 | 64 | 40 | 128 | 133 | 15 | 82 | 95 | 531 | 51 | 654 | 281 | 283 | 14 |
| Hydrocephalus | 1855 | 2 | 11 | 17 | 5 | 8 | 12 | 1 | 10 | 19 | 114 | 16 | 159 | 43 | 54 | 4 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1867.—BOTH SEXES.

| DISEASES. | Clack- mannan | Stirling. | Dum- barton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlith- gow. | Edin- burgh. | Hadding- ton. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcud- bright. | Wigtown. |
|-------------------------------|------------------|-----------|-----------------|---------|-------|----------|------|---------|------------------|-----------------|------------------|----------|----------|----------|-----------|-----------|---------------------|----------|
| ALL CAUSES . . . | 449 | 1906 | 1332 | 1357 | 373 | 4700 | 4446 | 18987 | 840 | 7323 | 638 | 587 | 175 | 264 | 983 | 1474 | 742 | 765 |
| SPECIFIED CAUSES . . . | 408 | 1749 | 1233 | 1168 | 341 | 4481 | 4295 | 18532 | 796 | 7249 | 601 | 567 | 168 | 262 | 968 | 1395 | 707 | 747 |
| Zymotic Class . . . | 60 | 371 | 300 | 154 | 57 | 980 | 1049 | 4153 | 155 | 1552 | 115 | 112 | 24 | 52 | 216 | 188 | 99 | 127 |
| Uncertain Seat . . . | 24 | 72 | 33 | 52 | 9 | 130 | 144 | 496 | 29 | 277 | 19 | 40 | 7 | 7 | 39 | 58 | 22 | 36 |
| Tubercular Class . . . | 76 | 309 | 251 | 160 | 65 | 839 | 837 | 3630 | 133 | 1125 | 77 | 78 | 22 | 54 | 186 | 268 | 143 | 133 |
| Brain, etc. | 31 | 141 | 74 | 102 | 29 | 349 | 338 | 1364 | 57 | 693 | 64 | 56 | 21 | 20 | 104 | 144 | 65 | 57 |
| Heart, etc. | 18 | 95 | 70 | 69 | 21 | 206 | 212 | 671 | 50 | 485 | 39 | 49 | 14 | 26 | 68 | 83 | 41 | 41 |
| Respiratory Organs . . . | 68 | 199 | 156 | 116 | 50 | 728 | 516 | 3661 | 125 | 1173 | 71 | 47 | 20 | 41 | 109 | 197 | 112 | 99 |
| Digestive Organs . . . | 28 | 162 | 89 | 87 | 25 | 403 | 293 | 1410 | 67 | 475 | 41 | 46 | 12 | 16 | 76 | 117 | 59 | 60 |
| Urinary Organs . . . | 6 | 21 | 16 | 23 | 10 | 31 | 60 | 199 | 9 | 187 | 10 | 12 | 2 | 4 | 7 | 34 | 10 | 19 |
| Generative Organs . . . | — | 20 | 13 | 6 | 1 | 32 | 23 | 121 | 8 | 45 | 6 | 6 | 2 | 2 | 6 | 9 | 8 | 4 |
| Locomotive Organs . . . | 2 | 9 | 5 | 9 | 3 | 33 | 29 | 99 | 1 | 55 | 2 | 3 | 2 | 2 | 3 | 11 | 2 | 1 |
| Skin | — | — | — | 1 | — | 7 | 4 | 19 | 1 | 16 | 1 | — | — | — | — | — | 1 | 1 |
| Malformation | 1 | 4 | 4 | 1 | 2 | 17 | 18 | 32 | 9 | 28 | 4 | 7 | 1 | 3 | 5 | 8 | 2 | 3 |
| Premature Debility . . . | 28 | 103 | 66 | 30 | 9 | 221 | 210 | 1007 | 50 | 383 | 45 | 22 | 10 | 17 | 46 | 67 | 19 | 35 |
| Atrophy | 1 | 13 | 11 | 9 | 3 | 42 | 23 | 182 | 2 | 71 | 10 | 5 | — | 1 | 9 | 4 | 7 | 6 |
| Age | 51 | 163 | 97 | 297 | 44 | 289 | 366 | 857 | 67 | 400 | 78 | 65 | 24 | 14 | 74 | 164 | 98 | 100 |
| Sudden Deaths . . . | 1 | 5 | 2 | 1 | — | 6 | 5 | 54 | 2 | 10 | 1 | — | 2 | — | — | 3 | 2 | — |
| Violent Deaths . . . | 13 | 62 | 46 | 51 | 13 | 168 | 168 | 577 | 31 | 274 | 18 | 19 | 5 | 3 | 20 | 40 | 17 | 25 |
| Small Pox | — | 1 | 1 | 2 | — | 13 | 4 | 38 | 1 | 10 | — | — | — | — | — | 1 | — | — |
| Measles | 4 | 49 | 39 | 18 | 4 | 80 | 56 | 573 | 31 | 330 | 14 | 4 | — | 1 | 2 | 15 | 16 | 2 |
| Scarlatina | 14 | 23 | 109 | 30 | 6 | 193 | 217 | 820 | 21 | 227 | 10 | 24 | 11 | 18 | 87 | 12 | 4 | 9 |
| Diphtheria | 4 | 26 | 13 | 7 | 8 | 34 | 32 | 120 | 13 | 63 | 1 | 8 | — | — | 5 | 19 | 4 | — |
| Hooping Cough | 5 | 39 | 40 | 6 | 2 | 163 | 108 | 445 | 6 | 151 | 14 | 10 | 3 | 15 | 37 | 24 | 27 | 52 |
| Croup | 10 | 28 | 12 | 15 | 4 | 61 | 75 | 248 | 15 | 91 | 5 | 3 | — | 1 | 6 | 12 | 5 | 9 |
| Thrush | — | — | — | 2 | — | 2 | 2 | 5 | — | 3 | — | — | — | — | — | — | — | — |
| Diarrhoea | 10 | 35 | 23 | 20 | 5 | 89 | 138 | 489 | 17 | 172 | 10 | 15 | 3 | 7 | 15 | 27 | 11 | 6 |
| Dysentery | — | 16 | 2 | 6 | 2 | 16 | 14 | 54 | 4 | 12 | 3 | 1 | — | — | 1 | 9 | 2 | 3 |
| Cholera | 1 | — | — | 2 | — | 35 | 24 | 36 | 1 | 14 | 1 | 1 | — | — | 3 | 1 | — | — |
| Influenza | — | 13 | 2 | 4 | 2 | 6 | 23 | 28 | 1 | 9 | 1 | 3 | — | — | 1 | 2 | 2 | 8 |
| Purpura | — | — | 1 | — | — | 4 | 2 | 11 | 1 | 4 | 1 | 1 | — | — | 2 | 1 | — | — |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | — | — | 1 | — | — | 1 | 9 | 4 | — | 1 | — | — | — | — | 2 | 2 | 1 | — |
| Typhus | 4 | 78 | 25 | 8 | 14 | 184 | 125 | 682 | 14 | 170 | 23 | 5 | — | — | 14 | 14 | 4 | 9 |
| Enteric Fever | 5 | 41 | 20 | 24 | 5 | 47 | 142 | 327 | 20 | 183 | 20 | 27 | 5 | 4 | 28 | 29 | 9 | 17 |
| Relapsing Fever | — | 2 | — | — | — | 1 | 2 | 17 | — | 4 | — | — | — | — | — | 1 | — | 2 |
| Simple Cont. Fever | — | 2 | 3 | 1 | — | — | 16 | 30 | 1 | 7 | — | 1 | — | 1 | 2 | 6 | 7 | 2 |
| Infantile Remittent | — | 4 | — | 1 | — | 14 | 6 | 46 | 1 | 9 | 2 | 1 | — | — | — | 1 | — | 2 |
| Metria | — | 7 | 3 | 3 | — | 8 | 11 | 43 | 3 | 20 | 2 | 2 | 1 | 1 | 3 | 2 | — | 1 |
| Rheumatic Fever | — | — | 1 | 1 | 1 | 8 | 9 | 23 | 1 | 13 | 3 | 2 | 1 | 1 | 4 | 3 | 3 | 1 |
| Erysipelas | 3 | 4 | 2 | 2 | 1 | 12 | 24 | 53 | 3 | 25 | — | 1 | 1 | — | 2 | 4 | 3 | 2 |
| Pyæmia | — | 1 | — | — | 2 | 2 | 1 | 7 | — | 5 | — | 2 | — | — | — | 1 | 1 | 1 |
| Syphilis | — | 2 | 3 | 2 | — | 5 | 9 | 48 | 1 | 27 | 5 | 1 | — | 2 | 2 | 1 | — | 1 |
| Noma | — | — | — | — | 1 | 2 | — | 6 | — | 2 | — | — | — | — | — | 1 | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hæmorrhage | 1 | 2 | 1 | 3 | — | 6 | 2 | 22 | — | 7 | — | — | 1 | — | — | — | 1 | — |
| Dropsy | 7 | 28 | 9 | 17 | 1 | 41 | 47 | 173 | 7 | 55 | 6 | 9 | — | — | 8 | 11 | 4 | 9 |
| Abscess | — | 2 | 4 | 1 | — | 10 | 4 | 54 | 1 | 24 | 2 | — | 1 | 1 | 5 | 4 | 2 | 1 |
| Ulcer | 1 | 3 | — | 1 | — | 3 | 5 | 6 | 1 | 5 | — | 1 | 1 | — | — | — | — | 1 |
| Fistula | — | — | — | — | — | — | 1 | 4 | 1 | 2 | — | — | — | — | — | — | — | — |
| Mortification | 1 | 3 | 5 | 2 | 1 | 7 | 6 | 22 | 4 | 15 | 1 | 3 | 1 | — | 2 | 4 | 1 | — |
| Cancer | 14 | 34 | 14 | 28 | 7 | 62 | 78 | 215 | 15 | 167 | 10 | 27 | 3 | 6 | 22 | 39 | 14 | 25 |
| Gout | — | — | — | — | — | 1 | 1 | — | — | 2 | — | — | — | — | — | — | — | — |
| Scrofula | 1 | 20 | 5 | 7 | 4 | 36 | 51 | 162 | 10 | 81 | 7 | 5 | 2 | 4 | 14 | 11 | 13 | 3 |
| Tabes Mesenterica | — | 36 | 15 | 1 | 12 | 60 | 84 | 338 | 14 | 146 | 8 | 1 | 2 | 4 | 22 | 20 | 15 | 5 |
| Phthisis | 61 | 203 | 188 | 135 | 38 | 626 | 583 | 2493 | 71 | 689 | 51 | 61 | 16 | 33 | 113 | 212 | 101 | 113 |
| Hydrocephalus | 14 | 50 | 43 | 17 | 11 | 117 | 119 | 637 | 38 | 209 | 11 | 11 | 2 | 13 | 37 | 25 | 14 | 12 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1867.—BOTH SEXES. (Continued.)

| DISEASES. | Scotland. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|----------------------------|-----------|-----------|---------|------------|-------------|--------------------|------------|--------|--------|--------|-----------|-------------|---------|--------|-------|----------|
| IV. Cephalitis . . . | 452 | 2 | 2 | 1 | - | 9 | 10 | 1 | 8 | 3 | 30 | 1 | 21 | 13 | 23 | - |
| Apoplexy . . . | 1141 | 5 | 8 | 6 | - | 6 | 16 | 5 | 9 | 15 | 78 | 10 | 89 | 55 | 52 | 4 |
| Paralysis . . . | 1671 | 4 | 16 | 17 | 4 | 33 | 33 | 6 | 22 | 26 | 118 | 17 | 118 | 96 | 103 | 7 |
| Delirium Tremens . . . | 64 | - | - | - | - | - | 2 | 1 | - | 1 | 3 | - | 9 | 2 | 2 | 2 |
| Chorea . . . | 10 | - | - | - | - | 1 | - | - | - | - | - | - | 1 | 2 | - | - |
| Epilepsy . . . | 245 | - | 1 | 1 | 4 | 5 | 3 | 2 | 3 | 6 | 19 | 1 | 15 | 11 | 9 | - |
| Tetanus . . . | 38 | - | - | 2 | - | 3 | 5 | - | - | 1 | 2 | - | 3 | 2 | 2 | - |
| Insanity . . . | 53 | - | - | - | - | 1 | 2 | - | - | 1 | 4 | - | - | 3 | 3 | - |
| Convulsions . . . | 856 | - | 2 | 4 | 1 | 7 | 12 | 2 | 6 | 4 | 50 | 4 | 105 | 15 | 15 | 2 |
| Brain Disease . . . | 928 | 2 | 7 | 5 | 5 | 10 | 9 | 6 | 13 | 17 | 69 | 9 | 57 | 33 | 35 | 1 |
| V. Pericarditis . . . | 65 | - | - | 1 | - | 1 | 1 | 1 | - | - | 6 | 1 | 6 | 4 | 3 | - |
| Aneurism . . . | 81 | - | - | 1 | - | - | - | - | - | 2 | 8 | 1 | 10 | 7 | 5 | 1 |
| Heart Disease . . . | 3234 | 6 | 9 | 16 | 8 | 25 | 46 | 10 | 27 | 39 | 215 | 18 | 283 | 157 | 198 | 6 |
| VI. Laryngitis . . . | 123 | - | 1 | - | - | - | 1 | - | 1 | 1 | 9 | 2 | 5 | 7 | 7 | - |
| Bronchitis . . . | 6777 | 9 | 19 | 42 | 16 | 36 | 60 | 4 | 45 | 61 | 309 | 36 | 537 | 194 | 233 | 12 |
| Pleurisy . . . | 203 | - | 3 | 1 | - | 5 | 7 | 1 | 1 | 8 | 13 | - | 23 | 8 | 13 | - |
| Pneumonia . . . | 2070 | 1 | 8 | 14 | 2 | 20 | 28 | 7 | 16 | 40 | 109 | 14 | 115 | 71 | 91 | 7 |
| Asthma . . . | 530 | 3 | 1 | 9 | 9 | 29 | 29 | 2 | 6 | 8 | 18 | 4 | 43 | 11 | 11 | 3 |
| Lung Disease . . . | 316 | - | 11 | 1 | 1 | - | 12 | 1 | 2 | - | 9 | - | 29 | 2 | 4 | - |
| VII. Teething . . . | 962 | 5 | 1 | 3 | 1 | 2 | 12 | 2 | 18 | 12 | 57 | 6 | 107 | 23 | 40 | 1 |
| Quinsey . . . | 56 | 1 | 1 | 1 | - | 1 | - | - | 1 | 3 | 5 | - | 2 | 1 | 4 | - |
| Gastritis . . . | 155 | - | - | 2 | 1 | 3 | - | - | 2 | - | 11 | 1 | 6 | 5 | 8 | 1 |
| Enteritis . . . | 933 | 2 | 6 | 4 | 1 | 6 | 11 | 3 | 10 | 14 | 35 | 10 | 43 | 27 | 20 | - |
| Peritonitis . . . | 273 | 1 | 1 | 1 | 2 | 3 | 4 | - | 4 | 7 | 17 | - | 22 | 15 | 3 | 1 |
| Ascites . . . | 82 | - | 3 | 1 | - | - | 2 | - | - | 3 | 9 | - | 5 | 1 | 4 | 1 |
| Ulceration of Intestines | 187 | - | - | 1 | - | - | 1 | - | 6 | 10 | 15 | 2 | 10 | 7 | 6 | 1 |
| Hernia . . . | 92 | - | - | 1 | 1 | 2 | 1 | - | 1 | 4 | 5 | 3 | 6 | 2 | 4 | - |
| Ileus . . . | 297 | - | 1 | - | 1 | 7 | 7 | - | 4 | 6 | 39 | 3 | 20 | 17 | 13 | 1 |
| Intussusception . . . | 30 | - | - | 1 | - | - | 1 | - | - | 2 | 1 | 1 | 4 | - | 3 | - |
| Stricture of Intestines | 32 | - | - | - | - | - | - | - | 1 | - | 2 | - | - | 3 | 2 | - |
| Stomach Disease . . . | 773 | 5 | 13 | 4 | 5 | 22 | 20 | 4 | 8 | 8 | 45 | 14 | 48 | 30 | 32 | - |
| Pancreas Disease . . . | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Hepatitis . . . | 143 | 2 | 1 | 1 | - | 1 | 5 | - | 3 | 1 | 3 | 3 | 5 | 6 | 3 | 1 |
| Jaundice . . . | 161 | - | - | 1 | 1 | - | 3 | - | 5 | 1 | 17 | 4 | 23 | 6 | 14 | 1 |
| Liver Disease . . . | 700 | 1 | 3 | 9 | 5 | 4 | 8 | 5 | 9 | 8 | 32 | 3 | 41 | 30 | 22 | - |
| Spleen Disease . . . | 30 | - | - | - | - | 1 | - | - | - | 1 | 3 | - | 2 | - | 2 | 1 |
| VIII. Nephritis . . . | 87 | - | - | 2 | - | - | 3 | - | - | 2 | 1 | - | 4 | 1 | 4 | - |
| Nephria . . . | 239 | - | - | - | - | 3 | 3 | - | 1 | 2 | 11 | 3 | 21 | 11 | 12 | 3 |
| Addison's Disease . . . | 8 | - | - | - | - | 1 | 1 | - | - | - | 1 | - | 1 | - | - | - |
| Ischuria . . . | 57 | - | - | 1 | - | 1 | 1 | - | 1 | 1 | 6 | - | 2 | 4 | 4 | - |
| Diabetes . . . | 81 | - | 1 | 1 | - | 2 | 1 | - | 1 | 1 | 12 | 2 | 7 | 3 | 4 | - |
| Stone . . . | 65 | 3 | 6 | 1 | 3 | 2 | 2 | 1 | 2 | 3 | 6 | - | 7 | 2 | 2 | - |
| Cystitis . . . | 170 | - | 1 | 1 | 1 | 4 | 2 | 1 | 4 | 8 | 17 | 3 | 9 | 9 | 5 | - |
| Stricture of Urethra . . . | 16 | - | - | - | - | - | 1 | - | - | - | 1 | - | 1 | 2 | - | - |
| Kidney Disease . . . | 290 | 2 | 5 | 1 | 2 | 4 | 5 | 1 | 1 | 6 | 32 | 2 | 22 | 4 | 9 | - |
| IX. Paramenia . . . | 29 | - | - | - | - | - | 2 | - | 1 | 1 | 1 | 1 | 3 | 1 | 2 | - |
| Ovarian Dropsy . . . | 81 | - | 1 | - | 2 | - | 3 | 1 | 1 | - | 9 | - | 7 | 3 | 1 | - |
| Childbirth . . . | 321 | 8 | 1 | 3 | 3 | 16 | 8 | - | 4 | - | 14 | 2 | 27 | 10 | 9 | 1 |
| Organs of Generation | 55 | - | - | 1 | - | 2 | 2 | - | 1 | 4 | 3 | 2 | 3 | 7 | 3 | - |
| X. Arthritis . . . | 78 | 1 | - | - | - | - | - | - | 1 | 2 | 4 | - | 5 | 1 | 3 | - |
| Rheumatism . . . | 173 | 1 | 3 | 1 | 3 | 4 | 10 | - | 2 | 1 | 6 | 5 | 7 | 6 | 11 | - |
| Joint and Bone Disease | 140 | - | - | - | 2 | 1 | 1 | - | 1 | 3 | 12 | 1 | 9 | 5 | 8 | - |
| XI. Carbuncle . . . | 18 | - | - | - | - | - | - | - | - | - | 1 | - | 1 | 2 | 3 | - |
| Phlegmon . . . | 15 | - | - | - | - | - | 1 | - | - | - | - | - | 1 | 2 | 1 | - |
| Skin Disease . . . | 42 | - | - | - | - | 2 | - | - | - | - | 3 | - | 3 | 1 | 2 | 1 |
| XVII. Intemperance . . . | 76 | - | - | - | - | - | - | - | - | 2 | 4 | - | 7 | 5 | - | - |
| Privation . . . | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Want of Breast Milk | 82 | - | - | - | - | - | - | - | - | - | 7 | - | 9 | 3 | 6 | 1 |
| Neglect . . . | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| Cold . . . | 29 | 1 | - | 1 | 1 | 2 | 2 | 1 | - | - | 3 | - | 1 | 1 | - | - |
| Poison . . . | 54 | - | - | - | - | - | - | - | - | 1 | 1 | - | 2 | 1 | 4 | - |
| Poisoned Wounds . . . | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Burns and Scalds . . . | 249 | 2 | 1 | 3 | 3 | 4 | - | - | 1 | 1 | 11 | 2 | 12 | 14 | 8 | - |
| Hanging, etc. . . | 63 | - | - | - | - | - | - | - | 2 | - | 3 | 1 | 6 | 4 | 4 | - |
| Suffocation . . . | 139 | - | 2 | - | - | 1 | - | - | 2 | 1 | 8 | - | 10 | 5 | 5 | - |
| Drowning . . . | 467 | 15 | 8 | 1 | 2 | 13 | 11 | 3 | 9 | 3 | 27 | 4 | 34 | 17 | 28 | 1 |
| Fracture and Contusion | 905 | 3 | 1 | 9 | 6 | 6 | 12 | - | 5 | 3 | 43 | 12 | 69 | 34 | 34 | 1 |
| Gunshot Wounds . . . | 25 | - | - | - | - | 1 | 1 | - | - | - | 3 | - | 2 | 1 | 3 | - |
| Cuts and Stabs . . . | 32 | - | 1 | - | - | - | 1 | - | - | - | 2 | 1 | 4 | 1 | 1 | - |
| Other Violent Causes | 72 | - | - | - | - | 3 | 1 | - | - | 1 | 6 | - | 8 | 6 | 1 | - |
| Not Specified . . . | 3121 | 113 | 48 | 67 | 49 | 213 | 192 | 15 | 55 | 49 | 181 | 22 | 131 | 103 | 200 | 9 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1867.—BOTH SEXES. (Continued.)

| DISEASES. | Clack- mannan. | Stirling. | Dum- barton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlith- gow. | Edin- burgh. | Hadding- ton. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcud- bright. | Wigtown. |
|--------------------------------|-------------------|-----------|-----------------|---------|-------|----------|------|---------|------------------|-----------------|------------------|----------|----------|----------|-----------|-----------|---------------------|----------|
| Cephalitis . . . | 4 | 10 | 7 | 12 | 2 | 25 | 23 | 134 | 3 | 56 | 5 | 2 | 4 | — | 16 | 16 | 4 | 5 |
| Apoplexy . . . | 11 | 17 | 17 | 18 | 9 | 99 | 74 | 244 | 12 | 146 | 18 | 14 | 3 | 3 | 23 | 35 | 28 | 12 |
| Paralysis . . . | 9 | 43 | 20 | 41 | 12 | 92 | 116 | 324 | 17 | 206 | 23 | 16 | 8 | 7 | 28 | 49 | 20 | 20 |
| Delirium Tremens . . . | — | 1 | — | 1 | — | 4 | 3 | 16 | — | 12 | — | — | — | — | 1 | 2 | 1 | 1 |
| Chorea . . . | — | — | — | — | — | — | 1 | 3 | — | 1 | — | 1 | — | — | — | — | — | — |
| Epilepsy . . . | 1 | 4 | 3 | 7 | 1 | 10 | 13 | 60 | 3 | 39 | 5 | 2 | — | 1 | 2 | 8 | 3 | 3 |
| Tetanus . . . | — | — | — | 1 | — | 3 | 5 | 4 | 1 | 1 | 1 | — | — | — | — | 1 | 1 | — |
| Insanity . . . | — | — | 1 | 3 | — | 4 | 2 | 13 | 2 | 10 | — | 1 | — | — | — | 3 | — | — |
| Convulsions . . . | 4 | 26 | 13 | 7 | 2 | 54 | 51 | 301 | 13 | 107 | 6 | 7 | 3 | 4 | 14 | 9 | 1 | 5 |
| Brain Disease . . . | 2 | 40 | 13 | 12 | 3 | 58 | 50 | 265 | 6 | 115 | 6 | 13 | 3 | 5 | 20 | 21 | 7 | 11 |
| Pericarditis . . . | — | 2 | 2 | 5 | 1 | 3 | 3 | 12 | 3 | 4 | 1 | — | 1 | 1 | — | 2 | — | 1 |
| Aneurism . . . | — | 1 | 3 | 1 | — | 3 | 2 | 8 | 2 | 17 | 1 | — | — | 1 | 1 | 4 | 1 | 1 |
| Heart Disease . . . | 18 | 92 | 65 | 63 | 20 | 200 | 207 | 651 | 45 | 464 | 37 | 49 | 13 | 24 | 67 | 77 | 40 | 39 |
| Laryngitis . . . | — | 3 | 1 | 1 | 1 | 8 | 8 | 40 | — | 17 | — | 2 | 1 | 1 | 3 | 1 | 2 | — |
| Bronchitis . . . | 46 | 108 | 114 | 72 | 28 | 510 | 357 | 2588 | 102 | 806 | 46 | 26 | 14 | 28 | 73 | 113 | 70 | 63 |
| Pleurisy . . . | — | — | 4 | 2 | 2 | 10 | 12 | 36 | 2 | 31 | 2 | 1 | — | — | 2 | 8 | 3 | 5 |
| Pneumonia . . . | 18 | 50 | 24 | 27 | 15 | 160 | 87 | 735 | 13 | 215 | 19 | 15 | 3 | 10 | 22 | 61 | 30 | 23 |
| Asthma . . . | 4 | 24 | 9 | 11 | 4 | 21 | 38 | 139 | 4 | 57 | 4 | 3 | 1 | 1 | 8 | 8 | 6 | 2 |
| Lung Disease . . . | — | 14 | 4 | 3 | — | 19 | 14 | 123 | 4 | 47 | — | — | 1 | 1 | 1 | 6 | 1 | 6 |
| Teething . . . | 7 | 26 | 21 | 6 | 3 | 129 | 43 | 332 | 13 | 56 | 11 | 2 | — | 3 | 8 | 5 | 1 | 6 |
| Quinsey . . . | — | — | — | 1 | — | 4 | 4 | 19 | — | 1 | 1 | 1 | — | 1 | — | 3 | 1 | — |
| Gastritis . . . | — | 11 | 1 | 5 | 1 | 8 | 15 | 49 | 1 | 3 | — | — | — | — | 5 | 7 | 3 | 6 |
| Enteritis . . . | 7 | 25 | 9 | 13 | 6 | 107 | 75 | 322 | 20 | 68 | 7 | 12 | 3 | 2 | 18 | 17 | 23 | 7 |
| Peritonitis . . . | 2 | 4 | 2 | 4 | 1 | 9 | 23 | 74 | 6 | 41 | 2 | 1 | 1 | 1 | 5 | 11 | 4 | 1 |
| Ascites . . . | — | 3 | 4 | 2 | — | 1 | 11 | 23 | — | 5 | — | — | — | — | 1 | 1 | — | 2 |
| Ulceration of Intestines . . . | 2 | 3 | 6 | 1 | 1 | 11 | 12 | 37 | 2 | 25 | 3 | 6 | 1 | 3 | 6 | 6 | — | 3 |
| Hernia . . . | — | 3 | — | 1 | 1 | 4 | 3 | 28 | 1 | 16 | 1 | 1 | — | — | 2 | — | — | 1 |
| Ileus . . . | 1 | 7 | 6 | 6 | 4 | 8 | 15 | 67 | 5 | 34 | 2 | 5 | 2 | — | 2 | 10 | 1 | 3 |
| Intussusception . . . | 1 | — | 1 | 2 | — | 1 | — | 5 | 1 | 1 | — | — | — | 2 | 1 | — | — | 2 |
| Stricture of Intestines . . . | — | 3 | — | 2 | — | 2 | — | 5 | — | 7 | — | 1 | — | — | — | 3 | — | 1 |
| Stomach Disease . . . | 4 | 34 | 13 | 15 | 3 | 44 | 40 | 186 | 6 | 93 | 4 | 9 | 1 | 3 | 14 | 19 | 11 | 16 |
| Pancreas Disease . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis . . . | 1 | 4 | 3 | 7 | 2 | 11 | 8 | 40 | 1 | 9 | 4 | 2 | 1 | — | 1 | 10 | 3 | 1 |
| Jaundice . . . | 2 | 8 | 4 | 3 | — | 12 | 7 | 27 | — | 12 | 1 | — | 1 | — | 1 | 2 | 4 | 1 |
| Liver Disease . . . | 1 | 28 | 19 | 18 | 3 | 52 | 35 | 188 | 11 | 100 | 4 | 5 | 2 | 1 | 12 | 23 | 8 | 10 |
| Spleen Disease . . . | — | 3 | — | 1 | — | — | 2 | 8 | — | 4 | 1 | 1 | — | — | — | — | — | — |
| Nephritis . . . | 1 | 4 | 2 | 1 | — | 1 | 8 | 28 | — | 14 | 2 | 1 | — | — | 1 | 3 | 1 | 3 |
| Nephria . . . | 1 | 1 | 2 | 7 | 1 | 11 | 13 | 46 | 2 | 65 | 3 | 1 | — | 2 | — | 7 | 3 | 4 |
| Addison's Disease . . . | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | 1 | 1 | — | — |
| Ischuria . . . | 2 | 1 | 1 | 3 | 3 | 1 | 5 | 7 | 1 | 9 | — | 1 | — | — | — | — | — | 2 |
| Diabetes . . . | — | 2 | 1 | 3 | 1 | 1 | 5 | 14 | — | 10 | — | 1 | 2 | 1 | 1 | 3 | — | 1 |
| Stone . . . | — | 1 | 1 | 2 | — | — | 4 | 7 | — | 2 | — | 1 | — | — | — | 4 | 1 | 2 |
| Cystitis . . . | — | 7 | 6 | 1 | 3 | 4 | 15 | 23 | 2 | 24 | 3 | 4 | — | 1 | 1 | 7 | 2 | 2 |
| Stricture of Urethra . . . | — | 1 | — | 1 | — | — | — | 1 | — | 8 | — | — | — | — | — | — | — | — |
| Kidney Disease . . . | 2 | 4 | 3 | 5 | 2 | 13 | 10 | 72 | 4 | 54 | 2 | 3 | — | — | 3 | 9 | 3 | 5 |
| Paramenia . . . | — | — | — | — | — | — | 4 | 7 | — | 2 | 1 | — | — | — | — | 1 | 2 | — |
| Ovarian Dropsy . . . | — | 4 | 2 | 2 | — | 6 | 3 | 18 | 1 | 10 | 1 | 2 | — | — | 2 | 1 | — | 1 |
| Childbirth . . . | — | 16 | 11 | 4 | 1 | 21 | 15 | 86 | 7 | 27 | 4 | 3 | 2 | 2 | 4 | 3 | 6 | 3 |
| Organs of Generation . . . | — | — | — | — | — | 5 | 1 | 10 | — | 6 | — | 1 | — | — | — | 4 | — | — |
| Arthritis . . . | — | — | 1 | 3 | 1 | 7 | 6 | 13 | — | 19 | 1 | 1 | — | 2 | 3 | 3 | — | 1 |
| Rheumatism . . . | — | 4 | 2 | 5 | 1 | 17 | 14 | 38 | 1 | 20 | 1 | 2 | — | — | — | 4 | 2 | — |
| Joint Disease . . . | 2 | 5 | 2 | 1 | 1 | 9 | 9 | 48 | — | 16 | — | — | — | — | — | 4 | — | — |
| Carbuncle . . . | — | — | — | — | — | 1 | 2 | 3 | — | 3 | 1 | — | — | — | — | — | 1 | — |
| Phlegmon . . . | — | — | — | — | — | 2 | 1 | 4 | — | 3 | — | — | — | — | — | — | — | — |
| Skin Disease . . . | — | — | — | 1 | — | 4 | 1 | 12 | 1 | 10 | — | — | — | — | — | — | — | 1 |
| Intemperance . . . | — | 1 | 1 | 5 | — | 1 | 2 | 27 | — | 16 | — | 1 | — | — | — | 2 | 1 | 1 |
| Privation . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk . . . | 1 | — | 1 | — | — | 9 | 3 | 23 | — | 14 | — | 1 | — | 1 | — | 3 | — | — |
| Neglect . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold . . . | — | 1 | 1 | 2 | — | 2 | 3 | 3 | — | 3 | — | — | — | — | — | — | 1 | — |
| Poison . . . | 1 | 3 | 1 | — | — | 5 | 6 | 17 | 2 | 8 | — | — | — | — | — | 2 | — | — |
| Poisoned Wounds . . . | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Burns and Scalds . . . | 3 | 9 | 3 | 2 | — | 17 | 12 | 87 | 8 | 31 | 2 | 1 | 1 | — | 4 | 3 | 2 | 2 |
| Hanging, etc. . . | 1 | 4 | 2 | 1 | — | 6 | 4 | 11 | 2 | 8 | — | 2 | — | 1 | — | — | 1 | — |
| Suffocation . . . | — | 3 | 2 | 3 | 1 | 12 | 9 | 38 | — | 26 | — | 1 | — | — | 2 | 3 | — | 5 |
| Drowning . . . | 1 | 15 | 18 | 29 | 9 | 41 | 26 | 96 | 5 | 21 | 2 | 3 | — | — | 1 | 9 | 6 | 9 |
| Fracture and Contusion . . . | 5 | 25 | 16 | 8 | 3 | 68 | 94 | 245 | 13 | 129 | 11 | 9 | 3 | 1 | 13 | 14 | 5 | 5 |
| Gunshot Wounds . . . | — | 1 | — | — | — | 1 | 4 | 3 | — | 4 | — | — | — | — | — | — | — | 1 |
| Cuts and Stabs . . . | — | — | — | 1 | — | 1 | 2 | 5 | 1 | 5 | 2 | — | — | — | — | 3 | — | 1 |
| Other Violent Causes . . . | 1 | — | 1 | — | — | 5 | 3 | 22 | — | 9 | 1 | — | 1 | — | — | 1 | 1 | 1 |
| Not Specified . . . | 41 | 157 | 99 | 189 | 32 | 219 | 151 | 455 | 44 | 74 | 37 | 20 | 7 | 2 | 15 | 79 | 35 | 18 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1867.—MALES.

| DISEASES. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|-----------------------------|-----------|-----------|---------|------------|-------------|--------------------|------------|--------|--------|--------|-----------|-------------|---------|--------|-------|----------|
| ALL CAUSES | 34363 | 211 | 205 | 297 | 165 | 584 | 677 | 82 | 351 | 454 | 1960 | 235 | 2515 | 1210 | 1442 | 64 |
| SPECIFIED CAUSES . . | 32720 | 158 | 185 | 260 | 141 | 488 | 591 | 80 | 323 | 433 | 1869 | 220 | 2443 | 1159 | 1326 | 58 |
| I. Zymotic Class . . | 6530 | 23 | 11 | 47 | 13 | 68 | 83 | 6 | 54 | 106 | 319 | 35 | 483 | 146 | 270 | 11 |
| II. Diseases of Uncer. Seat | 867 | 4 | 5 | 5 | 7 | 19 | 25 | 1 | 14 | 13 | 71 | 5 | 77 | 36 | 44 | — |
| III. Tubercular Class . | 5690 | 25 | 30 | 58 | 23 | 75 | 78 | 9 | 62 | 61 | 360 | 34 | 429 | 193 | 188 | 12 |
| IV. Brain and Nervous Sys. | 2922 | 6 | 17 | 16 | 8 | 41 | 58 | 14 | 30 | 36 | 193 | 12 | 230 | 133 | 114 | 7 |
| V. Organs of Circulation | 1702 | 3 | 5 | 10 | 2 | 17 | 22 | 6 | 13 | 19 | 105 | 10 | 137 | 82 | 96 | — |
| VI. Respiratory Organs . | 5152 | 3 | 18 | 43 | 15 | 45 | 75 | 4 | 34 | 58 | 229 | 25 | 351 | 148 | 175 | 11 |
| VII. Organs of Digestion . | 2519 | 10 | 14 | 19 | 8 | 30 | 36 | 8 | 33 | 30 | 147 | 27 | 173 | 92 | 98 | 5 |
| VIII. Urinary Organs . | 659 | 4 | 10 | 4 | 5 | 13 | 13 | 3 | 10 | 16 | 61 | 4 | 47 | 25 | 24 | 2 |
| IX. Organs of Generation | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| X. Organs of Locomotion | 211 | 1 | 2 | 1 | 5 | — | 5 | — | 1 | 3 | 15 | 4 | 9 | 7 | 9 | — |
| XI. Skin, etc. . . . | 44 | — | — | — | — | 1 | — | — | — | — | 1 | — | 4 | 4 | 4 | 1 |
| XII. Malformation . . | 123 | — | — | — | — | 1 | — | 1 | 2 | 4 | 5 | 3 | 14 | 6 | 2 | 1 |
| XIII. Premature Debility . | 1937 | 2 | 1 | 7 | 2 | 18 | 35 | 8 | 15 | 21 | 109 | 14 | 203 | 66 | 72 | — |
| XIV. Atrophy | 232 | 1 | 1 | — | 2 | 3 | 4 | 2 | 1 | — | 10 | 2 | 12 | 10 | 9 | — |
| XV. Age | 2407 | 57 | 58 | 40 | 36 | 132 | 127 | 13 | 40 | 58 | 151 | 32 | 151 | 149 | 147 | 4 |
| XVI. Sudden Deaths . . | 86 | — | 1 | — | 3 | 2 | 5 | 1 | — | — | 5 | — | 4 | 3 | 6 | 1 |
| XVII. Violent Deaths . . | 1639 | 19 | 12 | 10 | 12 | 23 | 25 | 4 | 14 | 8 | 88 | 13 | 119 | 59 | 68 | 3 |
| I. Small Pox | 51 | — | — | — | — | 2 | 2 | — | 1 | — | 2 | — | 9 | — | 1 | — |
| Measles | 718 | — | — | — | — | 1 | 1 | — | — | 4 | 6 | — | 5 | 17 | 20 | — |
| Scarlatina | 1154 | — | — | — | — | 3 | 5 | — | 18 | 44 | 27 | 7 | 35 | 11 | 67 | 5 |
| Diphtheria | 312 | — | 3 | 6 | 2 | 6 | 3 | 2 | 2 | 3 | 34 | 7 | 24 | 7 | 24 | — |
| Hooping Cough | 769 | — | — | 1 | 1 | 18 | 7 | 1 | 4 | 5 | 37 | 1 | 151 | 17 | 14 | — |
| Croup | 495 | 1 | 4 | 12 | 2 | 9 | 17 | — | 2 | 8 | 33 | 3 | 43 | 17 | 14 | — |
| Thrush | 13 | 1 | — | — | — | — | — | — | — | 1 | 3 | — | 4 | 1 | — | — |
| Diarrhœa | 731 | 2 | — | 4 | — | 6 | 10 | 2 | 9 | 12 | 47 | 7 | 42 | 15 | 21 | 2 |
| Dysentery | 116 | 1 | — | — | 1 | — | 2 | — | 2 | 2 | 16 | 1 | 15 | 7 | 6 | — |
| Cholera | 72 | — | — | — | — | — | — | — | — | — | 2 | — | 7 | 1 | — | — |
| Influenza | 99 | — | — | 3 | 1 | 5 | 4 | — | 1 | 1 | 7 | 1 | 11 | 8 | 4 | — |
| Purpura | 33 | 8 | 1 | — | — | — | — | — | — | — | 2 | — | 2 | 1 | 2 | — |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | 14 | — | 1 | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| Typhus | 881 | 9 | 1 | 6 | 3 | 7 | 11 | — | 3 | 12 | 31 | 2 | 53 | 10 | 29 | 2 |
| Enteric Fever | 645 | — | 1 | 8 | 2 | 4 | 14 | — | 8 | 9 | 42 | 3 | 46 | 20 | 48 | — |
| Relapsing Fever | 23 | — | — | — | — | 2 | — | 1 | — | — | — | — | 2 | — | — | — |
| Simple Cont. Fever . . . | 50 | — | — | — | — | — | — | — | — | — | 1 | — | 5 | — | 3 | — |
| Infantile Remittent . . | 61 | — | — | — | — | 1 | 1 | — | — | 2 | 5 | 1 | 5 | 1 | 4 | — |
| Metria | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Rheumatic Fever | 61 | — | — | 3 | 1 | 1 | — | — | 1 | — | 3 | — | 8 | 3 | 4 | 1 |
| Erysipelas | 126 | — | — | 4 | — | 2 | 5 | — | 3 | 1 | 11 | 1 | 7 | 10 | 2 | 1 |
| Pyæmia | 17 | 1 | — | — | — | 1 | — | — | — | 2 | 1 | — | — | — | 2 | — |
| Syphilis | 86 | — | — | — | — | — | — | — | — | — | 8 | 1 | 8 | — | 5 | — |
| Noma | 3 | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 33 | — | — | — | — | 1 | 1 | — | — | — | 1 | — | 2 | 1 | 1 | — |
| Dropsy | 245 | 3 | 2 | 1 | 2 | 7 | 6 | — | 1 | 3 | 10 | — | 34 | 12 | 13 | — |
| Abscess | 76 | — | — | 2 | — | 1 | 2 | 1 | 1 | — | 7 | — | 4 | 1 | 4 | — |
| Ulcer | 18 | — | — | — | — | 1 | — | — | 1 | — | 1 | — | — | — | — | — |
| Fistula | 9 | — | — | — | — | — | 1 | — | — | — | 2 | — | — | — | 1 | — |
| Mortification | 62 | — | — | — | 1 | 1 | 1 | — | 1 | — | 6 | 1 | 5 | 1 | 4 | — |
| Cancer | 416 | 1 | 3 | 2 | 4 | 8 | 14 | — | 10 | 7 | 42 | 4 | 31 | 21 | 21 | — |
| Gout | 8 | — | — | — | — | — | — | — | — | 3 | 2 | — | 1 | — | — | — |
| III. Scrofula | 335 | 3 | 2 | 2 | — | 3 | 5 | 1 | 2 | 6 | 32 | 5 | 17 | 11 | 12 | — |
| Tabes Mesenterica . . . | 517 | — | 1 | 2 | 1 | 4 | 2 | — | 3 | 2 | 27 | — | 30 | 7 | 19 | 1 |
| Phthisis | 3810 | 20 | 33 | 41 | 20 | 64 | 66 | 8 | 50 | 43 | 237 | 17 | 290 | 149 | 131 | 10 |
| Hydrocephalus | 1028 | 2 | 4 | 13 | 2 | 4 | 5 | — | 7 | 10 | 64 | 12 | 92 | 26 | 26 | 1 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1867.—MALES.

| DISEASES. | Clack- mannan. | Stirling. | Dum- barton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlith- gow. | Edin- burgh. | Hadding- ton. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcud- bright. | Wigtown. |
|-----------------------------|-------------------|-----------|-----------------|---------|-------|----------|------|---------|------------------|-----------------|------------------|----------|----------|----------|-----------|-----------|---------------------|----------|
| ALL CAUSES . . . | 231 | 1005 | 690 | 704 | 196 | 2395 | 2229 | 9609 | 417 | 3668 | 318 | 291 | 86 | 128 | 479 | 745 | 343 | 377 |
| SPECIFIED CAUSES . . . | 207 | 910 | 637 | 608 | 176 | 2279 | 2138 | 9353 | 397 | 3625 | 296 | 276 | 82 | 128 | 471 | 714 | 324 | 365 |
| Zymotic Class . . . | 27 | 193 | 154 | 83 | 30 | 482 | 514 | 2043 | 80 | 810 | 41 | 50 | 12 | 27 | 102 | 99 | 48 | 60 |
| Uncertain Seat . . . | 10 | 21 | 12 | 17 | 8 | 47 | 53 | 179 | 15 | 98 | 9 | 14 | 2 | 1 | 14 | 23 | 8 | 10 |
| Tubercular Class . . . | 45 | 152 | 120 | 87 | 32 | 391 | 388 | 1715 | 64 | 583 | 40 | 44 | 8 | 26 | 98 | 123 | 63 | 74 |
| Brain, etc. | 14 | 66 | 46 | 65 | 20 | 204 | 192 | 750 | 32 | 352 | 38 | 25 | 7 | 11 | 51 | 84 | 26 | 24 |
| Heart, etc. | 11 | 57 | 37 | 35 | 12 | 108 | 115 | 332 | 28 | 244 | 20 | 27 | 10 | 7 | 34 | 46 | 21 | 31 |
| Respiratory Organs . . . | 39 | 111 | 74 | 56 | 23 | 396 | 279 | 1972 | 65 | 553 | 40 | 24 | 11 | 20 | 53 | 106 | 49 | 47 |
| Digestive Organs . . . | 13 | 96 | 47 | 52 | 10 | 206 | 135 | 728 | 31 | 244 | 27 | 23 | 5 | 8 | 37 | 64 | 33 | 30 |
| Urinary Organs . . . | 3 | 15 | 11 | 16 | 6 | 17 | 45 | 123 | 4 | 117 | 6 | 8 | 2 | 2 | 2 | 27 | 6 | 8 |
| Generative Organs . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Locomotive Organs . . . | 1 | 5 | 2 | 7 | 2 | 17 | 13 | 53 | 1 | 35 | 2 | 2 | — | 1 | 2 | 6 | — | — |
| Skin | — | — | — | 1 | — | 4 | 2 | 11 | — | 9 | 1 | — | — | — | — | — | 1 | — |
| Malformation | — | 3 | 3 | — | — | 9 | 12 | 20 | 5 | 17 | 1 | 3 | 1 | 2 | 2 | 5 | — | 1 |
| Premature Debility . . . | 18 | 68 | 45 | 18 | 5 | 130 | 104 | 579 | 24 | 212 | 21 | 19 | 4 | 12 | 25 | 45 | 14 | 21 |
| Atrophy | — | 8 | 5 | 5 | 1 | 22 | 11 | 85 | 1 | 16 | 7 | 1 | — | 1 | 6 | 3 | 2 | 1 |
| Age | 17 | 60 | 43 | 119 | 17 | 108 | 141 | 292 | 25 | 145 | 32 | 20 | 15 | 7 | 30 | 56 | 42 | 43 |
| Sudden Deaths . . . | 1 | 3 | 1 | 1 | — | 4 | 3 | 31 | — | 7 | 1 | — | 2 | — | — | — | 1 | — |
| Violent Deaths . . . | 8 | 52 | 37 | 46 | 10 | 134 | 131 | 440 | 22 | 183 | 10 | 16 | 3 | 3 | 15 | 27 | 10 | 15 |
| Small Pox | — | 1 | 1 | 1 | — | 4 | 2 | 20 | 1 | 4 | — | — | — | — | — | — | — | — |
| Measles | 2 | 27 | 20 | 10 | 3 | 37 | 30 | 297 | 17 | 190 | 7 | — | — | — | 2 | 11 | 11 | — |
| Scarlatina | 7 | 13 | 59 | 18 | 1 | 99 | 118 | 394 | 14 | 125 | 5 | 8 | 5 | 11 | 42 | 6 | 1 | 6 |
| Diphtheria | — | 15 | 8 | 4 | 4 | 15 | 16 | 66 | 10 | 31 | — | 5 | — | — | 2 | 10 | 3 | — |
| Hooping Cough | 2 | 14 | 18 | 3 | 2 | 71 | 53 | 192 | 1 | 70 | 4 | 5 | 1 | 8 | 21 | 11 | 10 | 26 |
| Croup | 5 | 15 | 5 | 8 | 2 | 35 | 37 | 139 | 6 | 55 | 2 | 3 | — | — | 3 | 6 | 4 | 5 |
| Thrush | — | — | — | — | — | 1 | — | 1 | — | 1 | — | — | — | — | — | — | — | — |
| Diarrhoea | 3 | 16 | 14 | 12 | 2 | 43 | 65 | 248 | 8 | 101 | 2 | 5 | 3 | 3 | 5 | 18 | 2 | 2 |
| Dysentery | — | 12 | 1 | 2 | 1 | 8 | 4 | 18 | 3 | 3 | 2 | — | — | — | — | 5 | 1 | 3 |
| Cholera | 1 | — | — | 1 | — | 20 | 18 | 16 | — | 4 | — | 1 | — | — | — | 1 | — | — |
| Influenza | — | 8 | 2 | 2 | 1 | 4 | 11 | 13 | — | 6 | 1 | 1 | — | — | — | 1 | — | — |
| Purpura | — | — | 1 | — | — | 2 | 1 | 6 | 1 | 3 | 1 | 1 | — | — | 1 | — | — | 3 |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | — | — | — | — | — | — | 4 | 4 | — | — | — | — | — | — | — | — | — | — |
| Typhus | 1 | 41 | 15 | 5 | 9 | 97 | 59 | 354 | 6 | 88 | 6 | 2 | — | — | 2 | — | 1 | — |
| Enteric Fever | 4 | 23 | 6 | 13 | 2 | 26 | 58 | 145 | 9 | 87 | 5 | 14 | 2 | 3 | 12 | 5 | 6 | 7 |
| Relapsing Fever | — | 2 | — | — | — | — | 1 | 11 | — | 4 | — | — | — | — | — | — | — | — |
| Simple Cont. Fever | — | 2 | — | 1 | — | — | 11 | 13 | 1 | 2 | — | 1 | — | — | 1 | 3 | 5 | 1 |
| Infantile Remittent | — | 2 | — | — | — | 7 | 2 | 24 | — | 3 | 2 | — | — | — | — | — | — | 1 |
| Metria | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Rheumatic Fever | — | — | 1 | 1 | 1 | 4 | 3 | 10 | 1 | 4 | 2 | 2 | — | — | 3 | 2 | 2 | — |
| Erysipelas | 2 | 1 | 1 | 1 | 1 | 4 | 15 | 35 | 1 | 14 | — | — | 1 | — | 1 | 2 | — | — |
| Pyæmia | — | — | — | — | 1 | 2 | — | 5 | — | — | — | 1 | — | — | — | — | — | — |
| Syphilis | — | 1 | 2 | 1 | — | 3 | 6 | 30 | 1 | 15 | 2 | 1 | — | 1 | 1 | — | — | — |
| Noma | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hæmorrhage | 1 | 2 | — | 2 | — | 2 | 1 | 11 | — | 5 | — | — | 1 | — | — | — | 1 | — |
| Dropsy | 4 | 5 | 3 | 4 | — | 14 | 19 | 69 | 4 | 14 | 2 | 4 | — | — | 4 | 2 | 1 | 2 |
| Abscess | — | 2 | 2 | 1 | — | 6 | 1 | 23 | 1 | 10 | 1 | — | — | — | 3 | 1 | 1 | 1 |
| Ulcer | 1 | 2 | — | 1 | — | 2 | 1 | 3 | — | 3 | — | — | — | — | — | — | — | — |
| Fistula | — | — | — | — | — | — | 1 | 3 | — | 1 | — | — | — | — | — | — | — | — |
| Mortification | 1 | 1 | 3 | — | 1 | 3 | 2 | 11 | 3 | 9 | 1 | 3 | — | — | — | 3 | — | — |
| Cancer | 3 | 9 | 4 | 9 | 7 | 19 | 28 | 59 | 7 | 55 | 5 | 7 | 1 | 1 | 6 | 17 | 5 | 6 |
| Gout | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — |
| Scrofula | 1 | 15 | 4 | — | 2 | 17 | 25 | 90 | 4 | 48 | 6 | 2 | — | 1 | 8 | 5 | 4 | 2 |
| Tabes Mesenterica | — | 19 | 5 | — | 7 | 30 | 43 | 182 | 9 | 82 | 7 | — | — | 2 | 11 | 8 | 10 | 3 |
| Phthisis | 35 | 89 | 87 | 76 | 16 | 289 | 247 | 1086 | 34 | 344 | 23 | 35 | 6 | 16 | 52 | 103 | 42 | 61 |
| Hydrocephalus | 9 | 29 | 24 | 11 | 7 | 55 | 73 | 357 | 17 | 109 | 4 | 7 | 2 | 7 | 27 | 7 | 7 | 8 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1867.—MALES. (Continued.)

| DISEASES. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|----------------------------|-----------|-----------|---------|------------|-------------|-------------------|------------|--------|--------|--------|-----------|-------------|---------|--------|-------|----------|
| IV. Cephalitis . . . | 252 | — | 2 | 1 | — | 7 | 6 | 1 | 6 | 1 | 10 | — | 12 | 7 | 10 | — |
| Apoplexy . . . | 617 | 3 | 3 | 4 | — | 3 | 9 | 3 | 5 | 9 | 49 | 2 | 50 | 33 | 21 | 3 |
| Paralysis . . . | 833 | 2 | 7 | 4 | 1 | 18 | 16 | 3 | 9 | 13 | 58 | 4 | 65 | 50 | 45 | — |
| Delirium Tremens . . . | 53 | — | — | — | — | — | 2 | 1 | — | 1 | 3 | — | 8 | 2 | 2 | — |
| Chorea . . . | 2 | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Epilepsy . . . | 122 | — | — | 1 | 3 | 3 | 2 | — | — | 3 | 10 | — | 4 | 8 | 1 | — |
| Tetanus . . . | 25 | — | — | 1 | — | 1 | 3 | — | — | 1 | 1 | — | 2 | 1 | 1 | — |
| Insanity . . . | 26 | — | — | — | — | — | 1 | — | — | — | 3 | — | — | 2 | 2 | — |
| Convulsions . . . | 474 | — | 1 | 2 | 1 | 4 | 11 | 2 | 5 | 1 | 25 | 1 | 58 | 7 | 9 | — |
| Brain Disease . . . | 518 | 1 | 4 | 3 | 3 | 5 | 8 | 4 | 5 | 7 | 34 | 5 | 31 | 22 | 23 | — |
| V. Pericarditis . . . | 37 | — | — | 1 | — | 1 | 1 | 1 | — | — | 2 | 1 | 2 | 3 | — | — |
| Aneurism . . . | 65 | — | — | — | — | — | — | — | — | 2 | 4 | 1 | 8 | 5 | 4 | — |
| Heart Disease . . . | 1600 | 3 | 5 | 9 | 2 | 16 | 21 | 5 | 13 | 17 | 99 | 8 | 127 | 74 | 92 | — |
| VI. Laryngitis . . . | 63 | — | — | — | — | — | 1 | — | 1 | 1 | 7 | 1 | 2 | 3 | 4 | — |
| Bronchitis . . . | 3311 | 3 | 8 | 24 | 10 | 13 | 39 | 1 | 19 | 26 | 141 | 12 | 237 | 92 | 107 | 6 |
| Pleurisy . . . | 129 | — | 2 | 1 | — | 3 | 4 | — | 1 | 6 | 7 | — | 15 | 4 | 7 | — |
| Pneumonia . . . | 1186 | — | 2 | 10 | 1 | 15 | 16 | 2 | 11 | 22 | 64 | 10 | 68 | 43 | 46 | 3 |
| Asthma . . . | 280 | — | 1 | 7 | 4 | 14 | 10 | 1 | — | 3 | 5 | 2 | 16 | 6 | 8 | 2 |
| Lung Disease . . . | 183 | — | 5 | 1 | — | — | 5 | — | 2 | — | 5 | — | 13 | — | 3 | — |
| VII. Teething . . . | 502 | 3 | — | 2 | — | 2 | 8 | 2 | 7 | 5 | 24 | 5 | 56 | 15 | 23 | 1 |
| Quinsey . . . | 25 | — | — | 1 | — | — | — | — | — | 2 | — | — | 1 | 1 | 3 | — |
| Gastritis . . . | 68 | — | — | 2 | — | — | — | — | — | — | 5 | 1 | 4 | 3 | 4 | 1 |
| Enteritis . . . | 492 | 1 | 2 | 2 | 1 | 4 | 4 | 1 | 6 | 6 | 17 | 3 | 26 | 13 | 11 | — |
| Peritonitis . . . | 128 | 1 | 1 | 1 | — | — | 2 | — | 2 | 2 | 9 | — | 5 | 10 | 1 | 1 |
| Ascites . . . | 33 | — | 3 | — | — | — | — | — | — | — | 4 | — | — | — | 1 | — |
| Ulceration of Intestines | 92 | — | — | — | — | — | — | — | 2 | 3 | 8 | 1 | 4 | 3 | 3 | — |
| Hernia . . . | 49 | — | — | 1 | 1 | — | 1 | — | — | 1 | 1 | 1 | 5 | — | 2 | — |
| Ileus . . . | 158 | — | — | — | — | 5 | 4 | — | 1 | 2 | 21 | 1 | 13 | 9 | 8 | — |
| Intussusception . . . | 19 | — | — | 1 | — | — | — | — | — | 1 | — | 1 | 3 | — | 2 | — |
| Stricture of Intestines | 22 | — | — | — | — | — | — | — | 1 | — | 2 | — | — | — | 2 | — |
| Stomach Disease . . . | 390 | 3 | 7 | 2 | 3 | 14 | 11 | 1 | 6 | 3 | 24 | 10 | 24 | 19 | 13 | — |
| Pancreas Disease . . . | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Hepatitis . . . | 71 | 2 | 1 | 1 | — | 1 | 1 | — | 1 | — | 2 | 1 | 4 | 3 | 3 | 1 |
| Jaundice . . . | 92 | — | — | 1 | — | — | 1 | — | 2 | 1 | 9 | 2 | 14 | 4 | 9 | 1 |
| Liver Disease . . . | 364 | — | — | 5 | 3 | 3 | 4 | 4 | 5 | 3 | 19 | 1 | 14 | 12 | 12 | — |
| Spleen Disease . . . | 13 | — | — | — | — | 1 | — | — | — | — | 2 | — | — | — | 1 | — |
| VIII. Nephritis . . . | 48 | — | — | — | — | — | 2 | — | — | 1 | — | — | 3 | — | 2 | — |
| Nephria . . . | 136 | — | — | — | — | 2 | — | — | 1 | 1 | 6 | 2 | 13 | 6 | 9 | 2 |
| Addison's Disease . . . | 5 | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — |
| Ischuria . . . | 40 | — | — | — | — | 1 | 1 | — | 1 | 1 | 6 | — | 2 | 3 | 3 | — |
| Diabetes . . . | 50 | — | 1 | 1 | — | 1 | 1 | — | 1 | — | 10 | — | 5 | 1 | 3 | — |
| Stone . . . | 57 | 2 | 6 | 1 | 2 | 2 | 2 | 1 | 2 | 3 | 6 | — | 7 | 2 | 2 | — |
| Cystitis . . . | 154 | — | 1 | 1 | 1 | 3 | 2 | 1 | 4 | 8 | 15 | 2 | 6 | 8 | 4 | — |
| Stricture of Urethra . . . | 16 | — | — | — | — | — | 1 | — | — | — | 1 | — | 1 | 2 | — | — |
| Kidney Disease . . . | 153 | 2 | 2 | 1 | 2 | 3 | 3 | 1 | 1 | 2 | 17 | — | 10 | 3 | 1 | — |
| IX. Paramenia . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ovarian Dropsy . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Childbirth . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Organs of Generation . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| X. Arthritis . . . | 48 | 1 | — | — | — | — | — | — | — | 1 | 4 | — | 4 | — | 1 | — |
| Rheumatism . . . | 75 | — | 2 | 1 | 3 | — | 5 | — | 1 | — | 3 | 4 | 2 | 2 | 2 | — |
| Joint and Bone Disease | 88 | — | — | — | 2 | — | — | — | — | 2 | 8 | — | 3 | 5 | 6 | — |
| XI. Carbuncle . . . | 11 | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 3 | — |
| Phlegmon . . . | 7 | — | — | — | — | — | — | — | — | — | — | — | 1 | 2 | — | — |
| Skin Disease . . . | 26 | — | — | — | — | 1 | — | — | — | — | 1 | — | 3 | 1 | 1 | 1 |
| XVII. Intemperance . . . | 47 | — | — | — | — | — | — | — | — | 1 | 4 | — | 4 | 3 | — | — |
| Privation . . . | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk . . . | 43 | — | — | — | — | — | — | — | — | — | 2 | — | 5 | 1 | 1 | 1 |
| Neglect . . . | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Cold . . . | 24 | 1 | — | 1 | 1 | 2 | 2 | 1 | — | — | 2 | — | 1 | — | — | — |
| Poison . . . | 27 | — | — | — | — | — | — | — | — | — | — | — | 1 | — | 2 | — |
| Poisoned Wounds . . . | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds . . . | 132 | 1 | 1 | 2 | 3 | 2 | — | — | — | 1 | 3 | — | 7 | 5 | 5 | — |
| Hanging, etc. . . | 44 | — | — | — | — | — | — | — | 2 | — | 2 | 1 | 1 | 4 | 1 | — |
| Suffocation . . . | 71 | — | 2 | — | — | 1 | — | — | 1 | 1 | 5 | — | 2 | 4 | 2 | — |
| Drowning . . . | 403 | 15 | 7 | 1 | 2 | 9 | 10 | 3 | 8 | 3 | 26 | 3 | 29 | 13 | 23 | 11 |
| Fracture and Contusion | 761 | 2 | 1 | 6 | 6 | 5 | 11 | — | 3 | 2 | 36 | 9 | 60 | 27 | 29 | 11 |
| Gunshot Wounds . . . | 20 | — | — | — | — | 1 | — | — | — | — | 3 | — | 2 | 1 | 2 | — |
| Cuts and Stabs . . . | 21 | — | 1 | — | — | — | 1 | — | — | — | 2 | — | 1 | — | 1 | — |
| Other Violent Causes . . . | 43 | — | — | — | — | 2 | 1 | — | — | — | 3 | — | 6 | 1 | 1 | — |
| Not Specified . . . | 1643 | 53 | 20 | 37 | 24 | 96 | 86 | 2 | 28 | 21 | 91 | 15 | 72 | 51 | 116 | 6 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1867.—MALES. (Continued.)

| DISEASES. | Clack- manan. | Stirling. | Dum- barton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlith- gow. | Edin- burgh. | Hadding- ton. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcud- bright. | Wigtown. |
|--------------------------------|------------------|-----------|-----------------|---------|-------|----------|------|---------|------------------|-----------------|------------------|----------|----------|----------|-----------|-----------|---------------------|----------|
| Cephalitis . . . | 2 | 5 | 6 | 11 | 1 | 11 | 12 | 85 | 2 | 30 | 1 | 2 | — | — | 7 | 9 | 1 | 4 |
| Apoplexy . . . | 4 | 7 | 10 | 10 | 7 | 64 | 43 | 131 | 1 | 72 | 12 | 8 | 1 | 2 | 13 | 18 | 12 | 5 |
| Paralysis . . . | 4 | 18 | 12 | 24 | 7 | 46 | 63 | 167 | 8 | 99 | 14 | 8 | 1 | 4 | 13 | 29 | 9 | 9 |
| Delirium Tremens . . . | — | 1 | — | 1 | — | 4 | 2 | 13 | — | 10 | — | — | — | — | 1 | — | 1 | — |
| Chorea . . . | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Epilepsy . . . | 1 | 2 | 2 | 3 | — | 6 | 6 | 34 | 2 | 17 | 2 | 1 | — | 1 | 2 | 6 | — | 2 |
| Tetanus . . . | — | — | — | 1 | — | 2 | 4 | 4 | 1 | — | 1 | — | — | — | — | 1 | — | — |
| Insanity . . . | — | — | 1 | 1 | — | 1 | — | 5 | 2 | 6 | — | — | — | — | — | 2 | — | — |
| Convulsions . . . | 2 | 10 | 7 | 4 | 2 | 33 | 34 | 160 | 10 | 60 | 4 | 3 | 2 | 2 | 7 | 5 | — | 2 |
| Brain Disease . . . | 1 | 23 | 8 | 10 | 3 | 37 | 27 | 151 | 6 | 58 | 4 | 3 | 3 | 2 | 8 | 14 | 3 | 2 |
| Pericarditis . . . | — | 2 | 1 | 2 | 1 | 2 | 2 | 7 | 3 | 3 | — | — | — | — | — | 1 | — | 1 |
| Aneurism . . . | — | 1 | 3 | — | — | 3 | 2 | 6 | 2 | 16 | 1 | — | — | — | 1 | 4 | 1 | 1 |
| Heart Disease . . . | 11 | 54 | 33 | 33 | 11 | 103 | 111 | 319 | 23 | 225 | 19 | 27 | 10 | 7 | 33 | 41 | 20 | 29 |
| Laryngitis . . . | — | — | 1 | 1 | 1 | 6 | 2 | 22 | — | 6 | — | — | — | 1 | 2 | 1 | — | — |
| Bronchitis . . . | 23 | 56 | 46 | 30 | 11 | 269 | 183 | 1342 | 47 | 358 | 31 | 11 | 7 | 11 | 33 | 56 | 31 | 28 |
| Pleurisy . . . | — | — | 4 | 2 | — | 5 | 8 | 25 | 1 | 22 | — | 1 | — | — | — | 6 | 2 | 3 |
| Pneumonia . . . | 13 | 29 | 16 | 17 | 8 | 93 | 50 | 427 | 12 | 110 | 7 | 10 | 3 | 7 | 12 | 34 | 13 | 12 |
| Asthma . . . | 3 | 18 | 4 | 4 | 3 | 10 | 26 | 84 | 2 | 30 | 2 | 2 | — | — | 5 | 5 | 3 | — |
| Lung Disease . . . | — | 8 | 3 | 2 | — | 13 | 10 | 72 | 3 | 27 | — | — | 1 | 1 | 1 | 4 | — | 4 |
| Teething . . . | 3 | 16 | 12 | 2 | 2 | 72 | 15 | 169 | 5 | 38 | 8 | — | — | — | 2 | 2 | — | 3 |
| Quinsey . . . | — | — | — | — | — | 3 | 1 | 9 | — | — | 1 | 1 | — | 1 | — | — | 1 | — |
| Gastritis . . . | — | 6 | — | 4 | — | 7 | 6 | 14 | 1 | — | — | — | — | — | 2 | 3 | 2 | 3 |
| Enteritis . . . | 4 | 16 | 4 | 8 | 3 | 53 | 35 | 180 | 13 | 36 | 4 | 7 | 1 | 1 | 12 | 6 | 9 | 3 |
| Peritonitis . . . | 2 | 3 | 1 | 1 | 1 | 5 | 10 | 35 | 2 | 18 | 1 | — | — | 1 | 3 | 5 | 4 | 1 |
| Ascites . . . | — | 1 | 1 | 1 | — | 1 | 4 | 12 | — | 2 | — | — | — | 1 | 1 | — | — | 2 |
| Ulceration of Intestines . . . | — | 3 | 3 | — | 1 | 4 | 6 | 23 | 1 | 9 | 2 | 3 | — | 2 | 3 | 6 | — | 2 |
| Hernia . . . | — | 2 | — | 1 | 1 | 1 | 2 | 17 | — | 9 | 1 | — | — | — | 1 | — | — | 1 |
| Ileus . . . | — | 2 | 3 | 4 | — | 4 | 11 | 37 | 1 | 19 | 2 | 4 | 1 | — | 1 | 5 | — | — |
| Intussusception . . . | 1 | — | — | 1 | — | 1 | — | 4 | 1 | — | — | — | — | 1 | — | — | — | 2 |
| Stricture of Intestines . . . | — | 3 | — | — | — | 2 | — | 3 | — | 6 | — | — | — | — | — | 3 | — | — |
| Stomach Disease . . . | — | 18 | 6 | 10 | 1 | 20 | 15 | 96 | 3 | 42 | 2 | 4 | — | 1 | 9 | 11 | 6 | 6 |
| Pancreas Disease . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis . . . | 1 | 3 | 2 | 4 | — | 5 | 3 | 15 | 1 | 6 | 1 | — | — | — | — | 7 | 2 | — |
| Jaundice . . . | 1 | 4 | 3 | 3 | — | 4 | 6 | 13 | — | 7 | — | — | — | — | — | 2 | 3 | 1 |
| Liver Disease . . . | 1 | 17 | 12 | 12 | 1 | 24 | 20 | 100 | 3 | 50 | 4 | 3 | 1 | — | — | 14 | 6 | 6 |
| Spleen Disease . . . | — | 2 | — | 1 | — | — | 1 | 1 | — | 2 | 1 | 1 | — | — | — | — | — | — |
| Nephritis . . . | 1 | 3 | 1 | — | — | 1 | 5 | 17 | — | 8 | 1 | 1 | — | — | — | 1 | — | 1 |
| Nephria . . . | — | 1 | 2 | 4 | — | 6 | 9 | 30 | — | 35 | — | 1 | — | — | — | 5 | 1 | — |
| Addison's Disease . . . | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | 1 | — | — |
| Ischuria . . . | 1 | 1 | — | 3 | 2 | 1 | 4 | 3 | — | 5 | — | — | — | — | — | — | — | 2 |
| Diabetes . . . | — | — | — | 2 | 1 | 1 | 3 | 8 | — | 5 | — | — | 2 | 1 | — | 2 | — | 1 |
| Stone . . . | — | — | — | 1 | — | — | 3 | 7 | — | 2 | — | 1 | — | — | — | 4 | 1 | — |
| Cystitis . . . | — | 6 | 5 | 1 | 3 | 4 | 15 | 21 | 2 | 22 | 3 | 4 | — | 1 | 1 | 7 | 1 | 2 |
| Stricture of Urethra . . . | — | 1 | — | 1 | — | — | — | 1 | — | 8 | — | — | — | — | — | — | — | — |
| Kidney Disease . . . | 1 | 3 | 3 | 4 | — | 4 | 6 | 35 | 2 | 31 | 2 | 1 | — | — | 1 | 7 | 3 | 2 |
| Paramenia . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ovarian Dropsy . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Childbirth . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Organs of Generation . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Arthritis . . . | — | — | 1 | 3 | 1 | 4 | 3 | 5 | — | 13 | 1 | 1 | — | 1 | 2 | 2 | — | — |
| Rheumatism . . . | — | 2 | — | 4 | 1 | 6 | 4 | 18 | 1 | 10 | 1 | 1 | — | — | — | 2 | — | — |
| Joint Disease . . . | 1 | 3 | 1 | — | — | 7 | 6 | 30 | — | 12 | — | — | — | — | — | 2 | — | — |
| Carbuncle . . . | — | — | — | — | — | — | 1 | 2 | — | 2 | 1 | — | — | — | — | — | — | — |
| Phlegmon . . . | — | — | — | — | — | 1 | — | 2 | — | 1 | — | — | — | — | — | — | 1 | — |
| Skin Disease . . . | — | — | — | 1 | — | 3 | 1 | 7 | — | 6 | — | — | — | — | — | — | — | — |
| Intemperance . . . | — | 1 | 1 | 5 | — | 1 | 2 | 17 | — | 5 | — | 1 | — | — | — | 1 | 1 | — |
| Privation . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk . . . | 1 | — | 1 | — | — | 6 | 1 | 14 | — | 6 | — | 1 | — | 1 | — | 2 | — | — |
| Neglect . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold . . . | — | 1 | 1 | 2 | — | 1 | 2 | 3 | — | 3 | — | — | — | — | — | — | — | — |
| Poison . . . | — | 1 | 1 | — | — | 2 | 5 | 9 | — | 5 | — | — | — | — | — | 1 | — | — |
| Poisoned Wounds . . . | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Burns and Scalds . . . | 1 | 9 | 1 | 1 | — | 11 | 7 | 50 | 5 | 13 | — | — | 1 | — | 2 | — | — | 1 |
| Hanging, etc. . . | 1 | 3 | 1 | — | — | 5 | 3 | 9 | 1 | 6 | — | 2 | — | 1 | — | — | 1 | — |
| Suffocation . . . | — | 2 | — | 1 | 1 | 5 | 4 | 23 | — | 11 | — | 1 | — | — | 2 | 1 | — | 2 |
| Drowning . . . | 1 | 14 | 16 | 29 | 8 | 36 | 21 | 82 | 3 | 17 | 1 | 3 | — | — | 11 | 8 | 3 | 8 |
| Fracture and Contusion . . . | 3 | 20 | 15 | 8 | 1 | 61 | 81 | 210 | 12 | 106 | 6 | 7 | 2 | 1 | — | 12 | 5 | 2 |
| Gunshot Wounds . . . | — | 1 | — | — | — | 1 | 3 | 2 | — | 4 | — | — | — | — | — | — | — | — |
| Cuts and Stabs . . . | — | — | — | — | — | 1 | — | 4 | 1 | 4 | 2 | — | — | — | — | 2 | — | 1 |
| Other Violent Causes . . . | 1 | — | — | — | — | 4 | 2 | 17 | — | 3 | 1 | — | — | — | — | — | — | 1 |
| Not Specified . . . | 24 | 95 | 53 | 96 | 20 | 116 | 91 | 256 | 20 | 43 | 22 | 15 | 4 | — | 8 | 31 | 19 | 12 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1867.—FEMALES.

| DISEASES. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|------------------------------------|-----------|-----------|---------|------------|-------------|--------------------|------------|--------|--------|--------|-----------|-------------|---------|--------|-------|----------|
| ALL CAUSES | 34705 | 251 | 278 | 275 | 189 | 699 | 735 | 89 | 361 | 517 | 2083 | 279 | 2650 | 1198 | 1587 | 84 |
| SPECIFIED CAUSES | 33227 | 191 | 250 | 245 | 164 | 582 | 629 | 76 | 334 | 489 | 1993 | 272 | 2591 | 1146 | 1503 | 81 |
| I. Zymotic Class | 6726 | 14 | 23 | 51 | 21 | 87 | 93 | 8 | 50 | 96 | 325 | 51 | 526 | 156 | 302 | 14 |
| II. Diseases of Uncer. Seat | 1541 | 9 | 9 | 14 | 8 | 35 | 29 | 5 | 12 | 31 | 122 | 13 | 157 | 58 | 83 | 3 |
| III. Tubercular Class | 5978 | 21 | 36 | 30 | 23 | 71 | 80 | 8 | 38 | 71 | 379 | 41 | 466 | 163 | 211 | 7 |
| IV. Brain and Nervous Sys. | 2536 | 7 | 19 | 20 | 6 | 34 | 34 | 9 | 31 | 38 | 180 | 30 | 188 | 99 | 130 | 9 |
| V. Organs of Circulation | 1678 | 3 | 4 | 8 | 6 | 9 | 25 | 5 | 14 | 22 | 124 | 10 | 162 | 86 | 110 | 7 |
| VI. Respiratory Organs | 4867 | 10 | 25 | 24 | 13 | 45 | 62 | 11 | 37 | 60 | 238 | 31 | 401 | 145 | 184 | 11 |
| VII. Organs of Digestion | 2388 | 7 | 16 | 11 | 10 | 22 | 39 | 6 | 39 | 51 | 149 | 23 | 171 | 81 | 82 | 4 |
| VIII. Urinary Organs | 354 | 1 | 3 | 3 | 1 | 4 | 6 | — | — | 7 | 26 | 6 | 27 | 11 | 16 | 1 |
| IX. Organs of Generation | 486 | 8 | 2 | 4 | 5 | 18 | 15 | 1 | 7 | 5 | 27 | 5 | 40 | 21 | 15 | 1 |
| X. Organs of Locomotion | 180 | 1 | 1 | — | — | 5 | 6 | — | 3 | 3 | 7 | 2 | 12 | 5 | 13 | — |
| XI. Skin, etc. | 31 | — | — | — | — | 1 | 1 | — | — | — | 3 | — | 1 | 1 | 2 | — |
| XII. Malformation | 84 | — | — | — | — | — | 1 | — | 1 | 1 | 5 | — | 6 | 3 | 2 | — |
| XIII. Premature Debility | 1430 | 6 | 5 | 8 | 1 | 9 | 18 | 3 | 10 | 23 | 79 | 8 | 151 | 35 | 66 | 4 |
| XIV. Atrophy | 289 | 3 | 4 | 3 | — | 2 | 5 | 2 | 1 | — | 7 | 3 | 12 | 11 | 11 | 1 |
| XV. Age | 4042 | 97 | 102 | 65 | 69 | 231 | 211 | 18 | 86 | 77 | 290 | 42 | 224 | 235 | 240 | 19 |
| XVI. Sudden Deaths | 60 | 2 | — | — | 1 | 1 | 1 | — | — | — | 2 | — | 2 | 3 | 9 | — |
| XVII. Violent Deaths | 557 | 2 | 1 | 4 | — | 8 | 3 | — | 5 | 4 | 30 | 7 | 45 | 33 | 27 | — |
| I. Small Pox | 49 | 1 | — | — | — | 1 | — | — | — | — | — | — | 9 | 1 | — | — |
| Measles | 623 | — | — | — | — | 1 | 4 | — | 2 | 5 | — | 1 | 2 | 10 | 24 | — |
| Scarlatina | 1099 | — | 2 | — | — | 2 | 7 | — | 11 | 37 | 25 | 3 | 35 | 8 | 61 | 5 |
| Diphtheria | 298 | — | 8 | 7 | 6 | 3 | 7 | 1 | 3 | 1 | 30 | 10 | 19 | 11 | 24 | — |
| Hooping Cough | 959 | — | — | — | 1 | 21 | 16 | 1 | 3 | 2 | 42 | 2 | 201 | 22 | 13 | — |
| Croup | 430 | — | 3 | 11 | 4 | 20 | 11 | 1 | 1 | 6 | 22 | 1 | 42 | 11 | 26 | 1 |
| Thrush | 17 | — | — | — | — | — | — | — | 1 | 1 | 1 | — | 3 | — | — | — |
| Diarrhoea | 750 | — | 1 | 6 | 1 | 7 | 7 | 2 | 7 | 9 | 66 | 12 | 49 | 18 | 20 | 5 |
| Dysentery | 139 | — | — | — | 1 | 1 | 1 | — | 2 | 8 | 14 | 2 | 9 | 9 | 9 | 1 |
| Cholera | 70 | — | — | — | — | — | — | — | — | — | 4 | 2 | 4 | 1 | 2 | — |
| Influenza | 111 | — | — | 3 | 1 | 7 | 2 | — | 2 | 1 | 11 | 3 | 13 | 4 | 12 | — |
| Purpura | 16 | — | — | — | — | 1 | 1 | — | 1 | — | — | — | — | 1 | 1 | — |
| Ague | 1 | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — |
| Worms | 13 | — | — | — | 1 | — | — | — | — | — | — | — | 2 | — | — | — |
| Typhus | 864 | 8 | 2 | 6 | 2 | 3 | 18 | 2 | 2 | 11 | 36 | 4 | 42 | 17 | 39 | — |
| Enteric Fever | 733 | 3 | 1 | 10 | 2 | 7 | 10 | — | 4 | 7 | 37 | 9 | 59 | 28 | 42 | 1 |
| Relapsing Fever | 17 | — | — | — | — | 1 | — | — | — | 1 | — | — | 1 | 1 | 2 | — |
| Simple Cont. Fever | 55 | 2 | 2 | — | — | 2 | — | — | 1 | 1 | 5 | — | 3 | — | 1 | — |
| Infantile Remittent | 58 | — | — | — | 1 | 1 | — | — | — | 4 | 2 | — | 1 | 2 | 1 | — |
| Metria | 163 | — | 1 | 5 | — | 5 | 2 | 1 | 3 | 2 | 6 | 1 | 13 | 5 | 9 | — |
| Rheumatic Fever | 64 | — | 1 | 2 | 1 | 2 | 2 | — | 3 | — | 2 | — | 4 | 2 | 6 | 1 |
| Erysipelas | 99 | — | 1 | 1 | — | 2 | 5 | — | 2 | — | 13 | 1 | 3 | 4 | 4 | — |
| Pyæmia | 17 | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | 2 | — |
| Syphilis | 70 | — | 1 | — | — | — | — | — | 1 | — | 8 | — | 11 | 1 | 3 | — |
| Noma | 11 | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 30 | — | — | — | — | — | — | — | 1 | — | 3 | — | 2 | 3 | 1 | — |
| Dropsy | 466 | 7 | 4 | 6 | 4 | 15 | 16 | 1 | 3 | 6 | 18 | 1 | 67 | 18 | 17 | 2 |
| Abscess | 87 | — | — | 1 | — | — | 2 | — | — | 2 | 11 | — | 6 | — | 2 | — |
| Ulcer | 21 | — | — | 1 | — | — | — | — | — | 1 | — | — | 2 | — | 2 | — |
| Fistula | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | 55 | — | — | — | — | — | 1 | — | — | 1 | 2 | 1 | 5 | 4 | 4 | — |
| Cancer | 872 | 1 | 5 | 5 | 4 | 20 | 10 | 4 | 8 | 21 | 86 | 11 | 75 | 32 | 57 | 1 |
| Gout | 7 | 1 | — | 1 | — | — | — | — | — | — | 2 | — | — | 1 | — | — |
| III. Scrofula | 285 | 2 | — | 2 | — | 2 | 4 | — | 2 | 9 | 25 | 1 | 19 | 9 | 8 | — |
| Tabes Mesenterica | 428 | — | 1 | 1 | — | 1 | 2 | — | 1 | 1 | 10 | 2 | 16 | 5 | 23 | — |
| Phthisis | 4438 | 19 | 28 | 23 | 20 | 64 | 67 | 7 | 32 | 52 | 294 | 34 | 364 | 132 | 152 | 4 |
| Hydrocephalus | 827 | — | 7 | 4 | 3 | 4 | 7 | 1 | 3 | 9 | 50 | 4 | 67 | 17 | 28 | 3 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1867.—FEMALES.

| DISEASES. | Clack- mannan. | Stirling. | Dum- barton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlith- gow. | Edin- burgh. | Hadding- ton. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcud- bright. | Wigtown. |
|-------------------------------|-------------------|-----------|-----------------|---------|-------|----------|------|---------|------------------|-----------------|------------------|----------|----------|----------|-----------|-----------|---------------------|----------|
| ALL CAUSES . . . | 218 | 901 | 642 | 653 | 177 | 2305 | 2217 | 9378 | 423 | 3655 | 320 | 296 | 89 | 136 | 504 | 729 | 399 | 388 |
| SPECIFIED CAUSES . . . | 201 | 839 | 596 | 560 | 165 | 2202 | 2157 | 9179 | 399 | 3624 | 305 | 291 | 86 | 134 | 497 | 681 | 383 | 382 |
| Zymotic Class . . . | 33 | 178 | 146 | 71 | 27 | 498 | 535 | 2110 | 75 | 742 | 74 | 62 | 12 | 25 | 114 | 89 | 51 | 67 |
| Uncertain Seat . . . | 14 | 51 | 21 | 35 | 1 | 83 | 91 | 317 | 14 | 179 | 10 | 26 | 5 | 6 | 25 | 35 | 14 | 26 |
| Tubercular Class . . . | 31 | 157 | 131 | 73 | 33 | 448 | 449 | 1915 | 69 | 542 | 37 | 34 | 14 | 28 | 88 | 145 | 80 | 59 |
| Brain, etc. | 17 | 75 | 28 | 37 | 9 | 145 | 146 | 614 | 25 | 341 | 26 | 31 | 14 | 9 | 53 | 60 | 39 | 33 |
| Heart, etc. | 7 | 38 | 33 | 34 | 9 | 98 | 97 | 339 | 22 | 241 | 19 | 22 | 4 | 19 | 34 | 37 | 20 | 10 |
| Respiratory Organs . . . | 29 | 88 | 82 | 60 | 27 | 332 | 237 | 1689 | 60 | 620 | 31 | 23 | 9 | 21 | 56 | 91 | 63 | 52 |
| Digestive Organs . . . | 15 | 66 | 42 | 35 | 15 | 197 | 158 | 682 | 36 | 231 | 14 | 23 | 7 | 8 | 39 | 53 | 26 | 30 |
| Urinary Organs . . . | 3 | 6 | 5 | 7 | 4 | 14 | 15 | 76 | 5 | 70 | 4 | 4 | — | 2 | 5 | 7 | 4 | 11 |
| Generative Organs . . . | — | 20 | 13 | 6 | 1 | 32 | 23 | 121 | 8 | 45 | 6 | 6 | 2 | 2 | 6 | 9 | 8 | 4 |
| Locomotive Organs . . . | 1 | 4 | 3 | 2 | 1 | 16 | 16 | 46 | — | 20 | — | 1 | 2 | 1 | 1 | 5 | 2 | 1 |
| Skin | — | — | — | — | — | 3 | 2 | 8 | 1 | 7 | — | — | — | — | — | — | — | 1 |
| Malformation | 1 | 1 | 1 | 1 | 2 | 8 | 6 | 12 | 4 | 11 | 3 | 4 | — | 1 | 3 | 3 | 2 | 2 |
| Premature Debility . . . | 10 | 35 | 21 | 12 | 4 | 91 | 106 | 428 | 26 | 171 | 24 | 3 | 6 | 5 | 21 | 22 | 5 | 14 |
| Atrophy | 1 | 5 | 6 | 4 | 2 | 20 | 12 | 97 | 1 | 55 | 3 | 4 | — | — | 3 | 1 | 5 | 5 |
| Age | 34 | 103 | 54 | 178 | 27 | 181 | 225 | 565 | 42 | 255 | 46 | 45 | 9 | 7 | 44 | 108 | 56 | 57 |
| Sudden Deaths | — | 2 | 1 | — | — | 2 | 2 | 23 | 2 | 3 | — | — | — | — | — | 3 | 1 | — |
| Violent Deaths | 5 | 10 | 9 | 5 | 3 | 34 | 37 | 137 | 9 | 91 | 8 | 3 | 2 | — | 5 | 13 | 7 | 10 |
| Small Pox | — | — | — | 1 | — | 9 | 2 | 18 | — | 6 | — | — | — | — | — | 1 | — | — |
| Measles | 2 | 22 | 19 | 8 | 1 | 43 | 26 | 276 | 14 | 140 | 7 | 4 | — | 1 | — | 4 | 5 | 2 |
| Scarlatina | 7 | 10 | 50 | 12 | 5 | 94 | 99 | 426 | 7 | 102 | 5 | 16 | 6 | 7 | 45 | 6 | 3 | 3 |
| Diphtheria | 4 | 11 | 5 | 3 | 4 | 19 | 16 | 54 | 3 | 32 | 1 | 3 | — | — | 3 | 9 | 1 | — |
| Hooping Cough | 3 | 25 | 22 | 3 | — | 92 | 55 | 253 | 5 | 81 | 10 | 5 | 2 | 7 | 16 | 13 | 17 | 26 |
| Croup | 5 | 13 | 7 | 7 | 2 | 26 | 38 | 109 | 9 | 36 | 3 | — | — | 1 | 3 | 6 | 1 | 4 |
| Thrush | — | — | — | 2 | — | 1 | 2 | 4 | — | 2 | — | — | — | — | — | — | — | — |
| Diarrhœa | 7 | 19 | 9 | 8 | 3 | 46 | 73 | 241 | 9 | 71 | 8 | 10 | — | 4 | 10 | 9 | 9 | 4 |
| Dysentery | — | 4 | 1 | 4 | 1 | 8 | 10 | 36 | 1 | 9 | 1 | 1 | — | — | 1 | 4 | 1 | — |
| Cholera | — | — | — | 1 | — | 15 | 6 | 20 | 1 | 10 | 1 | — | — | — | 3 | — | — | — |
| Influenza | — | 5 | — | 2 | 1 | 2 | 12 | 15 | 1 | 3 | — | 2 | — | — | 1 | 1 | 2 | 5 |
| Purpura | — | — | — | — | — | 2 | 1 | 5 | — | 1 | — | — | — | — | 1 | 1 | — | — |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | — | — | 1 | — | — | 1 | 5 | — | — | 1 | — | — | — | — | — | 2 | — | — |
| Typhus | 3 | 37 | 10 | 3 | 5 | 87 | 66 | 328 | 8 | 82 | 17 | 3 | — | — | 8 | 9 | 3 | 3 |
| Enteric Fever | 1 | 18 | 14 | 11 | 3 | 21 | 84 | 182 | 11 | 96 | 15 | 13 | 3 | 1 | 16 | 11 | 3 | 10 |
| Relapsing Fever | — | — | — | — | — | 1 | 1 | 6 | — | — | — | — | — | — | — | 1 | — | 2 |
| Simple Cont. Fever | — | — | 3 | — | — | — | 5 | 17 | — | 5 | — | — | — | 1 | 1 | 3 | 2 | 1 |
| Infantile Remittent | — | 2 | — | 1 | — | 7 | 4 | 22 | 1 | 6 | — | 1 | — | — | — | 1 | — | 1 |
| Metria | — | 7 | 3 | 3 | — | 8 | 11 | 43 | 3 | 20 | 2 | 2 | 1 | 1 | 3 | 2 | 1 | 1 |
| Rheumatic Fever | — | — | — | — | — | 4 | 6 | 13 | — | 9 | 1 | — | — | 1 | 1 | 1 | 1 | 1 |
| Erysipelas | 1 | 3 | 1 | 1 | — | 8 | 9 | 18 | 2 | 11 | — | 1 | — | — | 1 | 2 | 3 | 2 |
| Pyæmia | — | 1 | — | — | 1 | — | 1 | 2 | — | 5 | — | 1 | — | — | — | 1 | — | 1 |
| Syphilis | — | 1 | 1 | 1 | — | 2 | 3 | 18 | — | 12 | 3 | — | — | 1 | 1 | 1 | — | 1 |
| Noma | — | — | — | — | 1 | 2 | — | 4 | — | 2 | — | — | — | — | — | 1 | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hæmorrhage | — | — | 1 | 1 | — | 4 | 1 | 11 | — | 2 | — | — | — | — | — | — | — | — |
| Dropsy | 3 | 23 | 6 | 13 | 1 | 27 | 28 | 104 | 3 | 41 | 4 | 5 | — | — | 4 | 9 | 3 | 7 |
| Abscess | — | — | 2 | — | — | 4 | 3 | 31 | — | 14 | 1 | — | 1 | 1 | 2 | 3 | 1 | — |
| Ulcer | — | 1 | — | — | — | 1 | 4 | 3 | 1 | 2 | — | 1 | 1 | — | 1 | — | — | — |
| Fistula | — | — | — | — | — | — | — | 1 | 1 | 1 | — | — | — | — | — | — | — | — |
| Mortification | — | 2 | 2 | 2 | — | 4 | 4 | 11 | 1 | 6 | — | — | 1 | — | 2 | 1 | 1 | — |
| Cancer | 11 | 25 | 10 | 19 | — | 43 | 50 | 156 | 8 | 112 | 5 | 20 | 2 | 5 | 16 | 22 | 9 | 19 |
| Gout | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | — | — |
| Scrofula | — | 5 | 1 | 7 | 2 | 19 | 26 | 72 | 6 | 33 | 1 | 3 | 2 | 3 | 6 | 6 | 9 | 1 |
| Tabes Mesenterica | — | 17 | 10 | 1 | 5 | 30 | 41 | 156 | 5 | 64 | 1 | 1 | 2 | 2 | 11 | 12 | 5 | 2 |
| Phthisis | 26 | 114 | 101 | 59 | 22 | 337 | 336 | 1407 | 37 | 345 | 28 | 26 | 10 | 17 | 61 | 109 | 59 | 52 |
| Hydrocephalus | 5 | 21 | 19 | 6 | 4 | 62 | 46 | 280 | 21 | 100 | 7 | 4 | — | 6 | 10 | 18 | 7 | 4 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1867.—FEMALES. (Continued.)

| DISEASES. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|--------------------------|-----------|-----------|---------|------------|-------------|--------------------|------------|--------|--------|--------|-----------|-------------|---------|--------|-------|----------|
| IV. Cephalitis . . . | 200 | 2 | — | — | — | 2 | 4 | — | 2 | 2 | 20 | 1 | 9 | 6 | 13 | — |
| Apoplexy . . . | 524 | 2 | 5 | 2 | — | 3 | 7 | 2 | 4 | 6 | 29 | 8 | 39 | 22 | 31 | 1 |
| Paralysis . . . | 838 | 2 | 9 | 13 | 3 | 15 | 17 | 3 | 13 | 13 | 60 | 13 | 53 | 46 | 58 | 4 |
| Delirium Tremens . . | 11 | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 1 |
| Chorea . . . | 8 | — | — | — | — | 1 | — | — | — | — | — | — | 1 | 1 | — | — |
| Epilepsy . . . | 123 | — | 1 | — | 1 | 2 | 1 | 2 | 3 | 3 | 9 | 1 | 11 | 3 | 8 | — |
| Tetanus . . . | 13 | — | — | 1 | — | 2 | 2 | — | — | — | 1 | — | 1 | 1 | 1 | — |
| Insanity . . . | 27 | — | — | — | — | 1 | 1 | — | — | 1 | 1 | — | — | 1 | 1 | — |
| Convulsions . . . | 382 | — | 1 | 2 | — | 3 | 1 | — | 1 | 3 | 25 | 3 | 47 | 8 | 6 | 2 |
| Brain Disease . . . | 410 | 1 | 3 | 2 | 2 | 5 | 1 | 2 | 8 | 10 | 35 | 4 | 26 | 11 | 12 | 1 |
| V. Pericarditis . . . | 28 | — | — | — | — | — | — | — | — | — | 4 | — | 4 | 1 | 3 | — |
| Aneurism . . . | 16 | — | — | 1 | — | — | — | — | — | — | 4 | — | 2 | 2 | 1 | 1 |
| Heart Disease . . . | 1634 | 3 | 4 | 7 | 6 | 9 | 25 | 5 | 14 | 22 | 116 | 10 | 156 | 83 | 106 | 6 |
| VI. Laryngitis . . . | 60 | — | 1 | — | — | — | — | — | — | — | 2 | 1 | 3 | 4 | 3 | — |
| Bronchitis . . . | 3466 | 6 | 11 | 18 | 6 | 23 | 21 | 3 | 26 | 35 | 168 | 24 | 300 | 102 | 126 | 6 |
| Pleurisy . . . | 74 | — | 1 | — | — | 2 | 3 | 1 | — | 2 | 6 | — | 8 | 4 | 6 | — |
| Pneumonia . . . | 884 | 1 | 6 | 4 | 1 | 5 | 12 | 5 | 5 | 18 | 45 | 4 | 47 | 28 | 45 | 4 |
| Asthma . . . | 250 | 3 | — | 2 | 5 | 15 | 19 | 1 | 6 | 5 | 13 | 2 | 27 | 5 | 3 | 1 |
| Lung Disease . . . | 133 | — | 6 | — | 1 | — | 7 | 1 | — | — | 4 | — | 16 | 2 | 1 | — |
| VII. Teething . . . | 460 | 2 | 1 | 1 | 1 | — | 4 | — | 11 | 7 | 33 | 1 | 51 | 8 | 17 | — |
| Quinsey . . . | 31 | 1 | 1 | — | — | 1 | — | — | 1 | 1 | 5 | — | 1 | — | 1 | — |
| Gastritis . . . | 87 | — | — | — | 1 | 3 | — | — | 2 | — | 6 | — | 2 | 2 | 4 | — |
| Enteritis . . . | 441 | 1 | 4 | 2 | — | 2 | 7 | 2 | 4 | 8 | 18 | 7 | 17 | 14 | 9 | — |
| Peritonitis . . . | 145 | — | — | — | 2 | 3 | 2 | — | 2 | 5 | 8 | — | 17 | 5 | 2 | — |
| Ascites . . . | 49 | — | — | 1 | — | — | 2 | — | — | 3 | 5 | — | 5 | 1 | 3 | 1 |
| Ulceration of Intestines | 95 | — | — | 1 | — | — | 1 | — | 4 | 7 | 7 | 1 | 6 | 4 | 3 | 1 |
| Hernia . . . | 43 | — | — | — | — | 2 | — | — | 1 | 3 | 4 | 2 | 1 | 2 | 2 | — |
| Ileus . . . | 139 | — | 1 | — | 1 | 2 | 3 | — | 3 | 4 | 18 | 2 | 7 | 8 | 5 | 1 |
| Intussusception . . | 11 | — | — | — | — | — | 1 | — | — | 1 | 1 | — | 1 | — | 1 | — |
| Stricture of Intestines | 10 | — | — | — | — | — | — | — | — | — | — | — | — | 3 | — | — |
| Stomach Disease . . | 383 | 2 | 6 | 2 | 2 | 8 | 9 | 3 | 2 | 5 | 21 | 4 | 24 | 11 | 19 | — |
| Pancreas Disease . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis . . . | 72 | — | — | — | — | — | 4 | — | 2 | 1 | 1 | 2 | 1 | 3 | — | — |
| Jaundice . . . | 69 | — | — | — | 1 | — | 2 | — | 3 | — | 8 | 2 | 9 | 2 | 5 | — |
| Liver Disease . . . | 336 | 1 | 3 | 4 | 2 | 1 | 4 | 1 | 4 | 5 | 13 | 2 | 27 | 18 | 10 | — |
| Spleen Disease . . . | 17 | — | — | — | — | — | — | — | — | 1 | 1 | — | 2 | — | 1 | 1 |
| VIII. Nephritis . . . | 39 | — | — | 2 | — | — | 1 | — | — | 1 | 1 | — | 1 | 1 | 2 | — |
| Nephria . . . | 103 | — | — | — | — | 1 | 3 | — | — | 1 | 5 | 1 | 8 | 5 | 3 | 1 |
| Addison's Disease . . | 3 | — | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — |
| Ischuria . . . | 17 | — | — | 1 | — | — | — | — | — | — | — | — | — | 1 | 1 | — |
| Diabetes . . . | 31 | — | — | — | — | 1 | — | — | — | 1 | 2 | 2 | 2 | 2 | 1 | — |
| Stone . . . | 8 | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Cystitis . . . | 16 | — | — | — | — | 1 | — | — | — | — | 2 | 1 | 3 | 1 | 1 | — |
| Stricture of Urethra . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Kidney Disease . . . | 137 | — | 3 | — | — | 1 | 2 | — | — | 4 | 15 | 2 | 12 | 1 | 8 | — |
| IX. Paramenia . . . | 29 | — | — | — | — | — | 2 | — | 1 | 1 | 1 | 1 | 3 | 1 | 2 | — |
| Ovarian Dropsy . . . | 81 | — | 1 | — | 2 | — | 3 | 1 | 1 | — | 9 | — | 7 | 3 | 1 | — |
| Childbirth . . . | 321 | 8 | 1 | 3 | 3 | 16 | 8 | — | 4 | — | 14 | 2 | 27 | 10 | 9 | 1 |
| Organs of Generation | 55 | — | — | 1 | — | 2 | 2 | — | 1 | 4 | 3 | 2 | 3 | 7 | 3 | — |
| X. Arthritis . . . | 30 | — | — | — | — | — | — | — | 1 | 1 | — | — | 1 | 1 | 2 | — |
| Rheumatism . . . | 98 | 1 | 1 | — | — | 4 | 5 | — | 1 | 1 | 3 | 1 | 5 | 4 | 9 | — |
| Joint and Bone Disease | 52 | — | — | — | — | 1 | 1 | — | 1 | 1 | 4 | 1 | 6 | — | 2 | — |
| XI. Carbuncle . . . | 7 | — | — | — | — | — | — | — | — | — | 1 | — | 1 | 1 | — | — |
| Phlegmon . . . | 8 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | 1 | — |
| Skin Disease . . . | 16 | — | — | — | — | 1 | — | — | — | — | 2 | — | — | — | 1 | — |
| XVII. Intemperance . . | 29 | — | — | — | — | — | — | — | — | 1 | — | — | 3 | 2 | — | — |
| Privation . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk . | 39 | — | — | — | — | — | — | — | — | — | 5 | — | 4 | 2 | 5 | — |
| Neglect . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold . . . | 5 | — | — | — | — | — | — | — | — | — | 1 | — | — | 1 | — | — |
| Poison . . . | 27 | — | — | — | — | — | — | — | — | 1 | 1 | — | 1 | 1 | 2 | — |
| Poisoned Wounds . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds . . | 117 | 1 | — | 1 | — | 2 | — | — | 1 | — | 8 | 2 | 5 | 9 | 3 | — |
| Hanging, etc. . . | 19 | — | — | — | — | — | — | — | — | — | 1 | — | 5 | — | 3 | — |
| Suffocation . . . | 68 | — | — | — | — | — | — | — | 1 | — | 3 | — | 8 | 1 | 3 | — |
| Drowning . . . | 64 | — | 1 | — | — | 4 | 1 | — | 1 | — | 1 | 1 | 5 | 4 | 5 | — |
| Fracture and Contusion | 144 | 1 | — | 3 | — | 1 | 1 | — | 2 | 1 | 7 | 3 | 9 | 7 | 5 | — |
| Gunshot Wounds . . | 5 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | 1 | — |
| Cuts and Stabs . . . | 11 | — | — | — | — | — | — | — | — | — | — | 1 | 3 | 1 | — | — |
| Other Violent Causes | 29 | — | — | — | — | 1 | — | — | — | 1 | 3 | — | 2 | 5 | — | — |
| Not Specified . . . | 1478 | 60 | 28 | 30 | 25 | 117 | 106 | 13 | 27 | 28 | 90 | 7 | 59 | 52 | 84 | 3 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—FEMALES. (Continued.)

| DISEASES. | Clack- mannan. | Stirling. | Dum- barton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlith- gow. | Edin- burgh. | Hadding- ton. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcud- bright. | Wigtown. |
|------------------------------|-------------------|-----------|-----------------|---------|-------|----------|------|---------|------------------|-----------------|------------------|----------|----------|----------|-----------|-----------|---------------------|----------|
| Cephalitis . . . | 2 | 5 | 1 | 1 | 1 | 14 | 11 | 49 | 1 | 26 | 4 | - | 4 | - | 9 | 7 | 3 | 1 |
| Apoplexy . . . | 7 | 10 | 7 | 8 | 2 | 35 | 31 | 113 | 11 | 74 | 6 | 6 | 2 | 1 | 10 | 17 | 16 | 7 |
| Paralysis . . . | 5 | 25 | 8 | 17 | 5 | 46 | 53 | 157 | 9 | 107 | 9 | 8 | 7 | 3 | 15 | 20 | 11 | 11 |
| Delirium Tremens . . . | - | - | - | - | - | - | 1 | 3 | - | 2 | - | - | - | - | - | 2 | - | 1 |
| Chorea . . . | - | - | - | - | - | - | - | 3 | - | 1 | - | 1 | - | - | - | - | - | - |
| Epilepsy . . . | - | 2 | 1 | 4 | 1 | 4 | 7 | 26 | 1 | 22 | 3 | 1 | - | - | - | - | 3 | 1 |
| Tetanus . . . | - | - | - | - | - | 1 | 1 | - | - | 1 | - | - | - | - | - | - | 1 | - |
| Insanity . . . | - | - | - | 2 | - | 3 | 2 | 8 | - | 4 | - | 1 | - | - | - | 1 | - | - |
| Convulsions . . . | 2 | 16 | 6 | 3 | - | 21 | 17 | 141 | 3 | 47 | 2 | 4 | 1 | 2 | 7 | 4 | 1 | 3 |
| Brain Disease . . . | 1 | 17 | 5 | 2 | - | 21 | 23 | 114 | - | 57 | 2 | 10 | - | 3 | 12 | 7 | 4 | 9 |
| Pericarditis . . . | - | - | 1 | 3 | - | 1 | 1 | 5 | - | 1 | 1 | - | 1 | 1 | - | 1 | - | - |
| Aneurism . . . | - | - | - | 1 | - | - | - | 2 | - | 1 | - | - | - | 1 | - | - | - | - |
| Heart Disease . . . | 7 | 38 | 32 | 30 | 9 | 97 | 96 | 332 | 22 | 239 | 18 | 22 | 3 | 17 | 34 | 36 | 20 | 10 |
| Laryngitis . . . | - | 3 | - | - | - | 2 | 6 | 18 | - | 11 | - | 2 | 1 | - | 1 | - | 2 | - |
| Bronchitis . . . | 23 | 52 | 68 | 42 | 17 | 241 | 174 | 1246 | 55 | 448 | 15 | 15 | 7 | 17 | 40 | 57 | 39 | 35 |
| Pleurisy . . . | - | - | - | - | 2 | 5 | 4 | 11 | 1 | 9 | 2 | - | - | - | 2 | 2 | 1 | 2 |
| Pneumonia . . . | 5 | 21 | 8 | 10 | 7 | 67 | 37 | 308 | 1 | 105 | 12 | 5 | - | 3 | 10 | 27 | 17 | 11 |
| Asthma . . . | 1 | 6 | 5 | 7 | 1 | 11 | 12 | 55 | 2 | 27 | 2 | 1 | 1 | 1 | 3 | 3 | 3 | 2 |
| Lung Disease . . . | - | 6 | 1 | 1 | - | 6 | 4 | 51 | 1 | 20 | - | - | - | - | - | 2 | 1 | 2 |
| Teething . . . | 4 | 10 | 9 | 4 | 1 | 57 | 28 | 163 | 8 | 18 | 3 | 2 | - | 3 | 6 | 3 | 1 | 3 |
| Quinsey . . . | - | - | 1 | 1 | - | 1 | 3 | 10 | - | 1 | - | - | - | - | - | 3 | - | - |
| Gastritis . . . | - | 5 | 1 | 1 | 1 | 1 | 9 | 35 | - | 3 | - | - | - | - | - | - | - | - |
| Enteritis . . . | 3 | 9 | 5 | 5 | 3 | 54 | 40 | 142 | 7 | 32 | 3 | 5 | 2 | - | 3 | 4 | 1 | 3 |
| Peritonitis . . . | - | 1 | 1 | 3 | - | 4 | 13 | 39 | 4 | 23 | 1 | 1 | 1 | 1 | 6 | 11 | 14 | 4 |
| Ascites . . . | - | 2 | 3 | 1 | - | - | 7 | 11 | - | 3 | - | - | - | - | 2 | 6 | - | - |
| Ulceration of Intestines | 2 | - | 3 | 1 | - | 7 | 6 | 14 | 1 | 16 | 1 | 3 | 1 | 1 | 3 | - | - | 1 |
| Hernia . . . | - | 1 | - | - | - | 3 | 1 | 11 | 1 | 7 | - | 1 | - | - | 1 | - | - | - |
| Ileus . . . | 1 | 5 | 3 | 2 | 4 | 4 | 4 | 30 | 4 | 15 | - | 1 | 1 | - | 1 | 5 | 1 | 3 |
| Intussusception . . . | - | - | 1 | 1 | - | - | - | 1 | - | 1 | - | - | - | - | 1 | - | - | - |
| Stricture of Intestines | - | - | - | 2 | - | - | - | 2 | - | 1 | - | 1 | - | 1 | 1 | - | - | 1 |
| Stomach Disease . . . | 4 | 16 | 7 | 5 | 2 | 24 | 25 | 90 | 3 | 51 | 2 | 5 | 1 | 2 | 5 | 8 | 5 | 10 |
| Pancreas Disease . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Hepatitis . . . | - | 1 | 1 | 3 | 2 | 6 | 5 | 25 | - | 3 | 3 | 2 | 1 | - | 1 | 3 | 1 | 1 |
| Jaundice . . . | 1 | 4 | 1 | - | - | 8 | 1 | 14 | - | 5 | 1 | - | - | - | 1 | - | 1 | - |
| Liver Disease . . . | - | 11 | 7 | 6 | 2 | 28 | 15 | 88 | 8 | 50 | - | 2 | - | - | 9 | 9 | 2 | 4 |
| Spleen Disease . . . | - | 1 | - | - | - | - | 1 | 7 | - | 2 | - | - | - | - | - | - | - | - |
| Nephritis . . . | - | 1 | 1 | 1 | - | - | 3 | 11 | - | 6 | 1 | - | - | - | 1 | 2 | 1 | 2 |
| Nephria . . . | 1 | - | - | 3 | 1 | 5 | 4 | 16 | 2 | 30 | 3 | - | - | 2 | - | 2 | 2 | 4 |
| Addison's Disease . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Ischuria . . . | 1 | - | 1 | - | 1 | - | 1 | 4 | 1 | 4 | - | 1 | - | - | - | - | - | - |
| Diabetes . . . | - | 2 | 1 | 1 | - | - | 2 | 6 | - | 5 | - | 1 | - | - | 1 | 1 | - | - |
| Stone . . . | - | 1 | 1 | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - | - | 2 |
| Cystitis . . . | - | 1 | 1 | - | - | - | - | 2 | - | 2 | - | - | - | - | - | - | 1 | - |
| Stricture of Urethra . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Kidney Disease . . . | 1 | 1 | - | 1 | 2 | 9 | 4 | 37 | 2 | 23 | - | 2 | - | - | 2 | 2 | - | 3 |
| Paramenia . . . | - | - | - | - | - | - | 4 | 7 | - | 2 | 1 | - | - | - | - | 1 | 2 | - |
| Ovarian Dropsy . . . | - | 4 | 2 | 2 | - | 6 | 3 | 18 | 1 | 10 | 1 | 2 | - | - | 2 | 1 | - | 1 |
| Childbirth . . . | - | 16 | 11 | 4 | 1 | 21 | 15 | 86 | 7 | 27 | 4 | 3 | 2 | 2 | 4 | 3 | 6 | 3 |
| Organs of Generation . . . | - | - | - | - | - | 5 | 1 | 10 | - | 6 | - | 1 | - | - | - | 4 | - | - |
| Arthritis . . . | - | - | - | - | - | 3 | 3 | 8 | - | 6 | - | - | - | 1 | 1 | 1 | - | 1 |
| Rheumatism . . . | - | 2 | 2 | 1 | - | 11 | 10 | 20 | - | 10 | - | 1 | - | - | - | 2 | 2 | - |
| Joint Disease . . . | 1 | 2 | 1 | 1 | 1 | 2 | 3 | 18 | - | 4 | - | - | 2 | - | - | 2 | - | - |
| Carbuncle . . . | - | - | - | - | - | 1 | 1 | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Phlegmon . . . | - | - | - | - | - | 1 | 1 | 2 | - | 2 | - | - | - | - | - | - | - | - |
| Skin Disease . . . | - | - | - | - | - | 1 | - | 5 | 1 | 4 | - | - | - | - | - | - | - | 1 |
| Intemperance . . . | - | - | - | - | - | - | - | 10 | - | 11 | - | - | - | - | - | 1 | - | 1 |
| Privation . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Want of Breast Milk . . . | - | - | - | - | - | 3 | 2 | 9 | - | 8 | - | - | - | - | - | 1 | - | - |
| Neglect . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Cold . . . | - | - | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Poison . . . | 1 | 2 | - | - | - | 3 | 1 | 8 | 2 | 3 | - | - | - | - | - | 1 | - | - |
| Poisoned Wounds . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Burns and Scalds . . . | 2 | - | 2 | 1 | - | 6 | 5 | 37 | 3 | 18 | 2 | 1 | - | - | 2 | 3 | 2 | 1 |
| Hanging, etc. . . | - | 1 | 1 | 1 | - | 1 | 1 | 2 | 1 | 2 | - | - | - | - | - | - | - | - |
| Suffocation . . . | - | 1 | 2 | 2 | - | 7 | 5 | 15 | - | 15 | - | - | - | - | - | - | - | - |
| Drowning . . . | - | 1 | 2 | - | 1 | 5 | 5 | 14 | 2 | 4 | 1 | - | - | - | 1 | 2 | 3 | 3 |
| Fracture and Contusion . . . | 2 | 5 | 1 | - | 2 | 7 | 13 | 35 | 1 | 23 | 5 | 2 | 1 | - | 2 | 1 | 3 | 1 |
| Gunshot Wounds . . . | - | - | - | - | - | - | 1 | 1 | - | - | - | - | - | - | - | 2 | - | 3 |
| Cuts and Stabs . . . | - | - | - | 1 | - | - | 2 | 1 | - | 1 | - | - | - | - | - | 1 | - | 1 |
| Other Violent Causes . . . | - | - | 1 | - | - | 1 | 1 | 5 | - | 6 | - | - | 1 | - | - | 1 | 1 | - |
| Not Specified . . . | 17 | 62 | 46 | 93 | 12 | 103 | 60 | 199 | 24 | 31 | 15 | 5 | 3 | 2 | 7 | 48 | 16 | 6 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1867.—BOTH SEXES.

| DISEASES. | Glasgow. | Barony. | Govan. | Edinburgh. | Dundee. | Aberdeen. | Paisley. | Greenock. | Leith. | Perth. |
|------------------------------------|----------|---------|--------|------------|---------|-----------|----------|-----------|--------|--------|
| ALL CAUSES | 12578 | 851 | 979 | 4765 | 2951 | 1824 | 1335 | 1433 | 1064 | 569 |
| SPECIFIED CAUSES | 12407 | 830 | 957 | 4744 | 2891 | 1809 | 1300 | 1370 | 1052 | 559 |
| I. Zymotic Class | 2722 | 155 | 256 | 1010 | 615 | 274 | 311 | 269 | 267 | 68 |
| II. Diseases of Uncertain Seat | 324 | 26 | 20 | 184 | 136 | 86 | 49 | 33 | 49 | 19 |
| III. Tubercular Class | 2491 | 165 | 193 | 771 | 554 | 403 | 222 | 263 | 159 | 110 |
| IV. Brain and Nervous System | 869 | 72 | 117 | 457 | 226 | 180 | 123 | 118 | 105 | 67 |
| V. Organs of Circulation | 481 | 19 | 18 | 307 | 148 | 99 | 42 | 95 | 58 | 36 |
| VI. Respiratory Organs | 2719 | 134 | 134 | 771 | 460 | 245 | 182 | 231 | 167 | 81 |
| VII. Organs of Digestion | 921 | 49 | 70 | 284 | 179 | 136 | 111 | 108 | 63 | 34 |
| VIII. Urinary Organs | 133 | 10 | 5 | 138 | 40 | 40 | 6 | 7 | 23 | 8 |
| IX. Organs of Generation | 79 | 6 | 11 | 31 | 24 | 10 | 12 | 12 | 2 | 6 |
| X. Organs of Locomotion | 61 | 4 | 7 | 38 | 11 | 9 | 14 | 8 | 7 | 4 |
| XI. Skin, etc. | 15 | 1 | — | 7 | 3 | 2 | 1 | 4 | — | 3 |
| XII. Malformation | 20 | — | 1 | 17 | 10 | 5 | 1 | 8 | — | 1 |
| XIII. Premature Debility | 654 | 55 | 45 | 242 | 224 | 107 | 73 | 66 | 55 | 35 |
| XIV. Atrophy | 105 | 20 | 13 | 51 | 16 | 14 | 14 | 10 | 12 | 9 |
| XV. Age | 433 | 86 | 42 | 247 | 152 | 137 | 104 | 59 | 44 | 63 |
| XVI. Sudden Deaths | 41 | 1 | 1 | 3 | 5 | 3 | 4 | — | 4 | — |
| XVII. Violent Deaths | 339 | 27 | 24 | 186 | 88 | 59 | 31 | 79 | 37 | 15 |
| I. Small Pox | 32 | 4 | 1 | 5 | 16 | 2 | — | 4 | 1 | — |
| Measles | 388 | 35 | 6 | 224 | 6 | 2 | 27 | 22 | 59 | 17 |
| Scarlatina | 484 | 28 | 104 | 144 | 64 | 14 | 50 | 46 | 58 | 2 |
| Diphtheria | 75 | 5 | 7 | 37 | 18 | 7 | 5 | 13 | 5 | — |
| Hooping Cough | 331 | 6 | 44 | 113 | 258 | 42 | 78 | 25 | 24 | 10 |
| Croup | 159 | 4 | 17 | 53 | 47 | 15 | 14 | 19 | 19 | 6 |
| Thrush | 4 | — | — | 2 | 5 | 1 | — | — | — | — |
| Diarrhoea | 309 | 29 | 27 | 108 | 55 | 60 | 28 | 22 | 11 | 11 |
| Dysentery | 23 | 1 | 1 | 7 | 8 | 11 | 4 | 6 | 4 | 2 |
| Cholera | 17 | 4 | 2 | 8 | 9 | 3 | — | 8 | 4 | — |
| Influenza | 19 | 2 | 1 | 5 | 13 | 8 | — | 1 | — | 3 |
| Purpura | 8 | — | 1 | 2 | — | — | 2 | 1 | 1 | — |
| Ague | — | — | — | — | 1 | — | — | — | — | — |
| Worms | 3 | — | — | 1 | 2 | 1 | — | — | — | — |
| Typhus | 497 | 22 | 9 | 113 | 45 | 36 | 74 | 75 | 45 | 9 |
| Enteric Fever | 202 | 10 | 17 | 101 | 33 | 35 | 12 | 10 | 24 | 5 |
| Relasing Fever | 7 | — | 1 | 1 | 1 | — | — | — | 1 | — |
| Simple Continued Fever | 16 | 1 | 3 | 4 | 1 | 1 | — | — | 2 | — |
| Infantile Remittent | 26 | — | — | 7 | 5 | 5 | 6 | 3 | 2 | 1 |
| Metria | 26 | 1 | 4 | 17 | 5 | 2 | 1 | 5 | — | — |
| Rheumatic Fever | 16 | 2 | 1 | 11 | 6 | 2 | 3 | 1 | 1 | — |
| Erysipelas | 35 | 1 | 6 | 17 | 4 | 13 | 4 | 3 | 4 | 1 |
| Pyæmia | 7 | — | — | 4 | — | 1 | 1 | 1 | 1 | — |
| Syphilis | 34 | — | 4 | 24 | 13 | 13 | — | 4 | 1 | 1 |
| Noma | 4 | — | — | 2 | — | — | 2 | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 14 | 2 | 2 | 2 | 3 | 2 | — | 4 | 2 | 1 |
| Dropsy | 102 | 8 | 5 | 27 | 72 | 10 | 25 | 7 | 19 | 6 |
| Abscess | 37 | 5 | 2 | 18 | 7 | 9 | 4 | 2 | 4 | — |
| Ulcer | 4 | — | — | 3 | 1 | — | — | 1 | 1 | — |
| Fistula | 4 | — | — | 2 | — | 2 | — | — | — | — |
| Mortification | 18 | 1 | — | 10 | 4 | 3 | 1 | 4 | 1 | 1 |
| Cancer | 145 | 10 | 11 | 121 | 49 | 59 | 19 | 15 | 22 | 10 |
| Gout | — | — | — | 1 | — | 1 | — | — | — | 1 |
| III. Scrofula | 109 | 11 | 6 | 57 | 22 | 21 | 10 | 10 | 15 | 5 |
| Tabes Mesenterica | 200 | 12 | 22 | 82 | 29 | 25 | 18 | 19 | 30 | 5 |
| Phthisis | 1722 | 115 | 118 | 486 | 395 | 283 | 159 | 206 | 78 | 83 |
| Hydrocephalus | 460 | 27 | 47 | 146 | 108 | 74 | 35 | 28 | 36 | 17 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1867.—BOTH SEXES.

| DISEASES. | Inverness. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Kirkcaldy. | Stirling. | Ayr. | Kilmarnock. | Hamilton. | Airdrie. | Coatbridge, etc. | Dumfries. |
|---------------------------|------------|-----------|---------|-----------|--------------|------------|-----------|------|-------------|-----------|----------|------------------|-----------|
| ALL CAUSES . . . | 383 | 372 | 308 | 352 | 265 | 260 | 397 | 455 | 671 | 347 | 297 | 382 | 457 |
| SPECIFIED CAUSES . | 377 | 370 | 306 | 344 | 244 | 258 | 393 | 439 | 666 | 331 | 280 | 370 | 441 |
| Zymotic Class . . . | 63 | 45 | 65 | 58 | 48 | 81 | 98 | 100 | 177 | 60 | 74 | 77 | 37 |
| Uncertain Seat . . . | 11 | 23 | 15 | 18 | 4 | 13 | 15 | 15 | 18 | 6 | 15 | 13 | 20 |
| Tubercular Class . . . | 45 | 70 | 60 | 69 | 49 | 28 | 70 | 75 | 135 | 75 | 49 | 91 | 87 |
| Brain, etc. | 41 | 46 | 21 | 33 | 15 | 21 | 40 | 29 | 42 | 30 | 19 | 24 | 53 |
| Heart, etc. | 19 | 30 | 20 | 20 | 26 | 18 | 24 | 24 | 34 | 21 | 8 | 12 | 28 |
| Respiratory Organs . . . | 45 | 64 | 44 | 52 | 36 | 40 | 31 | 52 | 97 | 47 | 40 | 44 | 101 |
| Digestive Organs . . . | 34 | 30 | 23 | 34 | 15 | 9 | 33 | 26 | 43 | 21 | 34 | 26 | 28 |
| Urinary Organs | 7 | 2 | 5 | 6 | — | 1 | 3 | 10 | 8 | 5 | 3 | 4 | 11 |
| Generative Organs . . . | 5 | 1 | 1 | 1 | 1 | 1 | 4 | 2 | 3 | 1 | — | 1 | 2 |
| Locomotive Organs . . . | 4 | 2 | 1 | — | 2 | 2 | 2 | 6 | 5 | — | 2 | 4 | 3 |
| Skin | — | — | — | 1 | 1 | — | — | — | 1 | 1 | — | — | — |
| Malformation | — | 1 | 1 | — | — | — | 1 | — | 3 | — | — | 1 | 4 |
| Premature Debility . . . | 29 | 22 | 16 | 15 | 20 | 15 | 27 | 29 | 33 | 10 | 17 | 21 | 26 |
| Atrophy | 5 | — | 1 | — | 2 | 2 | 8 | 3 | — | 2 | 1 | 3 | 1 |
| Age | 59 | 25 | 22 | 26 | 20 | 16 | 27 | 49 | 43 | 31 | 9 | 19 | 24 |
| Sudden Deaths | — | — | — | — | 1 | 4 | — | 1 | 1 | — | 4 | 1 | 1 |
| Violent Deaths | 10 | 9 | 11 | 11 | 4 | 7 | 10 | 18 | 23 | 21 | 5 | 29 | 15 |
| Small Pox | — | 1 | — | — | — | 1 | 1 | — | — | — | — | 1 | — |
| Measles | — | — | — | — | 13 | 12 | 37 | 11 | 16 | 3 | 1 | 5 | — |
| Scarlatina | — | 1 | — | 1 | 1 | 14 | — | 31 | 17 | 12 | 44 | 17 | 4 |
| Diphtheria | 4 | — | 2 | 4 | 2 | 10 | 1 | — | 6 | 4 | 2 | 1 | 3 |
| Hooping Cough | 7 | 7 | 26 | 18 | 1 | — | 14 | 8 | 34 | 5 | — | 5 | 1 |
| Croup | 13 | 3 | 8 | 5 | 4 | 7 | 4 | 5 | 14 | 8 | 7 | 6 | 3 |
| Thrush | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diarrhœa | 8 | 9 | 6 | 8 | 1 | 5 | 14 | 10 | 22 | 6 | 6 | 12 | 12 |
| Dysentery | 2 | 1 | 1 | 2 | 1 | 2 | 6 | — | 6 | 2 | 1 | 3 | 1 |
| Cholera | — | — | — | — | 1 | — | — | — | 5 | 1 | 1 | — | — |
| Influenza | — | — | 1 | 2 | 2 | — | 5 | 4 | — | — | 1 | — | — |
| Purpura | 1 | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | — | — | — | — | — | — | — | 2 | — | — | — | — | — |
| Typhus | 10 | 8 | 10 | 5 | 1 | 5 | 7 | 14 | 30 | 7 | 6 | 15 | 2 |
| Enteric Fever | 16 | 10 | 3 | 8 | 5 | 22 | 5 | 11 | 17 | 9 | 1 | 2 | 5 |
| Relapsing Fever | — | 1 | 1 | — | 1 | — | — | — | — | — | — | — | 1 |
| Simple Cont. Fever . . . | — | 2 | 3 | — | — | — | — | — | 5 | — | — | 1 | — |
| Infantile Remittent . . . | — | — | — | — | 3 | — | — | — | — | — | 1 | 5 | 1 |
| Metria | — | 1 | 1 | 1 | 1 | 1 | 2 | — | 3 | — | 1 | 1 | — |
| Rheumatic Fever | 1 | — | — | — | 7 | — | — | 1 | — | — | — | — | 2 |
| Erysipelas | 1 | — | 1 | 1 | 2 | 1 | 1 | 3 | 1 | 1 | 2 | — | 1 |
| Pyæmia | — | — | — | — | 2 | — | 1 | — | — | — | — | — | — |
| Syphilis | — | 1 | 2 | 1 | — | 1 | — | — | 1 | 1 | — | 3 | 1 |
| Noma | — | — | — | 1 | — | — | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hæmorrhage | — | — | — | 1 | — | — | 1 | — | 1 | — | — | — | 1 |
| Dropsy | 1 | 4 | 7 | 5 | 1 | 2 | 5 | 7 | — | — | 8 | 10 | 1 |
| Abscess | 2 | — | 1 | 1 | 1 | 1 | — | — | — | 2 | 1 | — | 1 |
| Ulcer | — | — | 1 | — | — | 1 | 1 | — | — | — | — | — | — |
| Fistula | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | 1 | 4 | — | — | — | 1 | 2 | — | 1 | — | 1 | — | — |
| Cancer | 6 | 15 | 6 | 11 | 2 | 8 | 6 | 8 | 16 | 4 | 5 | 3 | 17 |
| Gout | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Scrofula | 3 | 3 | 4 | 2 | 3 | — | 7 | 7 | 5 | 5 | 1 | 4 | 4 |
| Tabes Mesenterica | 1 | 4 | 7 | 3 | 11 | 4 | 4 | 8 | 12 | 3 | 12 | 14 | 8 |
| Phthisis | 37 | 52 | 34 | 56 | 31 | 23 | 53 | 53 | 100 | 60 | 29 | 55 | 67 |
| Hydrocephalus | 4 | 11 | 15 | 8 | 4 | 1 | 6 | 7 | 18 | 7 | 7 | 18 | 8 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1867.—BOTH SEXES. (Contd.)

| DISEASES. | Glasgow. | Barony. | Govan. | Edinburgh. | Dundee. | Aberdeen. | Paisley. | Greenock. | Leith. | Perth. |
|------------------------------------|----------|---------|--------|------------|---------|-----------|----------|-----------|--------|--------|
| IV. Cephalitis | 84 | 8 | 8 | 31 | 7 | 9 | 6 | 13 | 10 | 2 |
| Apoplexy | 151 | 11 | 17 | 96 | 36 | 42 | 35 | 26 | 20 | 17 |
| Paralysis | 174 | 24 | 34 | 127 | 58 | 49 | 45 | 18 | 36 | 28 |
| Delirium Tremens | 11 | - | - | 8 | 4 | 3 | - | 1 | 4 | - |
| Chorea | 2 | - | - | 1 | - | - | - | - | - | - |
| Epilepsy | 31 | 5 | 7 | 29 | 7 | 8 | 4 | 5 | 3 | - |
| Tetanus | 2 | - | - | 1 | 2 | - | 2 | 1 | - | 1 |
| Insanity | 8 | 1 | 2 | 9 | - | 4 | 2 | 2 | - | 2 |
| Convulsions | 235 | 7 | 14 | 77 | 85 | 31 | 20 | 20 | 16 | 4 |
| Brain Disease | 171 | 16 | 35 | 78 | 27 | 34 | 9 | 32 | 16 | 13 |
| V. Pericarditis | 9 | 2 | - | 2 | 3 | 5 | - | 2 | - | - |
| Aneurism | 6 | 1 | - | 17 | 6 | 5 | - | 1 | - | 2 |
| Heart Disease | 466 | 16 | 18 | 288 | 139 | 89 | 42 | 92 | 58 | 34 |
| VI. Laryngitis | 30 | - | - | 15 | 3 | 5 | 1 | 5 | - | 1 |
| Bronchitis | 1966 | 84 | 91 | 535 | 336 | 174 | 137 | 172 | 117 | 62 |
| Pleurisy | 22 | 2 | 2 | 17 | 7 | 5 | 2 | 3 | 5 | 3 |
| Pneumonia | 520 | 34 | 33 | 137 | 67 | 42 | 40 | 41 | 34 | 13 |
| Asthma | 90 | 6 | 6 | 37 | 27 | 12 | 1 | 4 | 4 | 2 |
| Lung Disease | 91 | 8 | 2 | 30 | 20 | 7 | 1 | 6 | 7 | - |
| VII. Teething | 227 | 14 | 21 | 22 | 82 | 48 | 34 | 46 | 13 | 9 |
| Quinsey | 14 | - | 4 | 1 | 1 | 1 | - | 1 | - | - |
| Gastritis | 21 | 3 | 1 | 2 | 4 | 2 | 1 | 4 | 1 | - |
| Enteritis | 213 | 7 | 12 | 36 | 20 | 11 | 34 | 24 | 12 | 5 |
| Peritonitis | 39 | 4 | 5 | 28 | 15 | 5 | 1 | 4 | 6 | 3 |
| Ascites | 11 | 1 | - | 3 | 2 | 3 | - | 1 | - | - |
| Ulceration of Intestines | 25 | - | 2 | 17 | 1 | 5 | 1 | 2 | 4 | 2 |
| Hernia | 15 | - | 2 | 11 | 4 | - | 1 | - | 1 | 2 |
| Ileus | 37 | 4 | 2 | 17 | 6 | 19 | 2 | 6 | 8 | 1 |
| Intussusception | 4 | - | - | 1 | 1 | - | - | - | - | - |
| Stricture of Intestines | 4 | - | - | 7 | - | - | - | 2 | - | - |
| Stomach Disease | 136 | 3 | 6 | 64 | 23 | 18 | 11 | 10 | 8 | 3 |
| Pancreas Disease | - | - | - | - | - | - | - | - | - | - |
| Hepatitis | 22 | 2 | 6 | 5 | - | - | 4 | 1 | 1 | - |
| Jaundice | 17 | 1 | - | 6 | 12 | 6 | 3 | 2 | 2 | 1 |
| Liver Disease | 130 | 9 | 9 | 63 | 8 | 16 | 19 | 5 | 6 | 8 |
| Spleen Disease | 6 | 1 | - | 1 | - | 2 | - | - | 1 | - |
| VIII. Nephritis | 14 | 2 | 2 | 6 | 2 | 1 | - | - | 4 | - |
| Nephria | 29 | 2 | 2 | 57 | 15 | 4 | 4 | 3 | 7 | 1 |
| Addison's Disease | 1 | - | - | 1 | 1 | 1 | - | - | - | - |
| Ischuria | 5 | - | - | 6 | - | 2 | - | - | 1 | 1 |
| Diabetes | 10 | - | - | 6 | 4 | 4 | - | - | 1 | 1 |
| Stone | 5 | - | - | - | 4 | 3 | - | - | 1 | - |
| Cystitis | 16 | - | 1 | 16 | 4 | 3 | 1 | 1 | 3 | 4 |
| Stricture of Urethra | 1 | - | - | 7 | 1 | 1 | - | - | - | 1 |
| Kidney Disease | 52 | 6 | - | 39 | 9 | 21 | 1 | 3 | 6 | - |
| IX. Paramenia | 4 | - | 1 | 1 | 1 | - | - | - | - | 1 |
| Ovarian Dropsy | 12 | - | 3 | 9 | 2 | 5 | 3 | 1 | - | 1 |
| Childbirth | 55 | 6 | 6 | 18 | 20 | 3 | 8 | 11 | 2 | 2 |
| Organs of Generation | 8 | - | 1 | 3 | 1 | 2 | 1 | - | - | 2 |
| X. Arthritis | 10 | 1 | 2 | 12 | 1 | 2 | 3 | - | 2 | - |
| Rheumatism | 23 | 1 | 2 | 13 | 4 | 1 | 8 | 3 | 3 | 2 |
| Joint and Bone Disease | 28 | 2 | 3 | 13 | 6 | 6 | 3 | 5 | 2 | 2 |
| XI. Carbuncle | 3 | - | - | 1 | 1 | 1 | 1 | - | - | 1 |
| Phlegmon | 3 | - | - | 1 | - | - | - | 2 | - | 1 |
| Skin Disease | 9 | 1 | - | 5 | 2 | 1 | - | 2 | - | 1 |
| XVII. Intemperance | 20 | 1 | - | 11 | 7 | 2 | - | - | 2 | 1 |
| Privation | - | - | - | - | - | - | - | - | - | - |
| Want of Breast Milk | 19 | - | 1 | 11 | 9 | 7 | 1 | 8 | 1 | - |
| Neglect | - | - | - | - | - | - | - | - | - | - |
| Cold | 1 | - | - | 1 | - | 1 | - | - | - | - |
| Poison | 15 | 2 | - | 7 | 2 | 1 | 2 | 2 | 1 | - |
| Poisoned Wounds | - | - | - | - | - | - | - | - | - | - |
| Burns and Scalds | 48 | 4 | 5 | 23 | 6 | 3 | 7 | 2 | 3 | 1 |
| Hanging, etc. | 7 | - | - | 2 | 4 | 1 | 3 | 2 | 3 | - |
| Suffocation | 23 | 2 | 1 | 15 | 5 | 7 | 5 | 4 | 7 | 1 |
| Drowning | 57 | 7 | 7 | 9 | 13 | 8 | 4 | 17 | 4 | 4 |
| Fracture and Contusion | 133 | 7 | 9 | 94 | 35 | 24 | 9 | 40 | 16 | 7 |
| Gunshot Wounds | 3 | - | - | 2 | - | 1 | - | - | - | - |
| Cuts and Stabs | 3 | - | 1 | 4 | 2 | - | - | - | - | 1 |
| Other Violent Causes | 10 | 4 | - | 7 | 5 | 4 | - | 4 | - | - |
| Not Specified | 171 | 21 | 22 | 21 | 60 | 15 | 35 | 63 | 12 | 10 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1867.—BOTH SEXES. (Contd.)

| DISEASES. | Inverness. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Kirkcaldy. | Stirling. | Ayr. | Kilmarnock. | Hamilton. | Airdrie. | Coatbridge, etc. | Dumfries. |
|------------------------------------|------------|-----------|---------|-----------|--------------|------------|-----------|------|-------------|-----------|----------|------------------|-----------|
| Cephalitis | 2 | 2 | 2 | 3 | 5 | 2 | 2 | 1 | 1 | 1 | — | 3 | 3 |
| Apoplexy | 7 | 7 | 8 | 8 | 2 | 5 | 4 | 4 | 9 | 5 | 4 | 7 | 16 |
| Paralysis | 15 | 14 | 5 | 9 | 3 | 6 | 10 | 16 | 14 | 12 | 6 | 5 | 20 |
| Delirium Tremens | 2 | 2 | 1 | 1 | — | — | — | 1 | — | — | 1 | 1 | — |
| Chorea | — | 1 | — | — | — | — | — | — | — | 1 | — | — | — |
| Epilepsy | 1 | 3 | — | 2 | 1 | — | 1 | 2 | 1 | 1 | — | 2 | 3 |
| Tetanus | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| Insanity | 1 | — | — | — | — | — | — | — | 1 | 1 | — | — | 3 |
| Convulsions | 6 | 9 | 2 | 4 | 2 | 2 | 9 | 4 | 8 | 5 | 3 | 3 | 4 |
| Brain Disease | 7 | 8 | 3 | 5 | 2 | 5 | 14 | 1 | 8 | 4 | 5 | 3 | 4 |
| Pericarditis | — | 1 | — | — | — | 1 | 1 | — | 1 | — | — | — | 1 |
| Aneurism | — | 1 | 1 | 1 | 2 | — | — | — | — | — | — | — | — |
| Heart Disease | 19 | 28 | 19 | 19 | 24 | 17 | 23 | 24 | 32 | 21 | 8 | 12 | 27 |
| Laryngitis | 1 | — | — | — | — | 1 | 2 | — | 1 | 1 | 1 | — | 1 |
| Bronchitis | 19 | 51 | 32 | 44 | 22 | 30 | 16 | 35 | 78 | 37 | 26 | 30 | 64 |
| Pleurisy | 3 | 2 | 1 | 2 | 2 | 1 | — | — | 2 | — | — | 1 | 4 |
| Pneumonia | 10 | 10 | 7 | 6 | 11 | 5 | 8 | 6 | 9 | 8 | 9 | 12 | 27 |
| Asthma | 7 | 1 | 3 | — | 1 | 3 | 4 | 9 | 3 | — | 1 | 1 | 3 |
| Lung Disease | 5 | — | 1 | — | — | — | 1 | 2 | 4 | 1 | 3 | — | 2 |
| Teething | 10 | 9 | 4 | 3 | 1 | 2 | 8 | 7 | 5 | 4 | 5 | 5 | 2 |
| Quinsey | — | — | — | — | 1 | — | — | — | — | — | — | — | — |
| Gastritis | — | — | 1 | — | 2 | — | 1 | 2 | — | — | 6 | 4 | 1 |
| Enteritis | 9 | 3 | 4 | 2 | 2 | — | 2 | 5 | 19 | 7 | 3 | 6 | 1 |
| Peritonitis | 1 | 1 | — | 3 | — | — | 1 | 1 | 1 | 4 | 1 | 2 | 1 |
| Ascites | — | 1 | — | — | — | 1 | 2 | 6 | — | 1 | 1 | 1 | 1 |
| Ulceration of Intestines | — | 3 | 1 | 3 | 2 | — | — | — | 4 | — | 1 | — | 1 |
| Hernia | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| Ileus | 1 | 1 | 2 | 3 | 1 | — | 2 | — | 2 | 1 | — | — | 2 |
| Intussusception | — | — | — | 1 | — | — | — | — | — | — | — | — | — |
| Stricture of Intestines | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stomach Disease | 8 | 2 | — | 8 | 1 | 5 | 13 | 2 | 2 | 2 | 7 | 1 | 9 |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | — | 3 | 1 | — | — | — | 1 | — | 1 | — | 1 | 1 | 2 |
| Jaundice | — | 1 | 1 | 3 | 2 | — | — | — | 1 | — | 1 | 2 | 2 |
| Liver Disease | 5 | 6 | 9 | 6 | 2 | — | 3 | 3 | 7 | 2 | 7 | 3 | 6 |
| Spleen Disease | — | — | — | 1 | 1 | 1 | — | — | 1 | — | — | 1 | — |
| Nephritis | 1 | — | — | — | — | — | — | 4 | 1 | 1 | — | 1 | 1 |
| Nephria | 3 | — | — | 3 | — | 1 | — | — | 3 | 2 | 1 | — | 1 |
| Addison's Disease | 1 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Ischuria | 1 | — | — | — | — | — | — | 1 | 1 | — | — | 1 | — |
| Diabetes | — | — | — | — | — | — | — | 2 | — | 1 | — | — | 1 |
| Stone | — | — | 1 | — | — | — | — | 1 | 1 | — | 1 | — | 1 |
| Cystitis | — | — | — | 2 | — | — | 1 | 1 | — | — | — | 1 | 2 |
| Stricture of Urethra | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Kidney Disease | 1 | 2 | 4 | 1 | — | — | 2 | 1 | 2 | 1 | 1 | 1 | 4 |
| Paramenia | 1 | — | 1 | — | — | — | — | — | — | 1 | — | — | — |
| Ovarian Dropsy | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Childbirth | 2 | — | — | — | 1 | 1 | 4 | 2 | 3 | — | — | 1 | 2 |
| Organs of Generation | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — |
| Arthritis | — | — | 1 | — | 1 | — | — | 1 | 1 | — | — | — | 1 |
| Rheumatism | 3 | — | — | — | 1 | 1 | 1 | 3 | 1 | — | — | 1 | 1 |
| Joint Disease | 1 | 2 | — | — | — | 1 | 1 | 2 | 3 | — | 2 | 3 | 1 |
| Carbuncle | — | — | — | — | — | — | — | — | 1 | — | — | — | — |
| Phlegmon | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| Skin Disease | — | — | — | — | — | — | — | — | — | 1 | — | — | — |
| Intemperance | — | — | — | — | — | — | — | 1 | — | 1 | — | 1 | 3 |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | — | — | — | — | — | — | — | — | 2 | — | — | — | 2 |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold | — | — | — | — | — | — | — | — | 1 | — | — | — | — |
| Poison | — | — | — | — | — | 1 | — | 2 | 2 | — | — | — | — |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | — | — | 1 | — | 1 | — | 1 | 1 | 4 | 7 | 1 | 3 | 1 |
| Hanging, etc. | — | — | 1 | 1 | — | 1 | 1 | 1 | — | — | — | — | — |
| Suffocation | — | 1 | 3 | 1 | — | — | 1 | 1 | 2 | 1 | — | 3 | 2 |
| Drowning | 3 | 1 | — | 5 | — | 2 | 2 | 6 | 1 | 2 | — | 3 | 3 |
| Fracture and Contusion | 5 | 6 | 6 | 2 | 3 | 2 | 5 | 5 | 10 | 10 | 2 | 17 | 2 |
| Gunshot Wounds | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — |
| Cuts and Stabs | 1 | 1 | — | — | — | — | — | 1 | — | — | — | — | 1 |
| Other Violent Causes | — | — | — | 1 | — | 1 | — | — | 1 | — | 2 | 2 | 1 |
| Not Specified | 6 | 2 | 2 | 8 | 21 | 2 | 4 | 16 | 5 | 16 | 17 | 12 | 16 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1867.—MALES.

| DISEASES. | Glasgow. | Barony. | Govan. | Edinburgh. | Dundee. | Aberdeen. | Paisley. | Greenock. | Leith. | Perth. |
|------------------------------------|----------|---------|--------|------------|---------|-----------|----------|-----------|--------|--------|
| ALL CAUSES | 6312 | 423 | 489 | 2338 | 1416 | 890 | 653 | 755 | 557 | 298 |
| SPECIFIED CAUSES | 6223 | 409 | 475 | 2329 | 1375 | 881 | 633 | 724 | 550 | 294 |
| I. Zymotic Class | 1329 | 75 | 115 | 515 | 288 | 144 | 153 | 128 | 136 | 34 |
| II. Diseases of Uncertain Seat | 121 | 7 | 4 | 61 | 45 | 28 | 17 | 16 | 22 | 5 |
| III. Tubercular Class | 1182 | 68 | 104 | 393 | 262 | 196 | 101 | 126 | 87 | 59 |
| IV. Brain and Nervous System | 476 | 49 | 66 | 232 | 126 | 88 | 68 | 69 | 59 | 43 |
| V. Organs of Circulation | 246 | 9 | 10 | 148 | 65 | 45 | 21 | 51 | 32 | 22 |
| VI. Respiratory Organs | 1423 | 72 | 79 | 366 | 205 | 124 | 97 | 136 | 75 | 44 |
| VII. Organs of Digestion | 473 | 29 | 33 | 137 | 89 | 62 | 60 | 52 | 38 | 20 |
| VIII. Urinary Organs | 86 | 4 | 2 | 89 | 23 | 28 | 2 | 2 | 15 | 7 |
| IX. Organs of Generation | — | — | — | — | — | — | — | — | — | — |
| X. Organs of Locomotion | 31 | 4 | 3 | 23 | 4 | 7 | 5 | 5 | 7 | 3 |
| XI. Skin, etc. | 10 | — | — | 3 | 2 | — | — | 2 | — | 3 |
| XII. Malformation | 12 | — | — | 11 | 7 | 1 | 1 | 4 | — | 1 |
| XIII. Premature Debility | 384 | 26 | 21 | 138 | 131 | 60 | 39 | 37 | 27 | 19 |
| XIV. Atrophy | 46 | 10 | 3 | 12 | 6 | 8 | 9 | 5 | 1 | 4 |
| XV. Age | 128 | 34 | 18 | 84 | 60 | 45 | 35 | 25 | 21 | 21 |
| XVI. Sudden Deaths | 22 | 1 | — | 1 | 3 | 2 | 2 | — | 3 | — |
| XVII. Violent Deaths | 254 | 21 | 17 | 116 | 59 | 43 | 23 | 66 | 27 | 9 |
| I. Small Pox | 16 | 2 | 1 | 1 | 9 | 2 | — | 2 | — | — |
| Measles | 209 | 13 | 3 | 129 | 4 | 2 | 13 | 8 | 32 | 10 |
| Scarlatina | 229 | 15 | 47 | 79 | 31 | 9 | 25 | 25 | 34 | 1 |
| Diphtheria | 41 | 4 | 3 | 15 | 8 | 4 | 2 | 4 | 4 | — |
| Hooping Cough | 147 | 3 | 15 | 54 | 108 | 22 | 35 | 8 | 10 | 3 |
| Croup | 84 | 2 | 10 | 32 | 24 | 10 | 9 | 11 | 12 | 2 |
| Thrush | 1 | — | — | 1 | 3 | 1 | — | — | — | — |
| Diarrhoea | 147 | 18 | 15 | 62 | 29 | 24 | 15 | 10 | 3 | 8 |
| Dysentery | 10 | — | — | 3 | 3 | 8 | 4 | 3 | — | — |
| Cholera | 8 | — | — | 2 | 5 | — | — | 1 | 2 | — |
| Influenza | 8 | 1 | — | 5 | 6 | 4 | — | 1 | — | 2 |
| Purpura | 4 | — | 1 | 2 | — | — | — | 1 | — | — |
| Ague | — | — | — | — | — | — | — | — | — | — |
| Worms | 3 | — | — | — | — | 1 | — | — | — | — |
| Typhus | 256 | 11 | 4 | 56 | 27 | 21 | 39 | 42 | 22 | 3 |
| Enteric Fever | 90 | 5 | 7 | 45 | 16 | 20 | 7 | 6 | 10 | 3 |
| Relapsing Fever | 3 | — | 1 | 1 | 1 | — | — | — | 1 | — |
| Simple Continued Fever | 7 | — | — | 1 | 1 | — | — | — | 1 | — |
| Infantile Remittent | 12 | — | — | 2 | 4 | 3 | 1 | 2 | 1 | 1 |
| Metria | — | — | — | — | — | — | — | — | — | — |
| Rheumatic Fever | 6 | — | 1 | 2 | 3 | 2 | 2 | — | 1 | — |
| Erysipelas | 20 | 1 | 5 | 9 | 2 | 6 | — | 1 | 3 | 1 |
| Pyæmia | 5 | — | — | — | — | — | 1 | 1 | — | — |
| Syphilis | 22 | — | 2 | 14 | 4 | 5 | — | 2 | — | — |
| Noma | 1 | — | — | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 6 | 2 | 1 | 2 | 1 | — | — | 2 | 1 | 1 |
| Dropsy | 42 | 2 | 2 | 4 | 25 | 4 | 9 | 4 | 7 | 1 |
| Abscess | 18 | 2 | — | 7 | 3 | 4 | 3 | 1 | 2 | — |
| Ulcer | 1 | — | — | 2 | — | — | — | 1 | 1 | — |
| Fistula | 3 | — | — | 1 | — | 2 | — | — | — | — |
| Mortification | 9 | — | — | 7 | 2 | 2 | — | 3 | 1 | — |
| Cancer | 42 | 1 | 1 | 37 | 14 | 15 | 5 | 5 | 10 | 3 |
| Gout | — | — | — | 1 | — | 1 | — | — | — | — |
| III. Scrofula | 62 | 8 | 4 | 31 | 13 | 12 | 5 | 5 | 9 | 4 |
| Tabes Mesenterica | 114 | 3 | 14 | 46 | 20 | 20 | 11 | 8 | 17 | 3 |
| Phthisis | 754 | 41 | 56 | 251 | 167 | 122 | 69 | 99 | 35 | 39 |
| Hydrocephalus | 252 | 16 | 30 | 65 | 62 | 42 | 16 | 14 | 26 | 13 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1867.—MALES.

| DISEASES. | Inverness. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Kirkcaldy. | Stirling. | Ayr. | Kilmarnock. | Hamilton. | Airdrie. | Coatbridge etc. | Dumfries. |
|---------------------------|------------|-----------|---------|-----------|--------------|------------|-----------|------|-------------|-----------|----------|-----------------|-----------|
| ALL CAUSES . . . | 183 | 185 | 150 | 152 | 124 | 116 | 208 | 212 | 336 | 166 | 147 | 201 | 230 |
| SPECIFIED CAUSES . . . | 181 | 185 | 149 | 147 | 111 | 115 | 204 | 203 | 333 | 155 | 141 | 195 | 221 |
| Zymotic Class . . . | 35 | 19 | 34 | 19 | 16 | 39 | 52 | 57 | 88 | 26 | 42 | 40 | 18 |
| Uncertain Seat . . . | 5 | 7 | 4 | 8 | 2 | 2 | 4 | 5 | 8 | 3 | 6 | 4 | 7 |
| Tubercular Class . . . | 21 | 44 | 26 | 33 | 23 | 11 | 35 | 29 | 61 | 31 | 17 | 45 | 38 |
| Brain, etc. | 25 | 23 | 9 | 18 | 9 | 11 | 16 | 17 | 24 | 16 | 11 | 10 | 28 |
| Heart, etc. | 7 | 11 | 11 | 6 | 17 | 7 | 13 | 13 | 20 | 4 | 6 | 7 | 13 |
| Respiratory Organs . . . | 20 | 34 | 20 | 21 | 16 | 14 | 13 | 19 | 48 | 24 | 22 | 24 | 54 |
| Digestive Organs . . . | 17 | 14 | 14 | 15 | 7 | 5 | 20 | 11 | 19 | 13 | 15 | 12 | 17 |
| Urinary Organs | 3 | 1 | 4 | 2 | — | 1 | 3 | 8 | 6 | 4 | 1 | 3 | 9 |
| Generative Organs . . . | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Locomotive Organs . . . | 1 | 1 | 1 | — | — | 1 | 1 | 2 | 3 | — | 2 | 1 | 1 |
| Skin | — | — | — | 1 | — | — | — | — | — | — | — | — | — |
| Malformation | — | 1 | — | — | — | — | 1 | — | 1 | — | — | 1 | 2 |
| Premature Debility . . . | 18 | 13 | 8 | 5 | 8 | 7 | 21 | 14 | 21 | 5 | 9 | 14 | 19 |
| Atrophy | 2 | — | 1 | — | 1 | 2 | 4 | — | — | 2 | 1 | 1 | 1 |
| Age | 19 | 13 | 11 | 8 | 9 | 7 | 11 | 17 | 16 | 12 | 3 | 9 | 7 |
| Sudden Deaths | — | — | — | — | — | 2 | — | — | — | — | 2 | 1 | — |
| Violent Deaths | 8 | 4 | 6 | 11 | 3 | 6 | 10 | 11 | 18 | 15 | 4 | 23 | 7 |
| Small Pox | — | — | — | — | — | 1 | 1 | — | — | — | — | 1 | — |
| Measles | — | — | — | — | 4 | 5 | 20 | 6 | 8 | 2 | — | 2 | — |
| Scarlatina | — | — | — | — | 1 | 5 | — | 21 | 9 | 3 | 23 | 9 | 4 |
| Diphtheria | 1 | — | 1 | 3 | 1 | 6 | 1 | — | 4 | 1 | 2 | 1 | 2 |
| Hooping Cough | 1 | 4 | 15 | 4 | — | — | 7 | 5 | 17 | 2 | — | 4 | — |
| Croup | 9 | 1 | 5 | 2 | 1 | 3 | 2 | 2 | 9 | 3 | 5 | 3 | 2 |
| Thrush | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diarrhoea | 5 | 4 | 2 | 2 | 1 | 2 | 5 | 5 | 12 | 3 | 4 | 4 | 4 |
| Dysentery | 2 | 1 | 1 | — | 1 | — | 5 | — | — | 1 | 1 | 1 | — |
| Cholera | — | — | — | — | — | — | — | — | 4 | — | 1 | — | — |
| Influenza | — | — | — | — | — | — | 3 | 2 | — | — | 1 | — | — |
| Purpura | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | — | — | — | — | — | — | — | 1 | — | — | — | — | — |
| Typhus | 5 | 3 | 4 | 4 | — | 3 | 5 | 11 | 14 | 5 | 2 | 8 | 1 |
| Enteric Fever | 11 | 5 | 2 | 1 | 2 | 13 | 3 | 2 | 6 | 4 | — | 1 | 3 |
| Relapsing Fever | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Simple Cont. Fever . . . | — | 1 | 1 | — | — | — | — | — | 4 | — | — | — | — |
| Infantile Remittent . . . | — | — | — | — | 2 | — | — | — | — | — | 1 | 3 | — |
| Metria | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Rheumatic Fever | — | — | — | — | 2 | — | — | 1 | — | — | — | — | 2 |
| Erysipelas | 1 | — | — | 1 | 1 | — | — | 1 | 1 | 1 | 2 | — | — |
| Pyæmia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Syphilis | — | — | 2 | — | — | 1 | — | — | — | — | — | 3 | — |
| Noma | — | — | — | 1 | — | — | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hæmorrhage | — | — | — | 1 | — | — | 1 | — | 1 | — | — | — | 1 |
| Dropsy | — | 2 | 3 | 1 | 1 | 1 | 1 | 2 | — | — | 4 | 3 | — |
| Abscess | 1 | — | — | 1 | — | 1 | — | — | — | 1 | — | — | — |
| Ulcer | — | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Fistula | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | — | 2 | — | — | — | — | 1 | — | 1 | — | — | — | — |
| Cancer | 3 | 3 | 1 | 5 | 1 | — | — | 3 | 6 | 2 | 2 | 1 | 6 |
| Gout | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Scrofula | 1 | 2 | 1 | 1 | 1 | — | 5 | 3 | 3 | 2 | 1 | 2 | 1 |
| Tabes Mesenterica | 1 | 2 | 5 | 1 | 4 | 1 | 2 | 1 | 7 | 1 | 7 | 8 | 3 |
| Phthisis | 18 | 32 | 15 | 27 | 17 | 9 | 26 | 19 | 43 | 25 | 5 | 27 | 32 |
| Hydrocephalus | 1 | 8 | 5 | 4 | 1 | 1 | 2 | 6 | 8 | 3 | 4 | 8 | 2 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1867.—MALES. (Contd.)

| DISEASES. | Glasgow. | Barony. | Govan. | Edinburgh. | Dundee. | Aberdeen. | Paisley. | Greenock. | Leith. | Perth. |
|------------------------------------|----------|---------|--------|------------|---------|-----------|----------|-----------|--------|--------|
| IV. Cephalitis | 56 | 6 | 3 | 20 | 5 | 3 | 2 | 7 | 4 | 2 |
| Apoplexy | 79 | 7 | 11 | 50 | 18 | 23 | 22 | 16 | 10 | 9 |
| Paralysis | 84 | 17 | 16 | 58 | 34 | 21 | 22 | 8 | 19 | 20 |
| Delirium Tremens | 9 | — | — | 6 | 4 | 3 | — | 1 | 4 | — |
| Chorea | — | — | — | — | — | — | — | — | — | — |
| Epilepsy | 18 | 1 | 5 | 12 | 2 | 2 | 3 | 3 | 3 | — |
| Tetanus | 2 | — | — | — | 1 | — | 1 | 1 | — | — |
| Insanity | 4 | 1 | — | 6 | — | 3 | 1 | — | — | 2 |
| Convulsions | 130 | 5 | 6 | 44 | 48 | 16 | 13 | 12 | 9 | 1 |
| Brain Disease | 94 | 12 | 25 | 36 | 14 | 17 | 4 | 21 | 10 | 9 |
| V. Pericarditis | 5 | 1 | — | 1 | 1 | 1 | — | 1 | — | — |
| Aneurism | 5 | — | — | 16 | 5 | 3 | — | 1 | — | 2 |
| Heart Disease | 236 | 8 | 10 | 131 | 59 | 41 | 21 | 49 | 32 | 20 |
| VI. Laryngitis | 16 | — | — | 6 | — | 4 | 1 | 4 | — | 1 |
| Bronchitis | 998 | 40 | 51 | 240 | 150 | 81 | 69 | 100 | 49 | 31 |
| Pleurisy | 16 | 1 | 2 | 14 | 2 | 3 | 1 | 2 | 3 | 2 |
| Pneumonia | 297 | 22 | 20 | 71 | 35 | 29 | 25 | 24 | 15 | 8 |
| Asthma | 44 | 5 | 4 | 18 | 10 | 4 | — | 3 | 3 | 2 |
| Lung Disease | 52 | 4 | 2 | 17 | 8 | 3 | 1 | 3 | 5 | — |
| VII. Teething | 119 | 10 | 10 | 11 | 40 | 19 | 19 | 23 | 11 | 6 |
| Quinsey | 6 | — | 2 | — | 1 | — | — | — | — | — |
| Gastritis | 3 | 2 | — | — | 3 | — | 1 | 3 | — | — |
| Enteritis | 118 | 5 | 6 | 20 | 11 | 4 | 18 | 10 | 7 | 3 |
| Peritonitis | 16 | 2 | 3 | 13 | 4 | 2 | 1 | 1 | 2 | 3 |
| Ascites | 5 | — | — | 2 | — | — | — | 1 | — | — |
| Ulceration of Intestines | 19 | — | — | 6 | — | 4 | 1 | — | 1 | 1 |
| Hernia | 11 | — | 1 | 5 | 3 | — | — | — | 1 | — |
| Ileus | 20 | 2 | 1 | 9 | 5 | 12 | 1 | 3 | 6 | 1 |
| Intussusception | 3 | — | — | — | 1 | — | — | — | — | — |
| Stricture of Intestines | 3 | — | — | 6 | — | — | — | 2 | — | — |
| Stomach Disease | 68 | 1 | 4 | 28 | 12 | 7 | 5 | 5 | 6 | 1 |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | 9 | — | 1 | 5 | — | — | 2 | 1 | — | — |
| Jaundice | 5 | 1 | — | 4 | 7 | 3 | 1 | 1 | 1 | 1 |
| Liver Disease | 67 | 6 | 5 | 27 | 2 | 10 | 11 | 2 | 3 | 4 |
| Spleen Disease | 1 | — | — | 1 | — | 1 | — | — | — | — |
| VIII. Nephritis | 10 | 1 | — | 4 | 2 | — | — | — | 2 | — |
| Nephria | 22 | 1 | 1 | 32 | 8 | 2 | 1 | 1 | 3 | 1 |
| Addison's Disease | 1 | — | — | 1 | — | — | — | — | — | — |
| Ischuria | 1 | — | — | 3 | — | 2 | — | — | 1 | 1 |
| Diabetes | 5 | — | — | 4 | 3 | 4 | — | — | 1 | — |
| Stone | 5 | — | — | — | 4 | 3 | — | — | 1 | — |
| Cystitis | 14 | — | 1 | 16 | 3 | 2 | 1 | 1 | 3 | 4 |
| Stricture of Urethra | 1 | — | — | 7 | 1 | 1 | — | — | — | 1 |
| Kidney Disease | 27 | 2 | — | 22 | 2 | 14 | — | — | 4 | — |
| IX. Paramenia | — | — | — | — | — | — | — | — | — | — |
| Ovarian Dropsy | — | — | — | — | — | — | — | — | — | — |
| Childbirth | — | — | — | — | — | — | — | — | — | — |
| Organs of Generation | — | — | — | — | — | — | — | — | — | — |
| X. Arthritis | 3 | 1 | 1 | 8 | 1 | 2 | 1 | — | 2 | — |
| Rheumatism | 10 | 1 | 1 | 5 | 1 | 1 | 2 | 1 | 3 | 1 |
| Joint and Bone Disease | 18 | 2 | 1 | 10 | 2 | 4 | 2 | 4 | 2 | 2 |
| XI. Carbuncle | 2 | — | — | — | — | — | — | — | — | 1 |
| Phlegmon | 2 | — | — | 1 | — | — | — | 1 | — | 1 |
| Skin Disease | 6 | — | — | 2 | 2 | — | — | 1 | — | 1 |
| XVII. Intemperance | 12 | — | — | 2 | 4 | 2 | — | — | 1 | — |
| Privation | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | 12 | — | — | 4 | 5 | 2 | 1 | 5 | 1 | — |
| Neglect | — | — | — | — | — | — | — | — | — | — |
| Cold | 1 | — | — | 1 | — | 1 | — | — | — | — |
| Poison | 7 | 2 | — | 4 | 1 | — | 1 | 1 | 1 | — |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 27 | 2 | 4 | 9 | 3 | — | 5 | 1 | 1 | — |
| Hanging, etc. | 6 | — | — | 1 | — | 1 | 3 | 1 | 3 | — |
| Suffocation | 13 | 2 | — | 5 | 1 | 4 | 3 | 1 | 4 | — |
| Drowning | 53 | 6 | 5 | 6 | 9 | 8 | 2 | 17 | 4 | 4 |
| Fracture and Contusion | 111 | 6 | 7 | 76 | 30 | 22 | 8 | 36 | 12 | 5 |
| Gunshot Wounds | 2 | — | — | 2 | — | 1 | — | — | — | — |
| Cuts and Stabs | 2 | — | 1 | 3 | 1 | — | — | — | — | — |
| Other Violent Causes | 8 | 3 | — | 3 | 5 | 2 | — | 4 | — | — |
| Not Specified | 89 | 14 | 14 | 9 | 41 | 9 | 20 | 31 | 7 | 4 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1867.—MALES. (Contd.)

| DISEASES. | Inverness. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Kirkcaldy. | Stirling. | Ayr. | Kilmarnock. | Hamilton. | Airdrie. | Coatbridge, etc. | Dumfries. |
|------------------------------------|------------|-----------|---------|-----------|--------------|------------|-----------|------|-------------|-----------|----------|------------------|-----------|
| Cephalitis | 1 | 1 | 1 | — | 3 | 1 | 1 | — | 1 | 1 | — | 1 | 2 |
| Apoplexy | 5 | 3 | 3 | 6 | 2 | 1 | 1 | 3 | 5 | 3 | 3 | 3 | 7 |
| Paralysis | 5 | 8 | 2 | 5 | 2 | 3 | 2 | 10 | 8 | 7 | 3 | 3 | 10 |
| Delirium Tremens | 2 | 2 | 1 | 1 | — | — | — | 1 | — | — | 1 | 1 | — |
| Chorea | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Epilepsy | 1 | 1 | — | 1 | — | — | — | 1 | — | 1 | — | 1 | 3 |
| Tetanus | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| Insanity | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| Convulsions | 5 | 4 | 1 | 2 | 1 | 1 | 4 | 2 | 4 | 1 | 2 | — | 2 |
| Brain Disease | 6 | 4 | 1 | 2 | 1 | 4 | 8 | — | 6 | 3 | 2 | 1 | 2 |
| Pericarditis | — | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Aneurism | — | 1 | 1 | — | 2 | — | — | — | 1 | — | — | — | — |
| Heart Disease | 7 | 10 | 10 | 6 | 15 | 7 | 12 | 13 | 19 | 4 | 6 | 7 | 13 |
| Laryngitis | 1 | — | — | — | — | 1 | — | — | 1 | — | 1 | — | — |
| Bronchitis | 8 | 21 | 14 | 16 | 9 | 9 | 7 | 13 | 33 | 18 | 13 | 17 | 33 |
| Pleurisy | 2 | 2 | — | 2 | 1 | 1 | — | — | 2 | — | — | 1 | 3 |
| Pneumonia | 5 | 10 | 5 | 3 | 5 | 1 | 4 | 2 | 5 | 6 | 5 | 5 | 16 |
| Asthma | 2 | 1 | 1 | — | 1 | 2 | 2 | 4 | 3 | — | 1 | 1 | 1 |
| Lung Disease | 2 | — | — | — | — | — | — | — | 4 | — | 2 | — | 1 |
| Teething | 7 | 7 | 3 | — | — | 1 | 6 | 3 | 1 | 1 | 1 | 3 | — |
| Quinsey | — | — | — | — | 1 | — | — | — | — | — | — | — | — |
| Gastritis | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — |
| Enteritis | 3 | 1 | 3 | 2 | 1 | — | 1 | 2 | 7 | 5 | 1 | 5 | 1 |
| Peritonitis | 1 | — | — | 1 | — | — | 1 | — | — | 4 | 2 | — | 1 |
| Ascites | — | — | — | — | — | 1 | 1 | 2 | — | — | 1 | — | — |
| Ulceration of Intestines | — | 1 | 1 | — | 1 | — | — | — | 2 | — | 1 | — | 1 |
| Hernia | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| Ileus | 1 | — | 1 | 3 | 1 | — | 2 | — | 1 | 1 | — | — | 1 |
| Intussusception | — | — | — | 1 | — | — | — | — | — | — | — | — | — |
| Stricture of Intestines | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stomach Disease | 3 | 1 | — | 5 | 1 | 2 | 7 | 1 | 2 | — | 3 | 1 | 6 |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | — | 2 | 1 | — | — | — | — | — | 1 | — | — | — | 2 |
| Jaundice | — | 1 | — | 1 | — | — | — | — | 1 | — | — | 2 | 2 |
| Liver Disease | 2 | 1 | 5 | 1 | 1 | — | 2 | 2 | 4 | 2 | 5 | — | 3 |
| Spleen Disease | — | — | — | — | — | 1 | — | — | — | — | — | — | — |
| Nephritis | — | — | — | — | — | — | — | 4 | — | 1 | — | 1 | — |
| Nephria | — | — | — | 2 | — | 1 | — | — | 3 | 2 | — | — | 1 |
| Addison's Disease | 1 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Ischuria | 1 | — | — | — | — | — | — | — | 1 | — | — | 1 | — |
| Diabetes | — | — | — | — | — | — | — | 1 | — | — | — | — | — |
| Stone | — | — | 1 | — | — | — | — | 1 | 1 | — | 1 | — | 1 |
| Cystitis | — | — | — | — | — | — | 1 | 1 | — | — | — | 1 | 2 |
| Stricture of Urethra | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Kidney Disease | 1 | 1 | 3 | — | — | — | 2 | 1 | 1 | 1 | — | — | 4 |
| Paramenia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ovarian Dropsy | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Childbirth | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Organs of Generation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Arthritis | — | — | 1 | — | — | — | — | 1 | — | — | — | — | 1 |
| Rheumatism | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — |
| Joint Disease | — | 1 | — | — | — | 1 | 1 | — | 3 | — | 2 | 1 | — |
| Carbuncle | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Phlegmon | — | — | — | 1 | — | — | — | — | — | — | — | — | — |
| Skin Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Intemperance | — | — | — | — | — | — | — | 1 | — | 1 | — | 1 | 2 |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold | — | — | — | — | — | — | — | — | 1 | — | — | — | — |
| Poison | — | — | — | — | — | 1 | — | 2 | 2 | — | — | — | — |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | — | — | — | — | 1 | — | 1 | — | 2 | 6 | 1 | 2 | — |
| Hanging, etc. | — | — | — | 1 | — | — | 1 | 1 | — | — | — | — | — |
| Suffocation | — | — | — | 1 | — | — | 1 | — | 1 | 1 | — | — | 1 |
| Drowning | 2 | 1 | — | 5 | — | 2 | 2 | 4 | 1 | 1 | — | 3 | 2 |
| Fracture and Contusion | 5 | 3 | 6 | 2 | 2 | 2 | 5 | 3 | 9 | 6 | 1 | 17 | 1 |
| Gunshot Wounds | — | — | — | 1 | — | — | — | — | — | — | — | — | — |
| Cuts and Stabs | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Other Violent Causes | — | — | — | 1 | — | 1 | — | — | 1 | — | 2 | — | — |
| Not Specified | 2 | — | 1 | 5 | 13 | 1 | 4 | 9 | 3 | 11 | 6 | 6 | 9 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1867.—FEMALES.

| DISEASES. | Glasgow. | Barony. | Govan. | Edinburgh. | Dundee. | Aberdeen. | Paisley. | Greenock. | Leith. | Perth. |
|------------------------------------|----------|---------|--------|------------|---------|-----------|----------|-----------|--------|--------|
| ALL CAUSES | 6266 | 428 | 490 | 2427 | 1535 | 934 | 682 | 678 | 507 | 271 |
| SPECIFIED CAUSES | 6184 | 421 | 482 | 2415 | 1516 | 928 | 667 | 646 | 502 | 265 |
| I. Zymotic Class | 1393 | 80 | 141 | 495 | 327 | 130 | 158 | 141 | 131 | 34 |
| II. Diseases of Uncertain Seat | 203 | 19 | 16 | 123 | 91 | 58 | 32 | 17 | 27 | 14 |
| III. Tubercular Class | 1309 | 97 | 89 | 378 | 292 | 207 | 121 | 137 | 72 | 51 |
| IV. Brain and Nervous System | 393 | 23 | 51 | 225 | 100 | 92 | 55 | 49 | 46 | 24 |
| V. Organs of Circulation | 235 | 10 | 8 | 159 | 83 | 54 | 21 | 44 | 26 | 14 |
| VI. Respiratory Organs | 1296 | 62 | 55 | 405 | 255 | 121 | 85 | 95 | 92 | 37 |
| VII. Organs of Digestion | 448 | 20 | 37 | 147 | 90 | 74 | 51 | 56 | 25 | 14 |
| VIII. Urinary Organs | 47 | 6 | 3 | 49 | 17 | 12 | 4 | 5 | 8 | 1 |
| IX. Organs of Generation | 79 | 6 | 11 | 31 | 24 | 10 | 12 | 12 | 2 | 6 |
| X. Organs of Locomotion | 30 | — | 4 | 15 | 7 | 2 | 9 | 3 | — | 1 |
| XI. Skin, etc. | 5 | 1 | — | 4 | 1 | 2 | 1 | 2 | — | — |
| XII. Malformation | 8 | — | 1 | 6 | 3 | 4 | — | 4 | — | — |
| XIII. Premature Debility | 270 | 29 | 24 | 104 | 93 | 47 | 34 | 29 | 28 | 16 |
| XIV. Atrophy | 59 | 10 | 10 | 39 | 10 | 6 | 5 | 5 | 11 | 5 |
| XV. Age | 305 | 52 | 24 | 163 | 92 | 92 | 69 | 34 | 23 | 42 |
| XVI. Sudden Deaths | 19 | — | 1 | 2 | 2 | 1 | 2 | — | 1 | — |
| XVII. Violent Deaths | 85 | 6 | 7 | 70 | 29 | 16 | 8 | 13 | 10 | 6 |
| I. Small Pox | 16 | 2 | — | 4 | 7 | — | — | 2 | 1 | — |
| Measles | 179 | 22 | 3 | 95 | 2 | — | 14 | 14 | 27 | 7 |
| Scarlatina | 255 | 13 | 57 | 65 | 33 | 5 | 25 | 21 | 24 | 1 |
| Diphtheria | 34 | 1 | 4 | 22 | 10 | 3 | 3 | 9 | 1 | — |
| Hooping Cough | 184 | 3 | 29 | 59 | 150 | 20 | 43 | 17 | 14 | 7 |
| Croup | 75 | 2 | 7 | 21 | 23 | 5 | 5 | 8 | 7 | 4 |
| Thrush | 3 | — | — | 1 | 2 | — | — | — | — | — |
| Diarrhœa | 162 | 11 | 12 | 46 | 26 | 36 | 13 | 12 | 8 | 3 |
| Dysentery | 13 | 1 | 1 | 4 | 5 | 3 | — | 3 | 4 | 2 |
| Cholera | 9 | 4 | 2 | 6 | 4 | 3 | — | 7 | 2 | — |
| Influenza | 11 | 1 | 1 | — | 7 | 4 | — | — | — | 1 |
| Purpura | 4 | — | — | — | — | — | 2 | — | 1 | — |
| Ague | — | — | — | — | 1 | — | — | — | — | — |
| Worms | — | — | — | 1 | 2 | — | — | — | — | — |
| Typhus | 241 | 11 | 5 | 57 | 18 | 15 | 35 | 33 | 23 | 6 |
| Enteric Fever | 112 | 5 | 10 | 56 | 17 | 15 | 5 | 4 | 14 | 2 |
| Relapsing Fever | 4 | — | — | — | — | — | — | — | — | — |
| Simple Continued Fever | 9 | 1 | 3 | 3 | — | 1 | — | — | 1 | — |
| Infantile Remittent | 14 | — | — | 5 | 1 | 2 | 5 | 1 | 1 | — |
| Metria | 26 | 1 | 4 | 17 | 5 | 2 | 1 | 5 | — | — |
| Rheumatic Fever | 10 | 2 | — | 9 | 3 | — | 1 | 1 | — | — |
| Erysipelas | 15 | — | 1 | 8 | 2 | 7 | 4 | 2 | 1 | — |
| Pyæmia | 2 | — | — | 4 | — | 1 | — | — | 1 | — |
| Syphilis | 12 | — | 2 | 10 | 9 | 8 | — | 2 | 1 | 1 |
| Noma | 3 | — | — | 2 | — | — | 2 | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 8 | — | 1 | — | 2 | 2 | — | 2 | 1 | — |
| Dropsy | 60 | 6 | 3 | 23 | 47 | 6 | 16 | 3 | 12 | 5 |
| Abscess | 19 | 3 | 2 | 11 | 4 | 5 | 1 | 1 | 2 | — |
| Ulcer | 3 | — | — | 1 | 1 | — | — | — | — | — |
| Fistula | 1 | — | — | 1 | — | — | — | — | — | — |
| Mortification | 9 | 1 | — | 3 | 2 | 1 | 1 | 1 | — | 1 |
| Cancer | 103 | 9 | 10 | 84 | 35 | 44 | 14 | 10 | 12 | 7 |
| Gout | — | — | — | — | — | — | — | — | — | 1 |
| III. Scrofula | 47 | 3 | 2 | 26 | 9 | 9 | 5 | 5 | 6 | 1 |
| Tabes Mesenterica | 86 | 9 | 8 | 36 | 9 | 5 | 7 | 11 | 13 | 2 |
| Phthisis | 968 | 74 | 62 | 235 | 228 | 161 | 90 | 107 | 43 | 44 |
| Hydrocephalus | 208 | 11 | 17 | 81 | 46 | 32 | 19 | 14 | 10 | 4 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1867.—FEMALES.

| DISEASES. | Inverness. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Kirkcaldy. | Stirling. | Ayr. | Kilmarnock. | Hamilton. | Airdrie. | Coatbridge, etc. | Dumfries. |
|-------------------------------|------------|-----------|---------|-----------|--------------|------------|-----------|------|-------------|-----------|----------|------------------|-----------|
| ALL CAUSES . . . | 200 | 187 | 158 | 200 | 141 | 144 | 189 | 243 | 335 | 181 | 150 | 181 | 227 |
| SPECIFIED CAUSES . . . | 196 | 185 | 157 | 197 | 133 | 143 | 189 | 236 | 333 | 176 | 139 | 175 | 220 |
| Zymotic Class . . . | 28 | 26 | 31 | 39 | 32 | 42 | 46 | 43 | 89 | 34 | 32 | 37 | 19 |
| Uncertain Seat . . . | 6 | 16 | 11 | 10 | 2 | 11 | 11 | 10 | 10 | 3 | 9 | 9 | 13 |
| Tubercular Class . . . | 24 | 26 | 34 | 36 | 26 | 17 | 35 | 46 | 74 | 44 | 32 | 46 | 49 |
| Brain, etc. | 16 | 23 | 12 | 15 | 6 | 10 | 24 | 12 | 18 | 14 | 8 | 14 | 25 |
| Heart, etc. | 12 | 19 | 9 | 14 | 9 | 11 | 11 | 11 | 14 | 17 | 2 | 5 | 15 |
| Respiratory Organs . . . | 25 | 30 | 24 | 31 | 20 | 26 | 18 | 33 | 49 | 23 | 18 | 20 | 47 |
| Digestive Organs . . . | 17 | 16 | 9 | 19 | 8 | 4 | 13 | 15 | 24 | 8 | 19 | 14 | 11 |
| Urinary Organs . . . | 4 | 1 | 1 | 4 | — | — | — | 2 | 2 | 1 | 2 | 1 | 2 |
| Generative Organs . . . | 5 | 1 | 1 | 1 | 1 | 1 | 4 | 2 | 3 | 1 | — | 1 | 2 |
| Locomotive Organs . . . | 3 | 1 | — | — | 2 | 1 | 1 | 4 | 2 | — | — | 3 | 2 |
| Skin | — | — | — | — | 1 | — | — | — | 1 | 1 | — | — | — |
| Malformation | — | — | 1 | — | — | — | — | — | 2 | — | — | — | 2 |
| Premature Debility . . . | 11 | 9 | 8 | 10 | 12 | 8 | 6 | 15 | 12 | 5 | 8 | 7 | 7 |
| Atrophy | 3 | — | — | — | 1 | — | 4 | 3 | — | — | — | 2 | — |
| Age | 40 | 12 | 11 | 18 | 11 | 9 | 16 | 32 | 27 | 19 | 6 | 10 | 17 |
| Sudden Deaths | — | — | — | — | 1 | 2 | — | 1 | 1 | — | 2 | — | 1 |
| Violent Deaths | 2 | 5 | 5 | — | 1 | 1 | — | 7 | 5 | 6 | 1 | 6 | 8 |
| Small Pox | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Measles | — | — | — | — | 9 | 7 | 17 | 5 | 8 | 1 | 1 | 3 | — |
| Scarlatina | — | 1 | — | 1 | — | 9 | — | 10 | 8 | 9 | 21 | 8 | — |
| Diphtheria | 3 | — | 1 | 1 | 1 | 4 | — | — | 2 | 3 | — | — | 1 |
| Hooping Cough | 6 | 3 | 11 | 14 | 1 | — | 7 | 3 | 17 | 3 | — | 1 | 1 |
| Croup | 4 | 2 | 3 | 3 | 3 | 4 | 2 | 3 | 5 | 5 | 2 | 3 | 1 |
| Thrush | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diarrhœa | 3 | 5 | 4 | 6 | — | 3 | 9 | 5 | 10 | 3 | 2 | 8 | 8 |
| Dysentery | — | — | — | 2 | — | 2 | 1 | — | 6 | 1 | — | 2 | 1 |
| Cholera | — | — | — | — | 1 | — | — | — | 1 | 1 | — | — | — |
| Influenza | — | — | 1 | 2 | 2 | — | 2 | 2 | — | — | — | — | — |
| Purpura | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | — | — | — | — | — | — | — | 1 | — | — | — | — | — |
| Typhus | 5 | 5 | 6 | 1 | 1 | 2 | 2 | 3 | 16 | 2 | 4 | 7 | 1 |
| Enteric Fever | 5 | 5 | 1 | 7 | 3 | 9 | 2 | 9 | 11 | 5 | 1 | 1 | 2 |
| Relapsing Fever | — | 1 | — | — | 1 | — | — | — | — | — | — | — | 1 |
| Simple Cont. Fever | — | 1 | 2 | — | — | — | — | — | 1 | — | — | 1 | — |
| Infantile Remittent | — | — | — | — | 1 | — | — | — | — | — | — | 2 | 1 |
| Metria | — | 1 | 1 | 1 | 1 | 1 | 2 | — | 3 | — | 1 | 1 | — |
| Rheumatic Fever | 1 | — | — | — | 5 | — | — | — | — | — | — | — | — |
| Erysipelas | — | — | 1 | — | 1 | 1 | 1 | 2 | — | — | — | — | 1 |
| Pyæmia | — | — | — | — | 2 | — | 1 | — | — | — | — | — | — |
| Syphilis | — | 1 | — | 1 | — | — | — | — | 1 | 1 | — | — | 1 |
| Noma | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hæmorrhage | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Dropsy | 1 | 2 | 4 | 4 | — | 1 | 4 | 5 | — | — | 4 | 7 | 1 |
| Abscess | 1 | — | 1 | — | 1 | — | — | — | — | 1 | 1 | — | 1 |
| Ulcer | — | — | 1 | — | — | 1 | — | — | — | — | — | — | — |
| Fistula | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | 1 | 2 | — | — | — | 1 | 1 | — | — | — | 1 | — | — |
| Cancer | 3 | 12 | 5 | 6 | 1 | 8 | 6 | 5 | 10 | 2 | 3 | 2 | 11 |
| Gout | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Scrofula | 2 | 1 | 3 | 1 | 2 | — | 2 | 4 | 2 | 3 | — | 2 | 3 |
| Tabes Mesenterica | — | 2 | 2 | 2 | 7 | 3 | 2 | 7 | 5 | 2 | 5 | 6 | 5 |
| Phthisis | 19 | 20 | 19 | 29 | 14 | 14 | 27 | 34 | 57 | 35 | 24 | 28 | 35 |
| Hydrocephalus | 3 | 3 | 10 | 4 | 3 | — | 4 | 1 | 10 | 4 | 3 | 10 | 6 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1867.—FEMALES. (Contd.)

| DISEASES. | Glasgow. | Barony. | Govan. | Edinburgh. | Dundee. | Aberdeen. | Paisley. | Greenock. | Leith. | Perth. |
|------------------------------------|----------|---------|--------|------------|---------|-----------|----------|-----------|--------|--------|
| IV. Cephalitis | 28 | 2 | 5 | 11 | 2 | 6 | 4 | 6 | 6 | — |
| Apoplexy | 72 | 4 | 6 | 46 | 18 | 19 | 13 | 10 | 10 | 8 |
| Paralysis | 90 | 7 | 18 | 69 | 24 | 28 | 23 | 10 | 17 | 8 |
| Delirium Tremens | 2 | — | — | 2 | — | — | — | — | — | — |
| Chorea | 2 | — | — | 1 | — | — | — | — | — | — |
| Epilepsy | 13 | 4 | 2 | 17 | 5 | 6 | 1 | 2 | — | — |
| Tetanus | — | — | — | 1 | 1 | — | 1 | — | — | 1 |
| Insanity | 4 | — | 2 | 3 | — | — | 1 | 2 | — | — |
| Convulsions | 105 | 2 | 8 | 33 | 37 | 15 | 7 | 8 | 7 | 3 |
| Brain Disease | 77 | 4 | 10 | 42 | 13 | 17 | 5 | 11 | 6 | 4 |
| V. Pericarditis | 4 | 1 | — | 1 | 2 | 4 | — | 1 | — | — |
| Aneurism | 1 | 1 | — | 1 | 1 | 2 | — | — | — | — |
| Heart Disease | 230 | 8 | 8 | 157 | 80 | 48 | 21 | 43 | 26 | 14 |
| VI. Laryngitis | 14 | — | — | 9 | 3 | 1 | — | 1 | — | — |
| Bronchitis | 968 | 44 | 40 | 295 | 186 | 93 | 68 | 72 | 68 | 31 |
| Pleurisy | 6 | 1 | — | 3 | 5 | 2 | 1 | 1 | 2 | 1 |
| Pneumonia | 223 | 12 | 13 | 66 | 32 | 13 | 15 | 17 | 19 | 5 |
| Asthma | 46 | 1 | 2 | 19 | 17 | 8 | 1 | 1 | 1 | — |
| Lung Disease | 39 | 4 | — | 13 | 12 | 4 | — | 3 | 2 | — |
| VII. Teething | 108 | 4 | 11 | 11 | 42 | 29 | 15 | 23 | 2 | 3 |
| Quinsey | 8 | — | 2 | 1 | — | 1 | — | 1 | — | — |
| Gastritis | 18 | 1 | 1 | 2 | 1 | 2 | — | 1 | 1 | — |
| Enteritis | 95 | 2 | 6 | 16 | 9 | 7 | 16 | 14 | 5 | 2 |
| Peritonitis | 23 | 2 | 2 | 15 | 11 | 3 | — | 3 | 4 | — |
| Ascites | 6 | 1 | — | 1 | 2 | 3 | — | — | — | — |
| Ulceration of Intestines | 6 | — | 2 | 11 | 1 | 1 | — | 2 | 3 | 1 |
| Hernia | 4 | — | 1 | 6 | 1 | — | 1 | — | — | 2 |
| Ileus | 17 | 2 | 1 | 8 | 1 | 7 | 1 | 3 | 2 | — |
| Intussusception | 1 | — | — | 1 | — | — | — | — | — | — |
| Stricture of Intestines | 1 | — | — | 1 | — | — | — | — | — | — |
| Stomach Disease | 68 | 2 | 2 | 36 | 11 | 11 | 6 | 5 | 2 | 2 |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | 13 | 2 | 5 | — | — | — | 2 | — | 1 | — |
| Jaundice | 12 | — | — | 2 | 5 | 3 | 2 | 1 | 1 | — |
| Liver Disease | 63 | 3 | 4 | 36 | 6 | 6 | 8 | 3 | 3 | 4 |
| Spleen Disease | 5 | 1 | — | — | — | 1 | — | — | 1 | — |
| VIII. Nephritis | 4 | 1 | 2 | 2 | — | 1 | — | — | 2 | — |
| Nephria | 7 | 1 | 1 | 25 | 7 | 2 | 3 | 2 | 4 | — |
| Addison's Disease | — | — | — | — | 1 | 1 | — | — | — | — |
| Ischuria | 4 | — | — | 3 | — | — | — | — | — | — |
| Diabetes | 5 | — | — | 2 | 1 | — | — | — | — | 1 |
| Stone | — | — | — | — | — | — | — | — | — | — |
| Cystitis | 2 | — | — | — | 1 | 1 | — | — | — | — |
| Stricture of Urethra | — | — | — | — | — | — | — | — | — | — |
| Kidney Disease | 25 | 4 | — | 17 | 7 | 7 | 1 | 3 | 2 | — |
| IX. Paramenia | 4 | — | 1 | 1 | 1 | — | — | — | — | 1 |
| Ovarian Dropsy | 12 | — | 3 | 9 | 2 | 5 | 3 | 1 | — | 1 |
| Childbirth | 55 | 6 | 6 | 18 | 20 | 3 | 8 | 11 | 2 | 2 |
| Organs of Generation | 8 | — | 1 | 3 | 1 | 2 | 1 | — | — | 2 |
| X. Arthritis | 7 | — | 1 | 4 | — | — | 2 | — | — | — |
| Rheumatism | 13 | — | 1 | 8 | 3 | — | 6 | 2 | — | 1 |
| Joint and Bone Disease | 10 | — | 2 | 3 | 4 | 2 | 1 | 1 | — | — |
| XI. Carbuncle | 1 | — | — | 1 | 1 | 1 | 1 | — | — | — |
| Phlegmon | 1 | — | — | — | — | — | — | 1 | — | — |
| Skin Disease | 3 | 1 | — | 3 | — | 1 | — | 1 | — | — |
| XVII. Intemperance | 8 | 1 | — | 9 | 3 | — | — | — | 1 | 1 |
| Privation | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | 7 | — | 1 | 7 | 4 | 5 | — | 3 | — | — |
| Neglect | — | — | — | — | — | — | — | — | — | — |
| Cold | — | — | — | — | — | — | — | — | — | — |
| Poison | 8 | — | — | 3 | 1 | 1 | 1 | 1 | — | — |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 21 | 2 | 1 | 14 | 3 | 3 | 2 | 1 | 2 | 1 |
| Hanging, etc. | 1 | — | — | 1 | 4 | — | — | 1 | — | — |
| Suffocation | 10 | — | 1 | 10 | 4 | 3 | 2 | 3 | 3 | 1 |
| Drowning | 4 | 1 | 2 | 3 | 4 | — | 2 | — | — | — |
| Fracture and Contusion | 22 | 1 | 2 | 18 | 5 | 2 | 1 | 4 | 4 | 2 |
| Gunshot Wounds | 1 | — | — | — | — | — | — | — | — | — |
| Cuts and Stabs | 1 | — | — | 1 | 1 | — | — | — | — | 1 |
| Other Violent Causes | 2 | 1 | — | 4 | — | 2 | — | — | — | — |
| Not Specified | 82 | 7 | 8 | 12 | 19 | 6 | 15 | 32 | 5 | 6 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1867.—FEMALES. (Contd.)

| DISEASES. | Inverness. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Kirkcaldy. | Stirling. | Ayr. | Kilmarnock. | Hamilton. | Airdrie. | Coatbridge, etc. | Dumfries. |
|------------------------------------|------------|-----------|---------|-----------|--------------|------------|-----------|------|-------------|-----------|----------|------------------|-----------|
| Cephalitis | 1 | 1 | 1 | 3 | 2 | 1 | 1 | 1 | - | - | - | 2 | 1 |
| Apoplexy | 2 | 4 | 5 | 2 | - | 4 | 3 | 1 | 4 | 2 | 1 | 4 | 9 |
| Paralysis | 10 | 6 | 3 | 4 | 1 | 3 | 8 | 6 | 6 | 5 | 3 | 2 | 10 |
| Delirium Tremens | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Chorea | - | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| Epilepsy | - | 2 | - | 1 | 1 | - | 1 | 1 | 1 | - | - | 1 | - |
| Tetanus | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Insanity | 1 | - | - | - | - | - | - | - | 1 | 1 | - | - | 1 |
| Convulsions | 1 | 5 | 1 | 2 | 1 | 1 | 5 | 2 | 4 | 4 | 1 | 3 | 2 |
| Brain Disease | 1 | 4 | 2 | 3 | 1 | 1 | 6 | 1 | 2 | 1 | 3 | 2 | 2 |
| Pericarditis | - | 1 | - | - | - | 1 | - | - | 1 | - | - | - | 1 |
| Aneurism | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Heart Disease | 12 | 18 | 9 | 13 | 9 | 10 | 11 | 11 | 13 | 17 | 2 | 5 | 14 |
| Laryngitis | - | - | - | - | - | - | 2 | - | - | 1 | - | - | 1 |
| Bronchitis | 11 | 30 | 18 | 28 | 13 | 21 | 9 | 22 | 45 | 19 | 13 | 13 | 31 |
| Pleurisy | 1 | - | 1 | - | 1 | - | - | - | - | - | - | - | 1 |
| Pneumonia | 5 | - | 2 | 3 | 6 | 4 | 4 | 4 | 4 | 2 | 4 | 7 | 11 |
| Asthma | 5 | - | 2 | - | - | 1 | 2 | 5 | - | - | - | - | 2 |
| Lung Disease | 3 | - | 1 | - | - | - | 1 | 2 | - | 1 | 1 | - | 1 |
| Teething | 3 | 2 | 1 | 3 | 1 | 1 | 2 | 4 | 4 | 3 | 4 | 2 | 2 |
| Quinsey | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Gastritis | - | - | 1 | - | 1 | - | 1 | 1 | - | - | 5 | 3 | 1 |
| Enteritis | 6 | 2 | 1 | - | 1 | - | 1 | 3 | 12 | 2 | 1 | 1 | - |
| Peritonitis | - | 1 | - | 2 | - | - | - | 1 | 1 | - | 1 | 2 | - |
| Ascites | - | 1 | - | - | - | - | 1 | 4 | - | 1 | - | 1 | 1 |
| Ulceration of Intestines | - | 2 | - | 3 | 1 | - | - | - | 2 | - | - | - | - |
| Hernia | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Ileus | - | 1 | 1 | - | - | - | - | - | 1 | - | - | - | 1 |
| Intussusception | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Stricture of Intestines | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Stomach Disease | 5 | 1 | - | 3 | - | 3 | 6 | 1 | - | 2 | 4 | - | 3 |
| Pancreas Disease | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Hepatitis | - | 1 | - | - | - | - | 1 | - | - | - | 1 | 1 | - |
| Jaundice | - | - | 1 | 2 | 2 | - | - | - | - | - | 1 | - | - |
| Liver Disease | 3 | 5 | 4 | 5 | 1 | - | 1 | 1 | 3 | - | 2 | 3 | 3 |
| Spleen Disease | - | - | - | 1 | 1 | - | - | - | 1 | - | - | 1 | - |
| Nephritis | 1 | - | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Nephria | 3 | - | - | 1 | - | - | - | - | - | - | 1 | - | - |
| Addison's Disease | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Ischuria | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Diabetes | - | - | - | - | - | - | - | 1 | - | 1 | - | - | 1 |
| Stone | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Cystitis | - | - | - | 2 | - | - | - | - | - | - | - | - | - |
| Stricture of Urethra | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Kidney Disease | - | 1 | 1 | 1 | - | - | - | - | 1 | - | 1 | 1 | - |
| Paramenia | 1 | 1 | 1 | - | - | - | - | - | - | 1 | - | - | - |
| Ovarian Dropsy | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| Childbirth | 2 | - | - | - | 1 | 1 | 4 | 2 | 3 | - | - | 1 | 2 |
| Organs of Generation | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Arthritis | - | - | - | - | 1 | - | - | - | 1 | - | - | - | - |
| Rheumatism | 2 | - | - | - | 1 | 1 | 1 | 2 | 1 | - | - | 1 | 1 |
| Joint Disease | 1 | 1 | - | - | - | - | - | 2 | - | - | - | 2 | 1 |
| Carbuncle | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Phlegmon | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Skin Disease | - | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Intemperance | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| Privation | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Want of Breast Milk | - | - | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Neglect | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Cold | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Poison | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Poisoned Wounds | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Burns and Scalds | - | - | 1 | - | - | - | - | 1 | 2 | 1 | - | 1 | 1 |
| Hanging, etc. | - | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Suffocation | - | 1 | 3 | - | - | - | - | 1 | 1 | - | - | 3 | 1 |
| Drowning | 1 | - | - | - | - | - | - | 2 | - | 1 | - | - | 1 |
| Fracture and Contusion | - | 3 | - | - | 1 | - | - | - | 1 | 4 | 1 | - | 1 |
| Gunshot Wounds | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| Cuts and Stabs | - | 1 | - | - | - | - | - | 1 | - | - | - | - | 1 |
| Other Violent Causes | - | - | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Not Specified | 4 | 2 | 1 | 3 | 8 | 1 | - | 7 | 2 | 5 | 11 | 6 | 7 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1867.—BOTH SEXES.

| DISEASES. | ALL AGES. | BOTH SEXES. | | | | | | | | | | | |
|--|-----------|-------------|------|------|------|------|------|------|------|------|------|------|------|
| | | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 69068 | 6684 | 2390 | 4447 | 5730 | 2818 | 1802 | 1248 | 3209 | 1753 | 2238 | 2565 | 2443 |
| SPECIFIED CAUSES | 65947 | 5777 | 2127 | 4182 | 5502 | 2691 | 1717 | 1184 | 3090 | 1670 | 2158 | 2500 | 2376 |
| I. Zymotic Class | 13256 | 612 | 515 | 1263 | 2240 | 1303 | 961 | 687 | 1513 | 503 | 412 | 355 | 327 |
| II. Diseases of Uncertain Seat | 2408 | 42 | 14 | 18 | 23 | 23 | 18 | 13 | 40 | 27 | 36 | 36 | 53 |
| III. Tubercular Class | 11668 | 190 | 272 | 688 | 948 | 484 | 281 | 203 | 693 | 613 | 1099 | 1328 | 1160 |
| IV. Brain and Nervous System | 5458 | 422 | 175 | 223 | 231 | 116 | 76 | 63 | 214 | 130 | 105 | 102 | 119 |
| V. Organs of Circulation | 3380 | 14 | 6 | 4 | 8 | 5 | 8 | 9 | 52 | 60 | 67 | 80 | 104 |
| VI. Respiratory Organs | 10019 | 682 | 587 | 1131 | 1188 | 482 | 221 | 107 | 244 | 78 | 106 | 162 | 179 |
| VII. Organs of Digestion | 4907 | 522 | 248 | 599 | 608 | 129 | 45 | 38 | 97 | 73 | 105 | 106 | 133 |
| VIII. Urinary Organs | 1013 | 5 | 3 | 6 | 10 | 19 | 18 | 13 | 31 | 19 | 30 | 42 | 48 |
| IX. Organs of Generation | 486 | — | — | — | — | — | — | — | — | 2 | 31 | 61 | 75 |
| X. Organs of Locomotion | 391 | 1 | — | 3 | 5 | 3 | 5 | 5 | 37 | 38 | 38 | 27 | 21 |
| XI. Skin, etc. | 75 | 10 | 5 | 10 | 7 | — | — | 1 | 2 | 1 | — | 4 | 2 |
| XII. Malformation | 207 | 184 | 11 | 5 | 2 | 1 | 2 | 1 | — | 1 | — | — | — |
| XIII. Premature Debility | 3367 | 2953 | 225 | 189 | — | — | — | — | — | — | — | — | — |
| XIV. Atrophy | 521 | — | — | — | 163 | 61 | 24 | 8 | 28 | 19 | 9 | 7 | 8 |
| XV. Age | 6449 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVI. Sudden Deaths | 146 | 11 | 11 | 3 | 1 | 1 | 3 | 3 | 1 | 1 | 2 | 3 | 8 |
| XVII. Violent Deaths | 2196 | 129 | 55 | 40 | 63 | 64 | 55 | 33 | 138 | 105 | 118 | 187 | 139 |
| I. Small Pox | 100 | 13 | 9 | 9 | 17 | 5 | 7 | 2 | 13 | 5 | 2 | 5 | 5 |
| Measles | 1341 | 9 | 35 | 215 | 554 | 245 | 114 | 53 | 100 | 6 | 3 | 2 | 1 |
| Scarlatina | 2253 | 14 | 17 | 139 | 313 | 360 | 321 | 262 | 635 | 128 | 19 | 12 | 14 |
| Diphtheria | 610 | 15 | 7 | 50 | 98 | 73 | 77 | 58 | 135 | 39 | 12 | 10 | 7 |
| Hooping Cough | 1728 | 114 | 136 | 367 | 573 | 221 | 141 | 80 | 89 | 4 | — | 3 | — |
| Croup | 925 | 41 | 24 | 121 | 264 | 174 | 137 | 88 | 73 | 2 | — | — | — |
| Thrush | 30 | 20 | 1 | 3 | 2 | 3 | 1 | — | — | — | — | — | — |
| Diarrhoea | 1481 | 226 | 187 | 238 | 254 | 40 | 17 | 8 | 24 | 11 | 8 | 14 | 13 |
| Dysentery | 255 | 8 | 8 | 11 | 10 | 6 | 2 | 4 | — | 2 | 2 | 3 | 7 |
| Cholera | 142 | 6 | 15 | 17 | 13 | 6 | 2 | 1 | 15 | 2 | 1 | 1 | 4 |
| Influenza | 210 | 9 | 8 | 3 | 4 | 4 | 5 | 4 | 3 | 4 | 4 | 1 | 3 |
| Purpura | 49 | 1 | — | — | 1 | 1 | 1 | 2 | 7 | 3 | 1 | 4 | 3 |
| Ague | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | 27 | — | 1 | 1 | 4 | 5 | — | 3 | 11 | 1 | — | — | — |
| Typhus | 1745 | 6 | 9 | 18 | 46 | 50 | 43 | 42 | 127 | 90 | 147 | 147 | 122 |
| Enteric Fever | 1378 | 4 | 2 | 28 | 44 | 68 | 70 | 56 | 211 | 161 | 169 | 91 | 70 |
| Relapsing Fever | 40 | — | — | 2 | 2 | — | 1 | — | 2 | 8 | 3 | 3 | 1 |
| Simple Continued Fever | 105 | — | — | 1 | 3 | 8 | 5 | 8 | 10 | 9 | 11 | 3 | 3 |
| Infantile Remittent | 119 | 8 | 5 | 9 | 18 | 21 | 11 | 13 | 34 | — | — | — | — |
| Metria | 163 | — | — | — | — | — | — | — | — | — | 5 | 37 | 48 |
| Rheumatic Fever | 125 | 1 | — | — | 1 | 1 | 2 | — | 9 | 21 | 19 | 11 | 11 |
| Erysipelas | 225 | 63 | 13 | 12 | 7 | 2 | 3 | 1 | 7 | 4 | 2 | 2 | 9 |
| Pyæmia | 34 | 1 | — | — | — | 2 | — | — | 4 | 3 | 3 | 2 | 2 |
| Syphilis | 156 | 53 | 37 | 19 | 10 | 2 | — | 1 | 2 | — | 1 | 4 | 4 |
| Noma | 14 | — | 1 | — | 2 | 6 | 1 | 1 | 2 | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 63 | 10 | 2 | — | — | — | — | 1 | 1 | — | 2 | 2 | 3 |
| Dropsy | 711 | 5 | 1 | 1 | 11 | 14 | 12 | 9 | 27 | 11 | 12 | 15 | 23 |
| Abscess | 163 | 17 | 9 | 12 | 8 | 2 | 2 | 1 | 6 | 12 | 12 | 5 | 8 |
| Ulcer | 39 | 1 | — | 1 | — | 1 | 2 | — | 1 | — | 2 | 2 | — |
| Fistula | 12 | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | 117 | 8 | 2 | 2 | 2 | — | 1 | 1 | 1 | — | 3 | 3 | 1 |
| Cancer | 1288 | 1 | — | 2 | 2 | 6 | 1 | 1 | 4 | 4 | 5 | 9 | 17 |
| Gout | 15 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| III. Scrofula | 620 | 19 | 30 | 38 | 68 | 27 | 27 | 15 | 63 | 72 | 52 | 46 | 39 |
| Tabes Mesenterica | 945 | 76 | 49 | 123 | 230 | 132 | 70 | 43 | 99 | 55 | 17 | 8 | 9 |
| Phthisis | 8248 | 22 | 49 | 95 | 160 | 131 | 65 | 44 | 297 | 439 | 1020 | 1267 | 1110 |
| Hydrocephalus | 1855 | 73 | 144 | 432 | 490 | 194 | 119 | 101 | 234 | 47 | 10 | 7 | 2 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1867.—BOTH SEXES. (Contd.)

| DISEASES. | ALL AGES. | BOTH SEXES. | | | | | | | | | | | |
|------------------------------------|-----------|-------------|-----|-----|-----|-----|-----|----|-----|----|----|----|----|
| | | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 452 | 14 | 32 | 51 | 45 | 26 | 16 | 15 | 83 | 42 | 22 | 20 | 17 |
| Apoplexy | 1141 | 26 | 9 | 24 | 16 | 12 | 7 | 5 | 16 | 14 | 17 | 15 | 26 |
| Paralysis | 1671 | — | — | — | 5 | 2 | 3 | 1 | 7 | 9 | 7 | 3 | 15 |
| Delirium Tremens | 64 | — | — | — | — | — | — | — | — | — | — | 2 | 3 |
| Chorea | 10 | — | — | 1 | — | 1 | — | 1 | 1 | — | 1 | — | — |
| Epilepsy | 245 | — | — | — | — | 1 | — | — | 5 | 14 | 16 | 23 | 26 |
| Tetanus | 38 | 15 | 3 | — | 1 | — | — | 1 | 1 | 2 | 1 | 4 | — |
| Insanity | 53 | — | — | — | — | — | — | — | — | — | 2 | 1 | 1 |
| Convulsions | 856 | 355 | 112 | 121 | 121 | 53 | 32 | 25 | 35 | — | — | — | 2 |
| Brain Disease | 928 | 12 | 19 | 26 | 43 | 21 | 18 | 15 | 66 | 49 | 39 | 34 | 29 |
| V. Pericarditis | 65 | 1 | — | — | — | 2 | 1 | 1 | 7 | 8 | 7 | 2 | 4 |
| Aneurism | 81 | — | — | — | — | — | — | — | — | — | 1 | 1 | 3 |
| Heart Disease | 3234 | 13 | 6 | 4 | 8 | 3 | 7 | 8 | 45 | 52 | 59 | 77 | 97 |
| VI. Laryngitis | 123 | 10 | 5 | 16 | 21 | 9 | 9 | 3 | 11 | 3 | 1 | 3 | 4 |
| Bronchitis | 6777 | 494 | 459 | 886 | 918 | 355 | 156 | 71 | 145 | 25 | 42 | 63 | 70 |
| Pleurisy | 203 | 6 | 3 | 3 | 6 | 1 | 1 | 2 | 7 | 7 | 11 | 14 | 14 |
| Pneumonia | 2070 | 150 | 107 | 210 | 231 | 112 | 53 | 29 | 73 | 34 | 41 | 66 | 73 |
| Asthma | 530 | — | — | — | — | — | — | — | — | 3 | 2 | 5 | 5 |
| Lung Disease | 316 | 22 | 13 | 16 | 12 | 5 | 2 | 2 | 8 | 6 | 9 | 11 | 13 |
| VII. Teething | 962 | 10 | 57 | 387 | 455 | 50 | 3 | — | — | — | — | — | — |
| Quinsey | 56 | 6 | 1 | 7 | 8 | 4 | 4 | 1 | 7 | 3 | 1 | — | 3 |
| Gastritis | 155 | 11 | 6 | 10 | 11 | 1 | 1 | 3 | 5 | 2 | 5 | 3 | 7 |
| Enteritis | 933 | 277 | 101 | 112 | 71 | 28 | 17 | 16 | 33 | 16 | 29 | 18 | 19 |
| Peritonitis | 273 | 21 | 7 | 9 | 7 | 7 | 3 | 2 | 13 | 17 | 13 | 24 | 25 |
| Ascites | 82 | 1 | — | 1 | 2 | 2 | 2 | — | 4 | 6 | — | — | 3 |
| Ulceration of Intestines | 187 | 7 | 3 | 5 | 3 | 3 | — | — | 6 | 3 | 8 | 10 | 9 |
| Hernia | 92 | 7 | 1 | 2 | 2 | 1 | — | — | — | 1 | 3 | 1 | 2 |
| Ileus | 297 | 30 | 7 | 6 | 7 | 5 | 1 | 3 | 7 | 2 | 13 | 8 | 9 |
| Intussusception | 30 | — | 5 | 3 | 2 | — | 2 | — | — | 1 | 2 | 2 | — |
| Stricture of Intestines | 32 | 1 | 1 | — | — | — | — | — | — | — | — | 2 | — |
| Stomach Disease | 773 | 69 | 49 | 47 | 32 | 18 | 9 | 7 | 11 | 8 | 17 | 11 | 20 |
| Pancreas Disease | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | 143 | 2 | — | 3 | — | — | — | 1 | 2 | 1 | 3 | 6 | 4 |
| Jaundice | 161 | 57 | 3 | 2 | 4 | 5 | 1 | 1 | 1 | — | 4 | 2 | 1 |
| Liver Disease | 700 | 23 | 7 | 4 | 4 | 5 | 2 | 3 | 8 | 11 | 6 | 18 | 30 |
| Spleen Disease | 30 | — | — | 1 | — | — | — | 1 | — | 2 | 1 | 1 | 1 |
| VIII. Nephritis | 87 | — | 1 | 4 | 1 | 7 | 10 | 3 | 12 | 2 | 3 | 2 | 5 |
| Nephria | 239 | — | — | 1 | 1 | 4 | 5 | 4 | 8 | 6 | 13 | 15 | 13 |
| Addison's Disease | 8 | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Ischuria | 57 | 1 | — | — | 2 | 1 | — | — | 1 | — | 1 | 3 | 1 |
| Diabetes | 81 | 1 | — | — | — | — | — | — | — | 3 | 5 | 5 | 8 |
| Stone | 65 | 1 | — | — | — | — | — | — | — | — | — | 1 | 2 |
| Cystitis | 170 | — | — | — | — | 2 | 1 | — | 2 | 2 | 2 | 3 | 4 |
| Stricture of Urethra | 16 | — | — | — | — | — | — | — | — | 1 | — | — | 1 |
| Kidney Disease | 290 | 2 | 2 | 1 | 6 | 5 | 1 | 6 | 8 | 5 | 6 | 13 | 14 |
| IX. Paramenia | 29 | — | — | — | — | — | — | — | — | 2 | 14 | 1 | 2 |
| Ovarian Dropsy | 81 | — | — | — | — | — | — | — | — | — | 2 | 4 | 3 |
| Childbirth | 321 | — | — | — | — | — | — | — | — | — | 14 | 53 | 65 |
| Organs of Generation | 55 | — | — | — | — | — | — | — | — | — | 1 | 3 | 5 |
| X. Arthritis | 78 | — | — | 1 | 2 | 1 | 2 | 2 | 7 | 8 | 9 | 6 | 7 |
| Rheumatism | 173 | — | — | — | — | — | — | 1 | 7 | 5 | 5 | 4 | 2 |
| Joint and Bone Disease | 140 | 1 | — | 2 | 3 | 2 | 3 | 2 | 23 | 25 | 24 | 17 | 12 |
| XI. Carbuncle | 18 | 1 | 1 | — | 2 | — | — | — | — | — | — | — | 1 |
| Phlegmon | 15 | — | — | — | 1 | — | — | — | 1 | 1 | — | — | 1 |
| Skin Disease | 42 | 9 | 4 | 10 | 4 | — | — | 1 | 1 | — | — | 4 | — |
| XVII. Intemperance | 76 | — | — | — | — | — | — | — | — | — | — | 1 | 2 |
| Privation | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | 82 | 46 | 24 | 12 | — | — | — | — | — | — | — | — | — |
| Neglect | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Cold | 29 | 2 | — | — | — | 1 | — | — | 1 | 1 | 1 | 3 | 2 |
| Poison | 54 | 7 | 2 | 2 | 1 | 4 | 2 | — | 3 | 1 | 3 | 2 | 5 |
| Poisoned Wounds | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 249 | — | 3 | 10 | 42 | 29 | 29 | 13 | 32 | 9 | 6 | 5 | 10 |
| Hanging, etc. | 63 | — | — | — | — | — | — | — | — | — | 3 | 3 | 2 |
| Suffocation | 139 | 55 | 25 | 9 | 1 | 1 | 1 | — | 3 | 3 | 6 | 1 | 2 |
| Drowning | 467 | 4 | — | 1 | 13 | 14 | 7 | 6 | 37 | 25 | 31 | 67 | 38 |
| Fracture and Contusion | 905 | 3 | — | 5 | 9 | 13 | 13 | 12 | 58 | 59 | 56 | 95 | 63 |
| Gunshot Wounds | 25 | — | — | — | — | — | — | — | — | 2 | 6 | 2 | 5 |
| Cuts and Stabs | 32 | — | — | — | — | — | — | 1 | — | 2 | 2 | 3 | — |
| Other Violent Causes | 72 | 12 | — | 1 | 2 | 2 | 3 | 1 | 4 | 3 | 4 | 5 | 10 |
| Not Specified | 3121 | 907 | 263 | 265 | 228 | 127 | 85 | 64 | 119 | 83 | 80 | 65 | 67 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1867.—BOTH SEXES. (Contd.)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | | | | |
|------------------------------------|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|----|-----|-----|----|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 8 | 12 | 11 | 6 | 12 | 9 | 4 | 3 | 1 | 1 | 2 | — | — | — | — | — |
| Apoplexy | 23 | 28 | 41 | 70 | 72 | 107 | 120 | 134 | 142 | 127 | 59 | 23 | 6 | 1 | — | 1 |
| Paralysis | 36 | 40 | 35 | 54 | 80 | 121 | 177 | 284 | 291 | 274 | 158 | 54 | 10 | 3 | — | 2 |
| Delirium Tremens | 11 | 17 | 8 | 8 | 4 | 5 | 4 | 1 | — | 1 | — | — | — | — | — | — |
| Chorea | 1 | — | — | — | — | 1 | — | 2 | 1 | — | — | — | — | — | — | — |
| Epilepsy | 19 | 8 | 22 | 16 | 14 | 17 | 20 | 19 | 12 | 6 | 5 | 2 | — | — | — | — |
| Tetanus | 2 | 1 | 1 | — | — | 2 | 2 | 1 | — | 1 | — | — | — | — | — | — |
| Insanity | 2 | 6 | 6 | 7 | 9 | 4 | 6 | 3 | 2 | 4 | — | — | — | — | — | — |
| Convulsions | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Brain Disease | 33 | 49 | 46 | 58 | 64 | 46 | 70 | 67 | 55 | 44 | 18 | 5 | 1 | — | — | 1 |
| Pericarditis | 3 | 4 | 1 | 3 | 3 | 4 | 5 | 3 | 2 | 3 | — | 1 | — | — | — | — |
| Aneurism | 12 | 12 | 6 | 7 | 15 | 6 | 5 | 9 | 2 | 2 | — | — | — | — | — | — |
| Heart Disease | 145 | 150 | 189 | 229 | 261 | 291 | 381 | 414 | 370 | 245 | 120 | 51 | 5 | 2 | — | 2 |
| Laryngitis | 4 | 3 | 2 | 4 | 5 | 5 | 1 | 1 | — | 2 | 1 | — | — | — | — | — |
| Bronchitis | 68 | 118 | 171 | 199 | 265 | 300 | 397 | 471 | 412 | 351 | 216 | 90 | 26 | 8 | — | 1 |
| Pleurisy | 10 | 10 | 11 | 11 | 12 | 15 | 10 | 19 | 14 | 8 | 3 | 3 | 1 | — | — | 1 |
| Pneumonia | 60 | 79 | 89 | 100 | 71 | 93 | 113 | 97 | 87 | 61 | 28 | 11 | 1 | — | — | 1 |
| Asthma | 4 | 18 | 32 | 31 | 68 | 46 | 90 | 81 | 70 | 53 | 16 | 5 | 1 | — | — | — |
| Lung Disease | 10 | 12 | 16 | 15 | 26 | 32 | 29 | 24 | 18 | 12 | 2 | — | — | — | — | 1 |
| Teething | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Quinsey | 1 | 5 | 1 | 1 | 1 | 1 | — | 1 | — | — | — | — | — | — | — | — |
| Gastritis | 7 | 6 | 9 | 10 | 8 | 8 | 10 | 9 | 12 | 3 | 6 | — | 2 | — | — | — |
| Enteritis | 15 | 15 | 15 | 14 | 29 | 22 | 18 | 21 | 13 | 20 | 11 | 3 | — | — | — | — |
| Peritonitis | 12 | 14 | 11 | 16 | 6 | 5 | 21 | 14 | 8 | 11 | 5 | 1 | 1 | — | — | — |
| Ascites | 3 | 2 | 4 | 9 | 5 | 5 | 5 | 6 | 9 | 7 | 5 | 1 | — | — | — | — |
| Ulceration of Intestines | 9 | 7 | 9 | 14 | 19 | 18 | 12 | 17 | 11 | 7 | 6 | 1 | — | — | — | — |
| Hernia | 3 | 1 | 7 | 3 | 5 | 9 | 10 | 11 | 8 | 8 | 5 | 1 | 1 | — | — | — |
| Ileus | 11 | 10 | 17 | 8 | 16 | 23 | 22 | 29 | 30 | 23 | 6 | 4 | — | — | — | — |
| Intussusception | — | 1 | 4 | — | 1 | 1 | 2 | 4 | — | — | — | — | — | — | — | — |
| Stricture of Intestines | — | 2 | 2 | 3 | 4 | 1 | 7 | 2 | 4 | 2 | — | 1 | — | — | — | — |
| Stomach Disease | 23 | 28 | 26 | 35 | 50 | 58 | 80 | 71 | 47 | 32 | 18 | 4 | 3 | — | — | — |
| Pancreas Disease | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | 6 | 11 | 9 | 13 | 13 | 19 | 13 | 15 | 9 | 8 | 5 | — | — | — | — | — |
| Jaundice | 2 | — | 5 | 6 | 8 | 5 | 10 | 10 | 11 | 13 | 5 | 5 | — | — | — | — |
| Liver Disease | 21 | 38 | 49 | 59 | 60 | 93 | 74 | 78 | 60 | 31 | 11 | 3 | 1 | — | — | 1 |
| Spleen Disease | 3 | 1 | 4 | 1 | 3 | 4 | 3 | 2 | 1 | — | — | — | 1 | — | — | — |
| Nephritis | 2 | 5 | 2 | 3 | 3 | 4 | 3 | 6 | 4 | 4 | — | — | — | 1 | — | — |
| Nephria | 21 | 17 | 17 | 19 | 18 | 15 | 23 | 16 | 12 | 9 | 1 | — | — | — | — | 1 |
| Addison's Disease | 2 | 2 | 2 | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Ischuria | 3 | 1 | 3 | 4 | 1 | 1 | 6 | 4 | 11 | 9 | 2 | 1 | — | 1 | — | — |
| Diabetes | 9 | 4 | 5 | 8 | 5 | 5 | 8 | 7 | 7 | 1 | — | — | — | — | — | — |
| Stone | — | — | — | 1 | 6 | 4 | 9 | 9 | 11 | 9 | 9 | 2 | 1 | — | — | — |
| Cystitis | 4 | 3 | 5 | 9 | 4 | 9 | 21 | 30 | 35 | 16 | 14 | 3 | 1 | — | — | — |
| Stricture of Urethra | 1 | 2 | 3 | 2 | 1 | 2 | — | 1 | 1 | 1 | — | — | — | — | — | — |
| Kidney Disease | 15 | 21 | 19 | 11 | 23 | 22 | 27 | 28 | 24 | 14 | 10 | 6 | 1 | — | — | — |
| Paramenia | 2 | 4 | 3 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ovarian Dropsy | 3 | 13 | 7 | 14 | 12 | 5 | 4 | 6 | 3 | 5 | — | — | — | — | — | — |
| Childbirth | 71 | 69 | 41 | 8 | — | — | — | — | — | — | — | — | — | — | — | — |
| Organs of Generation | 3 | 8 | 6 | 5 | 3 | 6 | 1 | 7 | 5 | 1 | — | — | — | — | — | 1 |
| Arthritis | 8 | 4 | 6 | 3 | 5 | 2 | 1 | 1 | 1 | 2 | — | — | — | — | — | — |
| Rheumatism | 6 | 4 | 7 | 7 | 9 | 17 | 28 | 23 | 22 | 21 | 2 | 2 | 1 | — | — | — |
| Joint Disease | 4 | 2 | 4 | 7 | 3 | — | 1 | 1 | 3 | 1 | — | — | — | — | — | — |
| Carbuncle | — | 1 | 1 | 2 | 1 | — | 2 | 2 | 1 | 1 | 1 | — | — | 1 | — | — |
| Phlegmon | 1 | 1 | 1 | 1 | 2 | 2 | 2 | — | — | 1 | — | — | — | — | — | — |
| Skin Disease | 1 | — | 1 | — | — | 2 | 2 | 1 | 1 | — | 1 | — | — | — | — | — |
| Intemperance | 7 | 10 | 9 | 17 | 7 | 6 | 6 | 7 | 2 | 2 | — | — | — | — | — | — |
| Privation | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Want of Breast Milk | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold | — | 2 | 3 | 2 | 4 | 4 | 1 | — | 1 | — | — | — | 1 | — | — | — |
| Poison | 4 | 3 | 1 | 4 | 3 | 3 | 2 | 1 | — | — | 1 | — | — | — | — | — |
| Poisoned Wounds | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 6 | 1 | 2 | 5 | 4 | 3 | 10 | 2 | 11 | 10 | 2 | 4 | 1 | — | — | — |
| Hanging, etc. | 5 | 8 | 10 | 6 | 11 | 3 | 6 | 1 | 3 | 1 | — | 1 | — | — | — | — |
| Suffocation | 4 | 7 | 9 | 3 | 2 | 2 | 2 | 1 | 1 | — | 1 | — | — | — | — | — |
| Drowning | 27 | 34 | 30 | 31 | 22 | 26 | 21 | 12 | 4 | 5 | 3 | — | — | — | — | 9 |
| Fracture and Contusion | 64 | 62 | 72 | 59 | 56 | 45 | 40 | 40 | 29 | 22 | 16 | 12 | 1 | 1 | — | — |
| Gunshot Wounds | 1 | 2 | 1 | 2 | 1 | 2 | — | 1 | — | — | — | — | — | — | — | — |
| Cuts and Stabs | 2 | 1 | 2 | 2 | 5 | 1 | 2 | 5 | 1 | 2 | — | 1 | — | — | — | — |
| Other Violent Causes | 3 | 2 | 6 | 3 | 3 | 2 | 3 | 1 | — | — | — | — | — | — | — | 2 |
| Not Specified | 73 | 72 | 87 | 93 | 115 | 123 | 156 | 16 | 1 | — | — | — | 1 | — | — | 31 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1867.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | |
|--|-----------|-----------|------|------|------|------|-----|-----|------|-----|------|------|------|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 34363 | 3820 | 1291 | 2433 | 3002 | 1468 | 902 | 620 | 1646 | 892 | 1096 | 1332 | 1143 |
| SPECIFIED CAUSES | 32720 | 3319 | 1139 | 2281 | 2890 | 1407 | 861 | 589 | 1592 | 856 | 1046 | 1299 | 1099 |
| I. Zymotic Class | 6530 | 331 | 263 | 663 | 1177 | 657 | 441 | 342 | 736 | 226 | 188 | 184 | 122 |
| II. Diseases of Uncertain Seat | 867 | 18 | 6 | 9 | 16 | 17 | 9 | 4 | 21 | 14 | 17 | 14 | 17 |
| III. Tubercular Class | 5690 | 105 | 133 | 385 | 505 | 249 | 158 | 106 | 367 | 309 | 479 | 665 | 535 |
| IV. Brain and Nervous System | 2922 | 248 | 98 | 126 | 134 | 59 | 44 | 33 | 117 | 72 | 56 | 51 | 64 |
| V. Organs of Circulation | 1702 | 7 | 3 | 1 | 3 | 4 | 4 | 5 | 21 | 28 | 33 | 30 | 45 |
| VI. Respiratory Organs | 5152 | 387 | 329 | 636 | 605 | 269 | 125 | 43 | 123 | 31 | 58 | 93 | 85 |
| VII. Organs of Digestion | 2519 | 317 | 147 | 327 | 316 | 61 | 24 | 19 | 45 | 40 | 65 | 48 | 61 |
| VIII. Urinary Organs | 659 | 5 | — | 4 | 5 | 11 | 8 | 7 | 18 | 15 | 18 | 16 | 24 |
| IX. Organs of Generation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| X. Organs of Locomotion | 211 | — | — | 1 | 2 | 2 | 1 | 3 | 23 | 24 | 26 | 18 | 13 |
| XI. Skin, etc. | 44 | 5 | 2 | 8 | 4 | — | — | — | 1 | 1 | — | 1 | 1 |
| XII. Malformation | 123 | 106 | 8 | 5 | 2 | 1 | 1 | — | — | — | — | — | — |
| XIII. Premature Debility | 1937 | 1725 | 117 | 95 | — | — | — | — | — | — | — | — | — |
| XIV. Atrophy | 232 | — | — | — | 87 | 32 | 12 | 3 | 12 | 12 | 3 | 2 | 2 |
| XV. Age | 2407 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVI. Sudden Deaths | 86 | 5 | 6 | 2 | 1 | 1 | — | 1 | — | 1 | 1 | 2 | 7 |
| XVII. Violent Deaths | 1639 | 60 | 27 | 19 | 33 | 44 | 34 | 23 | 108 | 83 | 102 | 175 | 123 |
| I. Small Pox | 51 | 9 | 5 | 5 | 8 | 2 | 3 | 2 | 4 | 1 | 1 | 3 | 4 |
| Measles | 718 | 4 | 22 | 115 | 295 | 134 | 62 | 30 | 48 | 5 | — | 1 | — |
| Scarlatina | 1154 | 10 | 11 | 70 | 177 | 185 | 165 | 126 | 324 | 58 | 12 | 5 | 3 |
| Diphtheria | 312 | 8 | 7 | 33 | 60 | 36 | 34 | 28 | 62 | 15 | 7 | 6 | 2 |
| Hooping Cough | 769 | 45 | 53 | 173 | 272 | 101 | 53 | 32 | 37 | 1 | — | 2 | — |
| Croup | 495 | 25 | 13 | 72 | 153 | 84 | 54 | 51 | 42 | — | — | — | — |
| Thrush | 13 | 11 | 1 | 1 | — | — | — | — | — | — | — | — | — |
| Diarrhoea | 731 | 124 | 100 | 125 | 133 | 24 | 5 | 5 | 8 | 5 | 3 | 8 | 3 |
| Dysentery | 116 | 3 | 4 | 8 | 5 | 3 | 2 | 1 | — | — | 1 | 2 | 5 |
| Cholera | 72 | 6 | 7 | 10 | 5 | 3 | 2 | — | 5 | — | — | — | 2 |
| Influenza | 99 | 6 | 2 | 1 | 2 | 4 | 4 | 1 | 2 | 1 | 1 | 1 | 2 |
| Purpura | 33 | — | — | — | 1 | — | 1 | 1 | 3 | 3 | 1 | 4 | 3 |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | 14 | — | — | 1 | 3 | 2 | — | 2 | 4 | 1 | — | — | — |
| Typhus | 881 | 5 | 3 | 8 | 24 | 25 | 18 | 22 | 61 | 45 | 67 | 92 | 55 |
| Enteric Fever | 645 | 4 | 1 | 15 | 18 | 35 | 30 | 28 | 102 | 72 | 71 | 46 | 30 |
| Relapsing Fever | 23 | — | — | 2 | — | — | 1 | — | 1 | 3 | 2 | 3 | 1 |
| Simple Continued Fever | 50 | — | — | 1 | 3 | 4 | 2 | 4 | 5 | 5 | 3 | 2 | — |
| Infantile Remittent | 61 | 6 | 4 | 7 | 9 | 12 | 4 | 6 | 13 | — | — | — | — |
| Metria | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Rheumatic Fever | 61 | — | — | — | — | 1 | 1 | — | 5 | 7 | 14 | 6 | 1 |
| Erysipelas | 126 | 36 | 8 | 6 | 5 | — | — | 1 | 4 | 3 | 1 | 1 | 8 |
| Pyæmia | 17 | 1 | — | — | — | — | — | — | 3 | 1 | 3 | 1 | 1 |
| Syphilis | 86 | 28 | 22 | 10 | 4 | 1 | — | 1 | 2 | — | 1 | 1 | 2 |
| Noma | 3 | — | — | — | — | 1 | — | 1 | 1 | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 33 | 5 | 2 | — | — | — | — | — | — | — | 2 | 2 | 1 |
| Dropsy | 245 | — | — | — | 8 | 12 | 7 | 4 | 16 | 8 | 7 | 3 | 4 |
| Abscess | 76 | 6 | 4 | 6 | 6 | — | 1 | — | 3 | 5 | 2 | 2 | 5 |
| Ulcer | 18 | 1 | — | — | — | — | — | — | 1 | — | 1 | 1 | — |
| Fistula | 9 | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | 62 | 5 | — | 1 | 1 | — | — | — | 1 | — | 2 | 1 | 1 |
| Cancer | 416 | 1 | — | 2 | 1 | 5 | 1 | — | — | 1 | 3 | 5 | 6 |
| Gout | 8 | — | — | — | — | — | — | — | — | — | — | — | — |
| III. Scrofula | 335 | 16 | 14 | 21 | 33 | 15 | 11 | 5 | 32 | 49 | 25 | 25 | 24 |
| Tabes Mesenterica | 517 | 39 | 28 | 64 | 125 | 71 | 42 | 23 | 54 | 37 | 11 | 5 | 4 |
| Phthisis | 3810 | 11 | 21 | 51 | 80 | 56 | 41 | 22 | 150 | 191 | 440 | 629 | 505 |
| Hydrocephalus | 1028 | 40 | 70 | 249 | 267 | 107 | 64 | 56 | 131 | 32 | 3 | 6 | 2 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1867.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | | | | |
|---------------------------|-----------|------|------|------|------|------|------|------|------|------|-----|-----|-----|-----|-----|----|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES . . . | 1016 | 1011 | 1045 | 1155 | 1245 | 1317 | 1493 | 1596 | 1578 | 1401 | 992 | 567 | 193 | 58 | 10 | 41 |
| SPECIFIED CAUSES . . . | 978 | 982 | 999 | 1109 | 1186 | 1256 | 1417 | 1591 | 1578 | 1401 | 992 | 567 | 192 | 58 | 10 | 26 |
| Zymotic Class . . . | 138 | 119 | 113 | 139 | 118 | 87 | 102 | 130 | 98 | 82 | 46 | 19 | 3 | — | — | 6 |
| Uncertain Seat . . . | 16 | 29 | 27 | 63 | 76 | 100 | 106 | 81 | 90 | 59 | 36 | 21 | 1 | — | — | — |
| Tubercular Class . . . | 373 | 296 | 218 | 232 | 194 | 181 | 103 | 57 | 19 | 14 | 4 | 1 | — | — | — | 2 |
| Brain, etc. | 78 | 95 | 101 | 113 | 131 | 170 | 213 | 261 | 259 | 231 | 110 | 44 | 9 | 3 | — | 2 |
| Heart, etc. | 77 | 91 | 94 | 120 | 151 | 171 | 210 | 217 | 175 | 127 | 56 | 24 | 2 | 2 | — | 1 |
| Respiratory Organs . . . | 92 | 126 | 183 | 194 | 240 | 245 | 300 | 342 | 267 | 217 | 102 | 46 | 10 | 2 | — | 2 |
| Digestive Organs . . . | 51 | 65 | 87 | 89 | 114 | 138 | 140 | 132 | 113 | 74 | 36 | 7 | 2 | — | — | 1 |
| Urinary Organs . . . | 30 | 28 | 35 | 30 | 32 | 45 | 72 | 73 | 88 | 50 | 30 | 11 | 3 | 1 | — | — |
| Generative Organs . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Locomotive Organs . . . | 8 | 9 | 6 | 10 | 11 | 10 | 11 | 12 | 12 | 8 | 1 | — | — | — | — | — |
| Skin | 2 | — | 1 | 1 | 3 | 2 | 4 | 2 | 2 | 2 | 2 | — | — | — | — | — |
| Malformation | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Premature Debility . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Atrophy | 2 | 4 | 9 | 10 | 19 | 23 | — | — | — | — | — | — | — | — | — | — |
| Age | — | — | — | — | — | — | 74 | 228 | 424 | 514 | 558 | 388 | 162 | 49 | 10 | — |
| Sudden Deaths | 2 | 7 | 6 | 6 | 8 | 7 | 8 | 7 | 4 | 3 | — | — | — | — | — | 1 |
| Violent Deaths | 109 | 113 | 119 | 102 | 89 | 77 | 74 | 49 | 27 | 20 | 11 | 6 | — | 1 | — | 11 |
| Small Pox | 1 | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Measles | — | — | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — |
| Scarlatina | 2 | 2 | 2 | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Diphtheria | 4 | 2 | 4 | 1 | — | 2 | — | 1 | — | — | — | — | — | — | — | — |
| Hooping Cough | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Croup | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Thrush | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diarrhœa | 4 | 9 | 11 | 9 | 5 | 11 | 15 | 33 | 27 | 38 | 16 | 8 | 1 | — | — | 1 |
| Dysentery | 3 | 3 | 4 | 5 | 6 | 4 | 11 | 13 | 13 | 9 | 7 | 4 | — | — | — | — |
| Cholera | 6 | 3 | 3 | 3 | 4 | 2 | 1 | 3 | 3 | 4 | — | — | — | — | — | — |
| Influenza | 2 | 1 | 1 | 2 | 9 | 3 | 9 | 12 | 11 | 9 | 8 | 2 | 2 | — | — | 1 |
| Purpura | 6 | 1 | — | 2 | 1 | — | 2 | 1 | 2 | — | — | — | — | — | — | 1 |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Typhus | 71 | 62 | 55 | 70 | 70 | 39 | 31 | 30 | 17 | 5 | 3 | 2 | — | — | — | 1 |
| Enteric Fever | 23 | 21 | 24 | 27 | 13 | 15 | 20 | 20 | 11 | 11 | 6 | 1 | — | — | — | 1 |
| Relapsing Fever | 1 | — | — | 1 | 2 | 1 | 1 | 2 | — | 1 | 1 | — | — | — | — | — |
| Simple Cont. Fever . . . | 4 | 3 | — | 2 | — | 1 | 4 | 3 | 3 | — | 1 | — | — | — | — | — |
| Infantile Remittent . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Metria | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Rheumatic Fever | 3 | 2 | 2 | 6 | 1 | 1 | 3 | 2 | 4 | 1 | 1 | — | — | — | — | — |
| Erysipelas | 2 | 4 | 4 | 8 | 6 | 4 | 4 | 7 | 6 | 4 | 2 | 2 | — | — | — | — |
| Pyæmia | 1 | 1 | 1 | — | — | 1 | — | 2 | — | — | 1 | — | — | — | — | — |
| Syphilis | 5 | 2 | — | 1 | 1 | 3 | 1 | — | 1 | — | — | — | — | — | — | — |
| Noma | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hæmorrhage | 3 | 2 | 2 | 5 | 5 | 1 | 1 | 1 | — | 1 | — | — | — | — | — | — |
| Dropsy | 6 | 4 | 3 | 13 | 20 | 16 | 22 | 25 | 28 | 21 | 11 | 7 | — | — | — | — |
| Abscess | 1 | 6 | 2 | 3 | 6 | 5 | 7 | — | 1 | 4 | 1 | — | — | — | — | — |
| Ulcer | — | — | 1 | 1 | — | 2 | 3 | 2 | 2 | — | 3 | — | — | — | — | — |
| Fistula | — | — | 1 | 1 | 2 | — | 3 | 2 | — | — | — | — | — | — | — | — |
| Mortification | 1 | 3 | — | 1 | 3 | 4 | 4 | 6 | 10 | 7 | 3 | 7 | 1 | — | — | — |
| Cancer | 4 | 14 | 18 | 38 | 40 | 72 | 64 | 44 | 49 | 24 | 17 | 7 | — | — | — | — |
| Gout | 1 | — | — | 1 | — | — | 2 | 1 | — | 2 | 1 | — | — | — | — | — |
| Scrofula | 15 | 10 | 6 | 9 | 10 | 5 | 5 | 4 | 1 | 1 | — | — | — | — | — | — |
| Tabes Mesenterica . . . | 4 | 2 | 1 | — | 5 | — | 2 | — | — | — | — | — | — | — | — | — |
| Phthisis | 353 | 284 | 211 | 223 | 179 | 176 | 96 | 53 | 18 | 13 | 4 | 1 | — | — | — | 2 |
| Hydrocephalus | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1867.—MALES. (Continued.)

| DISEASES. | ALL AGES. | MALES. | | | | | | | | | | | |
|------------------------------------|-----------|-----------|-----|-----|-----|-----|----|----|----|----|----|----|----|
| | | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 252 | 8 | 18 | 26 | 30 | 18 | 9 | 7 | 44 | 24 | 10 | 11 | 11 |
| Apoplexy | 617 | 12 | 6 | 17 | 8 | 7 | 5 | 4 | 11 | 5 | 6 | 7 | 15 |
| Paralysis | 833 | — | — | — | 3 | 2 | 2 | 1 | 4 | 6 | 6 | 2 | 8 |
| Delirium Tremens | 53 | — | — | — | — | — | — | — | — | — | — | 1 | 2 |
| Chorea | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Epilepsy | 122 | — | — | — | — | — | — | — | 2 | 4 | 8 | 12 | 11 |
| Tetanus | 25 | 10 | 2 | — | — | — | — | 1 | 1 | 2 | 1 | 2 | — |
| Insanity | 26 | — | — | — | — | — | — | — | — | — | 1 | — | 1 |
| Convulsions | 474 | 209 | 63 | 64 | 69 | 23 | 19 | 10 | 17 | — | — | — | — |
| Brain Disease | 518 | 9 | 9 | 19 | 24 | 9 | 9 | 10 | 38 | 31 | 24 | 16 | 16 |
| V. Pericarditis | 37 | 1 | — | — | — | 2 | 1 | 1 | 3 | 4 | 4 | 1 | 2 |
| Aneurism | 65 | — | — | — | — | — | — | — | — | — | — | — | 2 |
| Heart Disease | 1600 | 6 | 3 | 1 | 3 | 2 | 3 | 4 | 18 | 24 | 29 | 29 | 41 |
| VI. Laryngitis | 63 | 5 | 1 | 8 | 13 | 2 | 6 | — | 5 | 1 | 1 | 2 | 2 |
| Bronchitis | 3311 | 280 | 256 | 490 | 460 | 197 | 88 | 26 | 66 | 7 | 23 | 26 | 27 |
| Pleurisy | 129 | 3 | 3 | 1 | 5 | — | 1 | 1 | 5 | 4 | 8 | 13 | 8 |
| Pneumonia | 1186 | 85 | 60 | 130 | 120 | 65 | 29 | 15 | 41 | 14 | 23 | 42 | 35 |
| Asthma | 280 | — | — | — | — | — | — | — | — | 2 | — | 4 | 5 |
| Lung Disease | 183 | 14 | 9 | 7 | 7 | 5 | 1 | 1 | 6 | 3 | 3 | 6 | 8 |
| VII. Teething | 502 | 8 | 32 | 210 | 237 | 14 | 1 | — | — | — | — | — | — |
| Quinsey | 25 | 3 | 1 | 4 | 6 | — | 3 | 1 | 2 | 2 | — | — | 1 |
| Gastritis | 68 | 5 | 3 | 6 | 6 | — | 1 | 2 | 1 | 1 | 4 | 2 | 4 |
| Enteritis | 492 | 161 | 64 | 57 | 31 | 16 | 7 | 10 | 13 | 9 | 18 | 11 | 9 |
| Peritonitis | 128 | 16 | 5 | 6 | 5 | 2 | — | 1 | 6 | 7 | 10 | 6 | 7 |
| Ascites | 33 | — | — | 1 | 1 | 1 | 2 | — | 4 | 4 | — | — | 2 |
| Ulceration of Intestines | 92 | 3 | 1 | 3 | 2 | 3 | — | — | 2 | — | 5 | 5 | 5 |
| Hernia | 49 | 6 | 1 | 2 | 1 | 1 | — | — | — | 1 | 3 | — | 1 |
| Ileus | 158 | 21 | 3 | 3 | 1 | 3 | 1 | 1 | 5 | 2 | 8 | 4 | 5 |
| Intussusception | 19 | — | 4 | 2 | 2 | — | 1 | — | — | — | 2 | 1 | — |
| Stricture of Intestines | 22 | 1 | 1 | — | — | — | — | — | — | — | — | 2 | — |
| Stomach Disease | 390 | 39 | 26 | 27 | 20 | 14 | 6 | 2 | 5 | 4 | 8 | 6 | 11 |
| Pancreas Disease | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | 71 | 1 | — | 2 | — | — | — | — | 1 | 1 | 1 | 3 | 1 |
| Jaundice | 92 | 38 | 1 | 1 | 2 | 3 | — | 1 | 1 | — | 3 | — | — |
| Liver Disease | 364 | 15 | 5 | 3 | 2 | 4 | 2 | — | 5 | 8 | 2 | 7 | 15 |
| Spleen Disease | 13 | — | — | — | — | — | — | 1 | — | 1 | 1 | 1 | — |
| VIII. Nephritis | 48 | — | — | 3 | — | 6 | 5 | 1 | 8 | 1 | 1 | 1 | 2 |
| Nephria | 136 | — | — | 1 | 1 | 3 | 2 | 2 | 5 | 4 | 7 | 5 | 6 |
| Addison's Disease | 5 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ischuria | 40 | 1 | — | — | 2 | — | — | — | — | — | — | — | 1 |
| Diabetes | 50 | 1 | — | — | — | — | — | — | — | 2 | 3 | 2 | 4 |
| Stone | 57 | 1 | — | — | — | — | — | — | — | — | — | 1 | 1 |
| Cystitis | 154 | — | — | — | — | 1 | 1 | — | 1 | 2 | 2 | 2 | 4 |
| Stricture of Urethra | 16 | — | — | — | — | — | — | — | — | 1 | — | — | 1 |
| Kidney Disease | 153 | 2 | — | — | 2 | 1 | — | 4 | 4 | 5 | 5 | 5 | 5 |
| IX. Paramenia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ovarian Dropsy | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Childbirth | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Organs of Generation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| X. Arthritis | 48 | — | — | — | 1 | 1 | — | — | 4 | 5 | 8 | 4 | 6 |
| Rheumatism | 75 | — | — | — | — | — | — | 1 | 4 | 2 | 3 | 1 | — |
| Joint and Bone Disease | 88 | — | — | 1 | 1 | 1 | 1 | 2 | 15 | 17 | 15 | 13 | 7 |
| XI. Carbuncle | 11 | — | — | — | 1 | — | — | — | — | — | — | — | 1 |
| Phlegmon | 7 | — | — | — | — | — | — | — | 1 | 1 | — | — | — |
| Skin Disease | 26 | 5 | 2 | 8 | 3 | — | — | — | — | — | — | 1 | — |
| XVII. Intemperance | 47 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Privation | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | 43 | 25 | 11 | 7 | — | — | — | — | — | — | — | — | — |
| Neglect | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Cold | 24 | 2 | — | — | — | 1 | — | — | 1 | 1 | 1 | 3 | 2 |
| Poison | 27 | 5 | 1 | — | — | 3 | 1 | — | — | — | — | 1 | 1 |
| Poisoned Wounds | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 132 | — | 1 | 3 | 19 | 23 | 14 | 5 | 24 | 5 | 3 | 3 | 7 |
| Hanging, etc. | 44 | — | — | — | — | — | — | — | — | — | 3 | 3 | 2 |
| Suffocation | 71 | 22 | 13 | 5 | — | — | — | — | 1 | 2 | 6 | 1 | 2 |
| Drowning | 403 | 2 | — | 1 | 9 | 8 | 6 | 6 | 33 | 18 | 30 | 60 | 37 |
| Fracture and Contusion | 761 | 2 | — | 3 | 5 | 8 | 10 | 11 | 47 | 51 | 50 | 94 | 59 |
| Gunshot Wounds | 20 | — | — | — | — | — | — | — | — | 1 | 4 | 2 | 5 |
| Cuts and Stabs | 21 | — | — | — | — | — | — | — | — | 2 | 2 | 3 | — |
| Other Violent Causes | 43 | 2 | — | — | — | 1 | 3 | 1 | 2 | 3 | 3 | 4 | 8 |
| Not Specified | 1643 | 501 | 152 | 152 | 112 | 61 | 41 | 31 | 54 | 36 | 50 | 33 | 44 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1867.—MALES. (Continued.)

| DISEASES. | MALES. | | | | | | | | | | | | | | | |
|------------------------------------|-----------|----|----|-----|-----|-----|-----|-----|-----|-----|----|----|----|-----|-----|----|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 5 | 3 | 6 | 2 | 8 | 6 | 2 | 2 | 1 | — | 1 | — | — | — | — | — |
| Apoplexy | 13 | 16 | 25 | 34 | 31 | 62 | 62 | 73 | 75 | 73 | 30 | 13 | 5 | 1 | — | 1 |
| Paralysis | 21 | 24 | 20 | 22 | 45 | 58 | 89 | 141 | 147 | 129 | 70 | 27 | 4 | 2 | — | — |
| Delirium Tremens | 11 | 14 | 4 | 7 | 3 | 5 | 4 | 1 | — | 1 | — | — | — | — | — | — |
| Chorea | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Epilepsy | 6 | 4 | 17 | 10 | 8 | 8 | 11 | 9 | 6 | 4 | 1 | 1 | — | — | — | — |
| Tetanus | 1 | 1 | — | — | — | 2 | 1 | 1 | — | — | — | — | — | — | — | — |
| Insanity | 1 | 2 | 2 | 2 | 5 | 3 | 4 | 2 | 1 | 2 | — | — | — | — | — | — |
| Convulsions | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Brain Disease | 19 | 31 | 27 | 36 | 31 | 25 | 40 | 32 | 29 | 22 | 8 | 3 | — | — | — | 1 |
| Pericarditis | 1 | 1 | — | 2 | 1 | 3 | 4 | 3 | 1 | 1 | — | 1 | — | — | — | — |
| Aneurism | 11 | 12 | 5 | 5 | 12 | 6 | 4 | 7 | 1 | — | — | — | — | — | — | — |
| Heart Disease | 65 | 78 | 89 | 113 | 133 | 162 | 202 | 207 | 173 | 126 | 56 | 23 | 2 | 2 | — | 1 |
| Laryngitis | 2 | 3 | 1 | 3 | 4 | 1 | 1 | 1 | — | 1 | — | — | — | — | — | — |
| Bronchitis | 39 | 54 | 96 | 98 | 134 | 130 | 155 | 220 | 167 | 140 | 85 | 36 | 9 | 2 | — | — |
| Pleurisy | 9 | 7 | 6 | 5 | 7 | 9 | 7 | 10 | 8 | 5 | 2 | 1 | — | — | — | 1 |
| Pneumonia | 33 | 50 | 53 | 69 | 42 | 60 | 78 | 52 | 41 | 32 | 9 | 7 | — | — | — | 1 |
| Asthma | 2 | 7 | 17 | 11 | 35 | 26 | 46 | 44 | 40 | 33 | 5 | 2 | 1 | — | — | — |
| Lung Disease | 7 | 5 | 10 | 8 | 18 | 19 | 13 | 15 | 11 | 6 | 1 | — | — | — | — | — |
| Teething | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Quinsey | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | — | — |
| Gastritis | 2 | 1 | 2 | 6 | 3 | 3 | 3 | 4 | 4 | 1 | 3 | — | 1 | — | — | — |
| Enteritis | 7 | 6 | 7 | 6 | 16 | 11 | 9 | 6 | 5 | 7 | 5 | 1 | — | — | — | — |
| Peritonitis | 5 | 5 | 5 | 7 | 2 | 3 | 10 | 4 | 6 | 6 | 4 | — | — | — | — | — |
| Ascites | 3 | 1 | 2 | 2 | 1 | 2 | — | 2 | 2 | 2 | 1 | — | — | — | — | — |
| Ulceration of Intestines | 2 | 3 | 5 | 8 | 10 | 7 | 7 | 10 | 7 | 3 | 1 | — | — | — | — | — |
| Hernia | 3 | — | 3 | — | 2 | 2 | 5 | 5 | 4 | 5 | 4 | — | — | — | — | — |
| Ileus | 6 | 4 | 7 | 7 | 5 | 9 | 14 | 13 | 19 | 11 | 4 | 2 | — | — | — | — |
| Intussusception | — | 1 | 2 | — | 1 | 1 | — | 2 | — | — | — | — | — | — | — | — |
| Stricture of Intestines | — | 2 | 2 | 2 | 3 | — | 4 | 1 | 2 | 2 | — | — | — | — | — | — |
| Stomach Disease | 4 | 15 | 10 | 15 | 27 | 30 | 41 | 32 | 28 | 12 | 7 | — | 1 | — | — | — |
| Pancreas Disease | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | 1 | 4 | 6 | 4 | 8 | 13 | 7 | 9 | 4 | 5 | — | — | — | — | — | — |
| Jaundice | 1 | — | 4 | 4 | 5 | 1 | 4 | 4 | 6 | 7 | 2 | 4 | — | — | — | — |
| Liver Disease | 16 | 23 | 29 | 27 | 28 | 55 | 35 | 39 | 25 | 13 | 5 | — | — | — | — | 1 |
| Spleen Disease | 1 | — | 3 | — | 2 | 1 | 1 | — | 1 | — | — | — | — | — | — | — |
| Nephritis | — | 2 | 2 | 1 | 1 | 2 | 3 | 4 | 3 | 2 | — | — | — | — | — | — |
| Nephria | 11 | 8 | 9 | 10 | 11 | 11 | 17 | 8 | 7 | 7 | 1 | — | — | — | — | — |
| Addison's Disease | 2 | — | 2 | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Ischuria | 1 | — | 1 | 1 | 1 | 1 | 5 | 3 | 11 | 8 | 2 | 1 | — | 1 | — | — |
| Diabetes | 7 | 2 | 3 | 6 | 1 | 3 | 5 | 3 | 7 | 1 | — | — | — | — | — | — |
| Stone | — | — | — | — | 4 | 4 | 8 | 9 | 10 | 8 | 8 | 2 | 1 | — | — | — |
| Cystitis | 2 | 3 | 4 | 6 | 4 | 8 | 20 | 28 | 34 | 14 | 14 | 3 | 1 | — | — | — |
| Stricture of Urethra | 1 | 2 | 3 | 2 | 1 | 2 | — | 1 | 1 | 1 | — | — | — | — | — | — |
| Kidney Disease | 6 | 11 | 11 | 4 | 9 | 13 | 14 | 17 | 15 | 9 | 5 | 5 | 1 | — | — | — |
| Paramenia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ovarian Dropsy | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Childbirth | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Organs of Generation | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Arthritis | 4 | 3 | — | 3 | 4 | 2 | 1 | — | 1 | 1 | — | — | — | — | — | — |
| Rheumatism | 3 | 4 | 4 | 3 | 5 | 8 | 10 | 11 | 8 | 7 | 1 | — | — | — | — | — |
| Joint Disease | 1 | 2 | 2 | 4 | 2 | — | — | 1 | 3 | — | — | — | — | — | — | — |
| Carbuncle | — | — | — | 1 | 1 | — | 2 | 2 | 1 | 1 | 1 | — | — | — | — | — |
| Phlegmon | 1 | — | — | — | 2 | — | 1 | — | — | 1 | — | — | — | — | — | — |
| Skin Disease | 1 | — | 1 | — | — | 2 | 1 | — | 1 | — | 1 | — | — | — | — | — |
| Intemperance | 5 | 6 | 4 | 8 | 6 | 5 | 6 | 6 | — | — | — | — | — | — | — | — |
| Privation | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Want of Breast Milk | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold | — | — | 3 | 2 | 3 | 3 | 1 | — | 1 | — | — | — | — | — | — | — |
| Poisoned Wounds | 3 | 3 | 1 | 3 | 1 | 2 | 1 | 1 | — | — | — | — | — | — | — | — |
| Poison | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 4 | 1 | 2 | 3 | 3 | 2 | 3 | — | 2 | 4 | 1 | — | — | — | — | — |
| Hanging, etc. | 2 | 7 | 5 | 4 | 7 | 1 | 5 | 1 | 2 | 1 | — | 1 | — | — | — | — |
| Suffocation | 2 | 6 | 4 | 2 | 1 | 1 | 2 | — | 1 | — | — | — | — | — | — | — |
| Drowning | 27 | 30 | 28 | 25 | 20 | 20 | 18 | 8 | 3 | 3 | 2 | — | — | — | — | 9 |
| Fracture and Contusion | 61 | 57 | 65 | 52 | 43 | 41 | 34 | 28 | 18 | 9 | 8 | 4 | — | 1 | — | — |
| Gunshot Wounds | 1 | 2 | 1 | 1 | 1 | 1 | — | 1 | — | — | — | — | — | — | — | — |
| Cuts and Stabs | 1 | — | 1 | 1 | 3 | — | 1 | 4 | — | 2 | — | 1 | — | — | — | — |
| Other Violent Causes | 3 | 1 | 4 | 1 | 1 | 1 | 3 | — | — | — | — | — | — | — | — | 2 |
| Not Specified | 38 | 29 | 46 | 46 | 59 | 61 | 76 | 5 | — | — | — | — | 1 | — | — | 15 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1867.—FEMALES.

| DISEASES. | ALL AGES. | FEMALES. | | | | | | | | | | | |
|--|-----------|-----------|------|------|------|------|-----|-----|------|-----|------|------|------|
| | | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 34705 | 2864 | 1099 | 2014 | 2728 | 1350 | 900 | 628 | 1563 | 861 | 1142 | 1233 | 1300 |
| SPECIFIED CAUSES | 33227 | 2458 | 988 | 1901 | 2612 | 1284 | 856 | 595 | 1498 | 814 | 1112 | 1201 | 1277 |
| I. Zymotic Class | 6726 | 281 | 252 | 600 | 1063 | 646 | 520 | 345 | 777 | 277 | 224 | 171 | 205 |
| II. Diseases of Uncertain Seat | 1541 | 24 | 8 | 9 | 7 | 6 | 9 | 9 | 19 | 13 | 19 | 22 | 36 |
| III. Tubercular Class | 5978 | 85 | 139 | 303 | 443 | 235 | 123 | 97 | 326 | 304 | 620 | 663 | 625 |
| IV. Brain and Nervous System | 2536 | 174 | 77 | 97 | 97 | 57 | 32 | 30 | 97 | 58 | 49 | 51 | 55 |
| V. Organs of Circulation | 1678 | 7 | 3 | 3 | 5 | 1 | 4 | 4 | 31 | 32 | 34 | 50 | 59 |
| VI. Respiratory Organs | 4867 | 295 | 258 | 495 | 583 | 213 | 96 | 64 | 121 | 47 | 48 | 69 | 94 |
| VII. Organs of Digestion | 2388 | 205 | 101 | 272 | 292 | 68 | 21 | 19 | 52 | 33 | 40 | 58 | 72 |
| VIII. Urinary Organs | 354 | — | 3 | 2 | 5 | 8 | 10 | 6 | 13 | 4 | 12 | 26 | 24 |
| IX. Organs of Generation | 486 | — | — | — | — | — | — | — | — | 2 | 31 | 61 | 75 |
| X. Organs of Locomotion | 180 | 1 | — | 2 | 3 | 1 | 4 | 2 | 14 | 14 | 12 | 9 | 8 |
| XI. Skin, etc. | 31 | 5 | 3 | 2 | 3 | — | — | 1 | 1 | — | — | 3 | 1 |
| XII. Malformation | 84 | 78 | 3 | — | — | — | 1 | 1 | — | 1 | — | — | — |
| XIII. Premature Debility | 1430 | 1228 | 108 | 94 | — | — | — | — | — | — | — | — | — |
| XIV. Atrophy | 289 | — | — | — | 76 | 29 | 12 | 5 | 16 | 7 | 6 | 5 | 6 |
| XV. Age | 4042 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVI. Sudden Deaths | 60 | 6 | 5 | 1 | — | — | 3 | 2 | 1 | — | 1 | 1 | 1 |
| XVII. Violent Deaths | 557 | 69 | 28 | 21 | 35 | 20 | 21 | 10 | 30 | 22 | 16 | 12 | 16 |
| I. Small Pox | 49 | 4 | 4 | 4 | 9 | 3 | 4 | — | 9 | 4 | 1 | 2 | 1 |
| Measles | 623 | 5 | 13 | 100 | 259 | 111 | 52 | 23 | 52 | 1 | 3 | 1 | 1 |
| Scarlatina | 1099 | 4 | 6 | 69 | 136 | 175 | 156 | 136 | 311 | 70 | 7 | 7 | 11 |
| Diphtheria | 298 | 7 | — | 17 | 38 | 37 | 43 | 30 | 73 | 24 | 5 | 4 | 5 |
| Hooping Cough | 959 | 69 | 83 | 194 | 301 | 120 | 88 | 48 | 52 | 3 | — | 1 | — |
| Croup | 430 | 16 | 11 | 49 | 111 | 90 | 83 | 37 | 31 | 2 | — | — | — |
| Thrush | 17 | 9 | — | 2 | 2 | 3 | 1 | — | — | — | — | — | — |
| Diarrhoea | 750 | 102 | 87 | 113 | 121 | 16 | 12 | 3 | 16 | 6 | 5 | 6 | 10 |
| Dysentery | 139 | 5 | 4 | 3 | 5 | 3 | — | 3 | — | 2 | 1 | 1 | 2 |
| Cholera | 70 | — | 8 | 7 | 8 | 3 | — | 1 | 10 | 2 | 1 | 1 | 2 |
| Influenza | 111 | 3 | 6 | 2 | 2 | — | 1 | 3 | 1 | 3 | 3 | — | 1 |
| Purpura | 16 | 1 | — | — | — | 1 | — | 1 | 4 | — | — | — | — |
| Ague | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | 13 | — | 1 | — | 1 | 3 | — | 1 | 7 | — | — | — | — |
| Typhus | 864 | 1 | 6 | 10 | 22 | 25 | 25 | 20 | 66 | 45 | 80 | 55 | 67 |
| Enteric Fever | 733 | — | 1 | 13 | 26 | 33 | 40 | 28 | 109 | 89 | 98 | 45 | 40 |
| Relapsing Fever | 17 | — | — | — | 2 | — | — | — | 1 | 5 | 1 | — | — |
| Simple Continued Fever | 55 | — | — | — | — | 4 | 3 | 4 | 5 | 4 | 8 | 1 | 3 |
| Infantile Remittent | 58 | 2 | 1 | 2 | 9 | 9 | 7 | 7 | 21 | — | — | — | — |
| Metria | 163 | — | — | — | — | — | — | — | — | — | 5 | 37 | 48 |
| Rheumatic Fever | 64 | 1 | — | — | 1 | — | 1 | — | 4 | 14 | 5 | 5 | 10 |
| Erysipelas | 99 | 27 | 5 | 6 | 2 | 2 | 3 | — | 3 | 1 | 1 | 1 | 1 |
| Pyæmia | 17 | — | — | — | — | 2 | — | — | 1 | 2 | — | 1 | 1 |
| Syphilis | 70 | 25 | 15 | 9 | 6 | 1 | — | — | — | — | — | 3 | 2 |
| Noma | 11 | — | 1 | — | 2 | 5 | 1 | — | 1 | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 30 | 5 | — | — | — | — | — | 1 | 1 | — | — | — | 2 |
| Dropsy | 466 | 5 | 1 | 1 | 3 | 2 | 5 | 5 | 11 | 3 | 5 | 12 | 19 |
| Abscess | 87 | 11 | 5 | 6 | 2 | 2 | 1 | 1 | 3 | 7 | 10 | 3 | 3 |
| Ulcer | 21 | — | — | 1 | — | 1 | 2 | — | — | — | 1 | 1 | — |
| Fistula | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | 55 | 3 | 2 | 1 | 1 | — | 1 | 1 | — | — | 1 | 2 | — |
| Cancer | 872 | — | — | — | 1 | 1 | — | 1 | 4 | 3 | 2 | 4 | 11 |
| Gout | 7 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| III. Scrofula | 285 | 4 | 16 | 17 | 35 | 12 | 16 | 10 | 31 | 23 | 27 | 21 | 15 |
| Tabes Mesenterica | 428 | 37 | 21 | 59 | 105 | 61 | 28 | 20 | 45 | 18 | 6 | 3 | 5 |
| Phthisis | 4438 | 11 | 28 | 44 | 80 | 75 | 24 | 22 | 147 | 248 | 580 | 638 | 605 |
| Hydrocephalus | 827 | 33 | 74 | 183 | 223 | 87 | 55 | 45 | 103 | 15 | 7 | 1 | — |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1867.—FEMALES. (Continued.)

| DISEASES. | ALL AGES. | FEMALES. | | | | | | | | | | | |
|------------------------------------|-----------|-----------|-----|-----|-----|-----|----|----|----|----|----|----|----|
| | | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 200 | 6 | 14 | 25 | 15 | 8 | 7 | 8 | 39 | 18 | 12 | 9 | 6 |
| Apoplexy | 524 | 14 | 3 | 7 | 8 | 5 | 2 | 1 | 5 | 9 | 11 | 8 | 11 |
| Paralysis | 838 | — | — | — | 2 | — | 1 | — | 3 | 3 | 1 | 1 | 7 |
| Delirium Tremens | 11 | — | — | — | — | — | — | — | — | — | — | 1 | 1 |
| Chorea | 8 | — | — | 1 | — | 1 | — | 1 | 1 | — | 1 | — | — |
| Epilepsy | 123 | — | — | — | — | 1 | — | — | 3 | 10 | 8 | 11 | 15 |
| Tetanus | 13 | 5 | 1 | — | 1 | — | — | — | — | — | — | 2 | — |
| Insanity | 27 | — | — | — | — | — | — | — | — | — | 1 | 1 | — |
| Convulsions | 382 | 146 | 49 | 57 | 52 | 30 | 13 | 15 | 18 | — | — | — | 2 |
| Brain Disease | 410 | 3 | 10 | 7 | 19 | 12 | 9 | 5 | 28 | 18 | 15 | 18 | 13 |
| V. Pericarditis | 28 | — | — | — | — | — | — | — | 4 | 4 | 3 | 1 | 2 |
| Aneurism | 16 | — | — | — | — | — | — | — | — | — | 1 | 1 | 1 |
| Heart Disease | 1634 | 7 | 3 | 3 | 5 | 1 | 4 | 4 | 27 | 28 | 30 | 48 | 56 |
| VI. Laryngitis | 60 | 5 | 4 | 8 | 8 | 7 | 3 | 3 | 6 | 2 | — | 1 | 2 |
| Bronchitis | 3466 | 214 | 203 | 396 | 458 | 158 | 68 | 45 | 79 | 18 | 19 | 37 | 43 |
| Pleurisy | 74 | 3 | — | 2 | 1 | 1 | — | 1 | 2 | 3 | 3 | 1 | 6 |
| Pneumonia | 884 | 65 | 47 | 80 | 111 | 47 | 24 | 14 | 32 | 20 | 18 | 24 | 38 |
| Asthma | 250 | — | — | — | — | — | — | — | — | 1 | 2 | 1 | — |
| Lung Disease | 133 | 8 | 4 | 9 | 5 | — | 1 | 1 | 2 | 3 | 6 | 5 | 5 |
| VII. Teething | 460 | 2 | 25 | 177 | 218 | 36 | 2 | — | — | — | — | — | — |
| Quinsey | 31 | 3 | — | 3 | 2 | 4 | 1 | — | 5 | 1 | 1 | — | 2 |
| Gastritis | 87 | 6 | 3 | 4 | 5 | 1 | — | 1 | 4 | 1 | 1 | 1 | 3 |
| Enteritis | 441 | 116 | 37 | 55 | 40 | 12 | 10 | 6 | 20 | 7 | 11 | 7 | 10 |
| Peritonitis | 145 | 5 | 2 | 3 | 2 | 5 | 3 | 1 | 7 | 10 | 3 | 18 | 18 |
| Ascites | 49 | 1 | — | — | 1 | 1 | — | — | — | 2 | — | — | 1 |
| Ulceration of Intestines | 95 | 4 | 2 | 2 | 1 | — | — | — | 4 | 3 | 3 | 5 | 4 |
| Hernia | 43 | 1 | — | — | 1 | — | — | — | — | — | — | 1 | 1 |
| Ileus | 139 | 9 | 4 | 3 | 6 | 2 | — | 2 | 2 | — | 5 | 4 | 4 |
| Intussusception | 11 | — | 1 | 1 | — | — | 1 | — | — | 1 | — | 1 | — |
| Stricture of Intestines | 10 | — | — | — | — | — | — | — | — | — | — | — | — |
| Stomach Disease | 383 | 30 | 23 | 20 | 12 | 4 | 3 | 5 | 6 | 4 | 9 | 5 | 9 |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | 72 | 1 | — | 1 | — | — | — | 1 | 1 | — | 2 | 3 | 3 |
| Jaundice | 69 | 19 | 2 | 1 | 2 | 2 | 1 | — | — | — | 1 | 2 | 1 |
| Liver Disease | 336 | 8 | 2 | 1 | 2 | 1 | — | 3 | 3 | 3 | 4 | 11 | 15 |
| Spleen Disease | 17 | — | — | 1 | — | — | — | — | — | 1 | — | — | 1 |
| VIII. Nephritis | 39 | — | 1 | 1 | 1 | 1 | 5 | 2 | 4 | 1 | 2 | 1 | 3 |
| Nephria | 103 | — | — | — | — | 1 | 3 | 2 | 3 | 2 | 6 | 10 | 7 |
| Addison's Disease | 3 | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Ischuria | 17 | — | — | — | — | 1 | — | — | 1 | — | 1 | 3 | — |
| Diabetes | 31 | — | — | — | — | — | — | — | — | 1 | 2 | 3 | 4 |
| Stone | 8 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Cystitis | 16 | — | — | — | — | 1 | — | — | 1 | — | — | 1 | — |
| Stricture of Urethra | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Kidney Disease | 137 | — | 2 | 1 | 4 | 4 | 1 | 2 | 4 | — | 1 | 8 | 9 |
| IX. Paramenia | 29 | — | — | — | — | — | — | — | — | 2 | 14 | 1 | 2 |
| Ovarian Dropsy | 81 | — | — | — | — | — | — | — | — | — | 2 | 4 | 3 |
| Childbirth | 321 | — | — | — | — | — | — | — | — | — | 14 | 53 | 65 |
| Organs of Generation | 55 | — | — | — | — | — | — | — | — | — | 1 | 3 | 5 |
| X. Arthritis | 30 | — | — | 1 | 1 | — | 2 | 2 | 3 | 3 | 1 | 2 | 1 |
| Rheumatism | 98 | — | — | — | — | — | — | — | 3 | 3 | 2 | 3 | 2 |
| Joint and Bone Disease | 52 | 1 | — | 1 | 2 | 1 | 2 | — | 8 | 8 | 9 | 4 | 5 |
| XI. Carbuncle | 7 | 1 | 1 | — | 1 | — | — | — | — | — | — | — | — |
| Phlegmon | 8 | — | — | — | 1 | — | — | — | — | — | — | — | 1 |
| Skin Disease | 16 | 4 | 2 | 2 | 1 | — | — | 1 | 1 | — | — | 3 | — |
| XVII. Intemperance | 29 | — | — | — | — | — | — | — | — | — | — | — | 2 |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | 39 | 21 | 13 | 5 | — | — | — | — | — | — | — | — | — |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold | 5 | — | — | — | — | — | — | — | — | — | — | — | — |
| Poison | 27 | 2 | 1 | 2 | 1 | 1 | 1 | — | 3 | 1 | 3 | 1 | 4 |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 117 | — | 2 | 7 | 23 | 6 | 15 | 8 | 8 | 4 | 3 | 2 | 3 |
| Hanging, etc. | 19 | — | — | — | — | — | — | — | — | — | — | — | — |
| Suffocation | 68 | 33 | 12 | 4 | 1 | 1 | 1 | — | 2 | 1 | — | — | — |
| Drowning | 64 | 2 | — | — | 4 | 6 | 1 | — | 4 | 7 | 1 | 7 | 1 |
| Fracture and Contusion | 144 | 1 | — | 2 | 4 | 5 | 3 | 1 | 11 | 8 | 6 | 1 | 4 |
| Gunshot Wounds | 5 | — | — | — | — | — | — | — | — | 1 | 2 | — | — |
| Cuts and Stabs | 11 | — | — | — | — | — | — | 1 | — | — | — | — | — |
| Other Violent Causes | 29 | 10 | — | 1 | 2 | 1 | — | — | 2 | — | 1 | 1 | 2 |
| Not Specified | 1478 | 406 | 111 | 113 | 116 | 66 | 44 | 33 | 65 | 47 | 30 | 32 | 23 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1867.—FEMALES. (Continued.)

| DISEASES. | FEMALES. | | | | | | | | | | | | | | | |
|------------------------------------|-----------|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|----|-----|-----|----|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 3 | 9 | 5 | 4 | 4 | 3 | 2 | 1 | — | 1 | 1 | — | — | — | — | — |
| Apoplexy | 10 | 12 | 16 | 36 | 41 | 45 | 58 | 61 | 67 | 54 | 29 | 10 | 1 | — | — | — |
| Paralysis | 15 | 16 | 15 | 32 | 35 | 63 | 88 | 143 | 144 | 145 | 88 | 27 | 6 | 1 | — | 2 |
| Delirium Tremens | — | 3 | 4 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Chorea | — | — | — | — | — | — | — | 2 | 1 | — | — | — | — | — | — | — |
| Epilepsy | 13 | 4 | 5 | 6 | 6 | 9 | 9 | 10 | 6 | 2 | 4 | 1 | — | — | — | — |
| Tetanus | 1 | — | 1 | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| Insanity | 1 | 4 | 4 | 5 | 4 | 1 | 2 | 1 | 1 | 2 | — | — | — | — | — | — |
| Convulsions | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Brain Disease | 14 | 18 | 19 | 22 | 33 | 21 | 30 | 35 | 26 | 22 | 10 | 2 | 1 | — | — | — |
| Pericarditis | 2 | 3 | 1 | 1 | 2 | 1 | 1 | — | 1 | 2 | — | — | — | — | — | — |
| Aneurism | 1 | — | 1 | 2 | 3 | — | 1 | 2 | 1 | 2 | — | — | — | — | — | — |
| Heart Disease | 80 | 72 | 100 | 116 | 123 | 129 | 179 | 207 | 197 | 119 | 64 | 28 | 3 | — | — | — |
| Laryngitis | 2 | — | 1 | 1 | 1 | 4 | — | — | — | 1 | 1 | — | — | — | — | — |
| Bronchitis | 29 | 64 | 75 | 101 | 131 | 170 | 242 | 251 | 245 | 211 | 131 | 54 | 17 | 6 | — | 1 |
| Pleurisy | 1 | 3 | 5 | 6 | 5 | 6 | 3 | 9 | 6 | 3 | 1 | 2 | 1 | — | — | — |
| Pneumonia | 27 | 29 | 36 | 31 | 29 | 33 | 35 | 45 | 46 | 29 | 19 | 4 | 1 | — | — | — |
| Asthma | 2 | 11 | 15 | 20 | 33 | 20 | 44 | 37 | 30 | 20 | 11 | 3 | — | — | — | — |
| Lung Disease | 3 | 7 | 6 | 7 | 8 | 13 | 16 | 9 | 7 | 6 | 1 | — | — | — | — | — |
| Teething | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Quinsey | 1 | 5 | 1 | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Gastritis | 5 | 5 | 7 | 4 | 5 | 5 | 7 | 5 | 8 | 2 | 3 | — | 1 | — | — | — |
| Enteritis | 8 | 9 | 8 | 8 | 13 | 11 | 9 | 15 | 8 | 13 | 6 | 2 | — | — | — | — |
| Peritonitis | 7 | 9 | 6 | 9 | 4 | 2 | 11 | 10 | 2 | 5 | 1 | 1 | 1 | — | — | — |
| Ascites | — | 1 | 2 | 7 | 4 | 3 | 5 | 4 | 7 | 5 | 4 | 1 | — | — | — | — |
| Ulceration of Intestines | 7 | 4 | 4 | 6 | 9 | 11 | 5 | 7 | 4 | 4 | 5 | 1 | — | — | — | — |
| Hernia | — | 1 | 4 | 3 | 3 | 7 | 5 | 6 | 4 | 3 | 1 | 1 | 1 | — | — | — |
| Ileus | 5 | 6 | 10 | 1 | 11 | 14 | 8 | 16 | 11 | 12 | 2 | 2 | — | — | — | — |
| Intussusception | — | — | 2 | — | — | — | 2 | 2 | — | — | — | — | — | — | — | — |
| Stricture of Intestines | — | — | — | 1 | 1 | 1 | 3 | 1 | 2 | — | — | 1 | — | — | — | — |
| Stomach Disease | 19 | 13 | 16 | 20 | 23 | 28 | 39 | 39 | 19 | 20 | 11 | 4 | 2 | — | — | — |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | 5 | 7 | 3 | 9 | 5 | 6 | 6 | 6 | 5 | 3 | 5 | — | — | — | — | — |
| Jaundice | 1 | — | 1 | 2 | 3 | 4 | 6 | 6 | 5 | 6 | 3 | 1 | — | — | — | — |
| Liver Disease | 5 | 15 | 20 | 32 | 32 | 38 | 39 | 30 | 35 | 18 | 6 | 3 | 1 | — | — | — |
| Spleen Disease | 2 | 1 | 1 | 1 | 1 | 3 | 2 | 2 | — | — | — | — | 1 | — | — | — |
| Nephritis | 2 | 3 | — | 2 | 2 | 2 | — | 2 | 1 | 2 | — | — | — | 1 | — | — |
| Nephria | 10 | 9 | 8 | 9 | 7 | 4 | 6 | 8 | 5 | 2 | — | — | — | — | — | 1 |
| Addison's Disease | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ischuria | 2 | 1 | 2 | 3 | — | — | 1 | 1 | — | 1 | — | — | — | — | — | — |
| Diabetes | 2 | 2 | 2 | 2 | 4 | 2 | 3 | 4 | — | — | — | — | — | — | — | — |
| Stone | — | — | — | 1 | 2 | — | 1 | — | 1 | 1 | 1 | — | — | — | — | — |
| Cystitis | 2 | — | 1 | 3 | — | 1 | 1 | 2 | 1 | 2 | — | — | — | — | — | — |
| Stricture of Urethra | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Kidney Disease | 9 | 10 | 8 | 7 | 14 | 9 | 13 | 11 | 9 | 5 | 5 | 1 | — | — | — | — |
| Paramenia | 2 | 4 | 3 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ovarian Dropsy | 3 | 13 | 7 | 14 | 12 | 5 | 4 | 6 | 3 | 5 | — | — | — | — | — | — |
| Childbirth | 71 | 69 | 41 | 8 | — | — | — | — | — | — | — | — | — | — | — | — |
| Organs of Generation | 3 | 8 | 6 | 5 | 3 | 6 | 1 | 7 | 5 | 1 | — | — | — | — | — | 1 |
| Arthritis | 4 | 1 | 6 | — | 1 | — | — | 1 | — | 1 | — | — | — | — | — | — |
| Rheumatism | 3 | — | 3 | 4 | 4 | 9 | 18 | 12 | 14 | 14 | 1 | 2 | 1 | — | — | — |
| Joint Disease | 3 | — | 2 | 3 | 1 | — | 1 | — | — | 1 | — | — | — | — | — | — |
| Carbuncle | — | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Phlegmon | — | 1 | 1 | 1 | — | 2 | 1 | — | — | — | — | — | — | — | — | — |
| Skin Disease | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| Intemperance | 2 | 4 | 5 | 9 | 1 | 1 | — | 1 | 2 | 2 | — | — | — | — | — | — |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold | — | 2 | — | — | 1 | 1 | — | — | — | — | — | — | 1 | — | — | — |
| Poison | 1 | — | — | 1 | 2 | 1 | 1 | — | — | — | 1 | — | — | — | — | — |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 2 | — | — | 2 | 1 | 1 | 7 | 2 | 9 | 6 | 1 | 4 | 1 | — | — | — |
| Hanging, etc. | 3 | 1 | 5 | 2 | 4 | 2 | 1 | — | 1 | — | — | — | — | — | — | — |
| Suffocation | 2 | 1 | 5 | 1 | 1 | 1 | — | 1 | — | — | 1 | — | — | — | — | — |
| Drowning | — | 4 | 2 | 6 | 2 | 6 | 3 | 4 | 1 | 2 | 1 | — | — | — | — | — |
| Fracture and Contusion | 3 | 5 | 7 | 7 | 13 | 4 | 6 | 12 | 11 | 13 | 8 | 8 | 1 | — | — | — |
| Gunshot Wounds | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Cuts and Stabs | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | — | — | — | — | — | — | — |
| Other Violent Causes | — | 1 | 2 | 2 | 2 | 1 | — | 1 | — | — | — | — | — | — | — | — |
| Not Specified | 35 | 43 | 41 | 47 | 56 | 62 | 80 | 11 | 1 | — | — | — | — | — | — | 16 |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—BOTH SEXES.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|--|-------------|-----------|----|----|----|----|----|----|----|----|----|----|----|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 2583 | 213 | 52 | 90 | 92 | 57 | 40 | 34 | 93 | 49 | 60 | 97 | 96 |
| SPECIFIED CAUSES | 2121 | 85 | 29 | 55 | 68 | 38 | 27 | 26 | 75 | 39 | 44 | 86 | 78 |
| I. Zymotic Class | 314 | 16 | 10 | 26 | 36 | 20 | 18 | 15 | 46 | 11 | 5 | 10 | 12 |
| II. Diseases of Uncertain Seat | 93 | — | — | 1 | — | — | 1 | 1 | — | 1 | 1 | 1 | 3 |
| III. Tubercular Class | 287 | 3 | 5 | 8 | 13 | 10 | 1 | 5 | 9 | 9 | 18 | 45 | 35 |
| IV. Brain and Nervous System | 138 | 12 | 4 | 3 | 1 | 1 | 1 | 1 | 5 | 7 | 3 | 4 | 2 |
| V. Organs of Circulation | 65 | — | — | — | — | — | — | — | 1 | 1 | — | 3 | 1 |
| VI. Respiratory Organs | 204 | 14 | 5 | 10 | 9 | 3 | 3 | 1 | 5 | 1 | 4 | 5 | 7 |
| VII. Organs of Digestion | 130 | 5 | — | 6 | 7 | 1 | 1 | 1 | 4 | 3 | 8 | 4 | 6 |
| VIII. Urinary Organs | 44 | — | — | — | — | 1 | — | 1 | 1 | — | — | 2 | — |
| IX. Organs of Generation | 28 | — | — | — | — | — | — | — | — | — | 1 | 2 | 7 |
| X. Organs of Locomotion | 18 | — | — | — | — | — | — | — | — | 1 | 1 | — | — |
| XI. Skin, etc. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| XII. Malformation | 3 | 2 | — | — | — | — | — | 1 | — | — | — | — | — |
| XIII. Premature Debility | 36 | 33 | 2 | 1 | — | — | — | — | — | — | — | — | — |
| XIV. Atrophy | 16 | — | — | — | — | — | 1 | — | 1 | 1 | — | 1 | — |
| XV. Age | 666 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVI. Sudden Deaths | 9 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| XVII. Violent Deaths | 70 | — | 2 | — | 2 | 2 | 1 | — | 3 | 4 | 3 | 10 | 5 |
| I. Small Pox | 5 | — | — | 1 | — | — | — | — | — | 1 | — | 1 | 1 |
| Measles | 22 | — | 2 | 2 | 5 | 4 | 2 | — | 5 | — | 1 | 1 | — |
| Scarlatina | 43 | — | — | 3 | 4 | 5 | 3 | 7 | 18 | 3 | — | — | — |
| Diphtheria | 28 | 2 | — | 2 | 6 | 1 | 4 | 2 | 5 | 3 | 1 | — | — |
| Hooping Cough | 30 | 3 | 2 | 5 | 8 | 5 | 2 | — | 5 | — | — | — | — |
| Croup | 40 | 4 | 5 | 8 | 7 | 4 | 3 | 4 | 4 | — | — | — | — |
| Thrush | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Diarrhoea | 18 | 3 | — | 3 | 1 | — | — | — | — | 1 | — | — | 1 |
| Dysentery | 9 | — | 1 | 1 | 1 | — | — | — | — | — | — | — | 1 |
| Cholera | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Influenza | 13 | 1 | — | — | 1 | — | — | — | 1 | — | — | — | — |
| Purpura | 9 | — | — | — | — | — | — | — | — | — | — | 1 | 2 |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — |
| Typhus | 52 | 1 | — | — | 2 | — | 1 | — | 1 | 2 | 2 | 7 | 3 |
| Enteric Fever | 17 | — | — | — | — | — | 3 | 1 | 2 | 1 | — | — | — |
| Relapsing Fever | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Simple Continued Fever | 4 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| Infantile Remittent | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| Metria | 4 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Rheumatic Fever | 3 | — | — | — | — | — | — | — | 1 | — | — | — | 1 |
| Erysipelas | 9 | 1 | — | 1 | — | — | — | — | 1 | — | 1 | — | 1 |
| Pyæmia | 3 | — | — | — | — | 1 | — | — | 1 | — | — | — | — |
| Syphilis | 1 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Noma | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Dropsy | 46 | — | — | 1 | — | — | 1 | 1 | — | 1 | 1 | 1 | 2 |
| Abscess | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ulcer | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Fistula | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Cancer | 40 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Gout | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| III. Scrofula | 14 | — | 1 | 1 | — | 1 | — | 1 | — | 3 | 2 | 1 | 1 |
| Tabes Mesenterica | 17 | 3 | 2 | 2 | 3 | 2 | — | — | 1 | 1 | — | — | 1 |
| Phthisis | 229 | — | 1 | 2 | 3 | 1 | 1 | — | 3 | 4 | 16 | 44 | 33 |
| Hydrocephalus | 27 | — | 1 | 3 | 7 | 6 | — | 4 | 5 | 1 | — | — | — |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—BOTH SEXES. (Continued.)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|------------------------------------|-------------|-----------|----|----|----|----|----|---|----|----|----|----|----|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 13 | 2 | 2 | — | 1 | 1 | 1 | — | 2 | 1 | 1 | 1 | 1 |
| Apoplexy | 29 | 1 | — | 1 | — | — | — | — | — | 3 | — | 1 | — |
| Paralysis | 59 | — | — | — | — | — | — | — | 1 | 1 | — | — | — |
| Delirium Tremens | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Chorea | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — |
| Epilepsy | 6 | — | — | — | — | — | — | — | — | 1 | 1 | — | — |
| Tetanus | 7 | 5 | — | — | — | — | — | — | — | — | — | 2 | — |
| Insanity | 2 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Convulsions | 7 | 4 | 2 | — | — | — | — | — | 1 | — | — | — | — |
| Brain Disease | 14 | — | — | 1 | — | — | — | 1 | 1 | 1 | — | — | 1 |
| V. Pericarditis | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Aneurism | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Heart Disease | 63 | — | — | — | — | — | — | — | 1 | 1 | — | 3 | 1 |
| VI. Laryngitis | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Bronchitis | 95 | 8 | 4 | 7 | 6 | 2 | 1 | 1 | 1 | — | 1 | — | 1 |
| Pleurisy | 8 | 2 | — | — | — | 1 | — | — | — | — | — | 2 | — |
| Pneumonia | 43 | 3 | 1 | 3 | 3 | — | 2 | — | 4 | — | 3 | 2 | 4 |
| Asthma | 39 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| Lung Disease | 17 | — | — | — | — | — | — | — | — | — | — | 1 | 2 |
| VII. Teething | 12 | — | — | 6 | 6 | — | — | — | — | — | — | — | — |
| Quinsey | 2 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Gastritis | 2 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Enteritis | 21 | 2 | — | — | 1 | — | 1 | — | 2 | 2 | 1 | 1 | 1 |
| Peritonitis | 8 | 1 | — | — | — | — | — | — | 1 | — | 1 | — | 1 |
| Ascites | 5 | — | — | — | — | — | — | — | — | 1 | — | — | 1 |
| Ulceration of Intestines | 2 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Hernia | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Ileus | 8 | — | — | — | — | — | — | — | — | — | — | 2 | — |
| Intussusception | 2 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Stricture of Intestines | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stomach Disease | 33 | — | — | — | — | 1 | — | — | — | — | 1 | — | 2 |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | 13 | 1 | — | — | — | — | — | 1 | — | — | 1 | — | — |
| Jaundice | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| Liver Disease | 16 | — | — | — | — | — | — | — | 1 | — | 1 | 1 | — |
| Spleen Disease | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| VIII. Nephritis | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| Nephria | 1 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Addison's Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ischuria | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Diabetes | 5 | — | — | — | — | — | — | — | — | — | — | — | — |
| Stone | 12 | — | — | — | — | — | — | — | — | — | — | — | — |
| Cystitis | 7 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| Stricture of Urethra | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Kidney Disease | 13 | — | — | — | — | — | — | 1 | — | — | — | 1 | — |
| IX. Paramenia | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Ovarian Dropsy | 3 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Childbirth | 22 | — | — | — | — | — | — | — | — | — | — | 2 | 6 |
| Organs of Generation | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| X. Arthritis | 3 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| Rheumatism | 14 | — | — | — | — | — | — | — | — | — | — | — | — |
| Joint and Bone Disease | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| XI. Carbuncle | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Phlegmon | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Skin Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| XVII. Intemperance | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold | 3 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Poison | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 4 | — | — | — | 2 | 1 | 1 | — | — | — | — | — | — |
| Hanging, etc. | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Suffocation | 4 | — | 2 | — | — | — | — | — | — | — | — | — | — |
| Drowning | 44 | — | — | — | — | 1 | — | — | 2 | 4 | 2 | 9 | 3 |
| Fracture and Contusion | 12 | — | — | — | — | — | — | — | 1 | — | 1 | — | 2 |
| Gunshot Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cuts and Stabs | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Other Violent Causes | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Not Specified | 462 | 128 | 23 | 35 | 24 | 19 | 13 | 8 | 18 | 10 | 16 | 11 | 18 |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life,
in 1867.—BOTH SEXES. (Continued.)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | | | | | |
|------------------------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|-----|-----|---|--|
| | AGE UNDER | | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? | |
| Cephalitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Apoplexy | — | 1 | 2 | 1 | 1 | 1 | 3 | 1 | 8 | 4 | — | 1 | — | — | — | — | |
| Paralysis | 2 | 1 | — | 2 | 1 | 6 | 10 | 6 | 15 | 7 | 4 | 3 | — | — | — | — | |
| Delirium Tremens | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Chorea | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Epilepsy | 1 | 1 | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | |
| Tetanus | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Insanity | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Convulsions | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Brain Disease | 1 | 1 | — | 2 | — | 1 | 1 | 2 | — | 1 | — | — | — | — | — | — | |
| Pericarditis | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | |
| Aneurism | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Heart Disease | 3 | — | 3 | 2 | 5 | 6 | 7 | 13 | 10 | 4 | 2 | 2 | — | — | — | — | |
| Laryngitis | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Bronchitis | 1 | 1 | 1 | — | 2 | 2 | 3 | 12 | 13 | 11 | 12 | 4 | 1 | — | — | — | |
| Pleurisy | — | — | 1 | — | — | 2 | — | — | — | — | — | — | — | — | — | — | |
| Pneumonia | — | 1 | — | 1 | — | 1 | 8 | 3 | 3 | 1 | — | — | — | — | — | — | |
| Asthma | — | 1 | — | 1 | 3 | 2 | 4 | 8 | 10 | 6 | 1 | 2 | — | — | — | — | |
| Lung Disease | — | — | 1 | 2 | — | 2 | 4 | 2 | — | 2 | 1 | — | — | — | — | — | |
| Teething | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Quinsey | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Gastritis | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | |
| Enteritis | 2 | — | — | — | 1 | — | 2 | 2 | 1 | 2 | — | — | — | — | — | — | |
| Peritonitis | — | — | — | — | 1 | — | — | 1 | — | 1 | — | 1 | — | — | — | — | |
| Ascites | — | — | 1 | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | |
| Ulceration of Intestines | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | |
| Hernia | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Ileus | — | — | 1 | — | 1 | — | 1 | — | — | 2 | 1 | — | — | — | — | — | |
| Intussusception | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Stricture of Intestines | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Stomach Disease | — | 2 | — | 2 | 3 | 1 | 8 | 4 | 8 | — | 1 | — | — | — | — | — | |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Hepatitis | — | — | — | 2 | 1 | 1 | — | 5 | — | — | 1 | — | — | — | — | — | |
| Jaundice | — | — | — | — | 1 | 1 | — | — | 1 | — | — | — | — | — | — | — | |
| Liver Disease | — | 1 | 2 | 2 | 1 | 2 | 1 | 2 | 1 | — | 1 | — | — | — | — | — | |
| Spleen Disease | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | |
| Nephritis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Nephria | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Addison's Disease | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Ischuria | — | — | — | 1 | — | — | — | — | 1 | 1 | 1 | — | — | — | — | — | |
| Diabetes | 1 | — | — | — | 1 | — | 1 | — | 2 | — | — | — | — | — | — | — | |
| Stone | — | — | — | — | 2 | — | 2 | 3 | 2 | 2 | 1 | — | — | — | — | — | |
| Cystitis | — | — | — | — | — | 1 | 1 | 1 | 1 | 1 | 1 | — | — | — | — | — | |
| Stricture of Urethra | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | |
| Kidney Disease | 2 | — | — | 1 | — | — | 1 | 3 | 1 | 2 | — | 1 | — | — | — | — | |
| Paramenia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Ovarian Dropsy | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | — | |
| Childbirth | 3 | 6 | 4 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | |
| Organs of Generation | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | |
| Arthritis | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | |
| Rheumatism | — | — | — | — | 1 | 1 | 2 | 3 | 4 | 3 | — | — | — | — | — | — | |
| Joint Disease | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Carbuncle | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Phlegmon | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Skin Disease | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Intemperance | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Want of Breast Milk | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Cold | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | |
| Poison | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Burns and Scalds | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Hanging, etc. | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | |
| Suffocation | — | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | |
| Drowning | 2 | 3 | 7 | 3 | 2 | 2 | 1 | — | — | 1 | 1 | — | — | — | — | 1 | |
| Fracture and Contusion | — | 1 | — | 1 | 3 | — | — | — | 1 | 1 | — | 1 | — | — | — | — | |
| Gunshot Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Cuts and Stabs | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | |
| Other Violent Causes | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Not Specified | 13 | 15 | 9 | 18 | 28 | 17 | 23 | 7 | 1 | — | — | — | — | — | — | 8 | |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | |
|------------------------------------|-----------|-----------|----|----|----|----|----|----|----|----|----|----|----|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 1233 | 120 | 28 | 54 | 43 | 30 | 16 | 16 | 44 | 22 | 26 | 63 | 53 |
| SPECIFIED CAUSES | 1003 | 41 | 17 | 32 | 35 | 21 | 11 | 11 | 40 | 19 | 16 | 58 | 41 |
| I. Zymotic Class | 150 | 5 | 4 | 15 | 15 | 13 | 6 | 7 | 25 | 3 | 2 | 7 | 6 |
| II. Diseases of Uncertain Seat | 41 | — | — | — | — | — | 1 | — | — | 1 | 1 | — | 1 |
| III. Tubercular Class | 151 | 1 | 3 | 4 | 9 | 4 | — | 1 | 4 | 5 | 5 | 29 | 22 |
| IV. Brain and Nervous System | 79 | 7 | 4 | 2 | 1 | 1 | 1 | 1 | 2 | 3 | — | 3 | 2 |
| V. Organs of Circulation | 39 | — | — | — | — | — | — | — | 1 | — | — | 2 | — |
| VI. Respiratory Organs | 90 | 8 | 3 | 7 | 6 | — | 2 | 1 | 2 | — | 2 | 4 | 2 |
| VII. Organs of Digestion | 71 | 3 | — | 3 | 3 | 1 | 1 | — | 3 | 3 | 4 | 2 | 3 |
| VIII. Urinary Organs | 33 | — | — | — | — | — | — | 1 | 1 | — | — | 1 | — |
| IX. Organs of Generation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| X. Organs of Locomotion | 9 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| XI. Skin, etc. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| XII. Malformation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| XIII. Premature Debility | 19 | 17 | 1 | 1 | — | — | — | — | — | — | — | — | — |
| XIV. Atrophy | 5 | — | — | — | — | — | — | — | — | — | — | — | — |
| XV. Age | 252 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVI. Sudden Deaths | 7 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVII. Violent Deaths | 57 | — | 2 | — | 1 | 2 | — | — | 2 | 3 | 2 | 10 | 5 |
| I. Small Pox | 3 | — | — | 1 | — | — | — | — | — | — | — | 1 | 1 |
| Measles | 13 | — | 1 | 1 | 4 | 3 | 1 | — | 3 | — | — | — | — |
| Scarlatina | 22 | — | — | 2 | 2 | 4 | — | 3 | 10 | 1 | — | — | — |
| Diphtheria | 10 | — | — | 2 | 1 | 1 | 1 | 1 | 2 | — | — | — | — |
| Hooping Cough | 15 | — | 2 | 1 | 6 | 3 | 1 | — | 2 | — | — | — | — |
| Croup | 15 | 1 | 1 | 5 | 1 | 2 | 1 | 1 | 2 | — | — | — | — |
| Thrush | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Diarrhœa | 8 | 1 | — | 2 | 1 | — | — | — | — | — | — | — | — |
| Dysentery | 4 | — | — | 1 | — | — | — | — | — | — | — | — | 1 |
| Cholera | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Influenza | 8 | 1 | — | — | — | — | — | — | 1 | — | — | — | — |
| Purpura | 9 | — | — | — | — | — | — | — | — | — | — | 1 | 2 |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — |
| Typhus | 25 | 1 | — | — | — | — | — | — | 1 | 1 | 1 | 5 | 1 |
| Enteric Fever | 8 | — | — | — | — | — | 2 | 1 | 1 | 1 | — | — | — |
| Relapsing Fever | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Simple Continued Fever | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Infantile Remittent | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Metria | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Rheumatic Fever | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| Erysipelas | 5 | — | — | — | — | — | — | — | 1 | — | 1 | — | 1 |
| Pyæmia | 2 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| Syphilis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Noma | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Dropsy | 14 | — | — | — | — | — | 1 | — | — | 1 | 1 | — | — |
| Abscess | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ulcer | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Fistula | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Cancer | 22 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Gout | — | — | — | — | — | — | — | — | — | — | — | — | — |
| III. Scrofula | 8 | — | — | 1 | — | — | — | — | — | 3 | 1 | — | 1 |
| Tabes Mesenterica | 9 | 1 | 2 | 1 | 2 | — | — | — | — | 1 | — | — | 1 |
| Phthisis | 119 | — | 1 | 1 | 1 | — | — | — | 2 | — | 4 | 29 | 20 |
| Hydrocephalus | 15 | — | — | 1 | 6 | 4 | — | 1 | 2 | 1 | — | — | — |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—MALES. (Continued.)

| DISEASES. | MALES. | | | | | | | | | | | | |
|------------------------------------|-----------|-----------|----|----|---|---|---|---|----|----|----|----|----|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| 3 | 6 | 12 | | | | | | | | | | | |
| IV. Cephalitis | 9 | 1 | 2 | — | 1 | 1 | 1 | — | — | 1 | — | 1 | 1 |
| Apoplexy | 19 | 1 | — | 1 | — | — | — | — | — | — | — | 1 | — |
| Paralysis | 32 | — | — | — | — | — | — | — | 1 | 1 | — | — | — |
| Delirium Tremens | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Chorea | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Epilepsy | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Tetanus | 3 | 2 | — | — | — | — | — | — | — | — | — | 1 | — |
| Insanity | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Convulsions | 5 | 3 | 2 | — | — | — | — | — | — | — | — | — | — |
| Brain Disease | 9 | — | — | 1 | — | — | — | 1 | 1 | 1 | — | — | 1 |
| V. Pericarditis | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Aneurism | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Heart Disease | 37 | — | — | — | — | — | — | — | 1 | — | — | 2 | — |
| VI. Laryngitis | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Bronchitis | 42 | 5 | 2 | 6 | 5 | — | 1 | 1 | — | — | — | — | 1 |
| Pleurisy | 3 | 1 | — | — | — | — | — | — | — | — | — | 2 | — |
| Pneumonia | 21 | 2 | 1 | 1 | 1 | — | 1 | — | 2 | — | 2 | 1 | — |
| Asthma | 14 | — | — | — | — | — | — | — | — | — | — | — | — |
| Lung Disease | 9 | — | — | — | — | — | — | — | — | — | — | 1 | 1 |
| VII. Teething | 6 | — | — | 3 | 3 | — | — | — | — | — | — | — | — |
| Quinsey | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Gastritis | 1 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Enteritis | 12 | 1 | — | — | — | — | 1 | — | 1 | 2 | — | 1 | — |
| Peritonitis | 5 | 1 | — | — | — | — | — | — | 1 | — | — | — | 1 |
| Ascites | 4 | — | — | — | — | — | — | — | — | 1 | — | — | 1 |
| Ulceration of Intestines | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Hernia | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Ileus | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Intussusception | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Stricture of Intestines | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stomach Disease | 19 | — | — | — | — | 1 | — | — | — | — | 1 | — | — |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | 6 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Jaundice | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| Liver Disease | 8 | — | — | — | — | — | — | — | 1 | — | — | 1 | — |
| Spleen Disease | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| VIII. Nephritis | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| Nephria | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Addison's Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ischuria | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| Diabetes | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Stone | 10 | — | — | — | — | — | — | — | — | — | — | — | — |
| Cystitis | 6 | — | — | — | — | — | — | — | — | — | — | — | — |
| Stricture of Urethra | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Kidney Disease | 8 | — | — | — | — | — | — | 1 | — | — | — | 1 | — |
| IX. Paramenia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ovarian Dropsy | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Childbirth | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Organs of Generation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| X. Arthritis | 3 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| Rheumatism | 6 | — | — | — | — | — | — | — | — | — | — | — | — |
| Joint and Bone Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| XI. Carbuncle | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Phlegmon | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Skin Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| XVII. Intemperance | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold | 3 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Poison | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 2 | — | — | — | 1 | 1 | — | — | — | — | — | — | — |
| Hanging, etc. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Suffocation | 3 | — | 2 | — | — | — | — | — | — | — | — | — | — |
| Drowning | 41 | — | — | — | — | 1 | — | — | 1 | 3 | 2 | 9 | 3 |
| Fracture and Contusion | 7 | — | — | — | — | — | — | — | 1 | — | — | — | 2 |
| Gunshot Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cuts and Stabs | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Other Violent Causes | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Not Specified | 230 | 79 | 11 | 22 | 8 | 9 | 5 | 5 | 4 | 3 | 10 | 5 | 12 |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—MALES. (Continued.)

| DISEASES. | MALES. | | | | | | | | | | | | | | | |
|------------------------------|-----------|----|----|----|----|----|----|----|----|----|----|----|----|-----|-----|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Apoplexy . . . | — | 1 | 2 | 1 | 1 | 1 | — | 1 | 5 | 3 | — | 1 | — | — | — | — |
| Paralysis . . . | 2 | — | — | 1 | 1 | 2 | 8 | 3 | 7 | 4 | 2 | — | — | — | — | — |
| Delirium Tremens | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Chorea . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Epilepsy . . . | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — |
| Tetanus . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Insanity . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Convulsions . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Brain Disease . . . | 1 | — | — | 1 | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| Pericarditis . . . | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| Aneurism . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Heart Disease . . . | 2 | — | — | 1 | 4 | 4 | 4 | 7 | 6 | 4 | 1 | 1 | — | — | — | — |
| Laryngitis . . . | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Bronchitis . . . | — | 1 | — | — | — | 2 | 1 | 4 | 4 | 3 | 3 | 3 | — | — | — | — |
| Pleurisy . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Pneumonia . . . | — | — | — | 1 | — | — | 6 | 1 | 1 | 1 | — | — | — | — | — | — |
| Asthma . . . | — | — | — | — | — | 1 | 1 | 3 | 6 | 2 | — | 1 | — | — | — | — |
| Lung Disease . . . | — | — | 1 | 1 | — | — | 3 | — | — | 1 | 1 | — | — | — | — | — |
| Teething . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Quinsey . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Gastritis . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Enteritis . . . | 1 | — | — | — | 1 | — | 1 | 1 | — | 2 | — | — | — | — | — | — |
| Peritonitis . . . | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — | — | — |
| Ascites . . . | — | — | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — |
| Ulceration of Intestines | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hernia . . . | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ileus . . . | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| Intussusception . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stricture of Intestines | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stomach Disease . . . | — | 1 | — | 1 | 2 | 1 | 2 | 4 | 5 | — | 1 | — | — | — | — | — |
| Pancreas Disease . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis . . . | — | — | — | 1 | 1 | 1 | — | 2 | — | — | — | — | — | — | — | — |
| Jaundice . . . | — | — | — | — | 1 | 1 | — | — | 1 | — | — | — | — | — | — | — |
| Liver Disease . . . | — | — | — | 1 | — | 1 | 1 | 1 | 1 | — | 1 | — | — | — | — | — |
| Spleen Disease . . . | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Nephritis . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Nephria . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Addison's Disease . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ischuria . . . | — | — | — | — | — | — | — | — | 1 | 1 | 1 | — | — | — | — | — |
| Diabetes . . . | 1 | — | — | — | — | — | 1 | — | 2 | — | — | — | — | — | — | — |
| Stone . . . | — | — | — | — | — | — | 2 | 3 | 2 | 2 | 1 | — | — | — | — | — |
| Cystitis . . . | — | — | — | — | — | 1 | 1 | 1 | 1 | 1 | 1 | — | — | — | — | — |
| Stricture of Urethra . . . | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Kidney Disease . . . | — | — | — | 1 | — | — | — | 1 | 1 | 2 | — | 1 | — | — | — | — |
| Paramenia . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ovarian Dropsy . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Childbirth . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Organs of Generation . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Arthritis . . . | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Rheumatism . . . | — | — | — | — | 1 | 1 | — | 2 | — | 2 | — | — | — | — | — | — |
| Joint Disease . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Carbuncle . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Phlegmon . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Skin Disease . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Intemperance . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Privation . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Neglect . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold . . . | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Poison . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Poisoned Wounds . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hanging, etc. . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Suffocation . . . | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Drowning . . . | 2 | 3 | 7 | 3 | 2 | 2 | — | — | — | 1 | 1 | — | — | — | — | 1 |
| Fracture and Contusion . . . | — | 1 | — | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — |
| Gunshot Wounds . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cuts and Stabs . . . | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — |
| Other Violent Causes . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Not Specified . . . | 6 | 4 | 2 | 10 | 11 | 10 | 10 | 1 | — | — | — | — | — | — | — | 3 |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—FEMALES.

| DISEASES. | ALL AGES. | FEMALES. | | | | | | | | | | | |
|------------------------------------|-----------|-----------|----|----|----|----|----|----|----|----|----|----|----|
| | | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 1350 | 93 | 24 | 36 | 49 | 27 | 24 | 18 | 49 | 27 | 34 | 34 | 43 |
| SPECIFIED CAUSES | 1118 | 44 | 12 | 23 | 33 | 17 | 16 | 15 | 35 | 20 | 28 | 28 | 37 |
| I. Zymotic Class | 164 | 11 | 6 | 11 | 21 | 7 | 12 | 8 | 21 | 8 | 3 | 3 | 6 |
| II. Diseases of Uncertain Seat | 52 | — | — | 1 | — | — | — | 1 | — | — | — | 1 | 2 |
| III. Tubercular Class | 136 | 2 | 2 | 4 | 4 | 6 | 1 | 4 | 5 | 4 | 13 | 16 | 13 |
| IV. Brain and Nervous System | 59 | 5 | — | 1 | — | — | — | — | 3 | 4 | 3 | 1 | — |
| V. Organs of Circulation | 26 | — | — | — | — | — | — | — | — | 1 | — | 1 | 1 |
| VI. Respiratory Organs | 114 | 6 | 2 | 3 | 3 | 3 | 1 | — | 3 | 1 | 2 | 1 | 5 |
| VII. Organs of Digestion | 59 | 2 | — | 3 | 4 | — | — | 1 | 1 | — | 4 | 2 | 3 |
| VIII. Urinary Organs | 11 | — | — | — | — | 1 | — | — | — | — | — | 1 | — |
| IX. Organs of Generation | 28 | — | — | — | — | — | — | — | — | — | 1 | 2 | 7 |
| X. Organs of Locomotion | 9 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| XI. Skin, etc. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| XII. Malformation | 3 | 2 | — | — | — | — | — | 1 | — | — | — | — | — |
| XIII. Premature Debility | 17 | 16 | 1 | — | — | — | — | — | — | — | — | — | — |
| XIV. Atrophy | 11 | — | — | — | — | — | 1 | — | 1 | 1 | — | — | — |
| XV. Age | 414 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVI. Sudden Deaths | 2 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| XVII. Violent Deaths | 13 | — | — | — | 1 | — | 1 | — | 1 | 1 | 1 | — | — |
| I. Small Pox | 2 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| Measles | 9 | — | 1 | 1 | 1 | 1 | 1 | — | 2 | — | 1 | 1 | — |
| Scarlatina | 21 | — | — | 1 | 2 | 1 | 3 | 4 | 8 | 2 | — | — | — |
| Diphtheria | 18 | 2 | — | — | 5 | — | 3 | 1 | 3 | 3 | 1 | — | — |
| Hooping Cough | 15 | 3 | — | 4 | 2 | 2 | 1 | — | 3 | — | — | — | — |
| Croup | 25 | 3 | 4 | 3 | 6 | 2 | 2 | 3 | 2 | — | — | — | — |
| Thrush | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diarrhœa | 10 | 2 | — | 1 | — | — | — | — | — | 1 | — | — | 1 |
| Dysentery | 5 | — | 1 | — | 1 | — | — | — | — | — | — | — | — |
| Cholera | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Influenza | 5 | — | — | — | 1 | — | — | — | — | — | — | — | — |
| Purpura | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Typhus | 27 | — | — | — | 2 | — | 1 | — | — | 1 | 1 | 2 | 2 |
| Enteric Fever | 9 | — | — | — | — | — | 1 | — | 1 | — | — | — | — |
| Relapsing Fever | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Simple Continued Fever | 4 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| Infantile Remittent | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| Metria | 4 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Rheumatic Fever | 2 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Erysipelas | 4 | 1 | — | 1 | — | — | — | — | — | — | — | — | — |
| Pyæmia | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| Syphilis | 1 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Noma | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hamorrhage | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Dropsy | 32 | — | — | 1 | — | — | — | 1 | — | — | — | 1 | 2 |
| Abscess | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ulcer | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Fistula | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cancer | 18 | — | — | — | — | — | — | — | — | — | — | — | — |
| Gout | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| III. Scrofula | 6 | — | 1 | — | — | 1 | — | 1 | — | — | 1 | 1 | — |
| Tabes Mesenterica | 8 | 2 | — | 1 | 1 | 2 | — | — | 1 | — | — | — | — |
| Phthisis | 110 | — | — | 1 | 2 | 1 | 1 | — | 1 | 4 | 12 | 15 | 13 |
| Hydrocephalus | 12 | — | 1 | 2 | 1 | 2 | — | 3 | 3 | — | — | — | — |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—FEMALES.

| DISEASES. | FEMALES. | | | | | | | | | | | | | | | |
|-------------------------|-----------|----|----|----|----|----|----|----|-----|-----|-----|----|----|-----|-----|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES . . . | 43 | 40 | 32 | 30 | 49 | 44 | 71 | 90 | 112 | 108 | 122 | 80 | 52 | 12 | 2 | 5 |
| SPECIFIED CAUSES . . | 36 | 29 | 25 | 22 | 32 | 37 | 58 | 84 | 111 | 108 | 122 | 80 | 52 | 12 | 2 | — |
| Zymotic Class . . . | 5 | 2 | 3 | 2 | 6 | 7 | 7 | 6 | 2 | 3 | 4 | — | — | — | — | — |
| Uncertain Seat . . . | 1 | 3 | — | — | 7 | 6 | 12 | 5 | 3 | 6 | 3 | — | — | — | 1 | — |
| Tubercular Class . . | 20 | 10 | 7 | 8 | 4 | 3 | 7 | 1 | 1 | — | 1 | — | — | — | — | — |
| Brain, etc. | — | 3 | 1 | 2 | — | 5 | 5 | 5 | 11 | 4 | 3 | 3 | — | — | — | — |
| Heart, etc. | 1 | — | 3 | 1 | 1 | 2 | 3 | 6 | 4 | — | 1 | 1 | — | — | — | — |
| Respiratory Organs . | 1 | 2 | 2 | 2 | 5 | 6 | 8 | 17 | 15 | 13 | 10 | 2 | 1 | — | — | — |
| Digestive Organs . . | 1 | 3 | 4 | 3 | 3 | 2 | 7 | 6 | 4 | 3 | 1 | 1 | 1 | — | — | — |
| Urinary Organs . . . | 2 | — | — | 1 | 3 | — | 1 | 2 | — | — | — | — | — | — | — | — |
| Generative Organs . . | 3 | 6 | 4 | 2 | — | 1 | — | 1 | — | 1 | — | — | — | — | — | — |
| Locomotive Organs . . | — | — | — | — | — | — | 2 | 1 | 4 | 1 | — | — | — | — | — | — |
| Skin | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Malformation | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Premature Debility . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Atrophy | 1 | — | — | 1 | 2 | 4 | — | — | — | — | — | — | — | — | — | — |
| Age | — | — | — | — | — | — | 5 | 34 | 66 | 76 | 93 | 72 | 50 | 12 | 1 | — |
| Sudden Deaths . . . | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Violent Deaths . . . | 1 | — | — | — | 1 | 1 | 1 | — | 1 | 1 | 1 | 1 | — | — | — | — |
| Small Pox | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Measles | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Scarlatina | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diphtheria | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hooping Cough . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Croup | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Thrush | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diarrhœa | — | — | — | — | — | — | 1 | 1 | — | 1 | 2 | — | — | — | — | — |
| Dysentery | 1 | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — | — |
| Cholera | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Influenza | — | — | — | — | — | — | 3 | — | — | — | 1 | — | — | — | — | — |
| Purpura | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Typhus | 1 | — | 2 | 2 | 4 | 3 | 1 | 4 | — | 1 | — | — | — | — | — | — |
| Enteric Fever | — | 1 | 1 | — | 2 | 1 | 1 | — | 1 | — | — | — | — | — | — | — |
| Relapsing Fever . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Simple Cont. Fever . . | — | — | — | — | — | 1 | 1 | — | — | 1 | — | — | — | — | — | — |
| Infantile Remittent . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Metria | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Rheumatic Fever . . . | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — |
| Erysipelas | — | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — |
| Pyæmia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Syphilis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Noma | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hæmorrhage | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Dropsy | — | 2 | — | — | 5 | 5 | 7 | 2 | 1 | 4 | 1 | — | — | — | — | — |
| Abscess | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ulcer | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Fistula | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cancer | — | 1 | — | — | 2 | 1 | 5 | 3 | 2 | 2 | 1 | — | — | — | 1 | — |
| Gout | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — |
| Scrofula | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — |
| Tabes Mesenterica . . | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — |
| Phthisis | 20 | 10 | 7 | 8 | 4 | 3 | 6 | — | 1 | — | 1 | — | — | — | — | — |
| Hydrocephalus | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—FEMALES. (Continued.)

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|------------------------------------|-----------|-----------|----|----|----|----|---|---|----|----|----|----|----|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| 3 | 6 | 12 | | | | | | | | | | | |
| IV. Cephalitis | 4 | 1 | — | — | — | — | — | — | 2 | — | 1 | — | — |
| Apoplexy | 10 | — | — | — | — | — | — | — | — | 3 | — | — | — |
| Paralysis | 27 | — | — | — | — | — | — | — | — | — | — | — | — |
| Delirium Tremens | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Chorea | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — |
| Epilepsy | 4 | — | — | — | — | — | — | — | — | 1 | 1 | — | — |
| Tetanus | 4 | 3 | — | — | — | — | — | — | — | — | — | 1 | — |
| Insanity | 2 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Convulsions | 2 | 1 | — | — | — | — | — | — | 1 | — | — | — | — |
| Brain Disease | 5 | — | — | — | — | — | — | — | — | — | — | — | — |
| V. Pericarditis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Aneurism | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Heart Disease | 26 | — | — | — | — | — | — | — | — | 1 | — | 1 | 1 |
| VI. Laryngitis | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Bronchitis | 53 | 3 | 2 | 1 | 1 | 2 | — | — | 1 | — | 1 | — | — |
| Pleurisy | 5 | 1 | — | — | — | 1 | — | — | — | — | — | — | — |
| Pneumonia | 22 | 1 | — | 2 | 2 | — | 1 | — | 2 | — | 1 | 1 | 4 |
| Asthma | 25 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| Lung Disease | 8 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| VII. Teething | 6 | — | — | 3 | 3 | — | — | — | — | — | — | — | — |
| Quinsey | 2 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Gastritis | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Enteritis | 9 | 1 | — | — | 1 | — | — | — | 1 | — | 1 | — | 1 |
| Peritonitis | 3 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Ascites | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ulceration of Intestines | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Hernia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ileus | 6 | — | — | — | — | — | — | — | — | — | — | 2 | — |
| Intussusception | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Stricture of Intestines | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stomach Disease | 14 | — | — | — | — | — | — | — | — | — | — | — | 2 |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | 7 | 1 | — | — | — | — | — | 1 | — | — | — | — | — |
| Jaundice | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Liver Disease | 8 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Spleen Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| VIII. Nephritis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Nephria | 1 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Addison's Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ischuria | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Diabetes | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Stone | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Cystitis | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| Stricture of Urethra | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Kidney Disease | 5 | — | — | — | — | — | — | — | — | — | — | — | — |
| IX. Paramenia | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Ovarian Dropsy | 3 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Childbirth | 22 | — | — | — | — | — | — | — | — | — | — | 2 | 6 |
| Organs of Generation | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| X. Arthritis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Rheumatism | 8 | — | — | — | — | — | — | — | — | — | — | — | — |
| Joint and Bone Disease | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| XI. Carbuncle | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Phlegmon | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Skin Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| XVII. Intemperance | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Poison | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 2 | — | — | — | 1 | — | 1 | — | — | — | — | — | — |
| Hanging, etc. | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Suffocation | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Drowning | 3 | — | — | — | — | — | — | — | 1 | 1 | — | — | — |
| Fracture and Contusion | 5 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Gunshot Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cuts and Stabs | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Other Violent Causes | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Not Specified | 232 | 49 | 12 | 13 | 16 | 10 | 8 | 3 | 14 | 7 | 6 | 6 | 6 |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. | | | | | | | | | | | | | | | |
|--------------------------|-----------|----|----|----|----|----|----|----|----|----|----|----|----|-----|-----|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Apoplexy | - | - | - | - | - | - | 3 | - | 3 | 1 | - | - | - | - | - | - |
| Paralysis | - | 1 | - | 1 | - | 4 | 2 | 3 | 8 | 3 | 2 | 3 | - | - | - | - |
| Delirium Tremens . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Chorea | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Epilepsy | - | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Tetanus | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Insanity | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Convulsions | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Brain Disease | - | 1 | - | 1 | - | 1 | - | 2 | - | - | - | - | - | - | - | - |
| Pericarditis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Aneurism | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Heart Disease | 1 | - | 3 | 1 | 1 | 2 | 3 | 6 | 4 | - | 1 | 1 | - | - | - | - |
| Laryngitis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Bronchitis | 1 | - | 1 | - | 2 | - | 2 | 8 | 9 | 8 | 9 | 1 | 1 | - | - | - |
| Pleurisy | - | - | 1 | - | - | 2 | - | - | - | - | - | - | - | - | - | - |
| Pneumonia | - | 1 | - | - | - | 1 | 2 | 2 | 2 | - | - | - | - | - | - | - |
| Asthma | - | 1 | - | 1 | 3 | 1 | 3 | 5 | 4 | 4 | 1 | 1 | - | - | - | - |
| Lung Disease | - | - | - | 1 | - | 2 | 1 | 2 | - | 1 | - | - | - | - | - | - |
| Teething | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Quinsey | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Gastritis | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Enteritis | 1 | - | - | - | - | - | 1 | 1 | 1 | - | - | - | - | - | - | - |
| Peritonitis | - | - | - | - | - | - | - | 1 | - | - | - | 1 | - | - | - | - |
| Ascites | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Ulceration of Intestines | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Hernia | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Ileus | - | - | 1 | - | 1 | - | - | - | - | 2 | - | - | - | - | - | - |
| Intussusception . . . | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Stricture of Intestines | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Stomach Disease . . . | - | 1 | - | 1 | 1 | - | 6 | - | 3 | - | - | - | - | - | - | - |
| Pancreas Disease . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Hepatitis | - | - | - | 1 | - | - | - | 3 | - | - | 1 | - | - | - | - | - |
| Jaundice | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Liver Disease | - | 1 | 2 | 1 | 1 | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Spleen Disease | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Nephritis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Nephria | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Addison's Disease . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Ischuria | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| Diabetes | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Stone | - | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Cystitis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Stricture of Urethra . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Kidney Disease | 2 | - | - | - | - | - | 1 | 2 | - | - | - | - | - | - | - | - |
| Paramenia | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Ovarian Dropsy | - | - | - | - | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Childbirth | 3 | 6 | 4 | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| Organs of Generation . | - | - | - | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Arthritis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Rheumatism | - | - | - | - | - | - | 2 | 1 | 4 | 1 | - | - | - | - | - | - |
| Joint Disease | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Carbuncle | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Phlegmon | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Skin Disease | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Intemperance | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Privation | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Want of Breast Milk . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Neglect | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Cold | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Poison | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Poisoned Wounds . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Burns and Scalds . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Hanging, etc. . . . | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Suffocation | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Drowning | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Fracture and Contusion | - | - | - | - | 1 | - | - | - | 1 | 1 | - | 1 | - | - | - | - |
| Gunshot Wounds . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Cuts and Stabs | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Other Violent Causes . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Not Specified | 7 | 11 | 7 | 8 | 17 | 7 | 13 | 6 | 1 | - | - | - | - | - | - | 5 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—BOTH SEXES.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|------------------------------------|-------------|-----------|-----|------|------|------|-----|-----|------|-----|------|------|------|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 33190 | 3144 | 987 | 1867 | 2201 | 1147 | 798 | 534 | 1558 | 910 | 1121 | 1211 | 1091 |
| SPECIFIED CAUSES | 31080 | 2540 | 813 | 1685 | 2036 | 1065 | 740 | 497 | 1479 | 849 | 1066 | 1164 | 1051 |
| I. Zymotic Class | 6012 | 271 | 208 | 543 | 856 | 535 | 446 | 312 | 783 | 292 | 221 | 154 | 144 |
| II. Diseases of Uncertain Seat | 1203 | 18 | 5 | 10 | 9 | 8 | 8 | 4 | 12 | 6 | 22 | 17 | 15 |
| III. Tubercular Class | 5147 | 87 | 110 | 256 | 353 | 175 | 106 | 69 | 298 | 300 | 524 | 649 | 543 |
| IV. Brain and Nervous System | 2572 | 130 | 66 | 81 | 92 | 46 | 29 | 24 | 107 | 60 | 53 | 47 | 62 |
| V. Organs of Circulation | 1728 | 7 | 4 | 1 | 4 | 4 | 2 | 3 | 27 | 25 | 27 | 29 | 36 |
| VI. Respiratory Organs | 3998 | 268 | 205 | 398 | 383 | 174 | 78 | 34 | 98 | 39 | 45 | 58 | 65 |
| VII. Organs of Digestion | 2466 | 252 | 99 | 289 | 237 | 48 | 22 | 18 | 50 | 35 | 56 | 50 | 54 |
| VIII. Urinary Organs | 494 | 1 | 1 | 2 | 4 | 8 | 8 | 6 | 9 | 8 | 14 | 18 | 21 |
| IX. Organs of Generation | 242 | — | — | — | — | — | — | — | — | — | 17 | 23 | 30 |
| X. Organs of Locomotion | 177 | — | — | 3 | 1 | — | 2 | 1 | 12 | 16 | 17 | 17 | 10 |
| XI. Skin, etc. | 35 | 2 | 2 | 5 | 3 | — | — | 1 | — | — | — | 2 | 2 |
| XII. Malformation | 130 | 120 | 7 | 2 | — | — | 1 | — | — | — | — | — | — |
| XIII. Premature Debility | 1495 | 1335 | 82 | 78 | — | — | — | — | — | — | — | — | — |
| XIV. Atrophy | 213 | — | — | — | 59 | 31 | 7 | 1 | 9 | 11 | 6 | 5 | 5 |
| XV. Age | 4046 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVI. Sudden Deaths | 62 | 6 | 4 | 2 | 1 | 1 | 1 | 1 | — | — | — | 2 | 3 |
| XVII. Violent Deaths | 1068 | 43 | 20 | 15 | 34 | 35 | 30 | 23 | 74 | 57 | 64 | 93 | 61 |
| I. Small Pox | 26 | 4 | 3 | 1 | 3 | 2 | 1 | 2 | 2 | 1 | 2 | — | — |
| Measles | 435 | 6 | 8 | 76 | 163 | 69 | 46 | 14 | 45 | 3 | 2 | 1 | 1 |
| Scarlatina | 1074 | 8 | 9 | 69 | 133 | 161 | 140 | 125 | 321 | 72 | 12 | 6 | 9 |
| Diphtheria | 371 | 8 | 5 | 23 | 53 | 43 | 51 | 32 | 96 | 25 | 8 | 7 | 3 |
| Hooping Cough | 641 | 62 | 47 | 150 | 191 | 64 | 52 | 36 | 35 | 3 | — | 1 | — |
| Croup | 445 | 16 | 14 | 60 | 124 | 82 | 73 | 38 | 37 | 1 | — | — | — |
| Thrush | 17 | 11 | 1 | 2 | 2 | 1 | — | — | — | — | — | — | — |
| Diarrhoea | 684 | 79 | 80 | 96 | 106 | 21 | 7 | 2 | 8 | 3 | 3 | 6 | 7 |
| Dysentery | 151 | 7 | 4 | 6 | 6 | 4 | 2 | 2 | — | — | — | 3 | 3 |
| Cholera | 79 | 1 | 4 | 9 | 6 | 5 | 1 | — | 6 | 1 | 1 | 1 | 3 |
| Influenza | 130 | 5 | 4 | 2 | 1 | 2 | 3 | 2 | 1 | 1 | 2 | 1 | 2 |
| Purpura | 22 | 1 | — | — | — | — | 1 | 1 | 5 | 1 | 1 | 1 | — |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | 17 | — | 1 | 1 | 1 | 4 | — | 1 | 8 | 1 | — | — | — |
| Typhus | 648 | 3 | 5 | 12 | 30 | 25 | 20 | 20 | 65 | 56 | 64 | 46 | 39 |
| Enteric Fever | 798 | 4 | 2 | 22 | 22 | 37 | 36 | 26 | 120 | 99 | 99 | 57 | 41 |
| Relapsing Fever | 25 | — | — | 2 | 2 | — | — | — | 2 | 6 | 1 | 2 | — |
| Simple Continued Fever | 62 | — | — | — | 2 | 3 | 4 | 3 | 5 | 6 | 6 | 2 | 2 |
| Infantile Remittent | 53 | 6 | 3 | 6 | 5 | 8 | 4 | 7 | 14 | — | — | — | — |
| Metria | 86 | — | — | — | — | — | — | — | — | — | 4 | 11 | 24 |
| Rheumatic Fever | 68 | 1 | — | — | 1 | 1 | 2 | — | 2 | 11 | 12 | 6 | 3 |
| Erysipelas | 113 | 33 | 4 | 3 | 3 | 1 | 2 | 1 | 6 | 1 | 1 | 1 | 4 |
| Pyæmia | 13 | 1 | — | — | — | — | — | — | 3 | 1 | 2 | — | 1 |
| Syphilis | 50 | 15 | 13 | 3 | 2 | — | — | — | 2 | — | 1 | 2 | 2 |
| Noma | 4 | — | 1 | — | — | 2 | 1 | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 25 | 4 | 2 | — | — | — | — | 1 | 1 | — | 2 | 1 | 1 |
| Dropsy | 333 | 1 | — | — | 1 | 4 | 5 | 1 | 6 | 1 | 7 | 6 | 5 |
| Abscess | 63 | 7 | 2 | 5 | 7 | — | 1 | — | 2 | 4 | 7 | 2 | 3 |
| Ulcer | 25 | 1 | — | 1 | — | — | 1 | — | — | — | — | 2 | — |
| Fistula | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | 63 | 4 | 1 | 2 | 1 | — | — | 1 | 1 | — | 3 | 2 | — |
| Cancer | 680 | 1 | — | 2 | — | 4 | 1 | 1 | 2 | 1 | 3 | 4 | 5 |
| Gout | 11 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| III. Scrofula | 292 | 7 | 14 | 16 | 22 | 8 | 5 | 5 | 29 | 32 | 26 | 29 | 20 |
| Tabes Mesenterica | 395 | 34 | 24 | 50 | 103 | 50 | 25 | 14 | 37 | 25 | 11 | 4 | 4 |
| Phthisis | 3724 | 14 | 16 | 31 | 49 | 52 | 18 | 16 | 116 | 219 | 481 | 611 | 518 |
| Hydrocephalus | 736 | 32 | 56 | 159 | 179 | 65 | 58 | 34 | 116 | 24 | 6 | 5 | 1 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different
Periods of Life, in 1867.—BOTH SEXES. (Continued.)

| DISEASES. | ALL AGES. | BOTH SEXES. | | | | | | | | | | | |
|------------------------------------|--------------|-------------|-----|-----|-----|-----|----|----|----|----|----|----|----|
| | | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 234 | 6 | 12 | 29 | 21 | 12 | 4 | 7 | 41 | 19 | 13 | 12 | 11 |
| Apoplexy | 575 | 11 | 6 | 7 | 6 | 5 | 5 | 2 | 11 | 4 | 8 | 5 | 15 |
| Paralysis | 884 | — | — | — | 5 | 1 | 2 | — | 2 | 4 | 4 | — | 5 |
| Delirium Tremens | 24 | — | — | — | — | — | — | — | — | — | — | 1 | 1 |
| Chorea | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Epilepsy | 123 | — | — | — | — | — | — | — | 5 | 6 | 7 | 14 | 14 |
| Tetanus | 20 | 7 | 2 | — | 1 | — | — | 1 | 1 | 2 | — | — | — |
| Insanity | 15 | — | — | — | — | — | — | — | — | — | — | — | — |
| Convulsions | 279 | 98 | 39 | 39 | 42 | 19 | 10 | 9 | 22 | — | — | — | 1 |
| Brain Disease | 414 | 8 | 7 | 6 | 17 | 9 | 8 | 5 | 25 | 25 | 21 | 15 | 15 |
| V. Pericarditis | 35 | 1 | — | — | — | 2 | — | — | 3 | 2 | 3 | 2 | 3 |
| Aneurism | 37 | — | — | — | — | — | — | — | — | — | 1 | — | 1 |
| Heart Disease | 1656 | 6 | 4 | 1 | 4 | 2 | 2 | 3 | 24 | 23 | 23 | 27 | 32 |
| VI. Laryngitis | 53 | 2 | — | 7 | 6 | 5 | 3 | 2 | 7 | 2 | 1 | 3 | 3 |
| Bronchitis | 2524 | 196 | 149 | 302 | 298 | 125 | 55 | 21 | 53 | 10 | 18 | 18 | 20 |
| Pleurisy | 109 | — | 2 | 2 | 4 | — | — | — | 4 | 5 | 9 | 6 | 8 |
| Pneumonia | 938 | 66 | 51 | 85 | 73 | 43 | 19 | 10 | 32 | 19 | 13 | 27 | 30 |
| Asthma | 266 | — | — | — | — | — | — | — | — | — | 2 | 2 | 4 |
| Lung Disease | 108 | 4 | 3 | 2 | 2 | 1 | 1 | 1 | 2 | 3 | 2 | 2 | — |
| VII. Teething | 369 | 4 | 21 | 171 | 155 | 18 | — | — | — | — | — | — | — |
| Quinsey | 31 | 4 | — | 4 | 3 | 2 | 1 | 1 | 5 | 2 | — | — | 2 |
| Gastritis | 97 | 6 | 1 | 5 | 6 | — | 1 | 3 | 2 | 1 | 4 | 2 | 4 |
| Enteritis | 475 | 144 | 45 | 61 | 39 | 10 | 8 | 7 | 14 | 4 | 17 | 7 | 11 |
| Peritonitis | 139 | 6 | 2 | 7 | 5 | 3 | 3 | 2 | 9 | 10 | 5 | 10 | 10 |
| Ascites | 42 | — | — | 1 | 1 | 1 | 1 | — | 2 | 3 | — | — | — |
| Ulceration of Intestines | 111 | 5 | 2 | 2 | 2 | 1 | — | — | 5 | 2 | 4 | 5 | 3 |
| Hernia | 52 | 1 | 1 | 1 | 2 | — | — | — | — | 1 | 2 | — | 1 |
| Ileus | 172 | 9 | 2 | 2 | 2 | 2 | 1 | 1 | 4 | 1 | 10 | 3 | 5 |
| Intussusception | 21 | — | 4 | 3 | 2 | — | 1 | — | — | 1 | 1 | 2 | — |
| Stricture of Intestines | 19 | 1 | — | — | — | — | — | — | — | — | — | 2 | — |
| Stomach Disease | 398 | 27 | 18 | 25 | 15 | 6 | 5 | 2 | 6 | 5 | 8 | 6 | 9 |
| Pancreas Disease | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | 79 | 1 | — | 2 | — | — | — | — | 2 | 1 | 2 | 6 | 2 |
| Jaundice | 95 | 34 | — | 1 | 2 | 3 | — | 1 | 1 | — | 3 | 1 | — |
| Liver Disease | 352 | 10 | 3 | 3 | 3 | 2 | 1 | 1 | — | 3 | — | 5 | 7 |
| Spleen Disease | 13 | — | — | 1 | — | — | — | — | — | 1 | — | 1 | — |
| VIII. Nephritis | 46 | — | — | 2 | 1 | 4 | 5 | 1 | 4 | 1 | 2 | — | 3 |
| Nephria | 100 | — | — | — | — | 2 | 2 | 2 | 2 | 2 | 5 | 7 | 3 |
| Addison's Disease | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ischuria | 34 | — | — | — | 2 | — | — | — | — | — | 1 | 1 | — |
| Diabetes | 46 | — | — | — | — | — | — | — | — | 3 | 5 | 1 | 3 |
| Stone | 35 | — | — | — | — | — | — | — | — | — | — | — | 2 |
| Cystitis | 107 | — | — | — | — | — | 1 | — | 1 | 1 | — | 3 | 3 |
| Stricture of Urethra | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Kidney Disease | 120 | 1 | 1 | — | 1 | 2 | — | 3 | 2 | 1 | 1 | 6 | 7 |
| IX. Paramenia | 16 | — | — | — | — | — | — | — | — | — | 7 | — | 1 |
| Ovarian Dropsy | 41 | — | — | — | — | — | — | — | — | — | 1 | 3 | — |
| Childbirth | 152 | — | — | — | — | — | — | — | — | — | 8 | 18 | 25 |
| Organs of Generation | 33 | — | — | — | — | — | — | — | — | — | 1 | 2 | 4 |
| X. Arthritis | 37 | — | — | 1 | — | — | 1 | — | 3 | 2 | 6 | 3 | 3 |
| Rheumatism | 87 | — | — | — | — | — | — | 1 | 4 | 3 | 2 | 2 | — |
| Joint and Bone Disease | 53 | — | — | 2 | 1 | — | 1 | — | 5 | 11 | 9 | 12 | 7 |
| XI. Carbuncle | 9 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Phlegmon | 6 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Skin Disease | 20 | 2 | 2 | 5 | 3 | — | — | 1 | — | — | — | 2 | — |
| XVII. Intemperance | 26 | — | — | — | — | — | — | — | — | — | — | — | — |
| Privation | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | 21 | 12 | 6 | 3 | — | — | — | — | — | — | — | — | — |
| Neglect | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Cold | 22 | — | — | — | — | — | — | — | — | 1 | 1 | 2 | 2 |
| Poison | 17 | 2 | 1 | 1 | 1 | 2 | 2 | — | 2 | 1 | — | 2 | — |
| Poisoned Wounds | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 123 | — | 2 | 6 | 15 | 13 | 15 | 11 | 18 | 6 | 2 | 1 | 4 |
| Hanging, etc. | 35 | — | — | — | — | — | — | — | — | — | 1 | 2 | — |
| Suffocation | 50 | 18 | 10 | 1 | 1 | 1 | — | — | 1 | — | 5 | 1 | 2 |
| Drowning | 265 | 3 | — | 1 | 11 | 12 | 6 | 4 | 21 | 15 | 20 | 37 | 18 |
| Fracture and Contusion | 444 | 1 | — | 2 | 6 | 6 | 5 | 7 | 31 | 31 | 29 | 42 | 27 |
| Gunshot Wounds | 17 | — | — | — | — | — | — | — | — | 1 | 4 | 2 | 3 |
| Cuts and Stabs | 15 | — | — | — | — | — | — | 1 | — | 2 | 1 | 2 | — |
| Other Violent Causes | 30 | 7 | — | 1 | — | 1 | 2 | — | 1 | — | 1 | 2 | 5 |
| Not Specified | 2102 | 604 | 174 | 182 | 165 | 82 | 58 | 37 | 79 | 61 | 55 | 47 | 40 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—BOTH SEXES. (Continued.)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | | | | |
|--------------------------------|-------------|----|----|----|-----|-----|-----|-----|-----|-----|-----|----|----|-----|-----|----|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis . . . | 5 | 9 | 4 | 6 | 8 | 7 | 3 | 1 | 1 | 1 | 2 | — | — | — | — | — |
| Apoplexy . . . | 10 | 8 | 24 | 28 | 35 | 47 | 53 | 63 | 80 | 85 | 37 | 14 | 5 | — | — | 1 |
| Paralysis . . . | 11 | 17 | 15 | 19 | 35 | 49 | 80 | 143 | 167 | 163 | 109 | 40 | 8 | 3 | — | 2 |
| Delirium Tremens . . . | 2 | 5 | 4 | 4 | 4 | 3 | — | — | — | — | — | — | — | — | — | — |
| Chorea . . . | 1 | — | — | — | — | 1 | — | 1 | 1 | — | — | — | — | — | — | — |
| Epilepsy . . . | 8 | 4 | 6 | 8 | 7 | 8 | 9 | 9 | 10 | 5 | 3 | — | — | — | — | — |
| Tetanus . . . | 1 | — | 1 | — | — | 1 | 1 | 1 | — | 1 | — | — | — | — | — | — |
| Insanity . . . | 1 | 1 | 3 | 1 | 3 | 1 | 1 | 2 | — | 2 | — | — | — | — | — | — |
| Convulsions . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Brain Disease . . . | 12 | 13 | 17 | 20 | 31 | 21 | 25 | 33 | 26 | 36 | 14 | 5 | — | — | — | — |
| Pericarditis . . . | 2 | 1 | — | 2 | 2 | 2 | 4 | 3 | 2 | 1 | — | — | — | — | — | — |
| Aneurism . . . | 4 | 5 | 2 | 3 | 7 | 3 | 3 | 4 | 2 | 2 | — | — | — | — | — | — |
| Heart Disease . . . | 54 | 51 | 80 | 99 | 121 | 136 | 194 | 244 | 237 | 170 | 78 | 34 | 5 | 2 | — | — |
| Laryngitis . . . | 1 | 1 | — | — | 3 | 3 | 1 | — | — | 2 | 1 | — | — | — | — | — |
| Bronchitis . . . | 19 | 30 | 54 | 61 | 82 | 84 | 132 | 196 | 180 | 207 | 132 | 57 | 16 | 8 | — | 1 |
| Pleurisy . . . | 7 | 3 | 1 | 5 | 5 | 7 | 6 | 14 | 9 | 7 | 2 | 2 | — | — | — | 1 |
| Pneumonia . . . | 20 | 34 | 33 | 47 | 32 | 42 | 59 | 69 | 56 | 49 | 23 | 6 | — | — | — | — |
| Asthma . . . | 2 | 5 | 19 | 14 | 35 | 19 | 44 | 43 | 30 | 32 | 12 | 2 | 1 | — | — | — |
| Lung Disease . . . | 2 | 1 | 5 | 9 | 14 | 13 | 9 | 12 | 13 | 6 | 1 | — | — | — | — | — |
| Teething . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Quinsey . . . | 1 | 1 | 1 | 1 | 1 | 1 | — | 1 | — | — | — | — | — | — | — | — |
| Gastritis . . . | 4 | 3 | 5 | 6 | 5 | 7 | 6 | 8 | 10 | 2 | 5 | — | 1 | — | — | — |
| Enteritis . . . | 6 | 8 | 9 | 4 | 14 | 16 | 7 | 14 | 7 | 11 | 10 | 2 | — | — | — | — |
| Peritonitis . . . | 5 | 7 | 7 | 9 | 1 | 4 | 12 | 5 | 6 | 6 | 4 | — | 1 | — | — | — |
| Ascites . . . | 1 | 2 | 3 | 4 | 3 | 2 | 4 | 4 | 5 | 2 | 2 | 1 | — | — | — | — |
| Ulceration of Intestines . . . | 2 | 2 | 8 | 9 | 8 | 13 | 7 | 11 | 7 | 7 | 5 | 1 | — | — | — | — |
| Hernia . . . | 2 | 1 | 4 | 2 | 1 | 5 | 7 | 7 | 4 | 4 | 4 | 1 | 1 | — | — | — |
| Ileus . . . | 5 | 5 | 6 | 4 | 10 | 13 | 15 | 23 | 25 | 16 | 4 | 4 | — | — | — | — |
| Intussusception . . . | — | — | 3 | — | — | — | 2 | 2 | — | — | — | — | — | — | — | — |
| Stricture of Intestines . . . | — | — | 1 | — | 2 | 1 | 4 | 2 | 3 | 2 | — | 1 | — | — | — | — |
| Stomach Disease . . . | 11 | 10 | 13 | 12 | 24 | 31 | 54 | 42 | 27 | 22 | 14 | 3 | 3 | — | — | — |
| Pancreas Disease . . . | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis . . . | 2 | 5 | 4 | 5 | 7 | 11 | 8 | 5 | 5 | 7 | 4 | — | — | — | — | — |
| Jaundice . . . | 1 | — | 1 | 4 | 4 | 2 | 6 | 7 | 9 | 10 | 3 | 2 | — | — | — | — |
| Liver Disease . . . | 11 | 14 | 26 | 24 | 31 | 42 | 36 | 53 | 40 | 26 | 6 | 3 | 1 | — | — | 1 |
| Spleen Disease . . . | 1 | — | 2 | 1 | 1 | 3 | 1 | — | 1 | — | — | — | — | — | — | — |
| Nephritis . . . | 1 | — | — | 1 | 1 | 3 | 3 | 6 | 3 | 4 | — | — | — | 1 | — | — |
| Nephria . . . | 11 | 6 | 4 | 6 | 8 | 6 | 11 | 6 | 10 | 6 | 1 | — | — | — | — | — |
| Addison's Disease . . . | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ischuria . . . | 1 | 1 | 1 | 2 | 1 | 1 | 4 | 3 | 6 | 7 | 1 | 1 | — | 1 | — | — |
| Diabetes . . . | 3 | 3 | 4 | 6 | 3 | 3 | 5 | 4 | 3 | — | — | — | — | — | — | — |
| Stone . . . | — | — | — | 1 | 3 | 2 | 4 | 5 | 6 | 5 | 5 | 1 | 1 | — | — | — |
| Cystitis . . . | 2 | 1 | 5 | 5 | 1 | 3 | 12 | 20 | 23 | 11 | 11 | 3 | 1 | — | — | — |
| Stricture of Urethra . . . | 1 | 1 | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Kidney Disease . . . | 1 | 6 | 7 | 3 | 8 | 10 | 11 | 15 | 14 | 11 | 7 | 2 | — | — | — | — |
| Paramenia . . . | 2 | 3 | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ovarian Dropsy . . . | 1 | 8 | 3 | 8 | 4 | 1 | 2 | 5 | 2 | 3 | — | — | — | — | — | — |
| Childbirth . . . | 38 | 31 | 27 | 5 | — | — | — | — | — | — | — | — | — | — | — | — |
| Organs of Generation . . . | 1 | 3 | 4 | 3 | 2 | 4 | — | 5 | 4 | — | — | — | — | — | — | — |
| Arthritis . . . | 4 | 2 | 3 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | — | — | — | — | — | — |
| Rheumatism . . . | 3 | 1 | 3 | 3 | 5 | 7 | 15 | 13 | 9 | 12 | 1 | 2 | 1 | — | — | — |
| Joint Disease . . . | 2 | — | — | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — |
| Carbuncle . . . | — | — | 1 | 1 | — | — | 1 | 2 | 1 | 1 | 1 | — | — | — | — | — |
| Phlegmon . . . | — | 1 | 1 | — | — | 1 | 1 | — | — | 1 | — | — | — | — | — | — |
| Skin Disease . . . | — | — | — | — | — | 1 | 2 | — | 1 | — | 1 | — | — | — | — | — |
| Intemperance . . . | 1 | 3 | 3 | 3 | 4 | 3 | 5 | 3 | 1 | — | — | — | — | — | — | — |
| Privation . . . | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Want of Breast Milk . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Neglect . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold . . . | — | 2 | 2 | 2 | 3 | 4 | 1 | — | 1 | — | — | — | 1 | — | — | — |
| Poison . . . | — | — | — | — | — | 2 | — | — | — | — | 1 | — | — | — | — | — |
| Poisoned Wounds . . . | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds . . . | — | — | 1 | 3 | 1 | 2 | 4 | 2 | 6 | 6 | 2 | 3 | — | — | — | — |
| Hanging, etc. . . . | 2 | 6 | 2 | 2 | 8 | 1 | 5 | 1 | 3 | 1 | — | 1 | — | — | — | — |
| Suffocation . . . | 2 | 2 | 2 | 1 | — | — | 1 | 1 | 1 | — | — | — | — | — | — | — |
| Drowning . . . | 12 | 18 | 6 | 16 | 14 | 9 | 16 | 9 | 4 | 4 | 2 | — | — | — | — | 7 |
| Fracture and Contusion . . . | 31 | 25 | 42 | 21 | 30 | 21 | 20 | 21 | 13 | 13 | 12 | 8 | — | — | — | — |
| Gunshot Wounds . . . | 1 | 1 | 1 | 2 | 1 | — | — | 1 | — | — | — | — | — | — | — | — |
| Cuts and Stabs . . . | — | — | 1 | — | 2 | — | — | 3 | 1 | 1 | — | 1 | — | — | — | — |
| Other Violent Causes . . . | 1 | — | 4 | 2 | 1 | — | 1 | 1 | — | — | — | — | — | — | — | — |
| Not Specified . . . | 50 | 45 | 65 | 54 | 72 | 88 | 117 | 9 | — | — | — | — | 1 | — | — | 17 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—MALES.

| DISEASES. | ALL AGES. | MALES. | | | | | | | | | | | |
|------------------------------------|-----------|-----------|-----|------|------|-----|-----|-----|-----|-----|-----|-----|-----|
| | | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 16589 | 1838 | 543 | 1023 | 1170 | 599 | 389 | 267 | 803 | 462 | 585 | 647 | 530 |
| SPECIFIED CAUSES | 15484 | 1508 | 438 | 922 | 1090 | 559 | 359 | 246 | 764 | 437 | 552 | 622 | 504 |
| I. Zymotic Class | 2978 | 159 | 111 | 287 | 476 | 268 | 199 | 155 | 389 | 134 | 106 | 76 | 54 |
| II. Diseases of Uncertain Seat | 435 | 9 | 3 | 6 | 6 | 8 | 4 | — | 6 | 2 | 13 | 6 | 4 |
| III. Tubercular Class | 2547 | 47 | 46 | 144 | 192 | 96 | 65 | 35 | 153 | 150 | 241 | 337 | 257 |
| IV. Brain and Nervous System | 1350 | 88 | 36 | 41 | 46 | 20 | 13 | 12 | 55 | 37 | 33 | 24 | 33 |
| V. Organs of Circulation | 879 | 4 | 2 | — | 2 | 4 | 1 | 1 | 13 | 13 | 17 | 11 | 13 |
| VI. Respiratory Organs | 2112 | 152 | 119 | 230 | 191 | 92 | 41 | 14 | 48 | 16 | 29 | 36 | 33 |
| VII. Organs of Digestion | 1276 | 161 | 61 | 158 | 120 | 24 | 11 | 9 | 21 | 19 | 32 | 24 | 30 |
| VIII. Urinary Organs | 323 | 1 | — | 1 | 2 | 5 | 3 | 3 | 5 | 5 | 7 | 8 | 10 |
| IX. Organs of Generation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| X. Organs of Locomotion | 96 | — | — | 1 | — | — | — | 1 | 7 | 6 | 15 | 12 | 6 |
| XI. Skin, etc. | 23 | 2 | — | 4 | 3 | — | — | — | — | — | — | 1 | 1 |
| XII. Malformation | 80 | 72 | 5 | 2 | — | — | 1 | — | — | — | — | — | — |
| XIII. Premature Debility | 874 | 793 | 43 | 38 | — | — | — | — | — | — | — | — | — |
| XIV. Atrophy | 108 | — | — | — | 33 | 20 | 2 | — | 8 | 9 | 3 | 1 | 2 |
| XV. Age | 1542 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVI. Sudden Deaths | 40 | 5 | 3 | 1 | 1 | 1 | — | — | — | — | — | 1 | 3 |
| XVII. Violent Deaths | 821 | 15 | 9 | 9 | 18 | 21 | 19 | 16 | 59 | 46 | 56 | 85 | 58 |
| I. Small Pox | 12 | 3 | 1 | — | 2 | 1 | — | 2 | — | — | 1 | — | — |
| Measles | 235 | 3 | 5 | 45 | 97 | 31 | 21 | 6 | 22 | 3 | — | 1 | — |
| Scarlatina | 562 | 4 | 8 | 36 | 83 | 85 | 75 | 62 | 163 | 32 | 6 | 3 | 2 |
| Diphtheria | 194 | 5 | 5 | 13 | 35 | 22 | 23 | 15 | 43 | 12 | 6 | 5 | 1 |
| Hooping Cough | 290 | 34 | 19 | 70 | 92 | 29 | 16 | 8 | 21 | 1 | — | — | — |
| Croup | 237 | 10 | 7 | 38 | 74 | 37 | 25 | 27 | 19 | — | — | — | — |
| Thrush | 6 | 5 | 1 | — | — | — | — | — | — | — | — | — | — |
| Diarrhœa | 339 | 48 | 41 | 52 | 55 | 12 | 3 | 1 | 2 | 3 | 2 | 5 | 2 |
| Dysentery | 68 | 2 | 3 | 4 | 4 | 2 | 2 | 1 | — | — | — | 2 | 1 |
| Cholera | 49 | 1 | 3 | 5 | 4 | 3 | 1 | — | 3 | — | — | — | 2 |
| Influenza | 58 | 3 | — | — | 1 | 2 | 2 | — | 1 | — | — | 1 | 1 |
| Purpura | 14 | — | — | — | — | — | 1 | 1 | 3 | 1 | 1 | 1 | — |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | 8 | — | — | 1 | — | 2 | — | 1 | 3 | 1 | — | — | — |
| Typhus | 310 | 3 | 1 | 4 | 16 | 13 | 7 | 11 | 32 | 25 | 28 | 23 | 20 |
| Enteric Fever | 375 | 4 | 1 | 11 | 6 | 20 | 19 | 15 | 59 | 47 | 44 | 26 | 20 |
| Relapsing Fever | 15 | — | — | 2 | — | — | — | — | 1 | 3 | 1 | 2 | — |
| Simple Continued Fever | 34 | — | — | — | 2 | 3 | 1 | 2 | 3 | 2 | 3 | 2 | — |
| Infantile Remittent | 29 | 5 | 3 | 4 | 3 | 4 | 2 | 2 | 6 | — | — | — | — |
| Metria | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Rheumatic Fever | 38 | — | — | — | — | 1 | 1 | — | 1 | 3 | 11 | 4 | — |
| Erysipelas | 65 | 19 | 4 | 2 | 2 | — | — | 1 | 3 | 1 | — | — | 4 |
| Pyæmia | 8 | 1 | — | — | — | — | — | — | 2 | — | 2 | — | — |
| Syphilis | 31 | 9 | 9 | — | — | — | — | — | 2 | — | 1 | 1 | 1 |
| Noma | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 11 | 2 | 2 | — | — | — | — | — | — | — | 2 | 1 | — |
| Dropsy | 113 | — | — | — | 1 | 4 | 3 | — | 4 | — | 5 | 1 | — |
| Abscess | 31 | 3 | 1 | 3 | 5 | — | — | — | 1 | 2 | 2 | — | 2 |
| Ulcer | 11 | 1 | — | — | — | — | — | — | — | — | — | 1 | — |
| Fistula | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | 33 | 2 | — | 1 | — | — | — | — | 1 | — | 2 | 1 | — |
| Cancer | 228 | 1 | — | 2 | — | 4 | 1 | — | — | — | 2 | 2 | 2 |
| Gout | 6 | — | — | — | — | — | — | — | — | — | — | — | — |
| III. Scrofula | 151 | 6 | 6 | 6 | 12 | 3 | 2 | 1 | 13 | 20 | 12 | 14 | 13 |
| Tabes Mesenterica | 209 | 15 | 11 | 25 | 56 | 22 | 16 | 9 | 22 | 16 | 8 | 2 | 1 |
| Phthisis | 1763 | 7 | 7 | 14 | 22 | 30 | 13 | 7 | 52 | 98 | 219 | 317 | 242 |
| Hydrocephalus | 424 | 19 | 22 | 99 | 102 | 41 | 34 | 18 | 66 | 16 | 2 | 4 | 1 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—MALES. (Continued.)

| DISEASES. | ALL AGES. | MALES. | | | | | | | | | | | |
|------------------------------------|-----------|-----------|-----|-----|-----|----|----|----|----|----|----|----|----|
| | | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 122 | 3 | 5 | 13 | 13 | 6 | 1 | 3 | 20 | 11 | 6 | 8 | 7 |
| Apoplexy | 308 | 6 | 4 | 6 | 2 | 1 | 3 | 2 | 8 | 2 | 2 | 1 | 11 |
| Paralysis | 434 | — | — | — | 3 | 1 | 1 | — | 1 | 3 | 4 | — | 2 |
| Delirium Tremens | 17 | — | — | — | — | — | — | — | — | — | — | — | — |
| Chorea | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Epilepsy | 62 | — | — | — | — | — | — | — | 2 | 1 | 5 | 7 | 6 |
| Tetanus | 15 | 6 | 2 | — | — | — | — | 1 | 1 | 2 | — | — | — |
| Insanity | 7 | — | — | — | — | — | — | — | — | — | — | — | — |
| Convulsions | 156 | 68 | 23 | 19 | 22 | 7 | 5 | 2 | 10 | — | — | — | — |
| Brain Disease | 227 | 5 | 2 | 3 | 6 | 5 | 3 | 4 | 13 | 18 | 16 | 8 | 7 |
| V. Pericarditis | 24 | 1 | — | — | — | 2 | — | — | 2 | 2 | 3 | 1 | 1 |
| Aneurism | 28 | — | — | — | — | — | — | — | — | — | — | — | — |
| Heart Disease | 827 | 3 | 2 | — | 2 | 2 | 1 | 1 | 11 | 11 | 14 | 10 | 12 |
| VI. Laryngitis | 26 | 1 | — | 3 | 4 | 1 | 2 | — | 3 | 1 | 1 | 2 | 1 |
| Bronchitis | 1249 | 111 | 88 | 169 | 147 | 60 | 31 | 9 | 25 | 4 | 10 | 10 | 7 |
| Pleurisy | 66 | — | 2 | — | 3 | — | — | — | 2 | 3 | 7 | 5 | 5 |
| Pneumonia | 547 | 38 | 27 | 57 | 37 | 30 | 8 | 4 | 17 | 7 | 9 | 16 | 16 |
| Asthma | 154 | — | — | — | — | — | — | — | — | — | — | 2 | 4 |
| Lung Disease | 70 | 2 | 2 | 1 | — | 1 | — | 1 | 1 | 1 | 2 | 1 | — |
| VII. Teething | 195 | 3 | 13 | 93 | 80 | 6 | — | — | — | — | — | — | — |
| Quinsey | 15 | 3 | — | 3 | 2 | — | 1 | 1 | 1 | 1 | — | — | 1 |
| Gastritis | 51 | 4 | 1 | 4 | 4 | — | 1 | 2 | 1 | 1 | 3 | 2 | 2 |
| Enteritis | 245 | 93 | 31 | 28 | 14 | 7 | 2 | 3 | 4 | 1 | 11 | 3 | 5 |
| Peritonitis | 68 | 4 | 2 | 5 | 3 | 2 | — | 1 | 3 | 5 | 4 | 2 | 5 |
| Ascites | 16 | — | — | 1 | 1 | 1 | 1 | — | 2 | 2 | — | — | — |
| Ulceration of Intestines | 52 | 2 | — | 1 | 1 | 1 | — | — | 2 | — | 1 | 3 | 2 |
| Hernia | 24 | 1 | 1 | 1 | 1 | — | — | — | — | 1 | 2 | — | — |
| Ileus | 85 | 4 | 1 | 2 | — | 1 | 1 | — | 3 | 1 | 5 | 2 | 3 |
| Intussusception | 13 | — | 3 | 2 | 2 | — | 1 | — | — | — | 1 | 1 | — |
| Stricture of Intestines | 11 | 1 | — | — | — | — | — | — | — | — | — | 2 | — |
| Stomach Disease | 202 | 14 | 7 | 15 | 9 | 4 | 3 | 1 | 3 | 3 | 3 | 3 | 6 |
| Pancreas Disease | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | 41 | 1 | — | 1 | — | — | — | — | 1 | 1 | — | 3 | — |
| Jaundice | 58 | 25 | — | — | 1 | 1 | — | 1 | 1 | — | 2 | — | — |
| Liver Disease | 191 | 6 | 2 | 2 | 2 | 1 | 1 | — | — | 2 | — | 2 | 6 |
| Spleen Disease | 8 | — | — | — | — | — | — | — | — | 1 | — | 1 | — |
| VIII. Nephritis | 22 | — | — | 1 | — | 3 | 2 | — | 2 | — | 1 | — | 1 |
| Nephria | 55 | — | — | — | — | 1 | — | 1 | 1 | 1 | 2 | 4 | — |
| Addison's Disease | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ischuria | 26 | — | — | — | 2 | — | — | — | — | — | — | — | — |
| Diabetes | 28 | — | — | — | — | — | — | — | — | 2 | 3 | — | 2 |
| Stone | 29 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Cystitis | 98 | — | — | — | — | — | 1 | — | 1 | 1 | — | 2 | 3 |
| Stricture of Urethra | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Kidney Disease | 60 | 1 | — | — | — | 1 | — | 2 | 1 | 1 | 1 | 2 | 3 |
| IX. Paramenia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ovarian Dropsy | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Childbirth | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Organs of Generation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| X. Arthritis | 23 | — | — | — | — | — | — | — | 2 | 1 | 6 | 2 | 2 |
| Rheumatism | 41 | — | — | — | — | — | — | 1 | 2 | — | 1 | 1 | — |
| Joint and Bone Disease | 32 | — | — | 1 | — | — | — | — | 3 | 5 | 8 | 9 | 4 |
| XI. Carbuncle | 8 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Phlegmon | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Skin Disease | 14 | 2 | — | 4 | 3 | — | — | — | — | — | — | 1 | — |
| XVII. Intemperance | 21 | — | — | — | — | — | — | — | — | — | — | — | — |
| Privation | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | 11 | 6 | 2 | 3 | — | — | — | — | — | — | — | — | — |
| Neglect | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Cold | 17 | — | — | — | — | — | — | — | — | 1 | 1 | 2 | 2 |
| Poison | 5 | — | — | — | — | 1 | 1 | — | — | — | — | 1 | — |
| Poisoned Wounds | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 65 | — | 1 | 3 | 7 | 8 | 7 | 5 | 14 | 4 | 1 | — | 4 |
| Hanging, etc. | 26 | — | — | — | — | — | — | — | — | — | 1 | 2 | — |
| Suffocation | 30 | 6 | 5 | 1 | — | — | — | — | 1 | — | 5 | 1 | 2 |
| Drowning | 225 | 2 | — | 1 | 8 | 7 | 5 | 4 | 18 | 10 | 19 | 32 | 18 |
| Fracture and Contusion | 379 | — | — | 1 | 3 | 5 | 4 | 7 | 26 | 28 | 25 | 42 | 25 |
| Gunshot Wounds | 14 | — | — | — | — | — | — | — | — | 1 | 2 | 2 | 3 |
| Cuts and Stabs | 12 | — | — | — | — | — | — | — | — | 2 | 1 | 2 | — |
| Other Violent Causes | 13 | 1 | — | — | — | — | 2 | — | — | — | 1 | 1 | 4 |
| Not Specified | 1105 | 330 | 105 | 101 | 80 | 40 | 30 | 21 | 39 | 25 | 33 | 25 | 26 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—MALES. (Continued.)

| DISEASES. | MALES. | | | | | | | | | | | | | | | |
|------------------------------------|-----------|----|----|----|----|----|-----|-----|-----|----|----|----|----|-----|-----|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 3 | 3 | 3 | 2 | 5 | 5 | 2 | 1 | 1 | — | 1 | — | — | — | — | — |
| Apoplexy | 5 | 5 | 15 | 15 | 13 | 24 | 26 | 35 | 42 | 50 | 19 | 6 | 4 | — | — | 1 |
| Paralysis | 5 | 13 | 6 | 6 | 16 | 26 | 37 | 71 | 84 | 78 | 51 | 21 | 3 | 2 | — | — |
| Delirium Tremens | 2 | 3 | 2 | 4 | 3 | 3 | — | — | — | — | — | — | — | — | — | — |
| Chorea | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Epilepsy | 1 | 1 | 3 | 6 | 4 | 4 | 5 | 7 | 6 | 4 | — | — | — | — | — | — |
| Tetanus | 1 | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — |
| Insanity | 1 | — | — | — | 2 | 1 | 1 | 1 | — | 1 | — | — | — | — | — | — |
| Convulsions | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Brain Disease | 10 | 8 | 10 | 11 | 12 | 11 | 16 | 15 | 17 | 17 | 7 | 3 | — | — | — | — |
| Pericarditis | 1 | — | — | 1 | 1 | 2 | 3 | 3 | 1 | — | — | — | — | — | — | — |
| Aneurism | 4 | 5 | 2 | 1 | 6 | 3 | 3 | 3 | 1 | — | — | — | — | — | — | — |
| Heart Disease | 25 | 20 | 31 | 48 | 60 | 64 | 109 | 131 | 121 | 92 | 40 | 13 | 2 | 2 | — | — |
| Laryngitis | — | 1 | — | — | 3 | 1 | 1 | — | — | 1 | — | — | — | — | — | — |
| Bronchitis | 12 | 15 | 30 | 34 | 42 | 39 | 56 | 101 | 73 | 87 | 58 | 22 | 7 | 2 | — | — |
| Pleurisy | 6 | 2 | — | 1 | 2 | 3 | 4 | 8 | 5 | 5 | 1 | 1 | — | — | — | 1 |
| Pneumonia | 11 | 22 | 21 | 36 | 18 | 25 | 41 | 41 | 29 | 26 | 8 | 3 | — | — | — | — |
| Asthma | 1 | 4 | 10 | 8 | 23 | 11 | 23 | 26 | 14 | 22 | 4 | 1 | 1 | — | — | — |
| Lung Disease | 2 | 1 | 5 | 4 | 10 | 11 | 6 | 7 | 9 | 3 | — | — | — | — | — | — |
| Teething | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Quinsey | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | — | — |
| Gastritis | 1 | — | 2 | 4 | 3 | 3 | 1 | 4 | 3 | 1 | 3 | — | 1 | — | — | — |
| Enteritis | 2 | 4 | 4 | 2 | 5 | 8 | 4 | 3 | 2 | 3 | 5 | 1 | — | — | — | — |
| Peritonitis | 3 | 1 | 3 | 3 | — | 2 | 6 | 3 | 4 | 3 | 4 | — | — | — | — | — |
| Ascites | 1 | 1 | 1 | — | 1 | 1 | — | 1 | 2 | — | — | — | — | — | — | — |
| Ulceration of Intestines | 1 | — | 5 | 5 | 4 | 6 | 4 | 6 | 4 | 3 | 1 | — | — | — | — | — |
| Hernia | 2 | — | 1 | — | — | 1 | 3 | 3 | 1 | 2 | 4 | — | — | — | — | — |
| Ileus | 2 | 1 | 2 | 3 | 4 | 2 | 10 | 10 | 16 | 7 | 3 | 2 | — | — | — | — |
| Intussusception | — | — | 2 | — | — | — | — | 1 | — | — | — | — | — | — | — | — |
| Stricture of Intestines | — | — | 1 | — | 1 | — | 2 | 1 | 1 | 2 | — | — | — | — | — | — |
| Stomach Disease | 1 | 4 | 5 | 7 | 14 | 17 | 32 | 17 | 18 | 10 | 5 | — | 1 | — | — | — |
| Pancreas Disease | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | — | 3 | 2 | 1 | 5 | 6 | 5 | 4 | 3 | 5 | — | — | — | — | — | — |
| Jaundice | — | — | 1 | 3 | 2 | — | 2 | 4 | 5 | 6 | 2 | 2 | — | — | — | — |
| Liver Disease | 7 | 9 | 18 | 13 | 17 | 24 | 20 | 25 | 18 | 12 | 3 | — | — | — | — | 1 |
| Spleen Disease | 1 | — | 2 | — | 1 | 1 | — | — | 1 | — | — | — | — | — | — | — |
| Nephritis | — | — | — | — | — | 1 | 3 | 4 | 2 | 2 | — | — | — | — | — | — |
| Nephria | 5 | 3 | 1 | 1 | 7 | 3 | 10 | 3 | 6 | 5 | 1 | — | — | — | — | — |
| Addison's Disease | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ischuria | — | — | 1 | 1 | 1 | 1 | 3 | 2 | 6 | 6 | 1 | 1 | — | 1 | — | — |
| Diabetes | 3 | 1 | 2 | 5 | 1 | 2 | 3 | 1 | 3 | — | — | — | — | — | — | — |
| Stone | — | — | — | — | 3 | 2 | 3 | 5 | 5 | 4 | 4 | 1 | 1 | — | — | — |
| Cystitis | 2 | 1 | 4 | 3 | 1 | 3 | 11 | 18 | 22 | 10 | 11 | 3 | 1 | — | — | — |
| Stricture of Urethra | 1 | 1 | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Kidney Disease | — | 2 | 3 | 1 | 4 | 4 | 5 | 7 | 10 | 7 | 3 | 2 | — | — | — | — |
| Paramenia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ovarian Dropsy | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Childbirth | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Organs of Generation | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Arthritis | 1 | 1 | — | 2 | 2 | 1 | 1 | — | 1 | 1 | — | — | — | — | — | — |
| Rheumatism | — | 1 | 2 | 2 | 3 | 4 | 7 | 6 | 6 | 4 | 1 | — | — | — | — | — |
| Joint Disease | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Carbuncle | — | — | — | 1 | — | — | 1 | 2 | 1 | 1 | 1 | — | — | — | — | — |
| Phlegmon | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Skin Disease | — | — | — | — | — | 1 | 1 | — | 1 | — | 1 | — | — | — | — | — |
| Intemperance | 1 | 2 | 2 | 2 | 4 | 3 | 5 | 2 | — | — | — | — | — | — | — | — |
| Privation | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Want of Breast Milk | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold | — | — | 2 | 2 | 2 | 3 | 1 | — | 1 | — | — | — | — | — | — | — |
| Poison | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — |
| Poisoned Wounds | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | — | — | 1 | 2 | 1 | 1 | 2 | — | 1 | 2 | 1 | — | — | — | — | — |
| Hanging, etc. | 1 | 5 | 1 | 1 | 6 | — | 4 | 1 | 2 | 1 | — | 1 | — | — | — | — |
| Suffocation | 2 | 2 | 2 | 1 | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| Drowning | 12 | 17 | 6 | 13 | 13 | 6 | 15 | 6 | 3 | 2 | 1 | — | — | — | — | 7 |
| Fracture and Contusion | 31 | 24 | 37 | 18 | 26 | 21 | 17 | 15 | 9 | 5 | 6 | 4 | — | — | — | — |
| Gunshot Wounds | 1 | 1 | 1 | 1 | 1 | — | — | 1 | — | — | — | — | — | — | — | — |
| Cuts and Stabs | — | — | 1 | — | 2 | — | — | 2 | — | 1 | — | 1 | — | — | — | — |
| Other Violent Causes | 1 | — | 2 | — | — | — | 1 | — | — | — | — | — | — | — | — | — |
| Not Specified | 26 | 17 | 34 | 25 | 40 | 41 | 54 | 4 | — | — | — | — | 1 | — | — | 8 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—FEMALES.

| DISEASES. | ALL AGES. | FEMALES. | | | | | | | | | | | |
|--|-----------|-----------|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|
| | | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 16601 | 1306 | 444 | 844 | 1031 | 548 | 409 | 267 | 755 | 448 | 536 | 564 | 561 |
| SPECIFIED CAUSES | 15604 | 1032 | 375 | 763 | 946 | 506 | 381 | 251 | 715 | 412 | 514 | 542 | 547 |
| I. Zymotic Class | 3034 | 112 | 97 | 256 | 380 | 267 | 247 | 157 | 394 | 158 | 115 | 78 | 90 |
| II. Diseases of Uncertain Seat | 768 | 9 | 2 | 4 | 3 | — | 4 | 4 | 6 | 4 | 9 | 11 | 11 |
| III. Tubercular Class | 2600 | 40 | 64 | 112 | 161 | 79 | 41 | 34 | 145 | 150 | 283 | 312 | 286 |
| IV. Brain and Nervous System | 1222 | 42 | 30 | 40 | 46 | 26 | 16 | 12 | 52 | 23 | 20 | 23 | 29 |
| V. Organs of Circulation | 849 | 3 | 2 | 1 | 2 | — | 1 | 2 | 14 | 12 | 10 | 18 | 23 |
| VI. Respiratory Organs | 1886 | 116 | 86 | 168 | 192 | 82 | 37 | 20 | 50 | 23 | 16 | 22 | 32 |
| VII. Organs of Digestion | 1190 | 91 | 38 | 131 | 117 | 24 | 11 | 9 | 29 | 16 | 24 | 26 | 24 |
| VIII. Urinary Organs | 171 | — | 1 | 1 | 2 | 3 | 5 | 3 | 4 | 3 | 7 | 10 | 11 |
| IX. Organs of Generation | 242 | — | — | — | — | — | — | — | — | — | 17 | 23 | 30 |
| X. Organs of Locomotion | 81 | — | — | 2 | 1 | — | 2 | — | 5 | 10 | 2 | 5 | 4 |
| XI. Skin, etc. | 12 | — | 2 | 1 | — | — | — | 1 | — | — | — | 1 | 1 |
| XII. Malformation | 50 | 48 | 2 | — | — | — | — | — | — | — | — | — | — |
| XIII. Premature Debility | 621 | 542 | 39 | 40 | — | — | — | — | — | — | — | — | — |
| XIV. Atrophy | 105 | — | — | — | 26 | 11 | 5 | 1 | 1 | 2 | 3 | 4 | 3 |
| XV. Age | 2504 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVI. Sudden Deaths | 22 | 1 | 1 | 1 | — | — | 1 | 1 | — | — | — | 1 | — |
| XVII. Violent Deaths | 247 | 28 | 11 | 6 | 16 | 14 | 11 | 7 | 15 | 11 | 8 | 8 | 3 |
| I. Small Pox | 14 | 1 | 2 | 1 | 1 | 1 | 1 | — | 2 | 1 | 1 | — | — |
| Measles | 200 | 3 | 3 | 31 | 66 | 38 | 25 | 8 | 23 | — | 2 | — | 1 |
| Scarlatina | 512 | 4 | 1 | 33 | 50 | 76 | 65 | 63 | 158 | 40 | 6 | 3 | 7 |
| Diphtheria | 177 | 3 | — | 10 | 18 | 21 | 28 | 17 | 53 | 13 | 2 | 2 | 2 |
| Hooping Cough | 351 | 28 | 28 | 80 | 99 | 35 | 36 | 28 | 14 | 2 | — | 1 | — |
| Croup | 208 | 6 | 7 | 22 | 50 | 45 | 48 | 11 | 18 | 1 | — | — | — |
| Thrush | 11 | 6 | — | 2 | 2 | 1 | — | — | — | — | — | — | — |
| Diarrhœa | 345 | 31 | 39 | 44 | 51 | 9 | 4 | 1 | 6 | — | 1 | 1 | 5 |
| Dysentery | 83 | 5 | 1 | 2 | 2 | 2 | — | 1 | — | — | — | 1 | 2 |
| Cholera | 30 | — | 1 | 4 | 2 | 2 | — | — | 3 | 1 | 1 | 1 | 1 |
| Influenza | 72 | 2 | 4 | 2 | — | — | 1 | 2 | — | 1 | 2 | — | 1 |
| Purpura | 8 | 1 | — | — | — | — | — | — | 2 | — | — | — | — |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | 9 | — | 1 | — | 1 | 2 | — | — | 5 | — | — | — | — |
| Typhus | 338 | — | 4 | 8 | 14 | 12 | 13 | 9 | 33 | 31 | 36 | 23 | 19 |
| Enteric Fever | 423 | — | 1 | 11 | 16 | 17 | 17 | 11 | 61 | 52 | 55 | 31 | 21 |
| Relapsing Fever | 10 | — | — | — | 2 | — | — | — | 1 | 3 | — | — | — |
| Simple Continued Fever | 28 | — | — | — | — | — | 3 | 1 | 2 | 4 | 3 | — | 2 |
| Infantile Remittent | 24 | 1 | — | 2 | 2 | 4 | 2 | 5 | 8 | — | — | — | — |
| Metria | 86 | — | — | — | — | — | — | — | — | — | 4 | 11 | 24 |
| Rheumatic Fever | 30 | 1 | — | — | 1 | — | 1 | — | 1 | 8 | 1 | 2 | 3 |
| Erysipelas | 48 | 14 | — | 1 | 1 | 1 | 2 | — | 3 | — | 1 | 1 | — |
| Pyæmia | 5 | — | — | — | — | — | — | — | 1 | 1 | — | — | 1 |
| Syphilis | 19 | 6 | 4 | 3 | 2 | — | — | — | — | — | — | 1 | 1 |
| Noma | 3 | — | 1 | — | — | 1 | 1 | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 14 | 2 | — | — | — | — | — | 1 | 1 | — | — | — | 1 |
| Dropsy | 220 | 1 | — | — | — | — | 2 | 1 | 2 | 1 | 2 | 5 | 5 |
| Abscess | 32 | 4 | 1 | 2 | 2 | — | 1 | — | 1 | 2 | 5 | 2 | 1 |
| Ulcer | 14 | — | — | 1 | — | — | 1 | — | — | — | — | 1 | — |
| Fistula | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | 30 | 2 | 1 | 1 | 1 | — | — | 1 | — | — | 1 | 1 | — |
| Cancer | 452 | — | — | — | — | — | — | 1 | 2 | 1 | 1 | 2 | 3 |
| Gout | 5 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| III. Scrofula | 141 | 1 | 8 | 10 | 10 | 5 | 3 | 4 | 16 | 12 | 14 | 15 | 7 |
| Tabes Mesenterica | 186 | 19 | 13 | 25 | 47 | 28 | 9 | 5 | 15 | 9 | 3 | 2 | 3 |
| Phthisis | 1961 | 7 | 9 | 17 | 27 | 22 | 5 | 9 | 64 | 121 | 262 | 294 | 276 |
| Hydrocephalus | 312 | 13 | 34 | 60 | 77 | 24 | 24 | 16 | 50 | 8 | 4 | 1 | — |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—FEMALES. (Continued.)

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|------------------------------------|-----------|-----------|----|-----|-----|----|----|----|----|----|----|----|----|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 112 | 3 | 7 | 16 | 8 | 6 | 3 | 4 | 21 | 8 | 7 | 4 | 4 |
| Apoplexy | 267 | 5 | 2 | 1 | 4 | 4 | 2 | — | 3 | 2 | 6 | 4 | 4 |
| Paralysis | 450 | — | — | — | 2 | — | 1 | — | 1 | 1 | — | — | 3 |
| Delirium Tremens | 7 | — | — | — | — | — | — | — | — | — | — | 1 | 1 |
| Chorea | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Epilepsy | 61 | — | — | — | — | — | — | — | 3 | 5 | 2 | 7 | 8 |
| Tetanus | 5 | 1 | — | — | 1 | — | — | — | — | — | — | — | — |
| Insanity | 8 | — | — | — | — | — | — | — | — | — | — | — | — |
| Convulsions | 123 | 30 | 16 | 20 | 20 | 12 | 5 | 7 | 12 | — | — | — | 1 |
| Brain Disease | 187 | 3 | 5 | 3 | 11 | 4 | 5 | 1 | 12 | 7 | 5 | 7 | 8 |
| V. Pericarditis | 11 | — | — | — | — | — | — | — | 1 | — | — | 1 | 2 |
| Aneurism | 9 | — | — | — | — | — | — | — | — | — | 1 | — | 1 |
| Heart Disease | 829 | 3 | 2 | 1 | 2 | — | 1 | 2 | 13 | 12 | 9 | 17 | 20 |
| VI. Laryngitis | 27 | 1 | — | 4 | 2 | 4 | 1 | 2 | 4 | 1 | — | 1 | 2 |
| Bronchitis | 1275 | 85 | 61 | 133 | 151 | 65 | 24 | 12 | 28 | 6 | 8 | 8 | 13 |
| Pleurisy | 43 | — | — | 2 | 1 | — | — | — | 2 | 2 | 2 | 1 | 3 |
| Pneumonia | 391 | 28 | 24 | 28 | 36 | 13 | 11 | 6 | 15 | 12 | 4 | 11 | 14 |
| Asthma | 112 | — | — | — | — | — | — | — | — | 2 | — | — | — |
| Lung Disease | 38 | 2 | 1 | 1 | 2 | — | 1 | — | 1 | 2 | — | 1 | — |
| VII. Teething | 174 | 1 | 8 | 78 | 75 | 12 | — | — | — | — | — | — | — |
| Quinsey | 16 | 1 | — | 1 | 1 | 2 | — | — | 4 | 1 | — | — | 1 |
| Gastritis | 46 | 2 | — | 1 | 2 | — | — | 1 | 1 | — | 1 | — | 2 |
| Enteritis | 230 | 51 | 14 | 33 | 25 | 3 | 6 | 4 | 10 | 3 | 6 | 4 | 6 |
| Peritonitis | 71 | 2 | — | 2 | 2 | 1 | 3 | 1 | 6 | 5 | 1 | 8 | 5 |
| Ascites | 26 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| Ulceration of Intestines | 59 | 3 | 2 | 1 | 1 | — | — | — | 3 | 2 | 3 | 2 | 1 |
| Hernia | 28 | — | — | — | 1 | — | — | — | — | — | — | — | 1 |
| Ileus | 87 | 5 | 1 | — | 2 | 1 | — | 1 | 1 | — | 5 | 1 | 2 |
| Intussusception | 8 | — | 1 | 1 | — | — | — | — | — | 1 | — | 1 | — |
| Stricture of Intestines | 8 | — | — | — | — | — | — | — | — | — | — | — | — |
| Stomach Disease | 196 | 13 | 11 | 10 | 6 | 2 | 2 | 1 | 3 | 2 | 5 | 3 | 3 |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | 38 | — | — | 1 | — | — | — | — | 1 | — | 2 | 3 | 2 |
| Jaundice | 37 | 9 | — | 1 | 1 | 2 | — | — | — | — | 1 | 1 | — |
| Liver Disease | 161 | 4 | 1 | 1 | 1 | 1 | — | 1 | — | 1 | — | 3 | 1 |
| Spleen Disease | 5 | — | — | 1 | — | — | — | — | — | — | — | — | — |
| VIII. Nephritis | 24 | — | — | 1 | 1 | 1 | 3 | 1 | 2 | 1 | 1 | — | 2 |
| Nephria | 45 | — | — | — | — | 1 | 2 | 1 | 1 | 1 | 3 | 3 | 3 |
| Addison's Disease | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ischuria | 8 | — | — | — | — | — | — | — | — | — | 1 | 1 | — |
| Diabetes | 18 | — | — | — | — | — | — | — | — | 1 | 2 | 1 | 1 |
| Stone | 6 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Cystitis | 9 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Stricture of Urethra | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Kidney Disease | 60 | — | 1 | — | 1 | 1 | — | 1 | 1 | — | — | 4 | 4 |
| IX. Paramenia | 16 | — | — | — | — | — | — | — | — | — | 7 | — | 1 |
| Ovarian Dropsy | 41 | — | — | — | — | — | — | — | — | — | 1 | 3 | — |
| Childbirth | 152 | — | — | — | — | — | — | — | — | — | 8 | 18 | 25 |
| Organs of Generation | 33 | — | — | — | — | — | — | — | — | — | 1 | 2 | 4 |
| X. Arthritis | 14 | — | — | 1 | — | — | 1 | — | 1 | 1 | — | 1 | 1 |
| Rheumatism | 46 | — | — | — | — | — | — | — | 2 | 3 | 1 | 1 | — |
| Joint and Bone Disease | 21 | — | — | 1 | 1 | — | 1 | — | 2 | 6 | 1 | 3 | 3 |
| XI. Carbuncle | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Phlegmon | 5 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Skin Disease | 6 | — | 2 | 1 | — | — | — | 1 | — | — | — | 1 | — |
| XVII. Intemperance | 5 | — | — | — | — | — | — | — | — | — | — | — | — |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | 10 | 6 | 4 | — | — | — | — | — | — | — | — | — | — |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold | 5 | — | — | — | — | — | — | — | — | — | — | — | — |
| Poison | 12 | 2 | 1 | 1 | 1 | 1 | 1 | — | 2 | 1 | — | 1 | — |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 58 | — | 1 | 3 | 8 | 5 | 8 | 6 | 4 | 2 | 1 | 1 | — |
| Hanging, etc. | 9 | — | — | — | — | — | — | — | — | — | — | — | — |
| Suffocation | 20 | 12 | 5 | — | 1 | 1 | — | — | — | — | — | — | — |
| Drowning | 40 | 1 | — | — | 3 | 5 | 1 | — | 3 | 5 | 1 | 5 | — |
| Fracture and Contusion | 65 | 1 | — | 1 | 3 | 1 | 1 | — | 5 | 3 | 4 | — | 2 |
| Gunshot Wounds | 3 | — | — | — | — | — | — | — | — | — | 2 | — | — |
| Cuts and Stabs | 3 | — | — | — | — | — | — | 1 | — | — | — | — | — |
| Other Violent Causes | 17 | 6 | — | 1 | — | 1 | — | — | 1 | — | — | 1 | 1 |
| Not Specified | 997 | 274 | 69 | 81 | 85 | 42 | 28 | 16 | 40 | 36 | 22 | 22 | 14 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—FEMALES. (Continued.)

| DISEASES. | FEMALES. | | | | | | | | | | | | | | | |
|------------------------------------|-----------|----|----|----|----|----|----|-----|-----|-----|----|----|----|-----|-----|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 2 | 6 | 1 | 4 | 3 | 2 | 1 | — | — | 1 | 1 | — | — | — | — | — |
| Apoplexy | 5 | 3 | 9 | 13 | 22 | 23 | 27 | 28 | 38 | 35 | 18 | 8 | 1 | — | — | — |
| Paralysis | 6 | 4 | 9 | 13 | 19 | 23 | 43 | 72 | 83 | 85 | 58 | 19 | 5 | 1 | — | 2 |
| Delirium Tremens | — | 2 | 2 | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Chorea | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — |
| Epilepsy | 7 | 3 | 3 | 2 | 3 | 4 | 4 | 2 | 4 | 1 | 3 | — | — | — | — | — |
| Tetanus | — | — | 1 | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| Insanity | — | 1 | 3 | 1 | 1 | — | — | 1 | — | 1 | — | — | — | — | — | — |
| Convulsions | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Brain Disease | 2 | 5 | 7 | 9 | 19 | 10 | 9 | 18 | 9 | 19 | 7 | 2 | — | — | — | — |
| Pericarditis | 1 | 1 | — | 1 | 1 | — | 1 | — | 1 | 1 | — | — | — | — | — | — |
| Aneurism | — | — | — | 2 | 1 | — | — | 1 | 1 | 2 | — | — | — | — | — | — |
| Heart Disease | 29 | 31 | 49 | 51 | 61 | 72 | 85 | 113 | 116 | 78 | 38 | 21 | 3 | — | — | — |
| Laryngitis | 1 | — | — | — | — | 2 | — | — | — | 1 | 1 | — | — | — | — | — |
| Bronchitis | 7 | 15 | 24 | 27 | 40 | 45 | 76 | 95 | 107 | 120 | 74 | 35 | 9 | 6 | — | 1 |
| Pleurisy | 1 | 1 | 1 | 4 | 3 | 4 | 2 | 6 | 4 | 2 | 1 | 1 | — | — | — | — |
| Pneumonia | 9 | 12 | 12 | 11 | 14 | 17 | 18 | 28 | 27 | 23 | 15 | 3 | — | — | — | — |
| Asthma | 1 | 1 | 9 | 6 | 12 | 8 | 21 | 17 | 16 | 10 | 8 | 1 | — | — | — | — |
| Lung Disease | — | — | — | 5 | 4 | 2 | 3 | 5 | 4 | 3 | 1 | — | — | — | — | — |
| Teething | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Quinsey | 1 | 1 | 1 | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Gastritis | 3 | 3 | 3 | 2 | 2 | 4 | 5 | 4 | 7 | 1 | 2 | — | — | — | — | — |
| Enteritis | 4 | 4 | 5 | 2 | 9 | 8 | 3 | 11 | 5 | 8 | 5 | 1 | — | — | — | — |
| Peritonitis | 2 | 6 | 4 | 6 | 1 | 2 | 6 | 2 | 2 | 3 | — | — | 1 | — | — | — |
| Ascites | — | 1 | 2 | 4 | 2 | 1 | 4 | 3 | 3 | 2 | 2 | 1 | — | — | — | — |
| Ulceration of Intestines | 1 | 2 | 3 | 4 | 4 | 7 | 3 | 5 | 3 | 4 | 4 | 1 | — | — | — | — |
| Hernia | — | 1 | 3 | 2 | 1 | 4 | 4 | 4 | 3 | 2 | — | 1 | 1 | — | — | — |
| Ileus | 3 | 4 | 4 | 1 | 6 | 11 | 5 | 13 | 9 | 9 | 1 | 2 | — | — | — | — |
| Intussusception | — | — | 1 | — | — | — | 2 | 1 | — | — | — | — | — | — | — | — |
| Stricture of Intestines | — | — | — | — | 1 | 1 | 2 | 1 | 2 | — | — | 1 | — | — | — | — |
| Stomach Disease | 10 | 6 | 8 | 5 | 10 | 14 | 22 | 25 | 9 | 12 | 9 | 3 | 2 | — | — | — |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | 2 | 2 | 2 | 4 | 2 | 5 | 3 | 1 | 2 | 2 | 4 | — | — | — | — | — |
| Jaundice | 1 | — | — | 1 | 2 | 2 | 4 | 3 | 4 | 4 | 1 | — | — | — | — | — |
| Liver Disease | 4 | 5 | 8 | 11 | 14 | 18 | 16 | 28 | 22 | 14 | 3 | 3 | 1 | — | — | — |
| Spleen Disease | — | — | — | 1 | — | 2 | 1 | — | — | — | — | — | — | — | — | — |
| Nephritis | 1 | — | — | 1 | 1 | 2 | — | 2 | 1 | 2 | — | — | — | 1 | — | — |
| Nephria | 6 | 3 | 3 | 5 | 1 | 3 | 1 | 3 | 4 | 1 | — | — | — | — | — | — |
| Addison's Disease | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ischuria | 1 | 1 | — | 1 | — | — | 1 | 1 | — | 1 | — | — | — | — | — | — |
| Diabetes | — | 2 | 2 | 1 | 2 | 1 | 2 | 3 | — | — | — | — | — | — | — | — |
| Stone | — | — | — | 1 | — | — | 1 | — | 1 | 1 | 1 | — | — | — | — | — |
| Cystitis | — | — | 1 | 2 | — | — | 1 | 2 | 1 | 1 | — | — | — | — | — | — |
| Stricture of Urethra | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Kidney Disease | 1 | 4 | 4 | 2 | 4 | 6 | 6 | 8 | 4 | 4 | 4 | — | — | — | — | — |
| Paramenia | 2 | 3 | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ovarian Dropsy | 1 | 8 | 3 | 8 | 4 | 1 | 2 | 5 | 2 | 3 | — | — | — | — | — | — |
| Childbirth | 38 | 31 | 27 | 5 | — | — | — | — | — | — | — | — | — | — | — | — |
| Organs of Generation | 1 | 3 | 4 | 3 | 2 | 4 | — | 5 | 4 | — | — | — | — | — | — | — |
| Arthritis | 3 | 1 | 3 | — | — | — | — | 1 | — | — | — | — | — | — | — | — |
| Rheumatism | 3 | — | 1 | 1 | 2 | 3 | 8 | 7 | 3 | 8 | — | 2 | 1 | — | — | — |
| Joint Disease | 2 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Carbuncle | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Phlegmon | — | 1 | 1 | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — |
| Skin Disease | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — |
| Intemperance | — | 1 | 1 | 1 | — | — | — | 1 | 1 | — | — | — | — | — | — | — |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold | — | 2 | — | — | 1 | 1 | — | — | — | — | — | — | 1 | — | — | — |
| Poison | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | — | — | — | 1 | — | 1 | 2 | 2 | 5 | 4 | 1 | 3 | — | — | — | — |
| Hanging, etc. | 1 | 1 | 1 | 1 | 2 | 1 | 1 | — | 1 | — | — | — | — | — | — | — |
| Suffocation | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — |
| Drowning | — | 1 | — | 3 | 1 | 3 | 1 | 3 | 1 | 2 | 1 | — | — | — | — | — |
| Fracture and Contusion | — | 1 | 5 | 3 | 4 | — | 3 | 6 | 4 | 8 | 6 | 4 | — | — | — | — |
| Gunshot Wounds | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Cuts and Stabs | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — |
| Other Violent Causes | — | — | 2 | 2 | 1 | — | — | 1 | — | — | — | — | — | — | — | — |
| Not Specified | 24 | 28 | 31 | 29 | 32 | 47 | 63 | 5 | — | — | — | — | — | — | — | 9 |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—BOTH SEXES.

| DISEASES. | ALL AGES. | BOTH SEXES. | | | | | | | | | | | |
|------------------------------------|-----------|-------------|------|------|------|------|-----|-----|------|-----|------|------|------|
| | | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 33295 | 3327 | 1351 | 2490 | 3437 | 1614 | 964 | 680 | 1558 | 794 | 1057 | 1257 | 1256 |
| SPECIFIED CAUSES | 32738 | 3152 | 1285 | 2442 | 3398 | 1588 | 950 | 661 | 1536 | 782 | 1048 | 1250 | 1247 |
| I. Zymotic Class | 6930 | 325 | 297 | 694 | 1348 | 748 | 497 | 360 | 684 | 200 | 186 | 191 | 171 |
| II. Diseases of Uncertain Seat | 1112 | 24 | 9 | 7 | 14 | 15 | 9 | 8 | 28 | 20 | 13 | 18 | 35 |
| III. Tubercular Class | 6234 | 100 | 157 | 424 | 582 | 299 | 174 | 129 | 386 | 304 | 557 | 634 | 582 |
| IV. Brain and Nervous System | 2748 | 280 | 105 | 139 | 138 | 69 | 46 | 38 | 102 | 63 | 49 | 51 | 55 |
| V. Organs of Circulation | 1587 | 7 | 2 | 3 | 4 | 1 | 6 | 6 | 24 | 34 | 40 | 48 | 67 |
| VI. Respiratory Organs | 5817 | 400 | 377 | 723 | 796 | 305 | 140 | 72 | 141 | 38 | 57 | 99 | 107 |
| VII. Organs of Digestion | 2311 | 265 | 149 | 304 | 364 | 80 | 22 | 19 | 43 | 35 | 41 | 52 | 73 |
| VIII. Urinary Organs | 475 | 4 | 2 | 4 | 6 | 10 | 10 | 6 | 21 | 11 | 16 | 22 | 27 |
| IX. Organs of Generation | 216 | — | — | — | — | — | — | — | — | 2 | 13 | 36 | 38 |
| X. Organs of Locomotion | 196 | 1 | — | — | 4 | 3 | 3 | 4 | 25 | 21 | 20 | 10 | 11 |
| XI. Skin, etc. | 40 | 8 | 3 | 5 | 4 | — | — | — | 2 | 1 | — | 2 | — |
| XII. Malformation | 74 | 62 | 4 | 3 | 2 | 1 | 1 | — | — | 1 | — | — | — |
| XIII. Premature Debility | 1836 | 1585 | 141 | 110 | — | — | — | — | — | — | — | — | — |
| XIV. Atrophy | 292 | — | — | — | 104 | 30 | 16 | 7 | 18 | 7 | 3 | 2 | 3 |
| XV. Age | 1737 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVI. Sudden Deaths | 75 | 5 | 6 | 1 | — | — | 2 | 2 | 1 | 1 | 2 | 1 | 5 |
| XVII. Violent Deaths | 1058 | 86 | 33 | 25 | 32 | 27 | 24 | 10 | 61 | 44 | 51 | 84 | 73 |
| I. Small Pox | 69 | 9 | 6 | 7 | 14 | 3 | 6 | — | 11 | 3 | — | 4 | 4 |
| Measles | 884 | 3 | 25 | 137 | 386 | 172 | 66 | 39 | 50 | 3 | — | — | — |
| Scarlatina | 1136 | 6 | 8 | 67 | 176 | 194 | 178 | 130 | 296 | 53 | 7 | 6 | 5 |
| Diphtheria | 211 | 5 | 2 | 25 | 39 | 29 | 22 | 24 | 34 | 11 | 3 | 3 | 4 |
| Hooping Cough | 1057 | 49 | 87 | 212 | 374 | 152 | 87 | 44 | 49 | 1 | — | 2 | — |
| Croup | 440 | 21 | 5 | 53 | 133 | 88 | 61 | 46 | 32 | 1 | — | — | — |
| Thrush | 12 | 8 | — | 1 | — | 2 | 1 | — | — | — | — | — | — |
| Diarrhœa | 779 | 144 | 107 | 139 | 147 | 19 | 10 | 6 | 16 | 7 | 5 | 8 | 5 |
| Dysentery | 95 | 1 | 3 | 4 | 3 | 2 | — | 2 | — | 2 | 2 | — | 3 |
| Cholera | 63 | 5 | 11 | 8 | 7 | 1 | 1 | 1 | 9 | 1 | — | — | 1 |
| Influenza | 67 | 3 | 4 | 1 | 2 | 2 | 2 | 2 | 1 | 3 | 2 | — | 1 |
| Purpura | 18 | — | — | — | 1 | 1 | — | 1 | 2 | 2 | — | 2 | 1 |
| Ague | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | 9 | — | — | — | 3 | 1 | — | 1 | 3 | — | — | — | — |
| Typhus | 1045 | 2 | 4 | 6 | 14 | 25 | 22 | 22 | 61 | 32 | 81 | 94 | 80 |
| Enteric Fever | 563 | — | — | 6 | 22 | 31 | 31 | 29 | 89 | 61 | 70 | 34 | 29 |
| Relapsing Fever | 15 | — | — | — | — | — | 1 | — | — | 2 | 2 | 1 | 1 |
| Simple Continued Fever | 39 | — | — | 1 | 1 | 5 | 1 | 5 | 4 | 3 | 5 | 1 | 1 |
| Infantile Remittent | 65 | 2 | 2 | 3 | 13 | 13 | 7 | 6 | 19 | — | — | — | — |
| Metria | 73 | — | — | — | — | — | — | — | — | — | 1 | 26 | 23 |
| Rheumatic Fever | 54 | — | — | — | — | — | — | — | 6 | 10 | 7 | 5 | 7 |
| Erysipelas | 103 | 29 | 9 | 8 | 4 | 1 | 1 | — | — | 3 | — | 1 | 4 |
| Pyæmia | 18 | — | — | — | — | 1 | — | — | — | 2 | 1 | 2 | 1 |
| Syphilis | 105 | 38 | 24 | 16 | 8 | 2 | — | 1 | — | — | — | 2 | 1 |
| Noma | 9 | — | — | — | 1 | 4 | — | 1 | 2 | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 36 | 6 | — | — | — | — | — | — | — | — | — | 1 | 2 |
| Dropsy | 332 | 4 | 1 | — | 10 | 10 | 6 | 7 | 21 | 9 | 4 | 8 | 16 |
| Abscess | 98 | 10 | 7 | 7 | 1 | 2 | 1 | 1 | 4 | 8 | 5 | 3 | 5 |
| Ulcer | 13 | — | — | — | — | 1 | 1 | — | 1 | — | 2 | — | — |
| Fistula | 9 | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | 53 | 4 | 1 | — | 1 | — | 1 | — | — | — | — | 1 | 1 |
| Cancer | 568 | — | — | — | 2 | 2 | — | — | 2 | 3 | 2 | 5 | 11 |
| Gout | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| III. Scrofula | 314 | 12 | 15 | 21 | 46 | 18 | 22 | 9 | 34 | 37 | 24 | 16 | 18 |
| Tabes Mesenterica | 533 | 39 | 23 | 71 | 124 | 80 | 45 | 29 | 61 | 29 | 6 | 4 | 4 |
| Phthisis | 4295 | 8 | 32 | 62 | 108 | 78 | 46 | 28 | 178 | 216 | 528 | 612 | 559 |
| Hydrocephalus | 1092 | 41 | 87 | 270 | 304 | 123 | 61 | 63 | 113 | 22 | 4 | 2 | 1 |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—BOTH SEXES.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | | | | |
|---------------------------|-------------|------|------|------|------|------|------|------|------|-----|-----|-----|-----|-----|-----|----|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES . . . | 1147 | 1228 | 1232 | 1244 | 1246 | 1286 | 1433 | 1343 | 1278 | 942 | 645 | 321 | 108 | 25 | 8 | 24 |
| SPECIFIED CAUSES . . . | 1137 | 1216 | 1219 | 1223 | 1231 | 1268 | 1417 | 1343 | 1278 | 942 | 645 | 321 | 108 | 25 | 8 | 18 |
| Zymotic Class . . . | 173 | 160 | 152 | 152 | 133 | 96 | 104 | 98 | 80 | 35 | 26 | 11 | 3 | 1 | — | 5 |
| Uncertain Seat . . . | 27 | 55 | 79 | 106 | 124 | 131 | 127 | 103 | 82 | 42 | 26 | 5 | 5 | — | — | — |
| Tubercular Class . . . | 442 | 379 | 346 | 238 | 196 | 145 | 91 | 40 | 13 | 12 | 2 | — | — | — | — | 2 |
| Brain, etc. | 80 | 100 | 93 | 128 | 130 | 166 | 216 | 252 | 196 | 153 | 72 | 21 | 4 | 1 | — | 1 |
| Heart, etc. | 97 | 109 | 111 | 133 | 144 | 154 | 182 | 162 | 123 | 72 | 40 | 16 | — | — | — | 2 |
| Respiratory Organs . . . | 103 | 163 | 206 | 220 | 271 | 314 | 370 | 334 | 287 | 164 | 81 | 36 | 11 | — | — | 2 |
| Digestive Organs . . . | 61 | 79 | 74 | 101 | 106 | 115 | 106 | 91 | 63 | 44 | 18 | 5 | 1 | — | — | — |
| Urinary Organs . . . | 34 | 36 | 34 | 29 | 33 | 33 | 42 | 35 | 33 | 13 | 8 | 4 | 1 | — | — | 1 |
| Generative Organs . . . | 34 | 43 | 17 | 9 | 9 | 5 | 3 | 2 | 2 | 2 | — | — | — | — | — | 1 |
| Locomotive Organs . . . | 9 | 7 | 11 | 10 | 7 | 9 | 12 | 8 | 12 | 8 | 1 | — | — | — | — | — |
| Skin | 2 | 1 | 1 | 2 | 3 | 2 | 2 | 1 | — | — | — | — | — | 1 | — | — |
| Malformation | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Premature Debility . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Atrophy | 4 | 7 | 17 | 12 | 20 | 42 | — | — | — | — | — | — | — | — | — | — |
| Age | — | — | — | — | — | — | 110 | 186 | 363 | 381 | 367 | 219 | 81 | 21 | 8 | 1 |
| Sudden Deaths . . . | 1 | 7 | 5 | 5 | 7 | 4 | 13 | 3 | 3 | 1 | — | — | — | — | — | — |
| Violent Deaths . . . | 70 | 70 | 73 | 78 | 48 | 52 | 39 | 28 | 21 | 15 | 4 | 4 | 2 | 1 | — | 3 |
| Small Pox | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Measles | 1 | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — |
| Scarlatina | 3 | 2 | 3 | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Diphtheria | 1 | 4 | 1 | 2 | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| Hooping Cough | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Croup | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Thrush | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diarrhoea | 7 | 9 | 11 | 7 | 12 | 14 | 18 | 29 | 33 | 9 | 8 | 4 | 3 | 1 | — | 1 |
| Dysentery | 3 | 6 | 3 | 8 | 2 | 8 | 12 | 10 | 9 | 5 | 4 | 3 | — | — | — | — |
| Cholera | 6 | 1 | 2 | 2 | 1 | 1 | 2 | 1 | 1 | 1 | — | — | — | — | — | — |
| Influenza | — | 2 | 2 | 2 | 5 | 1 | 7 | 4 | 7 | 4 | 8 | 2 | — | — | — | — |
| Purpura | 2 | 1 | — | — | 2 | 1 | — | 2 | — | — | — | — | — | — | — | — |
| Ague | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Typhus | 95 | 93 | 92 | 97 | 87 | 44 | 35 | 27 | 18 | 9 | — | 1 | — | — | — | 4 |
| Enteric Fever | 28 | 21 | 23 | 17 | 12 | 15 | 15 | 15 | 7 | 4 | 3 | 1 | — | — | — | — |
| Relapsing Fever | 1 | — | — | 2 | 1 | — | 3 | 1 | — | — | — | — | — | — | — | — |
| Simple Cont. Fever . . . | 2 | 1 | 1 | 1 | 1 | 1 | 3 | — | 2 | — | — | — | — | — | — | — |
| Infantile Remittent . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Metria | 8 | 8 | 6 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Rheumatic Fever | 4 | 2 | 2 | 3 | 3 | 2 | 1 | 1 | — | 1 | — | — | — | — | — | — |
| Erysipelas | 1 | 3 | 3 | 5 | 7 | 6 | 5 | 5 | 3 | 2 | 3 | — | — | — | — | — |
| Pyæmia | 5 | 1 | 3 | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — |
| Syphilis | 5 | 2 | — | 3 | — | 1 | 1 | 1 | — | — | — | — | — | — | — | — |
| Noma | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hæmorrhage | 3 | 3 | 5 | 9 | 4 | 2 | — | — | — | 1 | — | — | — | — | — | — |
| Dropsy | 11 | 12 | 14 | 22 | 33 | 22 | 38 | 33 | 24 | 12 | 13 | 2 | — | — | — | — |
| Abscess | 2 | 5 | 6 | 4 | 6 | 6 | 6 | — | 3 | 5 | 1 | — | — | — | — | — |
| Ulcer | — | — | 1 | — | — | 4 | 2 | 1 | — | — | — | — | — | — | — | — |
| Fistula | — | 1 | 1 | — | 2 | 1 | 2 | 2 | — | — | — | — | — | — | — | — |
| Mortification | — | 3 | — | 2 | 3 | 4 | 6 | 6 | 8 | 5 | 4 | 1 | 2 | — | — | — |
| Cancer | 11 | 31 | 52 | 68 | 76 | 91 | 72 | 61 | 47 | 19 | 8 | 2 | 3 | — | — | — |
| Gout | — | — | — | 1 | — | 1 | 1 | — | — | — | — | — | — | — | — | — |
| Scrofula | 7 | 11 | 7 | 1 | 6 | 4 | 4 | 1 | — | 1 | — | — | — | — | — | — |
| Tabes Mesenterica . . . | 6 | 2 | 4 | — | 4 | 1 | 1 | — | — | — | — | — | — | — | — | — |
| Phthisis | 428 | 366 | 335 | 237 | 186 | 140 | 86 | 39 | 13 | 11 | 2 | — | — | — | — | 2 |
| Hydrocephalus | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—BOTH SEXES. (Continued.)

| DISEASES. | ALL AGES. | BOTH SEXES. | | | | | | | | | | | |
|------------------------------------|-----------|-------------|-----|-----|-----|-----|-----|----|----|----|----|----|----|
| | | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 205 | 6 | 18 | 22 | 23 | 13 | 11 | 8 | 40 | 22 | 8 | 7 | 5 |
| Apoplexy | 537 | 14 | 3 | 16 | 10 | 7 | 2 | 3 | 5 | 7 | 9 | 9 | 11 |
| Paralysis | 728 | — | — | — | — | 1 | 1 | 1 | 4 | 4 | 3 | 3 | 10 |
| Delirium Tremens | 40 | — | — | — | — | — | — | — | — | — | — | 1 | 2 |
| Chorea | 5 | — | — | — | — | 1 | — | 1 | 1 | — | 1 | — | — |
| Epilepsy | 116 | — | — | — | — | 1 | — | — | — | 7 | 8 | 9 | 12 |
| Tetanus | 11 | 3 | 1 | — | — | — | — | — | — | — | 1 | 2 | — |
| Insanity | 36 | — | — | — | — | — | — | — | — | — | 1 | 1 | 1 |
| Convulsions | 570 | 253 | 71 | 82 | 79 | 34 | 22 | 16 | 12 | — | — | — | 1 |
| Brain Disease | 500 | 4 | 12 | 19 | 26 | 12 | 10 | 9 | 40 | 23 | 18 | 19 | 13 |
| V. Pericarditis | 28 | — | — | — | — | — | 1 | 1 | 4 | 6 | 4 | — | 1 |
| Aneurism | 44 | — | — | — | — | — | — | — | — | — | — | 1 | 2 |
| Heart Disease | 1515 | 7 | 2 | 3 | 4 | 1 | 5 | 5 | 20 | 28 | 36 | 47 | 64 |
| VI. Laryngitis | 68 | 7 | 5 | 9 | 15 | 4 | 6 | 1 | 4 | 1 | — | — | 1 |
| Bronchitis | 4158 | 290 | 306 | 577 | 614 | 228 | 100 | 49 | 91 | 15 | 23 | 45 | 49 |
| Pleurisy | 86 | 4 | 1 | 1 | 2 | — | 1 | 2 | 3 | 2 | 2 | 6 | 6 |
| Pneumonia | 1089 | 81 | 55 | 122 | 155 | 69 | 32 | 19 | 37 | 15 | 25 | 37 | 39 |
| Asthma | 225 | — | — | — | — | — | — | — | — | 2 | — | 3 | 1 |
| Lung Disease | 191 | 18 | 10 | 14 | 10 | 4 | 1 | 1 | 6 | 3 | 7 | 8 | 11 |
| VII. Teething | 581 | 6 | 36 | 210 | 294 | 32 | 3 | — | — | — | — | — | — |
| Quinsey | 23 | 2 | 1 | 3 | 5 | 2 | 3 | — | 2 | 1 | — | — | 1 |
| Gastritis | 56 | 5 | 5 | 5 | 5 | 1 | — | — | 3 | 1 | 1 | 1 | 2 |
| Enteritis | 437 | 131 | 56 | 51 | 31 | 18 | 8 | 9 | 17 | 10 | 11 | 10 | 7 |
| Peritonitis | 126 | 14 | 5 | 2 | 2 | 4 | — | — | 3 | 7 | 7 | 14 | 14 |
| Ascites | 35 | 1 | — | — | 1 | 1 | 1 | — | 2 | 2 | — | — | 2 |
| Ulceration of Intestines | 74 | 2 | 1 | 3 | 1 | 2 | — | — | 1 | 1 | 3 | 5 | 6 |
| Hernia | 38 | 5 | — | 1 | — | 1 | — | — | — | — | 1 | 1 | 1 |
| Ileus | 117 | 21 | 5 | 4 | 5 | 3 | — | 2 | 3 | 1 | 3 | 3 | 4 |
| Intussusception | 7 | — | 1 | — | — | — | 1 | — | — | — | — | — | — |
| Stricture of Intestines | 13 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Stomach Disease | 342 | 42 | 31 | 22 | 17 | 11 | 4 | 5 | 5 | 3 | 8 | 5 | 9 |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | 51 | — | — | 1 | — | — | — | — | — | — | — | — | 2 |
| Jaundice | 63 | 23 | 3 | 1 | 2 | 2 | 1 | — | — | — | 1 | 1 | 1 |
| Liver Disease | 332 | 13 | 4 | 1 | 1 | 3 | 1 | 2 | 7 | 8 | 5 | 12 | 23 |
| Spleen Disease | 16 | — | — | — | — | — | — | 1 | — | 1 | 1 | — | 1 |
| VIII. Nephritis | 40 | — | 1 | 2 | — | 3 | 5 | 2 | 7 | 1 | 1 | 2 | 2 |
| Nephria | 138 | — | — | 1 | 1 | 2 | 3 | 2 | 6 | 4 | 8 | 7 | 10 |
| Addison's Disease | 6 | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Ischuria | 19 | 1 | — | — | — | 1 | — | — | 1 | — | — | 2 | 1 |
| Diabetes | 30 | 1 | — | — | — | — | — | — | — | — | — | 4 | 5 |
| Stone | 18 | 1 | — | — | — | — | — | — | — | — | — | 1 | — |
| Cystitis | 56 | — | — | — | — | 1 | — | — | 1 | 1 | 2 | — | 1 |
| Stricture of Urethra | 11 | — | — | — | — | — | — | — | — | 1 | — | — | 1 |
| Kidney Disease | 157 | 1 | 1 | 1 | 5 | 3 | 1 | 2 | 6 | 4 | 5 | 6 | 7 |
| IX. Paramenia | 12 | — | — | — | — | — | — | — | — | 2 | 6 | 1 | 1 |
| Ovarian Dropsy | 37 | — | — | — | — | — | — | — | — | — | 1 | 1 | 2 |
| Childbirth | 147 | — | — | — | — | — | — | — | — | — | 6 | 33 | 34 |
| Organs of Generation | 20 | — | — | — | — | — | — | — | — | — | — | 1 | 1 |
| X. Arthritis | 38 | — | — | — | 2 | 1 | 1 | 2 | 4 | 5 | 3 | 3 | 4 |
| Rheumatism | 72 | — | — | — | — | — | — | — | 3 | 2 | 3 | 2 | 2 |
| Joint and Bone Disease | 86 | 1 | — | — | 2 | 2 | 2 | 2 | 18 | 14 | 14 | 5 | 5 |
| XI. Carbuncle | 9 | 1 | 1 | — | 2 | — | — | — | — | — | — | — | — |
| Phlegmon | 9 | — | — | — | 1 | — | — | — | 1 | 1 | — | — | — |
| Skin Disease | 22 | 7 | 2 | 5 | 1 | — | — | — | 1 | — | — | 2 | — |
| XVII. Intemperance | 50 | — | — | — | — | — | — | — | — | — | — | 1 | 2 |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | 61 | 34 | 18 | 9 | — | — | — | — | — | — | — | — | — |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold | 4 | 2 | — | — | — | 1 | — | — | 1 | — | — | — | — |
| Poison | 37 | 5 | 1 | 1 | — | 2 | — | — | 1 | — | 3 | — | 5 |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 122 | — | 1 | 4 | 25 | 15 | 13 | 2 | 14 | 3 | 4 | 4 | 6 |
| Hanging, etc. | 27 | — | — | — | — | — | — | — | — | — | 2 | 1 | 2 |
| Suffocation | 85 | 37 | 13 | 8 | — | — | 1 | — | 2 | 3 | 1 | — | — |
| Drowning | 158 | 1 | — | — | 2 | 1 | 1 | 2 | 14 | 6 | 9 | 21 | 17 |
| Fracture and Contusion | 449 | 2 | — | 3 | 3 | 7 | 8 | 5 | 26 | 28 | 26 | 53 | 34 |
| Gunshot Wounds | 8 | — | — | — | — | — | — | — | — | 1 | 2 | — | 2 |
| Cuts and Stabs | 15 | — | — | — | — | — | — | — | — | — | 1 | 1 | — |
| Other Violent Causes | 42 | 5 | — | — | 2 | 1 | 1 | 1 | 3 | 3 | 3 | 3 | 5 |
| Not Specified | 557 | 175 | 66 | 48 | 39 | 26 | 14 | 19 | 22 | 12 | 9 | 7 | 9 |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—BOTH SEXES. (*Continued.*)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | | | | | |
|------------------------------------|-------------|----|-----|-----|-----|-----|-----|-----|-----|-----|----|----|----|-----|-----|---|--|
| | AGE UNDER | | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? | |
| Cephalitis | 3 | 3 | 7 | — | 4 | 2 | 1 | 2 | — | — | — | — | — | — | — | — | |
| Apoplexy | 13 | 19 | 15 | 41 | 36 | 59 | 64 | 70 | 54 | 38 | 22 | 8 | 1 | 1 | — | — | |
| Paralysis | 23 | 22 | 20 | 33 | 44 | 66 | 87 | 135 | 109 | 104 | 45 | 11 | 2 | — | — | — | |
| Delirium Tremens | 9 | 12 | 4 | 4 | — | 2 | 4 | 1 | — | 1 | — | — | — | — | — | — | |
| Chorea | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | |
| Epilepsy | 10 | 3 | 16 | 8 | 7 | 9 | 10 | 10 | 2 | 1 | 1 | 2 | — | — | — | — | |
| Tetanus | 1 | 1 | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | |
| Insanity | 1 | 5 | 2 | 6 | 6 | 3 | 5 | 1 | 2 | 2 | — | — | — | — | — | — | |
| Convulsions | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Brain Disease | 20 | 35 | 29 | 36 | 33 | 24 | 44 | 32 | 29 | 7 | 4 | — | 1 | — | — | 1 | |
| Pericarditis | 1 | 3 | 1 | 1 | 1 | 2 | — | — | — | 1 | — | 1 | — | — | — | — | |
| Aneurism | 8 | 7 | 4 | 4 | 8 | 3 | 2 | 5 | — | — | — | — | — | — | — | — | |
| Heart Disease | 88 | 99 | 106 | 128 | 135 | 149 | 180 | 157 | 123 | 71 | 40 | 15 | — | — | — | 2 | |
| Laryngitis | 2 | 2 | 2 | 4 | 2 | 2 | — | 1 | — | — | — | — | — | — | — | — | |
| Bronchitis | 48 | 87 | 116 | 138 | 181 | 214 | 262 | 263 | 219 | 133 | 72 | 29 | 9 | — | — | — | |
| Pleurisy | 3 | 7 | 9 | 6 | 7 | 6 | 4 | 5 | 5 | 1 | 1 | 1 | 1 | — | — | — | |
| Pneumonia | 40 | 44 | 56 | 52 | 39 | 50 | 46 | 25 | 28 | 11 | 5 | 5 | 1 | — | — | 1 | |
| Asthma | 2 | 12 | 13 | 16 | 30 | 25 | 42 | 30 | 30 | 15 | 3 | 1 | — | — | — | — | |
| Lung Disease | 8 | 11 | 10 | 4 | 12 | 17 | 16 | 10 | 5 | 4 | — | — | — | — | — | 1 | |
| Teething | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Quinsey | — | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Gastritis | 3 | 3 | 4 | 4 | 3 | 1 | 4 | 1 | 2 | 1 | 1 | — | — | — | — | — | |
| Enteritis | 7 | 7 | 6 | 10 | 14 | 6 | 9 | 5 | 5 | 7 | 1 | 1 | — | — | — | — | |
| Peritonitis | 7 | 7 | 4 | 7 | 4 | 1 | 9 | 8 | 2 | 4 | 1 | — | — | — | — | — | |
| Ascites | 2 | — | — | 5 | 2 | 3 | 1 | 1 | 4 | 4 | 3 | — | — | — | — | — | |
| Ulceration of Intestines | 7 | 5 | 1 | 5 | 11 | 4 | 5 | 6 | 4 | — | 1 | — | — | — | — | — | |
| Hernia | — | — | 3 | 1 | 4 | 4 | 3 | 4 | 4 | 4 | 1 | — | — | — | — | — | |
| Ileus | 6 | 5 | 10 | 4 | 5 | 10 | 6 | 6 | 5 | 5 | 1 | — | — | — | — | — | |
| Intussusception | — | 1 | — | — | 1 | 1 | — | 2 | — | — | — | — | — | — | — | — | |
| Stricture of Intestines | — | 2 | 1 | 3 | 2 | — | 3 | — | 1 | — | — | — | — | — | — | — | |
| Stomach Disease | 12 | 16 | 13 | 21 | 23 | 26 | 18 | 25 | 12 | 10 | 3 | 1 | — | — | — | — | |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Hepatitis | 4 | 6 | 5 | 6 | 5 | 7 | 5 | 5 | 4 | 1 | — | — | — | — | — | — | |
| Jaundice | 1 | — | 4 | 2 | 3 | 2 | 4 | 3 | 1 | 3 | 2 | 3 | — | — | — | — | |
| Liver Disease | 10 | 23 | 21 | 33 | 28 | 49 | 37 | 23 | 19 | 5 | 4 | — | — | — | — | — | |
| Spleen Disease | 2 | 1 | 2 | — | 1 | 1 | 2 | 2 | — | — | — | — | 1 | — | — | — | |
| Nephritis | 1 | 5 | 2 | 2 | 2 | 1 | — | — | 1 | — | — | — | — | — | — | — | |
| Nephria | 10 | 11 | 13 | 13 | 10 | 9 | 12 | 10 | 2 | 3 | — | — | — | — | — | 1 | |
| Addison's Disease | 2 | 1 | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | |
| Ischuria | 2 | — | 2 | 1 | — | — | 2 | 1 | 4 | 1 | — | — | — | — | — | — | |
| Diabetes | 5 | 1 | 1 | 2 | 1 | 2 | 2 | 3 | 2 | 1 | — | — | — | — | — | — | |
| Stone | — | — | — | — | 1 | 2 | 3 | 1 | 3 | 2 | 3 | 1 | — | — | — | — | |
| Cystitis | 2 | 2 | — | 4 | 3 | 5 | 8 | 9 | 11 | 4 | 2 | — | — | — | — | — | |
| Stricture of Urethra | — | 1 | 3 | — | 1 | 1 | — | 1 | 1 | 1 | — | — | — | — | — | — | |
| Kidney Disease | 12 | 15 | 12 | 7 | 15 | 12 | 15 | 10 | 9 | 1 | 3 | 3 | 1 | — | — | — | |
| Paramenia | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Ovarian Dropsy | 2 | 5 | 4 | 6 | 8 | 3 | 2 | 1 | 1 | 1 | — | — | — | — | — | — | |
| Childbirth | 30 | 32 | 10 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | |
| Organs of Generation | 2 | 5 | 2 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | — | — | — | — | — | 1 | |
| Arthritis | 4 | 2 | 3 | — | 3 | — | — | — | — | 1 | — | — | — | — | — | — | |
| Rheumatism | 3 | 3 | 4 | 4 | 3 | 9 | 11 | 7 | 9 | 6 | 1 | — | — | — | — | — | |
| Joint Disease | 2 | 2 | 4 | 6 | 1 | — | 1 | 1 | 3 | 1 | — | — | — | — | — | — | |
| Carbuncle | — | 1 | — | 1 | 1 | — | 1 | — | — | — | — | — | — | 1 | — | — | |
| Phlegmon | 1 | — | — | 1 | 2 | 1 | 1 | — | — | — | — | — | — | — | — | — | |
| Skin Disease | 1 | — | 1 | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | |
| Intemperance | 6 | 7 | 6 | 14 | 3 | 3 | 1 | 4 | 1 | 2 | — | — | — | — | — | — | |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Want of Breast Milk | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Cold | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Poison | 4 | 3 | 1 | 4 | 3 | 1 | 2 | 1 | — | — | — | — | — | — | — | — | |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Burns and Scalds | 6 | 1 | 1 | 2 | 3 | 1 | 6 | — | 5 | 4 | — | 1 | 1 | — | — | — | |
| Hanging, etc. | 3 | 2 | 8 | 4 | 3 | 1 | 1 | — | — | — | — | — | — | — | — | — | |
| Suffocation | 2 | 4 | 7 | 2 | 2 | 2 | 1 | — | — | — | — | — | — | — | — | — | |
| Drowning | 13 | 13 | 17 | 12 | 6 | 15 | 4 | 3 | — | — | — | — | — | — | — | 1 | |
| Fracture and Contusion | 33 | 36 | 30 | 37 | 23 | 24 | 20 | 19 | 15 | 8 | 4 | 3 | 1 | 1 | — | — | |
| Gunshot Wounds | — | 1 | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | |
| Cuts and Stabs | 1 | 1 | 1 | 2 | 3 | 1 | 2 | 1 | — | 1 | — | — | — | — | — | — | |
| Other Violent Causes | 2 | 2 | 2 | 1 | 2 | 2 | 2 | — | — | — | — | — | — | — | — | 2 | |
| Not Specified | 10 | 12 | 13 | 21 | 15 | 18 | 16 | — | — | — | — | — | — | — | — | 6 | |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—MALES.

| DISEASES. | ALL AGES. | MALES. | | | | | | | | | | | |
|------------------------------------|-----------|-----------|-----|------|------|-----|-----|-----|-----|-----|-----|-----|-----|
| | | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 16541 | 1862 | 720 | 1356 | 1789 | 839 | 497 | 337 | 799 | 408 | 485 | 622 | 560 |
| SPECIFIED CAUSES | 16233 | 1770 | 684 | 1327 | 1765 | 827 | 491 | 332 | 788 | 400 | 478 | 619 | 554 |
| I. Zymotic Class | 3402 | 167 | 148 | 361 | 686 | 376 | 236 | 180 | 322 | 89 | 80 | 101 | 62 |
| II. Diseases of Uncertain Seat | 391 | 9 | 3 | 3 | 10 | 9 | 4 | 4 | 15 | 11 | 3 | 8 | 12 |
| III. Tubercular Class | 2992 | 57 | 84 | 237 | 304 | 149 | 93 | 70 | 210 | 154 | 233 | 299 | 256 |
| IV. Brain and Nervous System | 1493 | 153 | 58 | 83 | 87 | 38 | 30 | 20 | 60 | 32 | 23 | 24 | 29 |
| V. Organs of Circulation | 784 | 3 | 1 | 1 | 1 | — | 3 | 4 | 7 | 15 | 16 | 17 | 32 |
| VI. Respiratory Organs | 2950 | 227 | 207 | 399 | 408 | 177 | 82 | 28 | 73 | 15 | 27 | 53 | 50 |
| VII. Organs of Digestion | 1172 | 153 | 86 | 166 | 193 | 36 | 12 | 10 | 21 | 18 | 29 | 22 | 28 |
| VIII. Urinary Organs | 303 | 4 | — | 3 | 3 | 6 | 5 | 3 | 12 | 10 | 11 | 7 | 14 |
| IX. Organs of Generation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| X. Organs of Locomotion | 106 | — | — | — | 2 | 2 | 1 | 2 | 16 | 17 | 11 | 6 | 7 |
| XI. Skin, etc. | 21 | 3 | 2 | 4 | 1 | — | — | — | 1 | 1 | — | — | — |
| XII. Malformation | 43 | 34 | 3 | 3 | 2 | 1 | — | — | — | — | — | — | — |
| XIII. Premature Debility | 1044 | 915 | 73 | 56 | — | — | — | — | — | — | — | — | — |
| XIV. Atrophy | 119 | — | — | — | 54 | 12 | 10 | 3 | 4 | 3 | — | 1 | — |
| XV. Age | 613 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVI. Sudden Deaths | 39 | — | 3 | 1 | — | — | — | 1 | — | 1 | 1 | 1 | 4 |
| XVII. Violent Deaths | 761 | 45 | 16 | 10 | 14 | 21 | 15 | 7 | 47 | 34 | 44 | 80 | 60 |
| I. Small Pox | 36 | 6 | 4 | 4 | 6 | 1 | 3 | — | 4 | 1 | — | 2 | 3 |
| Measles | 470 | 1 | 16 | 69 | 194 | 100 | 40 | 24 | 23 | 2 | — | — | — |
| Scarlatina | 570 | 6 | 3 | 32 | 92 | 96 | 90 | 61 | 151 | 25 | 6 | 2 | 1 |
| Diphtheria | 108 | 3 | 2 | 18 | 24 | 13 | 10 | 12 | 17 | 3 | 1 | 1 | 1 |
| Hooping Cough | 464 | 11 | 32 | 102 | 174 | 69 | 36 | 24 | 14 | — | — | 2 | — |
| Croup | 243 | 14 | 5 | 29 | 78 | 45 | 28 | 23 | 21 | — | — | — | — |
| Thrush | 6 | 5 | — | 1 | — | — | — | — | — | — | — | — | — |
| Diarrhœa | 384 | 75 | 59 | 71 | 77 | 12 | 2 | 4 | 6 | 2 | 1 | 3 | 1 |
| Dysentery | 44 | 1 | 1 | 3 | 1 | 1 | — | — | — | — | 1 | — | 3 |
| Cholera | 23 | 5 | 4 | 5 | 1 | — | 1 | — | 2 | — | — | — | — |
| Influenza | 33 | 2 | 2 | 1 | 1 | 2 | 2 | 1 | — | 1 | 1 | — | 1 |
| Purpura | 10 | — | — | — | 1 | — | — | — | — | 2 | — | 2 | 1 |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | 5 | — | — | — | 3 | — | — | — | 1 | — | — | — | — |
| Typhus | 546 | 1 | 2 | 4 | 8 | 12 | 11 | 11 | 28 | 19 | 38 | 64 | 34 |
| Enteric Fever | 262 | — | — | 4 | 12 | 15 | 9 | 12 | 42 | 24 | 27 | 20 | 10 |
| Relapsing Fever | 8 | — | — | — | — | — | 1 | — | — | — | 1 | 1 | 1 |
| Simple Continued Fever | 16 | — | — | 1 | 1 | 1 | 1 | 2 | 2 | 3 | — | — | — |
| Infantile Remittent | 32 | 1 | 1 | 3 | 6 | 8 | 2 | 4 | 7 | — | — | — | — |
| Metria | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Rheumatic Fever | 22 | — | — | — | — | — | — | — | 3 | 4 | 3 | 2 | 1 |
| Erysipelas | 56 | 17 | 4 | 4 | 3 | — | — | — | — | 2 | — | 1 | 3 |
| Pyæmia | 7 | — | — | — | — | — | — | — | — | 1 | 1 | 1 | 1 |
| Syphilis | 55 | 19 | 13 | 10 | 4 | 1 | — | 1 | — | — | — | — | 1 |
| Noma | 2 | — | — | — | — | — | — | 1 | 1 | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 20 | 3 | — | — | — | — | — | — | — | — | — | 1 | 1 |
| Dropsy | 118 | — | — | — | 7 | 8 | 3 | 4 | 12 | 7 | 1 | 2 | 4 |
| Abscess | 44 | 3 | 3 | 3 | 1 | — | 1 | — | 2 | 3 | — | 2 | 3 |
| Ulcer | 6 | — | — | — | — | — | — | — | 1 | — | 1 | — | — |
| Fistula | 7 | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | 28 | 3 | — | — | 1 | — | — | — | — | — | — | — | 1 |
| Cancer | 166 | — | — | — | 1 | 1 | — | — | — | 1 | 1 | 3 | 3 |
| Gout | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| III. Scrofula | 176 | 9 | 8 | 14 | 21 | 12 | 9 | 4 | 19 | 26 | 12 | 11 | 10 |
| Tabes Mesenterica | 299 | 23 | 15 | 38 | 67 | 49 | 26 | 14 | 32 | 20 | 3 | 3 | 2 |
| Phthisis | 1928 | 4 | 13 | 36 | 57 | 26 | 28 | 15 | 96 | 93 | 217 | 283 | 243 |
| Hydrocephalus | 589 | 21 | 48 | 149 | 159 | 62 | 30 | 37 | 63 | 15 | 1 | 2 | 1 |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—MALES. (Continued.)

| DISEASES. | AGES. | MALES. | | | | | | | | | | | |
|------------------------------------|-------|-----------|-----|-----|-----|-----|----|----|----|----|----|----|----|
| | | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 121 | 4 | 11 | 13 | 16 | 11 | 7 | 4 | 24 | 12 | 4 | 2 | 3 |
| Apoplexy | 290 | 5 | 2 | 10 | 6 | 6 | 2 | 2 | 3 | 3 | 4 | 5 | 4 |
| Paralysis | 367 | — | — | — | — | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 6 |
| Delirium Tremens | 36 | — | — | — | — | — | — | — | — | — | — | 1 | 2 |
| Chorea | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Epilepsy | 58 | — | — | — | — | — | — | — | — | 3 | 3 | 5 | 5 |
| Tetanus | 7 | 2 | — | — | — | — | — | — | — | — | 1 | 1 | — |
| Insanity | 19 | — | — | — | — | — | — | — | — | — | 1 | — | 1 |
| Convulsions | 313 | 138 | 38 | 45 | 47 | 16 | 14 | 8 | 7 | — | — | — | — |
| Brain Disease | 282 | 4 | 7 | 15 | 18 | 4 | 6 | 5 | 24 | 12 | 8 | 8 | 8 |
| V. Pericarditis | 11 | — | — | — | — | — | 1 | 1 | 1 | 2 | 1 | — | 1 |
| Aneurism | 37 | — | — | — | — | — | — | — | — | — | — | — | 2 |
| Heart Disease | 736 | 3 | 1 | 1 | 1 | — | 2 | 3 | 6 | 13 | 15 | 17 | 29 |
| VI. Laryngitis | 36 | 4 | 1 | 5 | 9 | 1 | 4 | — | 2 | — | — | — | 1 |
| Bronchitis | 2020 | 164 | 166 | 315 | 308 | 137 | 56 | 16 | 41 | 3 | 13 | 16 | 19 |
| Pleurisy | 60 | 2 | 1 | 1 | 2 | — | 1 | 1 | 3 | 1 | 1 | 6 | 3 |
| Pneumonia | 618 | 45 | 32 | 72 | 82 | 35 | 20 | 11 | 22 | 7 | 12 | 25 | 19 |
| Asthma | 112 | — | — | — | — | — | — | — | — | 2 | — | 2 | 1 |
| Lung Disease | 104 | 12 | 7 | 6 | 7 | 4 | 1 | — | 5 | 2 | 1 | 4 | 7 |
| VII. Teething | 301 | 5 | 19 | 114 | 154 | 8 | 1 | — | — | — | — | — | — |
| Quinsey | 10 | — | 1 | 1 | 4 | — | 2 | — | 1 | 1 | — | — | — |
| Gastritis | 16 | 1 | 2 | 2 | 2 | — | — | — | — | — | 1 | — | 1 |
| Enteritis | 235 | 67 | 33 | 29 | 17 | 9 | 4 | 7 | 8 | 6 | 7 | 7 | 4 |
| Peritonitis | 55 | 11 | 3 | 1 | 2 | — | — | — | 2 | 2 | 6 | 4 | 1 |
| Ascites | 13 | — | — | — | — | — | 1 | — | 2 | 1 | — | — | 1 |
| Ulceration of Intestines | 39 | 1 | 1 | 2 | 1 | 2 | — | — | — | — | 3 | 2 | 3 |
| Hernia | 23 | 4 | — | 1 | — | 1 | — | — | — | — | 1 | — | 1 |
| Ileus | 71 | 17 | 2 | 1 | 1 | 2 | — | 1 | 2 | 1 | 3 | 2 | 2 |
| Intussusception | 5 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Stricture of Intestines | 11 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Stomach Disease | 169 | 25 | 19 | 12 | 11 | 9 | 3 | 1 | 2 | 1 | 4 | 3 | 5 |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | 24 | — | — | 1 | — | — | — | — | — | — | — | — | 1 |
| Jaundice | 31 | 13 | 1 | 1 | 1 | 2 | — | — | — | — | 1 | — | — |
| Liver Disease | 165 | 9 | 3 | 1 | — | 3 | 1 | — | 4 | 6 | 2 | 4 | 9 |
| Spleen Disease | 4 | — | — | — | — | — | — | 1 | — | — | 1 | — | — |
| VIII. Nephritis | 25 | — | — | 2 | — | 3 | 3 | 1 | 5 | 1 | — | 1 | 1 |
| Nephria | 81 | — | — | 1 | 1 | 2 | 2 | 1 | 4 | 3 | 5 | 1 | 6 |
| Addison's Disease | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ischuria | 11 | 1 | — | — | — | — | — | — | — | — | — | — | 1 |
| Diabetes | 18 | 1 | — | — | — | — | — | — | — | — | — | 2 | 2 |
| Stone | 18 | 1 | — | — | — | — | — | — | — | — | — | 1 | — |
| Cystitis | 50 | — | — | — | — | 1 | — | — | — | 1 | 2 | — | 1 |
| Stricture of Urethra | 11 | — | — | — | — | — | — | — | — | 1 | — | — | 1 |
| Kidney Disease | 85 | 1 | — | — | 2 | — | — | 1 | 3 | 4 | 4 | 2 | 2 |
| IX. Paramenia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ovarian Dropsy | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Childbirth | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Organs of Generation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| X. Arthritis | 22 | — | — | — | 1 | 1 | — | — | 2 | 3 | 2 | 2 | 4 |
| Rheumatism | 28 | — | — | — | — | — | — | — | 2 | 2 | 2 | — | — |
| Joint and Bone Disease | 56 | — | — | — | 1 | 1 | 1 | 2 | 12 | 12 | 7 | 4 | 3 |
| XI. Carbuncle | 3 | — | — | — | 1 | — | — | — | — | — | — | — | — |
| Phlegmon | 6 | — | — | — | — | — | — | — | 1 | 1 | — | — | — |
| Skin Disease | 12 | 3 | 2 | 4 | — | — | — | — | — | — | — | — | — |
| X. Intemperance | 26 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | 32 | 19 | 9 | 4 | — | — | — | — | — | — | — | — | — |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold | 4 | 2 | — | — | — | 1 | — | — | 1 | — | — | — | — |
| Poison | 22 | 5 | 1 | — | — | 2 | — | — | — | — | — | — | 1 |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 65 | — | — | — | 11 | 14 | 7 | — | 10 | 1 | 2 | 3 | 3 |
| Hanging, etc. | 18 | — | — | — | — | — | — | — | — | — | 2 | 1 | 2 |
| Suffocation | 38 | 16 | 6 | 4 | — | — | — | — | — | 2 | 1 | — | — |
| Drowning | 137 | — | — | — | 1 | — | 1 | 2 | 14 | 5 | 9 | 19 | 16 |
| Fracture and Contusion | 375 | 2 | — | 2 | 2 | 3 | 6 | 4 | 20 | 23 | 25 | 52 | 32 |
| Gunshot Wounds | 6 | — | — | — | — | — | — | — | — | — | 2 | — | 2 |
| Cuts and Stabs | 8 | — | — | — | — | — | — | — | — | — | 1 | 1 | — |
| Other Violent Causes | 30 | 1 | — | — | — | 1 | 1 | 1 | 2 | 3 | 2 | 3 | 4 |
| Not Specified | 308 | 92 | 36 | 29 | 24 | 12 | 6 | 5 | 11 | 8 | 7 | 3 | 6 |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—FEMALES.

| DISEASES. | ALL AGES. | FEMALES. | | | | | | | | | | | |
|------------------------------------|-----------|-----------|-----|------|------|-----|-----|-----|-----|-----|-----|-----|-----|
| | | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 16754 | 1465 | 631 | 1134 | 1648 | 775 | 467 | 343 | 759 | 386 | 572 | 635 | 696 |
| SPECIFIED CAUSES | 16505 | 1382 | 601 | 1115 | 1633 | 761 | 459 | 329 | 748 | 382 | 570 | 631 | 693 |
| I. Zymotic Class | 3528 | 158 | 149 | 333 | 662 | 372 | 261 | 180 | 362 | 111 | 106 | 90 | 109 |
| II. Diseases of Uncertain Seat | 721 | 15 | 6 | 4 | 4 | 6 | 5 | 4 | 13 | 9 | 10 | 10 | 23 |
| III. Tubercular Class | 3242 | 43 | 73 | 187 | 278 | 150 | 81 | 59 | 176 | 150 | 324 | 335 | 326 |
| IV. Brain and Nervous System | 1255 | 127 | 47 | 56 | 51 | 31 | 16 | 18 | 42 | 31 | 26 | 27 | 26 |
| V. Organs of Circulation | 803 | 4 | 1 | 2 | 3 | 1 | 3 | 2 | 17 | 19 | 24 | 31 | 35 |
| VI. Respiratory Organs | 2867 | 173 | 170 | 324 | 388 | 128 | 58 | 44 | 68 | 23 | 30 | 46 | 57 |
| VII. Organs of Digestion | 1139 | 112 | 63 | 138 | 171 | 44 | 10 | 9 | 22 | 17 | 12 | 30 | 45 |
| VIII. Urinary Organs | 172 | — | 2 | 1 | 3 | 4 | 5 | 3 | 9 | 1 | 5 | 15 | 13 |
| IX. Organs of Generation | 216 | — | — | — | — | — | — | — | — | 2 | 13 | 36 | 38 |
| X. Organs of Locomotion | 90 | 1 | — | — | 2 | 1 | 2 | 2 | 9 | 4 | 9 | 4 | 4 |
| XI. Skin, etc. | 19 | 5 | 1 | 1 | 3 | — | — | — | 1 | — | — | 2 | — |
| XII. Malformation | 31 | 28 | 1 | — | — | — | 1 | — | — | 1 | — | — | — |
| XIII. Premature Debility | 792 | 670 | 68 | 54 | — | — | — | — | — | — | — | — | — |
| XIV. Atrophy | 173 | — | — | — | 50 | 18 | 6 | 4 | 14 | 4 | 3 | 1 | 3 |
| XV. Age | 1124 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVI. Sudden Deaths | 36 | 5 | 3 | — | — | — | 2 | 1 | 1 | — | 1 | — | 1 |
| XVII. Violent Deaths | 297 | 41 | 17 | 15 | 18 | 6 | 9 | 3 | 14 | 10 | 7 | 4 | 13 |
| I. Small Pox | 33 | 3 | 2 | 3 | 8 | 2 | 3 | — | 7 | 2 | — | 2 | 1 |
| Measles | 414 | 2 | 9 | 68 | 192 | 72 | 26 | 15 | 27 | 1 | — | — | — |
| Scarlatina | 566 | — | 5 | 35 | 84 | 98 | 88 | 69 | 145 | 28 | 1 | 4 | 4 |
| Diphtheria | 103 | 2 | — | 7 | 15 | 16 | 12 | 12 | 17 | 8 | 2 | 2 | 3 |
| Hooping Cough | 593 | 38 | 55 | 110 | 200 | 83 | 51 | 20 | 35 | 1 | — | — | — |
| Croup | 197 | 7 | — | 24 | 55 | 43 | 33 | 23 | 11 | 1 | — | — | — |
| Thrush | 6 | 3 | — | — | — | 2 | 1 | — | — | — | — | — | — |
| Diarrhoea | 395 | 69 | 48 | 68 | 70 | 7 | 8 | 2 | 10 | 5 | 4 | 5 | 4 |
| Dysentery | 51 | — | 2 | 1 | 2 | 1 | — | 2 | — | 2 | 1 | — | — |
| Cholera | 40 | — | 7 | 3 | 6 | 1 | — | 1 | 7 | 1 | — | — | 1 |
| Influenza | 34 | 1 | 2 | — | 1 | — | — | 1 | 1 | 2 | 1 | — | — |
| Purpura | 8 | — | — | — | — | 1 | — | 1 | 2 | — | — | — | — |
| Ague | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | 4 | — | — | — | — | 1 | — | 1 | 2 | — | — | — | — |
| Typhus | 499 | 1 | 2 | 2 | 6 | 13 | 11 | 11 | 33 | 13 | 43 | 30 | 46 |
| Enteric Fever | 301 | — | — | 2 | 10 | 16 | 22 | 17 | 47 | 37 | 43 | 14 | 19 |
| Relapsing Fever | 7 | — | — | — | — | — | — | — | — | 2 | 1 | — | — |
| Simple Continued Fever | 23 | — | — | — | — | 4 | — | 3 | 2 | — | 5 | — | 1 |
| Infantile Remittent | 33 | 1 | 1 | — | 7 | 5 | 5 | 2 | 12 | — | — | — | — |
| Metria | 73 | — | — | — | — | — | — | — | — | — | 1 | 26 | 23 |
| Rheumatic Fever | 32 | — | — | — | — | — | — | — | 3 | 6 | 4 | 3 | 6 |
| Erysipelas | 47 | 12 | 5 | 4 | 1 | 1 | 1 | — | — | 1 | — | — | 1 |
| Pyæmia | 11 | — | — | — | — | 1 | — | — | — | 1 | — | 1 | — |
| Syphilis | 50 | 19 | 11 | 6 | 4 | 1 | — | — | — | — | — | 2 | — |
| Noma | 7 | — | — | — | 1 | 4 | — | — | 1 | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 16 | 3 | — | — | — | — | — | — | — | — | — | — | 1 |
| Dropsy | 214 | 4 | 1 | — | 3 | 2 | 3 | 3 | 9 | 2 | 3 | 6 | 12 |
| Abscess | 54 | 7 | 4 | 4 | — | 2 | — | 1 | 2 | 5 | 5 | 1 | 2 |
| Ulcer | 7 | — | — | — | — | 1 | 1 | — | — | — | 1 | — | — |
| Fistula | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | 25 | 1 | 1 | — | — | — | 1 | — | — | — | — | 1 | — |
| Cancer | 402 | — | — | — | 1 | 1 | — | — | 2 | 2 | 1 | 2 | 8 |
| Gout | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| III. Scrofula | 138 | 3 | 7 | 7 | 25 | 6 | 13 | 5 | 15 | 11 | 12 | 5 | 8 |
| Tabes Mesenterica | 234 | 16 | 8 | 33 | 57 | 31 | 19 | 15 | 29 | 9 | 3 | 1 | 2 |
| Phthisis | 2367 | 4 | 19 | 26 | 51 | 52 | 18 | 13 | 82 | 123 | 306 | 329 | 316 |
| Hydrocephalus | 503 | 20 | 39 | 121 | 145 | 61 | 31 | 26 | 50 | 7 | 3 | — | — |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life,
in 1867.—FEMALES.

| DISEASES. | FEMALES. | | | | | | | | | | | | | | | |
|-------------------------------|-----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|-----|-----|----|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 606 | 632 | 635 | 615 | 626 | 616 | 770 | 714 | 753 | 571 | 400 | 190 | 80 | 21 | 3 | 11 |
| SPECIFIED CAUSES | 602 | 628 | 632 | 605 | 619 | 608 | 766 | 714 | 753 | 571 | 400 | 190 | 80 | 21 | 3 | 9 |
| Zymotic Class | 89 | 82 | 87 | 67 | 61 | 53 | 58 | 40 | 52 | 20 | 13 | 6 | 3 | 1 | - | 3 |
| Uncertain Seat | 18 | 35 | 59 | 73 | 84 | 87 | 79 | 73 | 51 | 29 | 17 | 3 | 4 | - | - | - |
| Tubercular Class | 264 | 229 | 209 | 111 | 101 | 62 | 48 | 19 | 9 | 6 | 1 | - | - | - | - | 1 |
| Brain, etc. | 35 | 39 | 33 | 62 | 56 | 75 | 100 | 126 | 99 | 80 | 42 | 8 | 2 | - | - | - |
| Heart, etc. | 52 | 43 | 50 | 64 | 64 | 56 | 92 | 89 | 77 | 42 | 25 | 6 | - | - | - | 1 |
| Respiratory Organs | 44 | 83 | 90 | 111 | 129 | 162 | 212 | 183 | 161 | 98 | 54 | 21 | 9 | - | - | 1 |
| Digestive Organs | 33 | 38 | 37 | 57 | 57 | 52 | 60 | 51 | 35 | 27 | 15 | 3 | 1 | - | - | - |
| Urinary Organs | 16 | 16 | 11 | 13 | 18 | 6 | 12 | 7 | 6 | 3 | 1 | 1 | - | - | - | 1 |
| Generative Organs | 34 | 43 | 17 | 9 | 9 | 5 | 3 | 2 | 2 | 2 | - | - | - | - | - | 1 |
| Locomotive Organs | 2 | - | 7 | 6 | 3 | 6 | 9 | 4 | 7 | 7 | 1 | - | - | - | - | - |
| Skin | - | 1 | - | 2 | - | 1 | - | 1 | - | - | - | - | - | 1 | - | - |
| Malformation | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Premature Debility | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Atrophy | 3 | 4 | 12 | 8 | 14 | 29 | - | - | - | - | - | - | - | - | - | - |
| Age | - | - | - | - | - | - | 74 | 111 | 242 | 248 | 229 | 138 | 59 | 19 | 3 | 1 |
| Sudden Deaths | - | 2 | 2 | 2 | 4 | 1 | 8 | 1 | 1 | 1 | - | - | - | - | - | - |
| Violent Deaths | 12 | 13 | 18 | 20 | 19 | 13 | 11 | 7 | 11 | 8 | 2 | 4 | 2 | - | - | - |
| Small Pox | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Measles | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Scarlatina | 2 | 1 | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Diphtheria | - | 3 | 1 | 1 | - | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Whooping Cough | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Croup | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Thrush | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Diarrhoea | 5 | 4 | 4 | 3 | 9 | 7 | 13 | 11 | 21 | 7 | 4 | 3 | 3 | 1 | - | - |
| Dysentery | 2 | 3 | 1 | 3 | 1 | 8 | 7 | 4 | 6 | 1 | 3 | 1 | - | - | - | - |
| Cholera | 5 | 1 | 2 | 1 | 1 | - | 1 | 1 | 1 | - | - | - | - | - | - | - |
| Influenza | - | 1 | 2 | 2 | 1 | 1 | 4 | 2 | 5 | 2 | 4 | 1 | - | - | - | - |
| Purpura | - | - | - | - | 2 | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Ague | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| Worms | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Typhus | 46 | 44 | 56 | 41 | 36 | 19 | 19 | 8 | 10 | 5 | - | 1 | - | - | - | 3 |
| Enteric Fever | 12 | 11 | 10 | 9 | 4 | 8 | 5 | 7 | 5 | 3 | - | - | - | - | - | - |
| Relapsing Fever | - | - | - | 1 | - | - | 2 | 1 | - | - | - | - | - | - | - | - |
| Simple Cont. Fever | - | 1 | 1 | - | 1 | 1 | 2 | - | 1 | - | - | - | - | - | - | - |
| Infantile Remittent | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Metria | 8 | 8 | 6 | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| Rheumatic Fever | 2 | 1 | 1 | 1 | 2 | 2 | - | - | - | 1 | - | - | - | - | - | - |
| Erysipelas | - | 1 | - | - | 4 | 4 | 3 | 3 | 3 | 1 | 2 | - | - | - | - | - |
| Pyæmia | 4 | - | 2 | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Syphilis | 2 | 1 | - | 3 | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Noma | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Hydrophobia | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Hæmorrhage | 1 | 1 | 3 | 5 | - | 2 | - | - | - | - | - | - | - | - | - | - |
| Dropsy | 6 | 9 | 12 | 16 | 20 | 18 | 28 | 23 | 12 | 11 | 10 | 1 | - | - | - | - |
| Abscess | 2 | - | 5 | 1 | 2 | 3 | 3 | - | 3 | 1 | 1 | - | - | - | - | - |
| Ulcer | - | - | - | - | - | 2 | 1 | 1 | - | - | - | - | - | - | - | - |
| Fistula | - | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Mortification | - | 1 | - | 1 | 1 | 2 | 3 | 2 | 4 | 3 | 3 | - | 1 | - | - | - |
| Cancer | 9 | 23 | 39 | 50 | 61 | 58 | 44 | 47 | 32 | 14 | 3 | 2 | 3 | - | - | - |
| Gout | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Scrofula | 3 | 7 | 4 | - | 3 | 2 | 1 | - | - | 1 | - | - | - | - | - | - |
| Tabes Mesenterica | 2 | 2 | 4 | - | 2 | 1 | - | - | - | - | - | - | - | - | - | - |
| Phthisis | 259 | 220 | 201 | 111 | 96 | 59 | 47 | 19 | 9 | 5 | 1 | - | - | - | - | 1 |
| Hydrocephalus | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life,
in 1867.—FEMALES. (Continued.)

| DISEASES. | ALL AGES. | FEMALES. | | | | | | | | | | | |
|------------------------------------|--------------|-----------|-----|-----|-----|----|----|----|----|----|----|----|----|
| | | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 84 | 2 | 7 | 9 | 7 | 2 | 4 | 4 | 16 | 10 | 4 | 5 | 2 |
| Apoplexy | 247 | 9 | 1 | 6 | 4 | 1 | — | 1 | 2 | 4 | 5 | 4 | 7 |
| Paralysis | 361 | — | — | — | — | — | — | — | 2 | 2 | 1 | 1 | 4 |
| Delirium Tremens | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Chorea | 5 | — | — | — | — | 1 | — | 1 | 1 | — | 1 | — | — |
| Epilepsy | 58 | — | — | — | — | 1 | — | — | — | 4 | 5 | 4 | 7 |
| Tetanus | 4 | 1 | 1 | — | — | — | — | — | — | — | — | 1 | — |
| Insanity | 17 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Convulsions | 257 | 115 | 33 | 37 | 32 | 18 | 8 | 8 | 5 | — | — | — | 1 |
| Brain Disease | 218 | — | 5 | 4 | 8 | 8 | 4 | 4 | 16 | 11 | 10 | 11 | 5 |
| V. Pericarditis | 17 | — | — | — | — | — | — | — | 3 | 4 | 3 | — | — |
| Aneurism | 7 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Heart Disease | 779 | 4 | 1 | 2 | 3 | 1 | 3 | 2 | 14 | 15 | 21 | 30 | 35 |
| VI. Laryngitis | 32 | 3 | 4 | 4 | 6 | 3 | 2 | 1 | 2 | 1 | — | — | — |
| Bronchitis | 2138 | 126 | 140 | 262 | 306 | 91 | 44 | 33 | 50 | 12 | 10 | 29 | 30 |
| Pleurisy | 26 | 2 | — | — | — | — | — | 1 | — | 1 | 1 | — | 3 |
| Pneumonia | 471 | 36 | 23 | 50 | 73 | 34 | 12 | 8 | 15 | 8 | 13 | 12 | 20 |
| Asthma | 113 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Lung Disease | 87 | 6 | 3 | 8 | 3 | — | — | 1 | 1 | 1 | 6 | 4 | 4 |
| VII. Teething | 280 | 1 | 17 | 96 | 140 | 24 | 2 | — | — | — | — | — | — |
| Quinsey | 13 | 2 | — | 2 | 1 | 2 | 1 | — | 1 | — | — | — | 1 |
| Gastritis | 40 | 4 | 3 | 3 | 3 | 1 | — | — | 3 | 1 | — | 1 | 1 |
| Enteritis | 202 | 64 | 23 | 22 | 14 | 9 | 4 | 2 | 9 | 4 | 4 | 3 | 3 |
| Peritonitis | 71 | 3 | 2 | 1 | — | 4 | — | — | 1 | 5 | 1 | 10 | 13 |
| Ascites | 22 | 1 | — | — | 1 | 1 | — | — | — | 1 | — | — | 1 |
| Ulceration of Intestines | 35 | 1 | — | 1 | — | — | — | — | 1 | 1 | — | 3 | 3 |
| Hernia | 15 | 1 | — | — | — | — | — | — | — | — | — | 1 | — |
| Ileus | 46 | 4 | 3 | 3 | 4 | 1 | — | 1 | 1 | — | — | 1 | 2 |
| Intussusception | 2 | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Stricture of Intestines | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Stomach Disease | 173 | 17 | 12 | 10 | 6 | 2 | 1 | 4 | 3 | 2 | 4 | 2 | 4 |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | 27 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Jaundice | 32 | 10 | 2 | — | 1 | — | 1 | — | — | — | — | 1 | 1 |
| Liver Disease | 167 | 4 | 1 | — | 1 | — | — | 2 | 3 | 2 | 3 | 8 | 14 |
| Spleen Disease | 12 | — | — | — | — | — | — | — | 1 | — | — | — | 1 |
| VIII. Nephritis | 15 | — | 1 | — | — | — | 2 | 1 | 2 | — | 1 | 1 | 1 |
| Nephria | 57 | — | — | — | — | — | 1 | 1 | 2 | 1 | 3 | 6 | 4 |
| Addison's Disease | 2 | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Ischuria | 8 | — | — | — | — | 1 | — | — | 1 | — | — | 2 | — |
| Diabetes | 12 | — | — | — | — | — | — | — | — | — | — | 2 | 3 |
| Stone | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cystitis | 6 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| Stricture of Urethra | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Kidney Disease | 72 | — | 1 | 1 | 3 | 3 | 1 | 1 | 3 | — | 1 | 4 | 5 |
| IX. Paramenia | 12 | — | — | — | — | — | — | — | — | 2 | 6 | 1 | 1 |
| Ovarian Dropsy | 37 | — | — | — | — | — | — | — | — | — | 1 | 1 | 2 |
| Childbirth | 147 | — | — | — | — | — | — | — | — | — | 6 | 33 | 34 |
| Organs of Generation | 20 | — | — | — | — | — | — | — | — | — | — | 1 | 1 |
| X. Arthritis | 16 | — | — | — | 1 | — | 1 | 2 | 2 | 2 | 1 | 1 | — |
| Rheumatism | 44 | — | — | — | — | — | — | — | 1 | — | 1 | 2 | 2 |
| Joint and Bone Disease | 30 | 1 | — | — | 1 | 1 | 1 | — | 6 | 2 | 7 | 1 | 2 |
| XI. Carbuncle | 6 | 1 | 1 | — | 1 | — | — | — | — | — | — | — | — |
| Phlegmon | 3 | — | — | — | 1 | — | — | — | — | — | — | — | — |
| Skin Disease | 10 | 4 | — | 1 | 1 | — | — | — | 1 | — | — | 2 | — |
| XVII. Intemperance | 24 | — | — | — | — | — | — | — | — | — | — | — | 2 |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | 29 | 15 | 9 | 5 | — | — | — | — | — | — | — | — | — |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Poison | 15 | — | — | 1 | — | — | — | — | 1 | — | 3 | — | 4 |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 57 | — | 1 | 4 | 14 | 1 | 6 | 2 | 4 | 2 | 2 | 1 | 3 |
| Hanging, etc. | 9 | — | — | — | — | — | — | — | — | — | — | — | — |
| Suffocation | 47 | 21 | 7 | 4 | — | — | 1 | — | 2 | 1 | — | — | — |
| Drowning | 21 | 1 | — | — | 1 | 1 | — | — | — | 1 | — | 2 | 1 |
| Fracture and Contusion | 74 | — | — | 1 | 1 | 4 | 2 | 1 | 6 | 5 | 1 | 1 | 2 |
| Gunshot Wounds | 2 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| Cuts and Stabs | 7 | — | — | — | — | — | — | — | — | — | — | — | — |
| Other Violent Causes | 12 | 4 | — | — | 2 | — | — | — | 1 | — | 1 | — | 1 |
| Not Specified | 249 | 83 | 30 | 19 | 15 | 14 | 8 | 14 | 11 | 4 | 2 | 4 | 3 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1867.—BOTH SEXES.

| DISEASES. | ALL AGES. | BOTH SEXES. | | | | | | | | | | | |
|------------------------------------|-----------|-------------|-----|------|------|-----|-----|-----|-----|-----|-----|-----|-----|
| | | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 12578 | 1228 | 552 | 1115 | 1553 | 661 | 408 | 280 | 641 | 301 | 414 | 516 | 488 |
| SPECIFIED CAUSES | 12407 | 1185 | 534 | 1099 | 1532 | 653 | 405 | 277 | 633 | 297 | 412 | 514 | 485 |
| I. Zymotic Class | 2722 | 108 | 106 | 284 | 540 | 286 | 193 | 145 | 290 | 73 | 76 | 83 | 77 |
| II. Diseases of Uncertain Seat | 324 | 6 | 3 | 3 | 3 | 6 | 5 | 7 | 14 | 4 | 5 | 4 | 18 |
| III. Tubercular Class | 2491 | 33 | 73 | 198 | 258 | 127 | 71 | 54 | 157 | 122 | 230 | 265 | 217 |
| IV. Brain and Nervous System | 869 | 114 | 47 | 54 | 73 | 27 | 17 | 15 | 34 | 20 | 16 | 19 | 13 |
| V. Organs of Circulation | 481 | 1 | — | 1 | 2 | — | 2 | 1 | 11 | 14 | 16 | 21 | 19 |
| VI. Respiratory Organs | 2719 | 171 | 183 | 383 | 444 | 155 | 79 | 33 | 73 | 15 | 24 | 53 | 47 |
| VII. Organs of Digestion | 921 | 128 | 64 | 130 | 153 | 32 | 13 | 8 | 22 | 15 | 12 | 24 | 36 |
| VIII. Urinary Organs | 133 | 2 | — | 2 | 2 | 3 | 6 | 3 | 4 | 1 | 3 | 5 | 8 |
| IX. Organs of Generation | 79 | — | — | — | — | — | — | — | — | 1 | 6 | 15 | 17 |
| X. Organs of Locomotion | 61 | 1 | — | — | — | 2 | 1 | 2 | 6 | 8 | 7 | 4 | 4 |
| XI. Skin, etc. | 15 | 2 | 1 | 4 | 1 | — | — | — | 1 | — | — | 1 | — |
| XII. Malformation | 20 | 16 | 1 | — | 2 | — | 1 | — | — | — | — | — | — |
| XIII. Premature Debility | 654 | 577 | 47 | 30 | — | — | — | — | — | — | — | — | — |
| XIV. Atrophy | 105 | — | — | — | 39 | 10 | 5 | 4 | 7 | 5 | 2 | — | — |
| XV. Age | 433 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVI. Sudden Deaths | 41 | 3 | 1 | — | — | — | 1 | 1 | — | 1 | 1 | 1 | 4 |
| XVII. Violent Deaths | 339 | 23 | 8 | 10 | 15 | 5 | 11 | 4 | 14 | 18 | 14 | 19 | 25 |
| I. Small Pox | 32 | 3 | 2 | 2 | 5 | 3 | 3 | — | 7 | 2 | — | 3 | 2 |
| Measles | 388 | 1 | 11 | 57 | 167 | 66 | 37 | 19 | 26 | 2 | — | — | — |
| Scarlatina | 484 | 2 | 2 | 36 | 85 | 85 | 70 | 52 | 119 | 23 | 1 | 4 | 3 |
| Diphtheria | 75 | — | 1 | 13 | 13 | 9 | 10 | 10 | 14 | 1 | 1 | — | 2 |
| Hooping Cough | 331 | 10 | 26 | 70 | 123 | 48 | 25 | 13 | 14 | — | — | 2 | — |
| Croup | 159 | 8 | — | 22 | 52 | 23 | 23 | 20 | 10 | 1 | — | — | — |
| Thrush | 4 | 1 | — | — | — | 2 | 1 | — | — | — | — | — | — |
| Diarrhœa | 309 | 54 | 51 | 63 | 65 | 7 | 5 | 1 | 13 | 2 | 3 | 5 | 3 |
| Dysentery | 23 | 1 | — | 3 | — | — | — | — | — | 1 | — | — | 1 |
| Cholera | 17 | 1 | 3 | 5 | 1 | 1 | — | — | 1 | — | — | — | — |
| Influenza | 19 | — | — | 1 | 2 | 1 | — | — | 1 | 2 | 1 | — | — |
| Purpura | 8 | — | — | — | — | — | — | 1 | 2 | 1 | — | 1 | 1 |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | 3 | — | — | — | 2 | — | — | — | 1 | — | — | — | — |
| Typhus | 497 | 1 | — | 1 | 5 | 12 | 10 | 9 | 24 | 10 | 41 | 47 | 45 |
| Enteric Fever | 202 | — | — | 5 | 12 | 20 | 7 | 15 | 38 | 23 | 23 | 6 | 6 |
| Relapsing Fever | 7 | — | — | — | — | — | — | — | — | 2 | 2 | 1 | — |
| Simple Continued Fever | 16 | — | — | — | — | 2 | — | 2 | 4 | 2 | 2 | — | — |
| Infantile Remittent | 26 | 1 | 1 | — | 5 | 5 | 2 | 1 | 11 | — | — | — | — |
| Metria | 26 | — | — | — | — | — | — | — | — | — | — | 9 | 9 |
| Rheumatic Fever | 16 | — | — | — | — | — | — | — | 4 | 1 | 2 | 1 | 3 |
| Erysipelas | 35 | 9 | 2 | 3 | 1 | 1 | — | — | — | — | — | 1 | 1 |
| Pyæmia | 7 | — | — | — | — | — | — | — | — | — | — | 2 | 1 |
| Syphilis | 34 | 16 | 7 | 3 | 1 | — | — | 1 | — | — | — | 1 | — |
| Noma | 4 | — | — | — | 1 | 1 | — | 1 | 1 | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 14 | 1 | — | — | — | — | — | — | — | — | — | — | 1 |
| Dropsy | 102 | — | — | — | 1 | 4 | 3 | 6 | 12 | — | 3 | 1 | 8 |
| Abscess | 37 | 4 | 3 | 3 | 1 | 1 | 1 | 1 | 2 | 3 | 1 | 1 | 2 |
| Ulcer | 4 | — | — | — | — | 1 | — | — | — | — | 1 | — | — |
| Fistula | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | 18 | 1 | — | — | 1 | — | 1 | — | — | — | — | — | — |
| Cancer | 145 | — | — | — | — | — | — | — | — | 1 | — | 2 | 7 |
| Gout | — | — | — | — | — | — | — | — | — | — | — | — | — |
| III. Scrofula | 109 | 1 | 7 | 10 | 21 | 10 | 5 | 3 | 12 | 16 | 5 | 5 | 6 |
| Tabes Mesenterica | 200 | 8 | 8 | 29 | 48 | 29 | 21 | 10 | 24 | 12 | 1 | 2 | 1 |
| Phthisis | 1722 | 6 | 14 | 34 | 57 | 47 | 21 | 15 | 81 | 86 | 223 | 257 | 210 |
| Hydrocephalus | 460 | 18 | 44 | 125 | 132 | 41 | 24 | 26 | 40 | 8 | 1 | 1 | — |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1867.—BOTH SEXES. (Continued.)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|------------------------------------|-------------|-----------|-----|-----|-----|-----|----|----|----|----|----|----|----|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 84 | 3 | 9 | 12 | 12 | 3 | 3 | 3 | 17 | 7 | 3 | 3 | 2 |
| Apoplexy | 151 | 6 | 1 | 9 | 7 | 2 | 2 | 1 | 1 | 4 | 3 | 5 | 3 |
| Paralysis | 174 | — | — | — | — | — | — | 1 | 1 | 2 | — | 2 | 2 |
| Delirium Tremens | 11 | — | — | — | — | — | — | — | — | — | — | — | — |
| Chorea | 2 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| Epilepsy | 31 | — | — | — | — | — | — | — | — | — | 2 | 3 | 2 |
| Tetanus | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Insanity | 8 | — | — | — | — | — | — | — | — | — | — | — | — |
| Convulsions | 235 | 103 | 28 | 26 | 46 | 14 | 11 | 3 | 3 | — | — | — | 1 |
| Brain Disease | 171 | 2 | 9 | 7 | 8 | 7 | 1 | 7 | 12 | 7 | 8 | 6 | 3 |
| V. Pericarditis | 9 | — | — | — | — | — | 1 | — | 1 | 2 | 2 | — | — |
| Aneurism | 6 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Heart Disease | 466 | 1 | — | 1 | 2 | — | 1 | 1 | 10 | 12 | 14 | 20 | 19 |
| VI. Laryngitis | 30 | 3 | 1 | 2 | 9 | 2 | 2 | — | 2 | 1 | — | — | — |
| Bronchitis | 1966 | 114 | 148 | 296 | 332 | 112 | 60 | 22 | 52 | 8 | 15 | 29 | 24 |
| Pleurisy | 22 | 2 | — | — | 1 | — | — | — | — | — | 1 | 1 | — |
| Pneumonia | 520 | 43 | 29 | 75 | 94 | 38 | 16 | 10 | 15 | 5 | 6 | 17 | 20 |
| Asthma | 90 | — | — | — | — | — | — | — | — | 1 | — | 3 | 1 |
| Lung Disease | 91 | 9 | 5 | 10 | 8 | 3 | 1 | 1 | 4 | — | 2 | 3 | 2 |
| VII. Teething | 227 | 2 | 11 | 78 | 122 | 13 | 1 | — | — | — | — | — | — |
| Quinsey | 14 | 1 | 1 | 1 | 4 | 2 | 1 | — | 2 | — | — | — | 1 |
| Gastritis | 21 | 4 | 4 | 1 | 1 | — | — | — | 1 | — | — | 1 | 1 |
| Enteritis | 213 | 75 | 30 | 27 | 11 | 9 | 4 | 4 | 7 | 7 | 3 | 5 | 5 |
| Peritonitis | 39 | 3 | 2 | 1 | 1 | 1 | — | — | 1 | 3 | — | 8 | 5 |
| Ascites | 11 | — | — | — | — | 1 | 1 | — | 1 | — | — | — | — |
| Ulceration of Intestines | 25 | 1 | 1 | 2 | 1 | 1 | — | — | — | — | 3 | — | 2 |
| Hernia | 15 | 1 | — | 1 | — | — | — | — | — | — | 1 | 1 | 1 |
| Ileus | 37 | 9 | 2 | 3 | 2 | 1 | — | 1 | 2 | — | — | — | 1 |
| Intussusception | 4 | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Stricture of Intestines | 4 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Stomach Disease | 136 | 23 | 10 | 14 | 9 | 2 | 4 | 2 | 4 | 1 | 3 | 3 | 5 |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | 22 | — | — | 1 | — | — | — | — | — | — | — | — | — |
| Jaundice | 17 | 4 | — | — | 2 | 1 | 1 | — | — | — | 1 | — | 1 |
| Liver Disease | 130 | 5 | 2 | 1 | — | 1 | — | 1 | 4 | 4 | 1 | 6 | 14 |
| Spleen Disease | 6 | — | — | — | — | — | — | — | — | — | — | — | — |
| VIII. Nephritis | 14 | — | — | 2 | — | 1 | 3 | 1 | 1 | — | — | — | — |
| Nephria | 29 | — | — | — | — | 1 | 2 | 1 | 1 | — | 2 | 2 | 2 |
| Addison's Disease | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ischuria | 5 | — | — | — | — | — | — | — | 1 | — | — | 1 | 1 |
| Diabetes | 10 | 1 | — | — | — | — | — | — | — | — | — | 1 | 1 |
| Stone | 5 | — | — | — | — | — | — | — | — | — | — | — | — |
| Cystitis | 16 | — | — | — | — | 1 | — | — | 1 | 1 | — | — | 1 |
| Stricture of Urethra | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Kidney Disease | 52 | 1 | — | — | 2 | — | 1 | 1 | — | — | 1 | 1 | 3 |
| IX. Paramenia | 4 | — | — | — | — | — | — | — | — | 1 | 2 | — | 1 |
| Ovarian Dropsy | 12 | — | — | — | — | — | — | — | — | — | 1 | — | 1 |
| Childbirth | 55 | — | — | — | — | — | — | — | — | — | 3 | 15 | 14 |
| Organs of Generation | 8 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| X. Arthritis | 10 | — | — | — | — | — | 1 | 1 | — | 2 | — | 1 | 1 |
| Rheumatism | 23 | — | — | — | — | — | — | — | 1 | 2 | 2 | — | 1 |
| Joint and Bone Disease | 28 | 1 | — | — | — | 2 | — | 1 | 5 | 4 | 5 | 3 | 2 |
| XI. Carbuncle | 3 | 1 | — | — | 1 | — | — | — | — | — | — | — | — |
| Phlegmon | 3 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| Skin Disease | 9 | 1 | 1 | 4 | — | — | — | — | — | — | — | 1 | — |
| XVII. Intemperance | 20 | — | — | — | — | — | — | — | — | — | — | 1 | 2 |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | 19 | 9 | 6 | 4 | — | — | — | — | — | — | — | — | — |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| Poison | 15 | 1 | — | 1 | — | — | — | — | — | — | 1 | — | 3 |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 48 | — | — | 1 | 14 | 2 | 7 | 2 | 4 | 2 | 1 | 1 | 1 |
| Hanging, etc. | 7 | — | — | — | — | — | — | — | — | — | — | — | — |
| Suffocation | 23 | 11 | 2 | 3 | — | — | — | — | — | 2 | 1 | — | — |
| Drowning | 57 | — | — | — | — | — | — | 1 | 3 | 3 | 3 | 4 | 9 |
| Fracture and Contusion | 133 | 1 | — | 1 | 1 | 2 | 4 | 1 | 7 | 9 | 7 | 11 | 9 |
| Gunshot Wounds | 3 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Cuts and Stabs | 3 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Other Violent Causes | 10 | 1 | — | — | — | — | — | — | — | 2 | — | 1 | 1 |
| Not Specified | 171 | 43 | 18 | 16 | 21 | 8 | 3 | 3 | 8 | 4 | 2 | 2 | 3 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1867.—MALES.

| DISEASES. | ALL AGES. | MALES. | | | | | | | | | | | |
|------------------------------------|-----------|-----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 6312 | 692 | 323 | 622 | 804 | 349 | 219 | 133 | 318 | 164 | 173 | 236 | 194 |
| SPECIFIED CAUSES | 6223 | 673 | 310 | 613 | 793 | 346 | 218 | 132 | 315 | 161 | 172 | 235 | 193 |
| I. Zymotic Class | 1329 | 58 | 55 | 149 | 262 | 154 | 94 | 66 | 127 | 29 | 34 | 46 | 27 |
| II. Diseases of Uncertain Seat | 121 | 4 | 1 | 1 | 3 | 3 | 3 | 4 | 8 | 1 | — | 3 | 6 |
| III. Tubercular Class | 1182 | 15 | 45 | 111 | 133 | 61 | 31 | 31 | 95 | 75 | 86 | 114 | 86 |
| IV. Brain and Nervous System | 476 | 63 | 28 | 30 | 46 | 14 | 12 | 9 | 22 | 12 | 6 | 9 | 3 |
| V. Organs of Circulation | 246 | — | — | — | — | — | 2 | 1 | 4 | 6 | 7 | 5 | 9 |
| VI. Respiratory Organs | 1423 | 98 | 112 | 216 | 230 | 93 | 52 | 11 | 31 | 4 | 11 | 27 | 20 |
| VII. Organs of Digestion | 473 | 66 | 43 | 74 | 82 | 12 | 9 | 4 | 9 | 8 | 9 | 9 | 13 |
| VIII. Urinary Organs | 86 | 2 | — | 2 | 1 | 3 | 4 | 2 | 2 | 1 | 3 | 2 | 4 |
| IX. Organs of Generation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| X. Organs of Locomotion | 31 | — | — | — | — | 1 | — | 1 | 4 | 6 | 4 | 2 | 2 |
| XI. Skin, etc. | 10 | — | 1 | 4 | 1 | — | — | — | 1 | — | — | — | — |
| XII. Malformation | 12 | 10 | — | — | 2 | — | — | — | — | — | — | — | — |
| XIII. Premature Debility | 384 | 343 | 21 | 20 | — | — | — | — | — | — | — | — | — |
| XIV. Atrophy | 46 | — | — | — | 23 | 2 | 4 | 2 | — | 2 | — | — | — |
| XV. Age | 128 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVI. Sudden Deaths | 22 | — | — | — | — | — | — | — | — | 1 | — | 1 | 4 |
| XVII. Violent Deaths | 254 | 14 | 4 | 6 | 10 | 3 | 7 | 1 | 12 | 16 | 12 | 17 | 19 |
| I. Small Pox | 16 | 2 | 2 | 1 | 3 | 1 | 1 | — | 2 | 1 | — | 2 | 1 |
| Measles | 209 | — | 8 | 27 | 79 | 46 | 23 | 11 | 13 | 1 | — | — | — |
| Scarlatina | 229 | 2 | 1 | 20 | 43 | 41 | 34 | 22 | 53 | 8 | 1 | 2 | 1 |
| Diphtheria | 41 | — | 1 | 11 | 8 | 5 | 4 | 4 | 7 | — | — | — | — |
| Hooping Cough | 147 | 3 | 9 | 33 | 52 | 25 | 14 | 5 | 4 | — | — | 2 | — |
| Croup | 84 | 6 | — | 13 | 29 | 11 | 9 | 10 | 6 | — | — | — | — |
| Thrush | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Diarrhœa | 147 | 25 | 25 | 32 | 32 | 6 | 2 | — | 5 | — | — | 1 | 1 |
| Dysentery | 10 | 1 | — | 2 | — | — | — | — | — | — | — | — | 1 |
| Cholera | 8 | 1 | 1 | 3 | — | — | — | — | 1 | — | — | — | — |
| Influenza | 8 | — | — | 1 | 1 | 1 | — | — | — | 1 | — | — | — |
| Purpura | 4 | — | — | — | — | — | — | — | — | 1 | — | 1 | 1 |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | 3 | — | — | — | 2 | — | — | — | 1 | — | — | — | — |
| Typhus | 256 | 1 | — | — | 3 | 4 | 4 | 4 | 11 | 6 | 22 | 30 | 18 |
| Enteric Fever | 90 | — | — | 3 | 6 | 10 | 2 | 7 | 16 | 9 | 9 | 4 | 2 |
| Relapsing Fever | 3 | — | — | — | — | — | — | — | — | — | 1 | 1 | — |
| Simple Continued Fever | 7 | — | — | — | — | 1 | — | 1 | 2 | 2 | — | — | — |
| Infantile Remittent | 12 | 1 | 1 | — | 2 | 3 | 1 | — | 4 | — | — | — | — |
| Metria | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Rheumatic Fever | 6 | — | — | — | — | — | — | — | 2 | — | 1 | 1 | — |
| Erysipelas | 20 | 5 | 2 | 1 | 1 | — | — | — | — | — | — | 1 | 1 |
| Pyæmia | 5 | — | — | — | — | — | — | — | — | — | — | 1 | 1 |
| Syphilis | 22 | 10 | 5 | 2 | 1 | — | — | 1 | — | — | — | — | — |
| Noma | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 6 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Dropsy | 42 | — | — | — | 1 | 3 | 2 | 4 | 7 | — | — | — | 2 |
| Abscess | 18 | 2 | 1 | 1 | 1 | — | 1 | — | 1 | 1 | — | 1 | 2 |
| Ulcer | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Fistula | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | 9 | 1 | — | — | 1 | — | — | — | — | — | — | — | — |
| Cancer | 42 | — | — | — | — | — | — | — | — | — | — | 2 | 2 |
| Gout | — | — | — | — | — | — | — | — | — | — | — | — | — |
| III. Scrofula | 62 | — | 5 | 5 | 11 | 8 | 2 | 2 | 8 | 11 | — | 4 | 3 |
| Tabes Mesenterica | 114 | 3 | 4 | 20 | 23 | 19 | 7 | 6 | 16 | 11 | — | 2 | 1 |
| Phthisis | 754 | 3 | 8 | 18 | 26 | 12 | 13 | 9 | 50 | 46 | 86 | 107 | 82 |
| Hydrocephalus | 252 | 9 | 28 | 68 | 73 | 22 | 9 | 14 | 21 | 7 | — | 1 | — |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1867.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | | | | | |
|------------------------|-----------|-----|-----|-----|-----|-----|-----|-----|-----|----|----|----|----|-----|-----|---|--|
| | AGE UNDER | | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? | |
| ALL CAUSES . . . | 209 | 216 | 236 | 244 | 256 | 217 | 228 | 193 | 130 | 89 | 40 | 19 | 5 | 1 | 1 | 1 | |
| SPECIFIED CAUSES . . | 205 | 213 | 232 | 243 | 256 | 214 | 221 | 193 | 130 | 89 | 40 | 19 | 5 | 1 | 1 | — | |
| Zymotic Class . . . | 35 | 33 | 24 | 38 | 32 | 16 | 19 | 14 | 10 | 6 | 1 | — | — | — | — | — | |
| Uncertain Seat . . . | 3 | 9 | 6 | 10 | 14 | 12 | 16 | 5 | 5 | 4 | — | — | — | — | — | — | |
| Tubercular Class . . | 58 | 50 | 65 | 43 | 35 | 20 | 15 | 7 | 3 | 3 | — | — | — | — | — | — | |
| Brain, etc. | 15 | 19 | 13 | 23 | 26 | 23 | 34 | 30 | 18 | 13 | 7 | 1 | — | — | — | — | |
| Heart, etc. | 16 | 21 | 25 | 26 | 32 | 32 | 28 | 16 | 8 | 3 | 2 | 3 | — | — | — | — | |
| Respiratory Organs . | 29 | 37 | 53 | 61 | 72 | 65 | 65 | 62 | 42 | 22 | 6 | 3 | 1 | — | — | — | |
| Digestive Organs . . | 14 | 14 | 13 | 12 | 18 | 19 | 18 | 16 | 7 | 3 | 1 | — | — | — | — | — | |
| Urinary Organs . . . | 4 | 7 | 7 | 5 | 6 | 8 | 6 | 8 | 5 | 2 | 1 | — | 1 | — | — | — | |
| Generative Organs . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Locomotive Organs . | 3 | 3 | 2 | — | 1 | 1 | — | 1 | — | — | — | — | — | — | — | — | |
| Skin | 1 | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | |
| Malformation . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Premature Debility . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Atrophy | 1 | 1 | 3 | 3 | 2 | 3 | — | — | — | — | — | — | — | — | — | — | |
| Age | — | — | — | — | — | — | 7 | 25 | 27 | 31 | 22 | 12 | 3 | — | 1 | — | |
| Sudden Deaths . . . | — | 3 | 2 | 1 | 3 | 1 | 3 | 2 | 1 | — | — | — | — | — | — | — | |
| Violent Deaths . . . | 26 | 16 | 19 | 21 | 14 | 14 | 9 | 7 | 4 | 2 | — | — | — | 1 | — | — | |
| Small Pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Measles | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | |
| Scarlatina | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Diphtheria | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Whooping Cough . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Croup | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Thrush | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Diarrhœa | — | 1 | 1 | 3 | — | 3 | 1 | 2 | 5 | 1 | 1 | — | — | — | — | — | |
| Dysentery | — | — | — | — | 1 | — | 2 | 1 | — | 2 | — | — | — | — | — | — | |
| Cholera | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | |
| Influenza | — | 1 | — | — | 1 | — | 1 | 1 | — | — | — | — | — | — | — | — | |
| Purpura | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Worms | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Typhus | 24 | 27 | 18 | 31 | 25 | 10 | 5 | 6 | 4 | 3 | — | — | — | — | — | — | |
| Enteric Fever | 5 | 2 | 3 | 1 | 3 | 1 | 5 | 1 | 1 | — | — | — | — | — | — | — | |
| Relapsing Fever . . . | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | |
| Simple Cont. Fever . . | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Infantile Remittent . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Metria | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Rheumatic Fever . . . | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | |
| Erysipelas | — | 1 | 1 | 2 | 1 | 1 | 1 | 2 | — | — | — | — | — | — | — | — | |
| Pyæmia | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Syphilis | 1 | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | |
| Noma | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Hæmorrhage | 1 | 2 | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | |
| Dropsy | 1 | 3 | — | 3 | 7 | 1 | 3 | 3 | 2 | — | — | — | — | — | — | — | |
| Abscess | — | 3 | 1 | — | — | — | 1 | — | — | 2 | — | — | — | — | — | — | |
| Ulcer | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | |
| Fistula | — | — | — | — | 1 | — | 2 | — | — | 1 | — | — | — | — | — | — | |
| Mortification | — | — | — | 1 | — | 1 | 2 | — | 2 | 1 | — | — | — | — | — | — | |
| Cancer | 1 | 1 | 4 | 6 | 5 | 9 | 8 | 2 | 1 | 1 | — | — | — | — | — | — | |
| Gout | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Scrofula | — | — | 2 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | |
| Tabes Mesenterica . . | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | |
| Phthisis | 57 | 50 | 63 | 43 | 34 | 19 | 15 | 7 | 3 | 3 | — | — | — | — | — | — | |
| Hydrocephalus | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1867.—MALES. (Continued.)

| DISEASES. | MALES. | | | | | | | | | | | | |
|------------------------------------|-----------|-----------|----|-----|-----|----|----|---|----|----|----|----|----|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 56 | 2 | 7 | 7 | 8 | 3 | 3 | 1 | 12 | 4 | 1 | 1 | 2 |
| Apoplexy | 79 | 4 | 1 | 5 | 3 | 2 | 2 | 1 | 1 | 1 | 1 | 3 | - |
| Paralysis | 84 | - | - | - | - | - | - | 1 | - | 1 | - | 1 | - |
| Delirium Tremens | 9 | - | - | - | - | - | - | - | - | - | - | - | - |
| Chorea | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Epilepsy | 18 | - | - | - | - | - | - | - | - | - | 1 | 3 | - |
| Tetanus | 2 | - | - | - | - | - | - | - | - | - | - | - | - |
| Insanity | 4 | - | - | - | - | - | - | - | - | - | - | - | - |
| Convulsions | 130 | 55 | 15 | 14 | 29 | 7 | 7 | 1 | 2 | - | - | - | - |
| Brain Disease | 94 | 2 | 5 | 4 | 6 | 2 | - | 5 | 7 | 6 | 3 | 1 | 1 |
| V. Pericarditis | 5 | - | - | - | - | - | 1 | - | - | 1 | 1 | - | - |
| Aneurism | 5 | - | - | - | - | - | - | - | - | - | - | - | - |
| Heart Disease | 236 | - | - | - | - | - | 1 | 1 | 4 | 5 | 6 | 5 | 9 |
| VI. Laryngitis | 16 | 1 | 1 | 2 | 6 | - | 2 | - | - | - | - | - | - |
| Bronchitis | 998 | 66 | 91 | 164 | 165 | 70 | 38 | 7 | 20 | 1 | 7 | 11 | 10 |
| Pleurisy | 16 | 1 | - | - | 1 | - | - | - | - | - | - | 1 | - |
| Pneumonia | 297 | 24 | 17 | 46 | 53 | 20 | 11 | 4 | 7 | 2 | 4 | 12 | 8 |
| Asthma | 44 | - | - | - | - | - | - | - | - | 1 | - | 2 | 1 |
| Lung Disease | 52 | 6 | 3 | 4 | 5 | 3 | 1 | - | 4 | - | - | 1 | 1 |
| VII. Teething | 119 | 1 | 8 | 43 | 62 | 4 | 1 | - | - | - | - | - | - |
| Quinsey | 6 | - | 1 | - | 3 | - | 1 | - | 1 | - | - | - | - |
| Gastritis | 3 | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Enteritis | 118 | 34 | 20 | 17 | 7 | 4 | 3 | 4 | 2 | 5 | 1 | 3 | 2 |
| Peritonitis | 16 | 3 | 1 | 1 | 1 | - | - | - | 1 | - | - | 1 | 1 |
| Ascites | 5 | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Ulceration of Intestines | 19 | 1 | 1 | 1 | 1 | 1 | - | - | - | - | 3 | - | 1 |
| Hernia | 11 | 1 | - | 1 | - | - | - | - | - | - | 1 | - | 1 |
| Ileus | 20 | 8 | 1 | - | 1 | - | - | - | 1 | - | - | - | 1 |
| Intussusception | 3 | - | - | - | - | - | - | - | - | - | - | - | - |
| Stricture of Intestines | 3 | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Stomach Disease | 68 | 12 | 8 | 9 | 6 | 1 | 3 | - | 1 | - | 2 | 2 | 3 |
| Pancreas Disease | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Hepatitis | 9 | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Jaundice | 5 | 1 | - | - | 1 | 1 | - | - | - | - | 1 | - | - |
| Liver Disease | 67 | 4 | 1 | 1 | - | 1 | - | - | 2 | 3 | 1 | 3 | 4 |
| Spleen Disease | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| VIII. Nephritis | 10 | - | - | 2 | - | 1 | 2 | 1 | 1 | - | - | - | - |
| Nephria | 22 | - | - | - | - | 1 | 2 | - | 1 | - | 2 | 1 | 1 |
| Addison's Disease | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| Ischuria | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 |
| Diabetes | 5 | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Stone | 5 | - | - | - | - | - | - | - | - | - | - | - | - |
| Cystitis | 14 | - | - | - | - | 1 | - | - | - | 1 | - | - | 1 |
| Stricture of Urethra | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| Kidney Disease | 27 | 1 | - | - | 1 | - | - | 1 | - | - | 1 | 1 | 1 |
| IX. Paramenia | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Ovarian Dropsy | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Childbirth | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Organs of Generation | - | - | - | - | - | - | - | - | - | - | - | - | - |
| X. Arthritis | 3 | - | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Rheumatism | 10 | - | - | - | - | - | - | - | 1 | 2 | 1 | - | - |
| Joint and Bone Disease | 18 | - | - | - | - | 1 | - | 1 | 3 | 3 | 3 | 2 | 1 |
| XI. Carbuncle | 2 | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Phlegmon | 2 | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Skin Disease | 6 | - | 1 | 4 | - | - | - | - | - | - | - | - | - |
| XVII. Intemperance | 12 | - | - | - | - | - | - | - | - | - | - | 1 | - |
| Privation | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Want of Breast Milk | 12 | 6 | 3 | 3 | - | - | - | - | - | - | - | - | - |
| Neglect | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Cold | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Poison | 7 | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Poisoned Wounds | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Burns and Scalds | 27 | - | - | - | 9 | 2 | 3 | - | 3 | 1 | - | 1 | 1 |
| Hanging, etc. | 6 | - | - | - | - | - | - | - | - | - | - | - | - |
| Suffocation | 13 | 6 | 1 | 2 | - | - | - | - | - | 2 | 1 | - | - |
| Drowning | 53 | - | - | - | - | - | - | 1 | 3 | 3 | 3 | 3 | 9 |
| Fracture and Contusion | 111 | 1 | - | 1 | 1 | - | 4 | - | 6 | 8 | 7 | 10 | 9 |
| Gunshot Wounds | 2 | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Cuts and Stabs | 2 | - | - | - | - | - | - | - | - | - | - | 1 | - |
| Other Violent Causes | 8 | - | - | - | - | - | - | - | - | 2 | - | 1 | - |
| Not Specified | 89 | 19 | 13 | 9 | 11 | 3 | 1 | 1 | 3 | 3 | 1 | 1 | 1 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1867.—MALES. (*Continued.*)

| DISEASES. | MALES. | | | | | | | | | | | | | | | | |
|------------------------------------|-----------|----|----|----|----|----|----|----|----|----|----|----|----|-----|-----|---|--|
| | AGE UNDER | | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? | |
| Cephalitis | 2 | — | 1 | — | 1 | — | — | 1 | — | — | — | — | — | — | — | — | |
| Apoplexy | 2 | 6 | 1 | 5 | 5 | 9 | 9 | 7 | 6 | 2 | 3 | — | — | — | — | — | |
| Paralysis | 4 | 1 | 1 | 2 | 9 | 9 | 14 | 18 | 10 | 9 | 3 | 1 | — | — | — | — | |
| Delirium Tremens | 1 | 3 | 1 | 1 | — | 1 | 2 | — | — | — | — | — | — | — | — | — | |
| Chorea | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Epilepsy | 2 | 1 | 3 | 2 | 1 | 1 | 3 | — | — | — | 1 | — | — | — | — | — | |
| Tetanus | — | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | |
| Insanity | — | 1 | 1 | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | |
| Convulsions | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Brain Disease | 4 | 6 | 5 | 13 | 9 | 3 | 4 | 4 | 2 | 2 | — | — | — | — | — | — | |
| Pericarditis | — | — | — | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — | |
| Aneurism | 2 | 1 | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | |
| Heart Disease | 14 | 20 | 24 | 25 | 32 | 31 | 28 | 16 | 8 | 3 | 2 | 2 | — | — | — | — | |
| Laryngitis | 1 | — | 1 | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | |
| Bronchitis | 13 | 20 | 38 | 37 | 53 | 36 | 47 | 47 | 31 | 16 | 6 | 3 | 1 | — | — | — | |
| Pleurisy | 1 | 3 | — | 2 | 3 | 2 | 1 | 1 | — | — | — | — | — | — | — | — | |
| Pneumonia | 10 | 13 | 9 | 17 | 8 | 17 | 9 | 3 | 2 | 1 | — | — | — | — | — | — | |
| Asthma | 1 | 1 | 4 | 2 | 5 | 6 | 7 | 4 | 7 | 3 | — | — | — | — | — | — | |
| Lung Disease | 3 | — | 1 | 2 | 3 | 4 | 1 | 6 | 2 | 2 | — | — | — | — | — | — | |
| Teething | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Quinsey | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Gastritis | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | |
| Enteritis | 2 | 1 | 2 | 1 | 3 | 3 | 1 | — | 2 | 1 | — | — | — | — | — | — | |
| Peritonitis | — | 1 | 1 | 2 | — | — | 2 | — | — | 1 | — | — | — | — | — | — | |
| Ascites | 2 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | |
| Ulceration of Intestines | — | 1 | — | — | 5 | — | 2 | 1 | 1 | — | — | — | — | — | — | — | |
| Hernia | — | — | 1 | — | 2 | — | — | 1 | 2 | 1 | — | — | — | — | — | — | |
| Ileus | 3 | 2 | 1 | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | |
| Intussusception | — | 1 | — | — | 1 | — | — | 1 | — | — | — | — | — | — | — | — | |
| Stricture of Intestines | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | |
| Stomach Disease | 2 | 1 | 2 | 1 | 2 | 5 | 2 | 5 | 1 | — | — | — | — | — | — | — | |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Hepatitis | 1 | — | — | — | — | 4 | — | 3 | — | — | — | — | — | — | — | — | |
| Jaundice | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Liver Disease | 4 | 7 | 5 | 6 | 5 | 7 | 8 | 4 | — | — | 1 | — | — | — | — | — | |
| Spleen Disease | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | |
| Nephritis | — | 1 | — | — | 1 | — | — | — | 1 | — | — | — | — | — | — | — | |
| Nephria | 2 | 2 | 4 | 1 | 2 | 2 | — | — | 1 | — | — | — | — | — | — | — | |
| Addison's Disease | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Ischuria | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Diabetes | — | — | — | — | — | 1 | — | 2 | 1 | — | — | — | — | — | — | — | |
| Stone | — | — | — | — | — | 1 | 2 | — | — | 1 | 1 | — | — | — | — | — | |
| Cystitis | — | 1 | — | 2 | 1 | 1 | 1 | 3 | 1 | 1 | — | — | — | — | — | — | |
| Stricture of Urethra | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | |
| Kidney Disease | 2 | 3 | 2 | 2 | 2 | 3 | 3 | 3 | — | — | — | 1 | — | — | — | — | |
| Paramenia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Ovarian Dropsy | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Childbirth | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Organs of Generation | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Arthritis | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Rheumatism | 2 | 2 | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | |
| Joint Disease | — | 1 | 1 | — | 1 | — | — | 1 | — | — | — | — | — | — | — | — | |
| Carbuncle | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | |
| Phlegmon | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | |
| Skin Disease | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Intemperance | 1 | 2 | 1 | 4 | 2 | — | — | 1 | — | — | — | — | — | — | — | — | |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Want of Breast Milk | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Cold | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Poison | 2 | 1 | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Burns and Scalds | 3 | — | — | — | 2 | — | — | — | 1 | 1 | — | — | — | — | — | — | |
| Hanging, etc. | — | — | 2 | 2 | 1 | — | 1 | — | — | — | — | — | — | — | — | — | |
| Suffocation | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | |
| Drowning | 7 | 4 | 5 | 4 | 3 | 5 | 2 | 1 | — | — | — | — | — | — | — | — | |
| Fracture and Contusion | 10 | 9 | 9 | 9 | 5 | 8 | 4 | 5 | 3 | 1 | — | — | — | 1 | — | — | |
| Gunshot Wounds | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | |
| Cuts and Stabs | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Other Violent Causes | 2 | — | 1 | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | |
| Not Specified | 4 | 3 | 4 | 1 | — | 3 | 7 | — | — | — | — | — | — | — | — | 1 | |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1867.—FEMALES.

| DISEASES. | ALL AGES. | FEMALES. | | | | | | | | | | | |
|------------------------------------|-----------|-----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 6266 | 536 | 229 | 493 | 749 | 312 | 189 | 147 | 323 | 137 | 241 | 280 | 294 |
| SPECIFIED CAUSES | 6184 | 512 | 224 | 486 | 739 | 307 | 187 | 145 | 318 | 136 | 240 | 279 | 292 |
| I. Zymotic Class | 1393 | 50 | 51 | 135 | 278 | 132 | 99 | 79 | 163 | 44 | 42 | 37 | 50 |
| II. Diseases of Uncertain Seat | 203 | 2 | 2 | 2 | — | 3 | 2 | 3 | 6 | 3 | 5 | 1 | 12 |
| III. Tubercular Class | 1309 | 18 | 28 | 87 | 125 | 66 | 40 | 23 | 62 | 47 | 144 | 151 | 131 |
| IV. Brain and Nervous System | 393 | 51 | 19 | 24 | 27 | 13 | 5 | 6 | 12 | 8 | 10 | 10 | 10 |
| V. Organs of Circulation | 235 | 1 | — | 1 | 2 | — | — | — | 7 | 8 | 9 | 16 | 10 |
| VI. Respiratory Organs | 1296 | 73 | 71 | 167 | 214 | 62 | 27 | 22 | 42 | 11 | 13 | 26 | 27 |
| VII. Organs of Digestion | 448 | 62 | 21 | 56 | 71 | 20 | 4 | 4 | 13 | 7 | 3 | 15 | 23 |
| VIII. Urinary Organs | 47 | — | — | — | 1 | — | 2 | 1 | 2 | — | — | 3 | 4 |
| IX. Organs of Generation | 79 | — | — | — | — | — | — | — | — | 1 | 6 | 15 | 17 |
| X. Organs of Locomotion | 30 | 1 | — | — | — | 1 | 1 | 1 | 2 | 2 | 3 | 2 | 2 |
| XI. Skin, etc. | 5 | 2 | — | — | — | — | — | — | — | — | — | 1 | — |
| XII. Malformation | 8 | 6 | 1 | — | — | — | 1 | — | — | — | — | — | — |
| XIII. Premature Debility | 270 | 234 | 26 | 10 | — | — | — | — | — | — | — | — | — |
| XIV. Atrophy | 59 | — | — | — | 16 | 8 | 1 | 2 | 7 | 3 | 2 | — | — |
| XV. Age | 305 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVI. Sudden Deaths | 19 | 3 | 1 | — | — | — | 1 | 1 | — | — | 1 | — | — |
| XVII. Violent Deaths | 85 | 9 | 4 | 4 | 5 | 2 | 4 | 3 | 2 | 2 | 2 | 2 | 6 |
| I. Small Pox | 16 | 1 | — | 1 | 2 | 2 | 2 | — | 5 | 1 | — | 1 | 1 |
| Measles | 179 | 1 | 3 | 30 | 88 | 20 | 14 | 8 | 13 | 1 | — | — | — |
| Scarlatina | 255 | — | 1 | 16 | 42 | 44 | 36 | 30 | 66 | 15 | — | 2 | 2 |
| Diphtheria | 34 | — | — | 2 | 5 | 4 | 6 | 6 | 7 | 1 | 1 | — | 2 |
| Hooping Cough | 184 | 7 | 17 | 37 | 71 | 23 | 11 | 8 | 10 | — | — | — | — |
| Croup | 75 | 2 | — | 9 | 23 | 12 | 14 | 10 | 4 | 1 | — | — | — |
| Thrush | 3 | — | — | — | — | 2 | 1 | — | — | — | — | — | — |
| Diarrhoea | 162 | 29 | 26 | 31 | 33 | 1 | 3 | 1 | 8 | 2 | 3 | 4 | 2 |
| Dysentery | 13 | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| Cholera | 9 | — | 2 | 2 | 1 | 1 | — | — | — | — | — | — | — |
| Influenza | 11 | — | — | — | 1 | — | — | — | 1 | 1 | 1 | — | — |
| Purpura | 4 | — | — | — | — | — | — | 1 | 2 | — | — | — | — |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Typhus | 241 | — | — | 1 | 2 | 8 | 6 | 5 | 13 | 4 | 19 | 17 | 27 |
| Enteric Fever | 112 | — | — | 2 | 6 | 10 | 5 | 8 | 22 | 14 | 14 | 2 | 4 |
| Relapsing Fever | 4 | — | — | — | — | — | — | — | — | 2 | 1 | — | — |
| Simple Continued Fever | 9 | — | — | — | — | 1 | — | 1 | 2 | — | 2 | — | — |
| Infantile Remittent | 14 | — | — | — | 3 | 2 | 1 | 1 | 7 | — | — | — | — |
| Metria | 26 | — | — | — | — | — | — | — | — | — | — | 9 | 9 |
| Rheumatic Fever | 10 | — | — | — | — | — | — | — | 2 | 1 | 1 | — | 3 |
| Erysipelas | 15 | 4 | — | 2 | — | 1 | — | — | — | — | — | — | — |
| Pyæmia | 2 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Syphilis | 12 | 6 | 2 | 1 | — | — | — | — | — | — | — | 1 | — |
| Noma | 3 | — | — | — | 1 | 1 | — | — | 1 | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 8 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Dropsy | 60 | — | — | — | — | 1 | 1 | 2 | 5 | — | 3 | 1 | 6 |
| Abscess | 19 | 2 | 2 | 2 | — | 1 | — | 1 | 1 | 2 | 1 | — | — |
| Ulcer | 3 | — | — | — | — | 1 | — | — | — | — | 1 | — | — |
| Fistula | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | 9 | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Cancer | 103 | — | — | — | — | — | — | — | — | 1 | — | — | 5 |
| Gout | — | — | — | — | — | — | — | — | — | — | — | — | — |
| III. Scrofula | 47 | 1 | 2 | 5 | 10 | 2 | 3 | 1 | 4 | 5 | 5 | 1 | 3 |
| Tabes Mesenterica | 86 | 5 | 4 | 9 | 25 | 10 | 14 | 4 | 8 | 1 | 1 | — | — |
| Phthisis | 968 | 3 | 6 | 16 | 31 | 35 | 8 | 6 | 31 | 40 | 137 | 150 | 128 |
| Hydrocephalus | 208 | 9 | 16 | 57 | 59 | 19 | 15 | 12 | 19 | 1 | 1 | — | — |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1867.—FEMALES. (Continued.)

| DISEASES. | | FEMALES. | | | | | | | | | | | |
|------------------------------------|-----|-----------|-----------|-----|-----|----|----|----|----|----|----|----|----|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | |
| | | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 |
| 3 | 6 | 12 | | | | | | | | | | | |
| IV. Cephalitis | 28 | 1 | 2 | 5 | 4 | — | — | 2 | 5 | 3 | 2 | 2 | — |
| Apoplexy | 72 | 2 | — | 4 | 4 | — | — | — | — | 3 | 2 | 2 | 3 |
| Paralysis | 90 | — | — | — | — | — | — | — | 1 | 1 | — | 1 | 2 |
| Delirium Tremens | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Chorea | 2 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| Epilepsy | 13 | — | — | — | — | — | — | — | — | — | 1 | — | 2 |
| Tetanus | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Insanity | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Convulsions | 105 | 48 | 13 | 12 | 17 | 7 | 4 | 2 | 1 | — | — | — | 1 |
| Brain Disease | 77 | — | 4 | 3 | 2 | 5 | 1 | 2 | 5 | 1 | 5 | 5 | 2 |
| V. Pericarditis | 4 | — | — | — | — | — | — | — | 1 | 1 | 1 | — | — |
| Aneurism | 1 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Heart Disease | 230 | 1 | — | 1 | 2 | — | — | — | 6 | 7 | 8 | 15 | 10 |
| VI. Laryngitis | 14 | 2 | — | — | 3 | 2 | — | — | 2 | 1 | — | — | — |
| Bronchitis | 968 | 48 | 57 | 132 | 167 | 42 | 22 | 15 | 32 | 7 | 8 | 18 | 14 |
| Pleurisy | 6 | 1 | — | — | — | — | — | — | — | — | 1 | — | — |
| Pneumonia | 223 | 19 | 12 | 29 | 41 | 18 | 5 | 6 | 8 | 3 | 2 | 5 | 12 |
| Asthma | 46 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Lung Disease | 39 | 3 | 2 | 6 | 3 | — | — | 1 | — | — | 2 | 2 | 1 |
| VII. Teething | 108 | 1 | 3 | 35 | 60 | 9 | — | — | — | — | — | — | — |
| Quinsey | 8 | 1 | — | 1 | 1 | 2 | — | — | 1 | — | — | — | 1 |
| Gastritis | 18 | 3 | 3 | 1 | 1 | — | — | — | 1 | — | — | 1 | 1 |
| Enteritis | 95 | 41 | 10 | 10 | 4 | 5 | 1 | — | 5 | 2 | 2 | 2 | 3 |
| Peritonitis | 23 | — | 1 | — | — | 1 | — | — | — | 3 | — | 7 | 4 |
| Ascites | 6 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| Ulceration of Intestines | 6 | — | — | 1 | — | — | — | — | — | — | — | — | 1 |
| Hernia | 4 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Ileus | 17 | 1 | 1 | 3 | 1 | 1 | — | 1 | 1 | — | — | — | — |
| Intussusception | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Stricture of Intestines | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Stomach Disease | 68 | 11 | 2 | 5 | 3 | 1 | 1 | 2 | 3 | 1 | 1 | 1 | 2 |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | 13 | — | — | — | — | — | — | — | — | — | — | — | — |
| Jaundice | 12 | 3 | — | — | 1 | — | 1 | — | — | — | — | — | 1 |
| Liver Disease | 63 | 1 | 1 | — | — | — | — | 1 | 2 | 1 | — | 3 | 10 |
| Spleen Disease | 5 | — | — | — | — | — | — | — | — | — | — | — | — |
| VIII. Nephritis | 4 | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Nephria | 7 | — | — | — | — | — | — | 1 | — | — | — | 1 | 1 |
| Addison's Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ischuria | 4 | — | — | — | — | — | — | — | 1 | — | — | 1 | — |
| Diabetes | 5 | — | — | — | — | — | — | — | — | — | — | 1 | 1 |
| Stone | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cystitis | 2 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| Stricture of Urethra | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Kidney Disease | 25 | — | — | — | 1 | — | 1 | — | — | — | — | — | 2 |
| IX. Paramenia | 4 | — | — | — | — | — | — | — | — | 1 | 2 | — | 1 |
| Ovarian Dropsy | 12 | — | — | — | — | — | — | — | — | — | 1 | — | 1 |
| Childbirth | 55 | — | — | — | — | — | — | — | — | — | 3 | 15 | 14 |
| Organs of Generation | 8 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| X. Arthritis | 7 | — | — | — | — | — | 1 | 1 | — | 1 | — | 1 | — |
| Rheumatism | 13 | — | — | — | — | — | — | — | — | — | 1 | — | 1 |
| Joint and Bone Disease | 10 | 1 | — | — | — | 1 | — | — | 2 | 1 | 2 | 1 | 1 |
| XI. Carbuncle | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Phlegmon | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Skin Disease | 3 | 1 | — | — | — | — | — | — | — | — | — | 1 | — |
| XVII. Intemperance | 8 | — | — | — | — | — | — | — | — | — | — | — | 2 |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | 7 | 3 | 3 | 1 | — | — | — | — | — | — | — | — | — |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Poison | 8 | — | — | 1 | — | — | — | — | — | — | 1 | — | 3 |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 21 | — | — | 1 | 5 | — | 4 | 2 | 1 | 1 | 1 | — | — |
| Hanging, etc. | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Suffocation | 10 | 5 | 1 | 1 | — | — | — | — | — | — | — | — | — |
| Drowning | 4 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Fracture and Contusion | 22 | — | — | — | — | 2 | — | 1 | 1 | 1 | — | 1 | — |
| Gunshot Wounds | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Cuts and Stabs | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Other Violent Causes | 2 | 1 | — | — | — | — | — | — | — | — | — | — | 1 |
| Not Specified | 82 | 24 | 5 | 7 | 10 | 5 | 2 | 2 | 5 | 1 | 1 | 1 | 2 |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1867.—BOTH SEXES.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|------------------------------------|-------------|-----------|----|-----|-----|-----|----|----|-----|----|----|----|----|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 1830 | 165 | 50 | 152 | 197 | 114 | 64 | 40 | 105 | 54 | 52 | 69 | 73 |
| SPECIFIED CAUSES | 1787 | 151 | 47 | 146 | 194 | 113 | 63 | 40 | 99 | 54 | 52 | 69 | 71 |
| I. Zymotic Class | 411 | 12 | 18 | 38 | 87 | 64 | 37 | 26 | 49 | 10 | 2 | 10 | 11 |
| II. Diseases of Uncertain Seat | 46 | 2 | — | — | — | 2 | — | — | 2 | 1 | 1 | — | 1 |
| III. Tubercular Class | 358 | 6 | 7 | 40 | 34 | 14 | 11 | 7 | 20 | 23 | 30 | 39 | 29 |
| IV. Brain and Nervous System | 189 | 12 | 1 | 5 | 3 | 5 | 5 | — | 7 | 8 | 6 | 5 | 9 |
| V. Organs of Circulation | 37 | — | — | — | — | — | — | 1 | 2 | — | — | — | 1 |
| VI. Respiratory Organs | 268 | 20 | 13 | 33 | 37 | 12 | 7 | 3 | 9 | 5 | 2 | 4 | 7 |
| VII. Organs of Digestion | 119 | 6 | 4 | 20 | 22 | 5 | 1 | 1 | 1 | 5 | 2 | 3 | 1 |
| VIII. Urinary Organs | 15 | — | — | — | — | — | — | — | 2 | — | 2 | 1 | — |
| IX. Organs of Generation | 17 | — | — | — | — | — | — | — | — | — | 1 | 2 | 2 |
| X. Organs of Locomotion | 11 | — | — | — | 2 | — | — | — | — | — | 3 | 2 | 2 |
| XI. Skin, etc. | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| XII. Malformation | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| XIII. Premature Debility | 100 | 88 | 3 | 9 | — | — | — | — | — | — | — | — | — |
| XIV. Atrophy | 33 | — | — | — | 7 | 4 | 2 | — | 4 | — | 1 | 1 | — |
| XV. Age | 128 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVI. Sudden Deaths | 2 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| XVII. Violent Deaths | 51 | 3 | 1 | 1 | 2 | 7 | — | 2 | 2 | 2 | 2 | 2 | 8 |
| I. Small Pox | 5 | 1 | — | — | 2 | — | — | — | 1 | — | — | — | 1 |
| Measles | 41 | — | 2 | 6 | 17 | 10 | 2 | 2 | 2 | — | — | — | — |
| Scarlatina | 132 | 1 | 1 | 6 | 21 | 29 | 22 | 14 | 29 | 7 | — | — | 1 |
| Diphtheria | 12 | — | 1 | — | 4 | 5 | — | — | 1 | — | — | 1 | — |
| Hooping Cough | 50 | 2 | 3 | 12 | 11 | 8 | 9 | 2 | 3 | — | — | — | — |
| Croup | 21 | — | — | 3 | 7 | 6 | 2 | 2 | 1 | — | — | — | — |
| Thrush | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diarrhœa | 56 | 6 | 5 | 8 | 17 | 1 | — | 1 | — | — | 1 | — | — |
| Dysentery | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Cholera | 6 | — | 1 | — | 3 | — | — | — | 2 | — | — | — | — |
| Influenza | 3 | — | 1 | — | — | 1 | — | 1 | — | — | — | — | — |
| Purpura | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Typhus | 31 | 1 | 1 | — | — | — | 1 | 1 | 4 | 1 | — | 3 | 2 |
| Enteric Fever | 27 | — | — | 1 | 2 | 2 | — | 3 | 6 | 1 | — | 3 | 3 |
| Relapsing Fever | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Simple Continued Fever | 4 | — | — | — | — | 2 | — | — | — | — | — | 1 | 1 |
| Infantile Remittent | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Metria | 5 | — | — | — | — | — | — | — | — | — | — | 1 | 3 |
| Rheumatic Fever | 3 | — | — | — | — | — | — | — | — | — | 1 | 1 | — |
| Erysipelas | 7 | 1 | 1 | 1 | 2 | — | — | — | — | — | — | — | — |
| Pyæmia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Syphilis | 4 | — | 2 | 1 | 1 | — | — | — | — | — | — | — | — |
| Noma | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 4 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Dropsy | 13 | — | — | — | — | 1 | — | — | 1 | 1 | — | — | 1 |
| Abscess | 7 | 1 | — | — | — | 1 | — | — | 1 | — | 1 | — | — |
| Ulcer | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Fistula | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Cancer | 21 | — | — | — | — | — | — | — | — | — | — | — | — |
| Gout | — | — | — | — | — | — | — | — | — | — | — | — | — |
| III. Scrofula | 17 | — | — | 1 | — | — | 3 | 1 | 1 | 3 | 2 | 3 | 1 |
| Tabes Mesenterica | 34 | 3 | 1 | 8 | 7 | 4 | — | 2 | 6 | 3 | — | — | — |
| Phthisis | 233 | — | 3 | 5 | 7 | 2 | 3 | 1 | 9 | 16 | 28 | 35 | 28 |
| Hydrocephalus | 74 | 3 | 3 | 26 | 20 | 8 | 5 | 3 | 4 | 1 | — | 1 | — |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1867.—BOTH SEXES.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | | | | |
|--------------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|-----|-----|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 61 | 88 | 68 | 57 | 55 | 54 | 77 | 70 | 62 | 46 | 29 | 16 | 8 | 1 | 1 | 2 |
| SPECIFIED CAUSES . . | 60 | 87 | 67 | 55 | 54 | 54 | 76 | 70 | 62 | 46 | 29 | 16 | 8 | 1 | 1 | 2 |
| Zymotic Class | 4 | 11 | 4 | 1 | 5 | 4 | 4 | 7 | 4 | 2 | — | 1 | — | — | — | — |
| Uncertain Seat | 1 | 3 | 3 | 7 | 5 | 3 | 6 | 4 | 2 | 2 | — | — | 1 | — | — | — |
| Tubercular Class . . . | 26 | 21 | 24 | 7 | 8 | 7 | 3 | 1 | — | 1 | — | — | — | — | — | — |
| Brain, etc. | 10 | 14 | 5 | 13 | 11 | 12 | 16 | 20 | 13 | 4 | 2 | 2 | — | — | — | 1 |
| Heart, etc. | 3 | 3 | 4 | 2 | 4 | 4 | 7 | 4 | 1 | 1 | — | — | — | — | — | — |
| Respiratory Organs . . | 5 | 20 | 11 | 8 | 10 | 7 | 16 | 15 | 9 | 12 | 2 | 1 | — | — | — | — |
| Digestive Organs . . . | 3 | 6 | 4 | 10 | 6 | 8 | 5 | 1 | 4 | 1 | — | — | — | — | — | — |
| Urinary Organs | 1 | 2 | 2 | 1 | — | 2 | 1 | 1 | — | — | — | — | — | — | — | — |
| Generative Organs . . | 4 | 5 | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Locomotive Organs . . | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Skin | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Malformation | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Premature Debility . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Atrophy | 1 | — | 3 | 1 | 4 | 5 | — | — | — | — | — | — | — | — | — | — |
| Age | — | — | — | — | — | — | 15 | 15 | 29 | 22 | 25 | 12 | 7 | 1 | 1 | 1 |
| Sudden Deaths | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Violent Deaths | 2 | 1 | 5 | 3 | 1 | 2 | 3 | 2 | — | — | — | — | — | — | — | — |
| Small Pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Measles | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Scarlatina | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Diphtheria | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Whooping Cough . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Croup | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Thrush | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diarrhœa | — | 2 | — | — | 2 | 1 | 2 | 5 | 3 | 1 | — | 1 | — | — | — | — |
| Dysentery | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cholera | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Influenza | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Purpura | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Typhus | 3 | 3 | 3 | 1 | 2 | — | 2 | 1 | 1 | 1 | — | — | — | — | — | — |
| Enteric Fever | 1 | 2 | 1 | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — |
| Relapsing Fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Simple Cont. Fever . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Infantile Remittent . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Metria | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Rheumatic Fever | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Erysipelas | — | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Pyæmia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Syphilis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Noma | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hæmorrhage | — | — | 1 | — | 1 | — | — | — | — | 1 | — | — | — | — | — | — |
| Dropsy | 1 | — | — | 1 | 2 | 1 | 2 | 2 | — | — | — | — | — | — | — | — |
| Abscess | — | 1 | — | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Ulcer | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Fistula | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cancer | — | 1 | 2 | 5 | 2 | 2 | 4 | 2 | 2 | — | — | — | 1 | — | — | — |
| Gout | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Scrofula | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Tabes Mesenterica . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Phthisis | 24 | 21 | 24 | 7 | 8 | 7 | 3 | 1 | — | 1 | — | — | — | — | — | — |
| Hydrocephalus | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1867.—BOTH SEXES. (Continued.)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|------------------------------------|-------------|-----------|----|----|----|----|---|---|----|----|----|----|----|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 16 | — | — | — | 2 | 2 | 3 | — | 3 | 3 | 1 | — | — |
| Apoplexy | 28 | 1 | — | — | — | 1 | — | — | — | — | 1 | — | 1 |
| Paralysis | 58 | — | — | — | — | — | — | — | 2 | 1 | 1 | — | 1 |
| Delirium Tremens | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Chorea | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Epilepsy | 12 | — | — | — | — | — | — | — | — | 1 | 1 | 1 | 3 |
| Tetanus | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Insanity | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| Convulsions | 21 | 11 | 1 | 5 | 1 | 1 | 1 | — | 1 | — | — | — | — |
| Brain Disease | 51 | — | — | — | — | 1 | 1 | — | 1 | 3 | 2 | 4 | 4 |
| V. Pericarditis | 2 | — | — | — | — | — | — | — | 2 | — | — | — | — |
| Aneurism | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Heart Disease | 34 | — | — | — | — | — | — | 1 | — | — | — | — | 1 |
| VI. Laryngitis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Bronchitis | 175 | 15 | 11 | 22 | 28 | 10 | 5 | 1 | 6 | — | 1 | 1 | 2 |
| Pleurisy | 4 | — | — | — | — | — | — | 1 | — | — | — | — | — |
| Pneumonia | 67 | 5 | 2 | 11 | 9 | 2 | 2 | 1 | 3 | 4 | — | 2 | 4 |
| Asthma | 12 | — | — | — | — | — | — | — | — | — | — | — | — |
| Lung Disease | 10 | — | — | — | — | — | — | — | — | 1 | 1 | — | 1 |
| VII. Teething | 35 | — | 2 | 15 | 17 | 1 | — | — | — | — | — | — | — |
| Quinsey | 4 | — | — | 1 | 1 | — | 1 | — | — | 1 | — | — | — |
| Gastritis | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Enteritis | 19 | 2 | — | 4 | 2 | 2 | — | 1 | 1 | 1 | 2 | — | — |
| Peritonitis | 9 | — | 1 | — | — | — | — | — | — | 1 | — | 1 | — |
| Ascites | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ulceration of Intestines | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Hernia | 2 | 2 | — | — | — | — | — | — | — | — | — | — | — |
| Ileus | 6 | — | 1 | — | 2 | — | — | — | — | 1 | — | — | — |
| Intussusception | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stricture of Intestines | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stomach Disease | 9 | — | — | — | — | 2 | — | — | — | — | — | 1 | — |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | 8 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Jaundice | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Liver Disease | 18 | 2 | — | — | — | — | — | — | — | — | — | 1 | — |
| Spleen Disease | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| VIII. Nephritis | 4 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| Nephria | 4 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Addison's Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ischuria | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diabetes | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stone | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cystitis | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Stricture of Urethra | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Kidney Disease | 6 | — | — | — | — | — | — | — | 1 | — | — | 1 | — |
| IX. Paramenia | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Ovarian Dropsy | 3 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Childbirth | 12 | — | — | — | — | — | — | — | — | — | — | 2 | 1 |
| Organs of Generation | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| X. Arthritis | 3 | — | — | — | 1 | — | — | — | — | — | 1 | — | 1 |
| Rheumatism | 3 | — | — | — | — | — | — | — | — | — | 1 | 1 | — |
| Joint and Bone Disease | 5 | — | — | — | 1 | — | — | — | — | — | 1 | 1 | 1 |
| XI. Carbuncle | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Phlegmon | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Skin Disease | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| XVII. Intemperance | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Poison | 2 | — | — | — | — | 1 | — | — | — | — | — | — | 1 |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 9 | — | — | — | 1 | 6 | — | — | 1 | 1 | — | — | — |
| Hanging, etc. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Suffocation | 3 | 2 | — | 1 | — | — | — | — | — | — | — | — | — |
| Drowning | 14 | 1 | — | — | — | — | — | — | 1 | — | 2 | 1 | 2 |
| Fracture and Contusion | 16 | — | — | — | 1 | — | — | 2 | — | 1 | — | 1 | 2 |
| Gunshot Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cuts and Stabs | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Other Violent Causes | 4 | — | — | — | — | — | — | — | — | — | — | — | 3 |
| Not Specified | 43 | 14 | 3 | 6 | 3 | 1 | 1 | — | 6 | — | — | — | 2 |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1867.—BOTH SEXES. (Continued.)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | | | | | |
|------------------------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|-----|-----|---|--|
| | AGE UNDER | | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? | |
| Cephalitis | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Apoplexy | 2 | 2 | — | 1 | 2 | — | 6 | 7 | 2 | 1 | — | 1 | — | — | — | — | |
| Paralysis | 2 | 3 | 1 | 5 | 6 | 9 | 5 | 9 | 7 | 3 | 2 | 1 | — | — | — | — | |
| Delirium Tremens | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Chorea | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Epilepsy | 1 | 1 | 1 | — | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | |
| Tetanus | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Insanity | — | 1 | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | |
| Convulsions | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Brain Disease | 4 | 6 | 3 | 5 | 2 | 2 | 4 | 4 | 4 | — | — | — | — | — | — | 1 | |
| Pericarditis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Aneurism | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Heart Disease | 3 | 3 | 3 | 2 | 4 | 4 | 7 | 4 | 1 | 1 | — | — | — | — | — | — | |
| Laryngitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Bronchitis | 1 | 9 | 6 | 7 | 9 | 5 | 9 | 9 | 8 | 8 | 1 | 1 | — | — | — | — | |
| Pleurisy | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | |
| Pneumonia | 3 | 8 | 3 | 1 | — | — | 1 | 3 | — | 2 | 1 | — | — | — | — | — | |
| Asthma | — | 1 | 1 | — | 1 | 1 | 3 | 2 | 1 | 2 | — | — | — | — | — | — | |
| Lung Disease | — | 2 | 1 | — | — | 1 | 3 | — | — | — | — | — | — | — | — | — | |
| Teething | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Quinsey | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Gastritis | — | — | — | 3 | 1 | — | — | — | — | — | — | — | — | — | — | — | |
| Enteritis | — | 1 | — | — | 2 | — | 1 | — | — | — | — | — | — | — | — | — | |
| Peritonitis | 2 | 1 | 1 | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | |
| Ascites | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | |
| Ulceration of Intestines | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | |
| Hernia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Ileus | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | |
| Intussusception | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Stricture of Intestines | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Stomach Disease | 1 | 2 | — | 2 | — | — | 1 | — | — | — | — | — | — | — | — | — | |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Hepatitis | — | 1 | 1 | 1 | 1 | 1 | 1 | — | 1 | — | — | — | — | — | — | — | |
| Jaundice | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | |
| Liver Disease | — | 1 | 2 | 1 | 1 | 5 | 1 | 1 | 3 | — | — | — | — | — | — | — | |
| Spleen Disease | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Nephritis | — | 1 | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | |
| Nephria | 1 | — | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | |
| Addison's Disease | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Ischuria | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Diabetes | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Stone | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Cystitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Stricture of Urethra | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Kidney Disease | — | 1 | 1 | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | |
| Paramenia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Ovarian Dropsy | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | |
| Childbirth | 3 | 4 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Organs of Generation | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Arthritis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Rheumatism | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | |
| Joint Disease | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | |
| Carbuncle | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Phlegmon | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Skin Disease | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Intemperance | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Want of Breast Milk | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Cold | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Poison | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Burns and Scalds | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Hanging, etc. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Suffocation | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Drowning | — | 1 | 3 | — | — | 2 | — | 1 | — | — | — | — | — | — | — | — | |
| Fracture and Contusion | 2 | — | 2 | 2 | — | — | 2 | 1 | — | — | — | — | — | — | — | — | |
| Gunshot Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Cuts and Stabs | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | |
| Other Violent Causes | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | |
| Not Specified | 1 | 1 | 1 | 2 | 1 | — | 1 | — | — | — | — | — | — | — | — | — | |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1867.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | |
|------------------------------------|-----------|-----------|----|----|-----|----|----|----|----|----|----|----|----|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 912 | 84 | 21 | 88 | 110 | 63 | 34 | 19 | 48 | 26 | 22 | 32 | 32 |
| SPECIFIED CAUSES | 884 | 76 | 19 | 84 | 108 | 62 | 33 | 19 | 43 | 26 | 22 | 32 | 31 |
| I. Zymotic Class | 190 | 5 | 9 | 23 | 48 | 25 | 19 | 9 | 18 | 5 | 1 | 6 | 1 |
| II. Diseases of Uncertain Seat | 11 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| III. Tubercular Class | 172 | 5 | 3 | 23 | 19 | 9 | 7 | 5 | 8 | 11 | 11 | 15 | 11 |
| IV. Brain and Nervous System | 115 | 7 | — | 2 | 3 | 4 | 4 | — | 5 | 4 | 1 | 4 | 4 |
| V. Organs of Circulation | 19 | — | — | — | — | — | — | — | 1 | — | — | — | 1 |
| VI. Respiratory Organs | 151 | 11 | 5 | 22 | 21 | 11 | 2 | 2 | 6 | 2 | 2 | 3 | 5 |
| VII. Organs of Digestion | 62 | 4 | 2 | 9 | 14 | 3 | — | 1 | — | 3 | 2 | 1 | — |
| VIII. Urinary Organs | 6 | — | — | — | — | — | — | — | 1 | — | 1 | — | — |
| IX. Organs of Generation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| X. Organs of Locomotion | 7 | — | — | — | 1 | — | — | — | — | — | 2 | 1 | 1 |
| XI. Skin, etc. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| XII. Malformation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| XIII. Premature Debility | 47 | 43 | — | 4 | — | — | — | — | — | — | — | — | — |
| XIV. Atrophy | 13 | — | — | — | 2 | 3 | 1 | — | 2 | — | — | — | — |
| XV. Age | 52 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVI. Sudden Deaths | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVII. Violent Deaths | 38 | 1 | — | 1 | — | 6 | — | 2 | 2 | 1 | 2 | 2 | 8 |
| I. Small Pox | 3 | 1 | — | — | 1 | — | — | — | — | — | — | — | 1 |
| Measles | 16 | — | 1 | 1 | 8 | 4 | — | 1 | 1 | — | — | — | — |
| Scarlatina | 62 | 1 | — | 2 | 15 | 11 | 13 | 4 | 13 | 3 | — | — | — |
| Diphtheria | 7 | — | 1 | — | 3 | 2 | — | — | — | — | — | 1 | — |
| Hooping Cough | 18 | — | 1 | 6 | 3 | 3 | 4 | 1 | — | — | — | — | — |
| Croup | 12 | — | — | 3 | 6 | 2 | — | 1 | — | — | — | — | — |
| Thrush | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diarrhoea | 33 | 2 | 4 | 8 | 9 | 1 | — | 1 | — | — | — | — | — |
| Dysentery | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cholera | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Influenza | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| Purpura | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Typhus | 15 | — | 1 | — | — | — | 1 | 1 | 2 | — | — | 3 | — |
| Enteric Fever | 12 | — | — | 1 | 1 | 1 | — | — | 2 | 1 | — | 2 | — |
| Relapsing Fever | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Simple Continued Fever | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Infantile Remittent | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Metria | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Rheumatic Fever | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Erysipelas | 6 | 1 | — | 1 | 2 | — | — | — | — | — | — | — | — |
| Pyæmia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Syphilis | 2 | — | 1 | 1 | — | — | — | — | — | — | — | — | — |
| Noma | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| Dropsy | 4 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| Abscess | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ulcer | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Fistula | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cancer | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Gout | — | — | — | — | — | — | — | — | — | — | — | — | — |
| III. Scrofula | 12 | — | — | — | — | — | 2 | 1 | — | 2 | 2 | 2 | 1 |
| Tabes Mesenterica | 17 | 3 | 1 | 4 | 3 | 2 | — | — | 2 | 2 | — | — | — |
| Phthisis | 97 | — | — | 5 | 4 | 1 | 1 | 1 | 4 | 7 | 9 | 12 | 10 |
| Hydrocephalus | 46 | 2 | 2 | 14 | 12 | 6 | 4 | 3 | 2 | — | — | 1 | — |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1867.—MALES. (Continued.)

| DISEASES. | MALES. | | | | | | | | | | | | |
|------------------------------------|-----------|-----------|---|----|----|---|---|---|----|----|----|----|----|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 9 | — | — | — | 2 | 2 | 2 | — | 1 | 2 | — | — | — |
| Apoplexy | 18 | 1 | — | — | — | 1 | — | — | — | — | — | — | — |
| Paralysis | 33 | — | — | — | — | — | — | — | 2 | — | — | — | — |
| Delirium Tremens | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Chorea | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Epilepsy | 6 | — | — | — | — | — | — | — | — | 1 | — | — | 1 |
| Tetanus | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Insanity | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Convulsions | 11 | 6 | — | 2 | 1 | — | 1 | — | 1 | — | — | — | — |
| Brain Disease | 37 | — | — | — | — | 1 | 1 | — | 1 | 1 | 1 | 4 | 3 |
| V. Pericarditis | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| Aneurism | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Heart Disease | 18 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| VI. Laryngitis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Bronchitis | 91 | 8 | 4 | 13 | 18 | 9 | 1 | 1 | 3 | — | 1 | — | 1 |
| Pleurisy | 3 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Pneumonia | 42 | 3 | 1 | 9 | 3 | 2 | 1 | 1 | 3 | 1 | — | 2 | 3 |
| Asthma | 9 | — | — | — | — | — | — | — | — | — | — | — | — |
| Lung Disease | 6 | — | — | — | — | — | — | — | — | 1 | 1 | — | 1 |
| VII. Teething | 20 | — | 1 | 7 | 12 | — | — | — | — | — | — | — | — |
| Quinsey | 2 | — | — | — | 1 | — | — | — | — | 1 | — | — | — |
| Gastritis | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Enteritis | 11 | 2 | — | 2 | 1 | 1 | — | 1 | — | — | 2 | — | — |
| Peritonitis | 5 | — | 1 | — | — | — | — | — | — | 1 | — | 1 | — |
| Ascites | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ulceration of Intestines | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hernia | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Ileus | 3 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| Intussusception | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stricture of Intestines | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stomach Disease | 5 | — | — | — | — | 2 | — | — | — | — | — | — | — |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Jaundice | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Liver Disease | 11 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Spleen Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| VIII. Nephritis | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Nephria | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Addison's Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ischuria | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diabetes | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stone | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cystitis | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Stricture of Urethra | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Kidney Disease | 2 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| IX. Paramenia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ovarian Dropsy | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Childbirth | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Organs of Generation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| X. Arthritis | 2 | — | — | — | 1 | — | — | — | — | — | — | — | 1 |
| Rheumatism | 2 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Joint and Bone Disease | 3 | — | — | — | — | — | — | — | — | — | 1 | 1 | — |
| XI. Carbuncle | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Phlegmon | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Skin Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| XVII. Intemperance | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Poison | 2 | — | — | — | — | 1 | — | — | — | — | — | — | 1 |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 6 | — | — | — | — | 5 | — | — | 1 | — | — | — | — |
| Hanging, etc. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Suffocation | 2 | 1 | — | 1 | — | — | — | — | — | — | — | — | — |
| Drowning | 11 | — | — | — | — | — | — | — | 1 | — | 2 | 1 | 2 |
| Fracture and Contusion | 13 | — | — | — | — | — | — | 2 | — | 1 | — | 1 | 2 |
| Gunshot Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cuts and Stabs | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Other Violent Causes | 3 | — | — | — | — | — | — | — | — | — | — | — | 3 |
| Not Specified | 28 | 8 | 2 | 4 | 2 | 1 | 1 | — | 5 | — | — | — | 1 |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1867.—FEMALES.

| DISEASES. | ALL AGES. | FEMALES. | | | | | | | | | | | |
|------------------------------------|-----------|-----------|----|----|----|----|----|----|----|----|----|----|----|
| | | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 918 | 81 | 29 | 64 | 87 | 51 | 30 | 21 | 57 | 28 | 30 | 37 | 41 |
| SPECIFIED CAUSES | 903 | 75 | 28 | 62 | 86 | 51 | 30 | 21 | 56 | 28 | 30 | 37 | 40 |
| I. Zymotic Class | 221 | 7 | 9 | 15 | 39 | 39 | 18 | 17 | 31 | 5 | 1 | 4 | 10 |
| II. Diseases of Uncertain Seat | 35 | 2 | — | — | — | 1 | — | — | 2 | 1 | 1 | — | 1 |
| III. Tubercular Class | 186 | 1 | 4 | 17 | 15 | 5 | 4 | 2 | 12 | 12 | 19 | 24 | 18 |
| IV. Brain and Nervous System | 74 | 5 | 1 | 3 | — | 1 | 1 | — | 2 | 4 | 5 | 1 | 5 |
| V. Organs of Circulation | 18 | — | — | — | — | — | — | 1 | 1 | — | — | — | — |
| VI. Respiratory Organs | 117 | 9 | 8 | 11 | 16 | 1 | 5 | 1 | 3 | 3 | — | 1 | 2 |
| VII. Organs of Digestion | 57 | 2 | 2 | 11 | 8 | 2 | 1 | — | 1 | 2 | — | 2 | 1 |
| VIII. Urinary Organs | 9 | — | — | — | — | — | — | — | 1 | — | 1 | 1 | — |
| IX. Organs of Generation | 17 | — | — | — | — | — | — | — | — | — | 1 | 2 | 2 |
| X. Organs of Locomotion | 4 | — | — | — | 1 | — | — | — | — | — | 1 | 1 | 1 |
| XI. Skin, etc. | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| XII. Malformation | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| XIII. Premature Debility | 53 | 45 | 3 | 5 | — | — | — | — | — | — | — | — | — |
| XIV. Atrophy | 20 | — | — | — | 5 | 1 | 1 | — | 2 | — | 1 | 1 | — |
| XV. Age | 76 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVI. Sudden Deaths | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| XVII. Violent Deaths | 13 | 2 | 1 | — | 2 | 1 | — | — | — | 1 | — | — | — |
| I. Small Pox | 2 | — | — | — | 1 | — | — | — | 1 | — | — | — | — |
| Measles | 25 | — | 1 | 5 | 9 | 6 | 2 | 1 | 1 | — | — | — | — |
| Scarlatina | 70 | — | 1 | 4 | 6 | 18 | 9 | 10 | 16 | 4 | — | — | 1 |
| Diphtheria | 5 | — | — | — | 1 | 3 | — | — | 1 | — | — | — | — |
| Hooping Cough | 32 | 2 | 2 | 6 | 8 | 5 | 5 | 1 | 3 | — | — | — | — |
| Croup | 9 | — | — | — | 1 | 4 | 2 | 1 | 1 | — | — | — | — |
| Thrush | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diarrhœa | 23 | 4 | 1 | — | 8 | — | — | — | — | — | 1 | — | — |
| Dysentery | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Cholera | 6 | — | 1 | — | 3 | — | — | — | 2 | — | — | — | — |
| Influenza | 2 | — | 1 | — | — | — | — | 1 | — | — | — | — | — |
| Purpura | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Typhus | 16 | 1 | — | — | — | — | — | — | 2 | 1 | — | — | 2 |
| Enteric Fever | 15 | — | — | — | 1 | 1 | — | 3 | 4 | — | — | 1 | 3 |
| Relapsing Fever | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Simple Continued Fever | 4 | — | — | — | — | 2 | — | — | — | — | — | 1 | 1 |
| Infantile Remittent | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Metria | 5 | — | — | — | — | — | — | — | — | — | — | 1 | 3 |
| Rheumatic Fever | 2 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Erysipelas | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Pyæmia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Syphilis | 2 | — | 1 | — | 1 | — | — | — | — | — | — | — | — |
| Noma | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Dropsy | 9 | — | — | — | — | — | — | — | 1 | 1 | — | — | 1 |
| Abscess | 5 | 1 | — | — | — | 1 | — | — | 1 | — | 1 | — | — |
| Ulcer | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Fistula | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Cancer | 19 | — | — | — | — | — | — | — | — | — | — | — | — |
| Gout | — | — | — | — | — | — | — | — | — | — | — | — | — |
| III. Scrofula | 5 | — | — | 1 | — | — | 1 | — | 1 | 1 | — | 1 | — |
| Tabes Mesenterica | 17 | — | — | 4 | 4 | 2 | — | 2 | 4 | 1 | — | — | — |
| Phthisis | 136 | — | 3 | — | 3 | 1 | 2 | — | 5 | 9 | 19 | 23 | 18 |
| Hydrocephalus | 28 | 1 | 1 | 12 | 8 | 2 | 1 | — | 2 | 1 | — | — | — |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1867.—FEMALES.

| DISEASES. | FEMALES. | | | | | | | | | | | | | | | |
|-------------------------|-----------|----|----|----|----|----|----|----|----|----|----|----|----|-----|-----|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES . | 31 | 44 | 38 | 34 | 19 | 28 | 48 | 29 | 30 | 23 | 21 | 10 | 5 | 1 | — | 1 |
| SPECIFIED CAUSES . | 31 | 44 | 38 | 32 | 19 | 28 | 47 | 29 | 30 | 23 | 21 | 10 | 5 | 1 | — | 1 |
| Zymotic Class . . . | 1 | 6 | 2 | 1 | 2 | 3 | 4 | 2 | 2 | 2 | — | 1 | — | — | — | — |
| Uncertain Seat . . . | 1 | 2 | 2 | 5 | 3 | 2 | 5 | 3 | 2 | 1 | — | — | 1 | — | — | — |
| Tubercular Class . . | 14 | 11 | 18 | 3 | 1 | 3 | 3 | — | — | — | — | — | — | — | — | — |
| Brain, etc. | 5 | 4 | — | 6 | 2 | 8 | 5 | 7 | 6 | 1 | 2 | — | — | — | — | — |
| Heart, etc. | 1 | 1 | 2 | 2 | 3 | 1 | 3 | 2 | — | 1 | — | — | — | — | — | — |
| Respiratory Organs . | 1 | 11 | 5 | 5 | 1 | 4 | 11 | 6 | 5 | 5 | 2 | 1 | — | — | — | — |
| Digestive Organs . . | 2 | 2 | 2 | 6 | 3 | 4 | 5 | — | 1 | — | — | — | — | — | — | — |
| Urinary Organs . . . | 1 | 2 | 1 | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — |
| Generative Organs . . | 4 | 5 | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Locomotive Organs . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Skin | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Malformation | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Premature Debility . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Atrophy | 1 | — | 3 | — | 3 | 2 | — | — | — | — | — | — | — | — | — | — |
| Age | — | — | — | — | — | — | 10 | 8 | 14 | 13 | 17 | 8 | 4 | 1 | — | 1 |
| Sudden Deaths . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Violent Deaths . . . | — | — | 1 | 2 | 1 | 1 | — | 1 | — | — | — | — | — | — | — | — |
| Small Pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Measles | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Scarlatina | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Diphtheria | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Whooping Cough . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Croup | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Thrush | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diarrhœa | — | 1 | — | — | 1 | 1 | 2 | 1 | 1 | 1 | — | 1 | — | — | — | — |
| Dysentery | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cholera | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Influenza | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Purpura | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Typhus | 1 | 1 | 2 | 1 | 1 | — | 2 | — | 1 | 1 | — | — | — | — | — | — |
| Enteric Fever | — | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — |
| Relapsing Fever . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Simple Cont. Fever . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Infantile Remittent . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Metria | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Rheumatic Fever . . . | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Erysipelas | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Pyæmia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Syphilis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Noma | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hæmorrhage | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Dropsy | 1 | — | — | 1 | 1 | — | 2 | 1 | — | — | — | — | — | — | — | — |
| Abscess | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Ulcer | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Fistula | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cancer | — | 1 | 2 | 4 | 2 | 2 | 3 | 2 | 2 | — | — | — | 1 | — | — | — |
| Gout | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Scrofula | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Tabes Mesenterica . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Phthisis | 14 | 11 | 18 | 3 | 1 | 3 | 3 | — | — | — | — | — | — | — | — | — |
| Hydrocephalus | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1867.—FEMALES. (Continued.)

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|------------------------------------|-----------|-----------|---|----|----|---|---|---|----|----|----|----|----|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 7 | — | — | — | — | — | 1 | — | 2 | 1 | 1 | — | — |
| Apoplexy | 10 | — | — | — | — | — | — | — | — | — | 1 | — | 1 |
| Paralysis | 25 | — | — | — | — | — | — | — | — | 1 | 1 | — | 1 |
| Delirium Tremens | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Chorea | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Epilepsy | 6 | — | — | — | — | — | — | — | — | — | 1 | 1 | 2 |
| Tetanus | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Insanity | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Convulsions | 10 | 5 | 1 | 3 | — | 1 | — | — | — | — | — | — | — |
| Brain Disease | 14 | — | — | — | — | — | — | — | — | 2 | 1 | — | 1 |
| V. Pericarditis | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| Aneurism | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Heart Disease | 16 | — | — | — | — | — | — | 1 | — | — | — | — | — |
| VI. Laryngitis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Bronchitis | 84 | 7 | 7 | 9 | 10 | 1 | 4 | — | 3 | — | — | 1 | 1 |
| Pleurisy | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — |
| Pneumonia | 25 | 2 | 1 | 2 | 6 | — | 1 | — | — | 3 | — | — | 1 |
| Asthma | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| Lung Disease | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| VII. Teething | 15 | — | 1 | 8 | 5 | 1 | — | — | — | — | — | — | — |
| Quinsey | 2 | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| Gastritis | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Enteritis | 8 | — | — | 2 | 1 | 1 | — | — | 1 | 1 | — | — | — |
| Peritonitis | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ascites | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ulceration of Intestines | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Hernia | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Ileus | 3 | — | 1 | — | 2 | — | — | — | — | — | — | — | — |
| Intussusception | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stricture of Intestines | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stomach Disease | 4 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Hepatitis | 7 | — | — | — | — | — | — | — | — | — | — | — | — |
| Jaundice | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Liver Disease | 7 | 1 | — | — | — | — | — | — | — | — | — | 1 | — |
| Spleen Disease | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| VIII. Nephritis | 3 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| Nephria | 2 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Addison's Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ischuria | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diabetes | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stone | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cystitis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stricture of Urethra | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Kidney Disease | 4 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| IX. Paramenia | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Ovarian Dropsy | 3 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Childbirth | 12 | — | — | — | — | — | — | — | — | — | — | 2 | 1 |
| Organs of Generation | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| X. Arthritis | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Rheumatism | 1 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Joint and Bone Disease | 2 | — | — | — | 1 | — | — | — | — | — | — | — | 1 |
| XI. Carbuncle | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Phlegmon | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Skin Disease | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| XVII. Intemperance | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Poison | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 3 | — | — | — | 1 | 1 | — | — | — | 1 | — | — | — |
| Hanging, etc. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Suffocation | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Drowning | 3 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Fracture and Contusion | 3 | — | — | — | 1 | — | — | — | — | — | — | — | — |
| Gunshot Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cuts and Stabs | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Other Violent Causes | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Not Specified | 15 | 6 | 1 | 2 | 1 | — | — | — | 1 | — | — | — | 1 |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1867.—BOTH SEXES.

| DISEASES. | ALL AGES. | BOTH SEXES. | | | | | | | | | | | |
|------------------------------------|-----------|-------------|-----|-----|-----|-----|-----|----|-----|----|-----|-----|-----|
| | | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| 3 | 6 | 12 | | | | | | | | | | | |
| ALL CAUSES | 4765 | 437 | 158 | 295 | 431 | 237 | 118 | 98 | 190 | 87 | 127 | 175 | 184 |
| SPECIFIED CAUSES | 4744 | 431 | 154 | 295 | 430 | 237 | 118 | 95 | 190 | 87 | 127 | 174 | 184 |
| I. Zymotic Class | 1010 | 63 | 39 | 98 | 198 | 126 | 72 | 52 | 90 | 28 | 32 | 35 | 19 |
| II. Diseases of Uncertain Seat | 184 | 2 | 1 | — | 3 | — | 1 | — | 3 | 3 | 2 | 3 | 8 |
| III. Tubercular Class | 771 | 21 | 12 | 37 | 76 | 45 | 19 | 21 | 47 | 27 | 48 | 68 | 81 |
| IV. Brain and Nervous System | 457 | 43 | 11 | 19 | 18 | 11 | 2 | 6 | 12 | 8 | 8 | 9 | 5 |
| V. Organs of Circulation | 307 | — | — | — | — | — | 1 | 1 | — | 2 | 7 | 10 | 11 |
| VI. Respiratory Organs | 771 | 48 | 44 | 93 | 83 | 31 | 15 | 8 | 11 | 3 | 3 | 14 | 18 |
| VII. Organs of Digestion | 284 | 26 | 12 | 20 | 17 | 9 | 1 | 2 | 3 | 3 | 7 | 6 | 14 |
| VIII. Urinary Organs | 138 | 1 | 1 | 1 | 3 | 2 | 1 | 3 | 4 | 2 | 4 | 6 | 8 |
| IX. Organs of Generation | 31 | — | — | — | — | — | — | — | — | — | — | 6 | 5 |
| X. Organs of Locomotion | 38 | — | — | — | 1 | 1 | 1 | 1 | 5 | 3 | 4 | 1 | 2 |
| XI. Skin, etc. | 7 | 2 | 1 | — | — | — | — | — | 1 | — | — | 1 | — |
| XII. Malformation | 17 | 16 | 1 | — | — | — | — | — | — | — | — | — | — |
| XIII. Premature Debility | 242 | 193 | 28 | 21 | — | — | — | — | — | — | — | — | — |
| XIV. Atrophy | 51 | — | — | — | 26 | 6 | — | 1 | 2 | — | — | 1 | — |
| XV. Age | 247 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVI. Sudden Deaths | 3 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| XVII. Violent Deaths | 186 | 16 | 4 | 6 | 5 | 6 | 5 | — | 12 | 8 | 12 | 14 | 12 |
| I. Small Pox | 5 | 1 | 1 | 1 | 2 | — | — | — | — | — | — | — | — |
| Measles | 224 | 2 | 4 | 44 | 90 | 51 | 15 | 5 | 12 | — | — | — | — |
| Scarlatina | 144 | 1 | 1 | 3 | 23 | 20 | 23 | 18 | 43 | 6 | 3 | 1 | 1 |
| Diphtheria | 37 | 2 | — | 1 | 8 | 5 | 3 | 5 | 4 | 5 | — | 1 | — |
| Hooping Cough | 113 | 1 | 14 | 16 | 40 | 15 | 15 | 8 | 3 | 1 | — | — | — |
| Croup | 53 | 1 | — | 5 | 11 | 19 | 7 | 5 | 5 | — | — | — | — |
| Thrush | 2 | 2 | — | — | — | — | — | — | — | — | — | — | — |
| Diarrhoea | 108 | 38 | 10 | 21 | 10 | 4 | — | 1 | — | — | — | 1 | — |
| Dysentery | 7 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Cholera | 8 | 2 | 1 | — | 2 | — | — | — | 1 | — | — | — | — |
| Influenza | 5 | 1 | 1 | — | — | — | — | — | — | — | — | — | — |
| Purpura | 2 | — | — | — | 1 | — | — | — | — | — | — | 1 | — |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| Typhus | 113 | — | — | — | 3 | 2 | 3 | 7 | 7 | 2 | 9 | 9 | 4 |
| Enteric Fever | 101 | — | — | — | 2 | 5 | 5 | 1 | 15 | 10 | 20 | 11 | 6 |
| Relapsing Fever | 1 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Simple Continued Fever | 4 | — | — | — | — | — | — | 1 | — | 1 | — | — | — |
| Infantile Remittent | 7 | — | — | — | 3 | 2 | 1 | 1 | — | — | — | — | — |
| Metria | 17 | — | — | — | — | — | — | — | — | — | — | 9 | 5 |
| Rheumatic Fever | 11 | — | — | — | — | — | — | — | — | 2 | — | 2 | — |
| Erysipelas | 17 | 6 | 1 | 1 | — | — | — | — | — | 1 | — | — | 1 |
| Pyæmia | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Syphilis | 24 | 6 | 6 | 6 | 3 | — | — | — | — | — | — | — | — |
| Noma | 2 | — | — | — | — | 2 | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 2 | 1 | — | — | — | — | — | — | — | — | — | — | 1 |
| Dropsy | 27 | — | — | — | 1 | — | 1 | — | 2 | 1 | — | 1 | 2 |
| Abscess | 18 | 1 | — | — | — | — | — | — | — | 1 | — | 1 | 3 |
| Ulcer | 3 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Fistula | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | 10 | — | 1 | — | — | — | — | — | — | — | — | — | 1 |
| Cancer | 121 | — | — | — | 2 | — | — | — | 1 | 1 | 1 | 1 | 1 |
| Gout | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| III. Scrofula | 57 | 1 | 2 | 3 | 8 | 3 | 6 | 1 | 8 | 9 | 1 | 3 | 4 |
| Tabes Mesenterica | 82 | 14 | 3 | 5 | 22 | 17 | 2 | 6 | 5 | 3 | — | 1 | 1 |
| Phthisis | 486 | — | — | 2 | 5 | 4 | 4 | 3 | 11 | 13 | 47 | 64 | 75 |
| Hydrocephalus | 146 | 6 | 7 | 27 | 41 | 21 | 7 | 11 | 23 | 2 | — | — | 1 |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1867.—BOTH SEXES. (Continued.)

| DISEASES. | ALL AGES. | BOTH SEXES. | | | | | | | | | | | |
|------------------------------------|-----------|-------------|----|----|----|----|----|---|----|----|----|----|----|
| | | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 31 | 1 | 2 | 3 | 5 | 4 | 1 | 2 | 2 | 4 | 2 | 2 | — |
| Apoplexy | 96 | 2 | 1 | 2 | 1 | 1 | — | — | 2 | 1 | 1 | — | 2 |
| Paralysis | 127 | — | — | — | — | — | 1 | — | — | 1 | — | — | — |
| Delirium Tremens | 8 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Chorea | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — |
| Epilepsy | 29 | — | — | — | — | 1 | — | — | — | — | 3 | 3 | 1 |
| Tetanus | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Insanity | 9 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Convulsions | 77 | 40 | 7 | 12 | 9 | 4 | — | 3 | 2 | — | — | — | — |
| Brain Disease | 78 | — | 1 | 2 | 3 | 1 | — | — | 6 | 1 | 2 | 3 | 1 |
| V. Pericarditis | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Aneurism | 17 | — | — | — | — | — | — | — | — | — | — | — | — |
| Heart Disease | 288 | — | — | — | — | — | 1 | 1 | — | 2 | 7 | 10 | 11 |
| VI. Laryngitis | 15 | 2 | 2 | 3 | 3 | 1 | 1 | 1 | 1 | — | — | — | — |
| Bronchitis | 535 | 31 | 31 | 74 | 60 | 20 | 11 | 3 | 5 | 1 | — | 3 | 9 |
| Pleurisy | 17 | — | — | — | — | — | — | — | 2 | — | 1 | 3 | 2 |
| Pneumonia | 137 | 13 | 8 | 16 | 18 | 10 | 3 | 4 | 3 | — | 1 | 5 | 3 |
| Asthma | 37 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| Lung Disease | 30 | 2 | 3 | — | 2 | — | — | — | — | 1 | 1 | 3 | 4 |
| VII. Teething | 22 | — | — | 10 | 11 | 1 | — | — | — | — | — | — | — |
| Quinsey | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Gastritis | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Enteritis | 36 | 8 | 3 | 6 | 3 | 1 | 1 | 1 | 1 | — | 1 | — | — |
| Peritonitis | 28 | 4 | — | — | — | — | — | — | 1 | 1 | 2 | 3 | 4 |
| Ascites | 3 | — | — | — | — | — | — | — | — | 1 | — | — | 1 |
| Ulceration of Intestines | 17 | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — |
| Hernia | 11 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| Ileus | 17 | 3 | — | — | — | — | — | — | — | — | 1 | 1 | 3 |
| Intussusception | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Stricture of Intestines | 7 | — | — | — | — | — | — | — | — | — | — | — | — |
| Stomach Disease | 64 | 5 | 7 | 3 | 3 | 4 | — | 1 | — | — | 1 | — | 3 |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | 5 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Jaundice | 6 | 2 | 1 | 1 | — | — | — | — | — | — | — | — | — |
| Liver Disease | 63 | 3 | 1 | — | — | 1 | — | — | 1 | 1 | 1 | 1 | 2 |
| Spleen Disease | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| VIII. Nephritis | 6 | — | — | — | — | — | 1 | 1 | 1 | — | 1 | — | — |
| Nephria | 57 | — | — | 1 | 1 | 1 | — | 1 | 1 | — | 1 | 3 | 6 |
| Addison's Disease | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ischuria | 6 | 1 | — | — | — | 1 | — | — | — | — | — | — | — |
| Diabetes | 6 | — | — | — | — | — | — | — | — | — | — | 2 | — |
| Stone | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cystitis | 16 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Stricture of Urethra | 7 | — | — | — | — | — | — | — | — | — | — | — | — |
| Kidney Disease | 39 | — | 1 | — | 2 | — | — | 1 | 2 | 2 | 1 | 1 | 2 |
| IX. Paramenia | 1 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Ovarian Dropsy | 9 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Childbirth | 18 | — | — | — | — | — | — | — | — | — | — | 4 | 5 |
| Organs of Generation | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| X. Arthritis | 12 | — | — | — | 1 | 1 | — | — | — | 2 | 2 | 1 | 1 |
| Rheumatism | 13 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| Joint and Bone Disease | 13 | — | — | — | — | — | 1 | 1 | 4 | 1 | 2 | — | 1 |
| XI. Carbuncle | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Phlegmon | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Skin Disease | 5 | 2 | 1 | — | — | — | — | — | 1 | — | — | 1 | — |
| XVII. Intemperance | 11 | — | — | — | — | — | — | — | — | — | — | — | — |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | 11 | 6 | 3 | 2 | — | — | — | — | — | — | — | — | — |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Poison | 7 | — | — | — | — | 1 | — | — | — | — | 2 | — | — |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 23 | — | — | 2 | 3 | 2 | 4 | — | 3 | — | — | 1 | 2 |
| Hanging, etc. | 2 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Suffocation | 15 | 6 | 1 | 2 | — | — | 1 | — | 1 | 1 | — | — | — |
| Drowning | 9 | — | — | — | — | 1 | — | — | 2 | — | 1 | — | 1 |
| Fracture and Contusion | 94 | 1 | — | — | 1 | 2 | — | — | 5 | 7 | 8 | 13 | 7 |
| Gunshot Wounds | 2 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Cuts and Stabs | 4 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Other Violent Causes | 7 | 2 | — | — | 1 | — | — | — | 1 | — | — | — | — |
| Not Specified | 21 | 6 | 4 | — | 1 | — | — | 3 | — | — | — | 1 | — |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1867.—MALES.

| DISEASES. | ALL AGES. | MALES. | | | | | | | | | | | |
|------------------------------------|-----------|-----------|----|-----|-----|-----|----|----|-----|----|----|----|----|
| | | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 2338 | 259 | 83 | 153 | 217 | 128 | 62 | 54 | 105 | 42 | 70 | 95 | 98 |
| SPECIFIED CAUSES | 2329 | 257 | 82 | 153 | 216 | 128 | 62 | 54 | 105 | 42 | 70 | 94 | 98 |
| I. Zymotic Class | 515 | 39 | 20 | 48 | 110 | 63 | 37 | 34 | 51 | 10 | 15 | 13 | 8 |
| II. Diseases of Uncertain Seat | 61 | 1 | — | — | 2 | — | — | — | 1 | 1 | 2 | 1 | 3 |
| III. Tubercular Class | 393 | 13 | 7 | 22 | 32 | 23 | 10 | 9 | 23 | 12 | 23 | 40 | 48 |
| IV. Brain and Nervous System | 232 | 24 | 8 | 10 | 11 | 4 | 2 | 3 | 3 | 6 | 7 | 5 | 4 |
| V. Organs of Circulation | 148 | — | — | — | — | — | — | 1 | — | 2 | 3 | 5 | 5 |
| VI. Respiratory Organs | 366 | 26 | 24 | 52 | 40 | 20 | 8 | 3 | 7 | 1 | 2 | 11 | 10 |
| VII. Organs of Digestion | 137 | 18 | 7 | 10 | 11 | 7 | — | 2 | 3 | 2 | 5 | 2 | 5 |
| VIII. Urinary Organs | 89 | 1 | — | 1 | 2 | 1 | 1 | 1 | 3 | 2 | 2 | 2 | 3 |
| IX. Organs of Generation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| X. Organs of Locomotion | 23 | — | — | — | — | 1 | 1 | 1 | 5 | 2 | 2 | 1 | 2 |
| XI. Skin, etc. | 3 | 1 | 1 | — | — | — | — | — | — | — | — | — | — |
| XII. Malformation | 11 | 10 | 1 | — | — | — | — | — | — | — | — | — | — |
| XIII. Premature Debility | 138 | 116 | 13 | 9 | — | — | — | — | — | — | — | — | — |
| XIV. Atrophy | 12 | — | — | — | 6 | 4 | — | — | — | — | — | 1 | — |
| XV. Age | 84 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVI. Sudden Deaths | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVII. Violent Deaths | 116 | 8 | 1 | 1 | 2 | 5 | 3 | — | 9 | 4 | 9 | 13 | 10 |
| I. Small Pox | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Measles | 129 | 1 | 2 | 25 | 51 | 30 | 9 | 5 | 6 | — | — | — | — |
| Scarlatina | 79 | 1 | — | 1 | 11 | 11 | 12 | 10 | 26 | 3 | 3 | — | — |
| Diphtheria | 15 | 1 | — | — | 4 | 2 | 2 | 2 | 3 | 1 | — | — | — |
| Hooping Cough | 54 | — | 5 | 8 | 24 | 5 | 6 | 5 | 1 | — | — | — | — |
| Croup | 32 | — | — | 3 | 6 | 10 | 4 | 5 | 4 | — | — | — | — |
| Thrush | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Diarrhœa | 62 | 24 | 8 | 8 | 7 | 2 | — | 1 | — | — | — | 1 | — |
| Dysentery | 3 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Cholera | 2 | 2 | — | — | — | — | — | — | — | — | — | — | — |
| Influenza | 5 | 1 | 1 | — | — | — | — | — | — | — | — | — | — |
| Purpura | 2 | — | — | — | 1 | — | — | — | — | — | — | 1 | — |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Typhus | 56 | — | — | — | 2 | — | 2 | 5 | 4 | 1 | 4 | 6 | 3 |
| Enteric Fever | 45 | — | — | — | 1 | 2 | 2 | 1 | 7 | 4 | 8 | 5 | 2 |
| Relapsing Fever | 1 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Simple Continued Fever | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| Infantile Remittent | 2 | — | — | — | 1 | 1 | — | — | — | — | — | — | — |
| Metria | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Rheumatic Fever | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Erysipelas | 9 | 5 | — | — | — | — | — | — | — | — | — | — | 1 |
| Pyæmia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Syphilis | 14 | 2 | 4 | 3 | 2 | — | — | — | — | — | — | — | — |
| Noma | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 2 | 1 | — | — | — | — | — | — | — | — | — | — | 1 |
| Dropsy | 4 | — | — | — | 1 | — | — | — | 1 | 1 | — | — | — |
| Abscess | 7 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Ulcer | 2 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Fistula | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | 7 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Cancer | 37 | — | — | — | 1 | — | — | — | — | — | 1 | 1 | — |
| Gout | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| III. Scrofula | 31 | 1 | — | 3 | 2 | 2 | 4 | — | 4 | 6 | 1 | 2 | 3 |
| Tabes Mesenterica | 46 | 9 | 3 | 2 | 14 | 10 | 1 | 3 | 2 | 1 | — | — | — |
| Phthisis | 251 | — | — | 1 | 4 | 3 | 2 | — | 6 | 4 | 22 | 38 | 44 |
| Hydrocephalus | 65 | 3 | 4 | 16 | 12 | 8 | 3 | 6 | 11 | 1 | — | — | 1 |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1867.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | | | | |
|-------------------------|-----------|----|----|----|----|-----|-----|-----|----|----|----|----|----|-----|-----|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 55 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 79 | 96 | 89 | 95 | 85 | 106 | 104 | 105 | 87 | 57 | 47 | 17 | 2 | — | — | 3 |
| SPECIFIED CAUSES . . | 79 | 96 | 89 | 93 | 85 | 104 | 104 | 105 | 87 | 57 | 47 | 17 | 2 | — | — | 3 |
| Zymotic Class | 12 | 8 | 7 | 8 | 4 | 5 | 5 | 10 | 3 | 1 | 4 | — | — | — | — | — |
| Uncertain Seat | 1 | 3 | 6 | 4 | 4 | 10 | 6 | 7 | 5 | 1 | 1 | 1 | 1 | — | — | — |
| Tubercular Class . . . | 33 | 22 | 13 | 24 | 12 | 15 | 7 | 5 | — | — | — | — | — | — | — | — |
| Brain, etc. | 5 | 6 | 13 | 16 | 11 | 18 | 12 | 20 | 16 | 16 | 8 | 4 | — | — | — | — |
| Heart, etc. | 11 | 20 | 8 | 13 | 16 | 12 | 16 | 17 | 9 | 7 | — | 2 | — | — | — | 1 |
| Respiratory Organs . . | 4 | 8 | 15 | 9 | 17 | 23 | 29 | 19 | 19 | 9 | 9 | 1 | — | — | — | — |
| Digestive Organs . . . | 3 | 8 | 9 | 6 | 4 | 9 | 10 | 7 | 4 | 5 | — | — | — | — | — | — |
| Urinary Organs | 6 | 7 | 11 | 4 | 7 | 7 | 10 | 7 | 8 | 3 | — | — | — | — | — | — |
| Generative Organs . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Locomotive Organs . . | 1 | 1 | 1 | 2 | 1 | 2 | — | — | — | — | — | — | — | — | — | — |
| Skin | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Malformation | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Premature Debility . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Atrophy | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Age | — | — | — | — | — | — | 5 | 9 | 20 | 15 | 25 | 9 | 1 | — | — | — |
| Sudden Deaths | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Violent Deaths | 3 | 13 | 6 | 6 | 7 | 3 | 4 | 4 | 3 | — | — | — | — | — | — | 2 |
| Small Pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Measles | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Scarlatina | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Diphtheria | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Whooping Cough . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Croup | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Thrush | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diarrhœa | 1 | — | 2 | — | 1 | 1 | 1 | 3 | 1 | — | 1 | — | — | — | — | — |
| Dysentery | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — |
| Cholera | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Influenza | — | — | — | — | — | — | — | 1 | — | 1 | 1 | — | — | — | — | — |
| Purpura | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Typhus | 5 | 4 | 2 | 4 | 2 | 4 | 3 | 3 | 2 | — | — | — | — | — | — | — |
| Enteric Fever | 3 | 2 | 2 | 1 | — | — | 1 | 2 | — | — | 2 | — | — | — | — | — |
| Relapsing Fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Simple Cont. Fever . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Infantile Remittent . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Metria | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Rheumatic Fever | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Erysipelas | — | — | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Pyæmia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Syphilis | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Noma | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hæmorrhage | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Dropsy | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Abscess | — | 1 | — | 1 | 2 | 1 | — | — | — | 1 | — | — | — | — | — | — |
| Ulcer | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Fistula | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | — | — | — | — | — | — | — | 2 | 1 | — | 1 | 1 | 1 | — | — | — |
| Cancer | — | 2 | 4 | 3 | 2 | 9 | 5 | 5 | 4 | — | — | — | — | — | — | — |
| Gout | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — |
| Scrofula | 1 | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Tabes Mesenterica . . . | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — |
| Phthisis | 32 | 21 | 13 | 23 | 12 | 15 | 6 | 5 | — | — | — | — | — | — | — | — |
| Hydrocephalus | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1867.—MALES. (Continued.)

| DISEASES. | MALES. | | | | | | | | | | | | |
|------------------------------------|-----------|-----------|----|----|----|----|---|---|----|----|----|----|----|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 20 | 1 | 2 | 1 | 4 | 2 | 1 | — | — | 3 | 2 | 1 | — |
| Apoplexy | 50 | — | 1 | 1 | 1 | — | — | — | 1 | 1 | 1 | — | 2 |
| Paralysis | 58 | — | — | — | — | — | 1 | — | — | 1 | — | — | — |
| Delirium Tremens | 6 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Chorea | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Epilepsy | 12 | — | — | — | — | — | — | — | — | — | 2 | 2 | — |
| Tetanus | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Insanity | 6 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Convulsions | 44 | 23 | 4 | 6 | 5 | 2 | — | 3 | 1 | — | — | — | — |
| Brain Disease | 36 | — | 1 | 2 | 1 | — | — | — | 1 | 1 | 2 | 1 | 1 |
| V. Pericarditis | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Aneurism | 16 | — | — | — | — | — | — | — | — | — | — | — | — |
| Heart Disease | 131 | — | — | — | — | — | — | 1 | — | 2 | 3 | 5 | 5 |
| VI. Laryngitis | 6 | 1 | — | 2 | 1 | — | — | — | 1 | — | — | — | — |
| Bronchitis | 240 | 18 | 16 | 41 | 29 | 15 | 6 | — | 3 | — | — | 2 | 3 |
| Pleurisy | 14 | — | — | — | — | — | — | — | 2 | — | 1 | 3 | 1 |
| Pneumonia | 71 | 6 | 5 | 9 | 8 | 5 | 2 | 3 | 1 | — | 1 | 4 | 3 |
| Asthma | 18 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| Lung Disease | 17 | 1 | 3 | — | 2 | — | — | — | — | — | — | 2 | 3 |
| VII. Teething | 11 | — | — | 5 | 6 | — | — | — | — | — | — | — | — |
| Quinsey | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Gastritis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Enteritis | 20 | 7 | 2 | 3 | 2 | — | — | 1 | 1 | — | 1 | — | — |
| Peritonitis | 13 | 3 | — | — | — | — | — | — | 1 | — | 2 | 2 | — |
| Ascites | 2 | — | — | — | — | — | — | — | — | 1 | — | — | 1 |
| Ulceration of Intestines | 6 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| Hernia | 5 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| Ileus | 9 | 3 | — | — | — | — | — | — | — | — | 1 | — | 1 |
| Intussusception | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stricture of Intestines | 6 | — | — | — | — | — | — | — | — | — | — | — | — |
| Stomach Disease | 28 | 2 | 3 | 1 | 3 | 4 | — | 1 | — | — | — | — | 1 |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | 5 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Jaundice | 4 | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — |
| Liver Disease | 27 | 2 | 1 | — | — | 1 | — | — | 1 | 1 | — | — | 1 |
| Spleen Disease | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| VIII. Nephritis | 4 | — | — | — | — | — | 1 | — | 1 | — | — | — | — |
| Nephria | 32 | — | — | 1 | 1 | 1 | — | 1 | 1 | — | — | — | 3 |
| Addison's Disease | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ischuria | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Diabetes | 4 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Stone | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cystitis | 16 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Stricture of Urethra | 7 | — | — | — | — | — | — | — | — | — | — | — | — |
| Kidney Disease | 22 | — | — | — | 1 | — | — | — | 1 | 2 | 1 | 1 | — |
| IX. Paramenia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ovarian Dropsy | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Childbirth | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Organs of Generation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| X. Arthritis | 8 | — | — | — | — | 1 | — | — | — | 1 | 2 | 1 | 1 |
| Rheumatism | 5 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| Joint and Bone Disease | 10 | — | — | — | — | — | 1 | 1 | 4 | 1 | — | — | 1 |
| XI. Carbuncle | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Phlegmon | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Skin Disease | 2 | 1 | 1 | — | — | — | — | — | — | — | — | — | — |
| XVII. Intemperance | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | 4 | 3 | 1 | — | — | — | — | — | — | — | — | — | — |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Poison | 4 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 9 | — | — | — | 1 | 2 | 3 | — | 1 | — | — | — | 1 |
| Hanging, etc. | 1 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Suffocation | 5 | 3 | — | 1 | — | — | — | — | — | — | — | — | — |
| Drowning | 6 | — | — | — | — | — | — | — | 2 | — | 1 | — | 1 |
| Fracture and Contusion | 76 | 1 | — | — | 1 | 2 | — | — | 5 | 4 | 7 | 13 | 6 |
| Gunshot Wounds | 2 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Cuts and Stabs | 3 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Other Violent Causes | 3 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| Not Specified | 9 | 2 | 1 | — | 1 | — | — | — | — | — | — | 1 | — |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1867.—FEMALES.

| DISEASES. | ALL AGES. | FEMALES. | | | | | | | | | | | |
|------------------------------------|-----------|-----------|----|-----|-----|-----|----|----|----|----|----|----|----|
| | | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 2427 | 178 | 75 | 142 | 214 | 109 | 56 | 44 | 85 | 45 | 57 | 80 | 86 |
| SPECIFIED CAUSES | 2415 | 174 | 72 | 142 | 214 | 109 | 56 | 41 | 85 | 45 | 57 | 80 | 86 |
| I. Zymotic Class | 495 | 24 | 19 | 50 | 88 | 63 | 35 | 18 | 39 | 18 | 17 | 22 | 11 |
| II. Diseases of Uncertain Seat | 123 | 1 | 1 | — | 1 | — | 1 | — | 2 | 2 | — | 2 | 5 |
| III. Tubercular Class | 378 | 8 | 5 | 15 | 44 | 22 | 9 | 12 | 24 | 15 | 25 | 28 | 33 |
| IV. Brain and Nervous System | 225 | 19 | 3 | 9 | 7 | 7 | — | 3 | 9 | 2 | 1 | 4 | 1 |
| V. Organs of Circulation | 159 | — | — | — | — | — | 1 | — | — | — | 4 | 5 | 6 |
| VI. Respiratory Organs | 405 | 22 | 20 | 41 | 43 | 11 | 7 | 5 | 4 | 2 | 1 | 3 | 8 |
| VII. Organs of Digestion | 147 | 8 | 5 | 10 | 6 | 2 | 1 | — | — | 1 | 2 | 4 | 9 |
| VIII. Urinary Organs | 49 | — | 1 | — | 1 | 1 | — | 2 | 1 | — | 2 | 4 | 5 |
| IX. Organs of Generation | 31 | — | — | — | — | — | — | — | — | — | — | 6 | 5 |
| X. Organs of Locomotion | 15 | — | — | — | 1 | — | — | — | — | 1 | 2 | — | — |
| XI. Skin, etc. | 4 | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — |
| XII. Malformation | 6 | 6 | — | — | — | — | — | — | — | — | — | — | — |
| XIII. Premature Debility | 104 | 77 | 15 | 12 | — | — | — | — | — | — | — | — | — |
| XIV. Atrophy | 39 | — | — | — | 20 | 2 | — | 1 | 2 | — | — | — | — |
| XV. Age | 163 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVI. Sudden Deaths | 2 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| XVII. Violent Deaths | 70 | 8 | 3 | 5 | 3 | 1 | 2 | — | 3 | 4 | 3 | 1 | 2 |
| I. Small Pox | 4 | — | 1 | 1 | 2 | — | — | — | — | — | — | — | — |
| Measles | 95 | 1 | 2 | 19 | 39 | 21 | 6 | — | 6 | — | — | — | — |
| Scarlatina | 65 | — | 1 | 2 | 12 | 9 | 11 | 8 | 17 | 3 | — | 1 | 1 |
| Diphtheria | 22 | 1 | — | 1 | 4 | 3 | 1 | 3 | 1 | 4 | — | 1 | — |
| Hooping Cough | 59 | 1 | 9 | 8 | 16 | 10 | 9 | 3 | 2 | 1 | — | — | — |
| Croup | 21 | 1 | — | 2 | 5 | 9 | 3 | — | 1 | — | — | — | — |
| Thrush | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Diarrhoea | 46 | 14 | 2 | 13 | 3 | 2 | — | — | — | — | — | — | — |
| Dysentery | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Cholera | 6 | — | 1 | — | 2 | — | — | — | 1 | — | — | — | — |
| Influenza | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Purpura | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| Typhus | 57 | — | — | — | 1 | 2 | 1 | 2 | 3 | 1 | 5 | 3 | 1 |
| Enteric Fever | 56 | — | — | — | 1 | 3 | 3 | — | 8 | 6 | 12 | 6 | 4 |
| Relapsing Fever | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Simple Continued Fever | 3 | — | — | — | — | — | — | 1 | — | — | — | — | — |
| Infantile Remittent | 5 | — | — | — | 2 | 1 | 1 | 1 | — | — | — | — | — |
| Metria | 17 | — | — | — | — | — | — | — | — | — | — | 9 | 5 |
| Rheumatic Fever | 9 | — | — | — | — | — | — | — | — | 2 | — | 2 | — |
| Erysipelas | 8 | 1 | 1 | 1 | — | — | — | — | — | 1 | — | — | — |
| Pyæmia | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Syphilis | 10 | 4 | 2 | 3 | 1 | — | — | — | — | — | — | — | — |
| Noma | 2 | — | — | — | — | 2 | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Dropsy | 23 | — | — | — | — | — | 1 | — | 1 | — | — | 1 | 2 |
| Abscess | 11 | 1 | — | — | — | — | — | — | — | 1 | — | 1 | 2 |
| Ulcer | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Fistula | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | 3 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Cancer | 84 | — | — | — | 1 | — | — | — | 1 | 1 | — | — | 1 |
| Gout | — | — | — | — | — | — | — | — | — | — | — | — | — |
| III. Scrofula | 26 | — | 2 | — | 6 | 1 | 2 | 1 | 4 | 3 | — | 1 | 1 |
| Tabes Mesenterica | 36 | 5 | — | 3 | 8 | 7 | 1 | 3 | 3 | 2 | — | 1 | 1 |
| Phthisis | 235 | — | — | 1 | 1 | 1 | 2 | 3 | 5 | 9 | 25 | 26 | 31 |
| Hydrocephalus | 81 | 3 | 3 | 11 | 29 | 13 | 4 | 5 | 12 | 1 | — | — | — |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1867.—FEMALES. (Continued.)

| DISEASES. | ALL AGES. | FEMALES. | | | | | | | | | | | |
|------------------------------------|-----------|-----------|----|----|----|---|---|---|----|----|----|----|----|
| | | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 11 | — | — | 2 | 1 | 2 | — | 2 | 2 | 1 | — | 1 | — |
| Apoplexy | 46 | 2 | — | 1 | — | 1 | — | — | 1 | — | — | — | — |
| Paralysis | 69 | — | — | — | — | — | — | — | — | — | — | — | — |
| Delirium Tremens | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Chorea | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — |
| Epilepsy | 17 | — | — | — | — | 1 | — | — | — | 1 | 1 | 1 | 1 |
| Tetanus | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Insanity | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| Convulsions | 33 | 17 | 3 | 6 | 4 | 2 | — | — | 1 | — | — | — | — |
| Brain Disease | 42 | — | — | — | 2 | 1 | — | — | 5 | — | — | 2 | — |
| V. Pericarditis | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Aneurism | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Heart Disease | 157 | — | — | — | — | — | 1 | — | — | — | 4 | 5 | 6 |
| VI. Laryngitis | 9 | 1 | 2 | 1 | 2 | 1 | 1 | 1 | — | — | — | — | — |
| Bronchitis | 295 | 13 | 15 | 33 | 31 | 5 | 5 | 3 | 2 | 1 | — | 1 | 6 |
| Pleurisy | 3 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Pneumonia | 66 | 7 | 3 | 7 | 10 | 5 | 1 | 1 | 2 | — | — | 1 | — |
| Asthma | 19 | — | — | — | — | — | — | — | — | — | — | — | — |
| Lung Disease | 13 | 1 | — | — | — | — | — | — | — | 1 | 1 | 1 | 1 |
| VII. Teething | 11 | — | — | 5 | 5 | 1 | — | — | — | — | — | — | — |
| Quinsey | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Gastritis | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Enteritis | 16 | 1 | 1 | 3 | 1 | 1 | 1 | — | — | — | — | — | — |
| Peritonitis | 15 | 1 | — | — | — | — | — | — | — | 1 | — | 1 | 4 |
| Ascites | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ulceration of Intestines | 11 | 1 | — | — | — | — | — | — | — | — | — | 1 | — |
| Hernia | 6 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ileus | 8 | — | — | — | — | — | — | — | — | — | — | 1 | 2 |
| Intussusception | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Stricture of Intestines | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Stomach Disease | 36 | 3 | 4 | 2 | — | — | — | — | — | — | 1 | — | 2 |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Jaundice | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Liver Disease | 36 | 1 | — | — | — | — | — | — | — | — | 1 | 1 | 1 |
| Spleen Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| VIII. Nephritis | 2 | — | — | — | — | — | — | 1 | — | — | 1 | — | — |
| Nephria | 25 | — | — | — | — | — | — | — | — | — | 1 | 3 | 3 |
| Addison's Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ischuria | 3 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| Diabetes | 2 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Stone | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cystitis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stricture of Urethra | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Kidney Disease | 17 | — | 1 | — | 1 | — | — | 1 | 1 | — | — | — | 2 |
| IX. Paramenia | 1 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Ovarian Dropsy | 9 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Childbirth | 18 | — | — | — | — | — | — | — | — | — | — | 4 | 5 |
| Organs of Generation | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| X. Arthritis | 4 | — | — | — | 1 | — | — | — | — | 1 | — | — | — |
| Rheumatism | 8 | — | — | — | — | — | — | — | — | — | — | — | — |
| Joint and Bone Disease | 3 | — | — | — | — | — | — | — | — | — | 2 | — | — |
| XI. Carbuncle | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Phlegmon | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Skin Disease | 3 | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — |
| XVII. Intemperance | 9 | — | — | — | — | — | — | — | — | — | — | — | — |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | 7 | 3 | 2 | 2 | — | — | — | — | — | — | — | — | — |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Poison | 3 | — | — | — | — | — | — | — | — | — | 2 | — | — |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 14 | — | — | 2 | 2 | — | 1 | — | 2 | — | — | 1 | 1 |
| Hanging, etc. | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Suffocation | 10 | 3 | 1 | 1 | — | — | 1 | — | 1 | 1 | — | — | — |
| Drowning | 3 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| Fracture and Contusion | 18 | — | — | — | — | — | — | — | — | 3 | 1 | — | 1 |
| Gunshot Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cuts and Stabs | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Other Violent Causes | 4 | 2 | — | — | 1 | — | — | — | — | — | — | — | — |
| Not Specified | 12 | 4 | 3 | — | — | — | — | 3 | — | — | — | — | — |

CAUSES OF DEATH in DUNDEE, at different Periods of Life, in 1867.—BOTH SEXES.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|------------------------------------|-------------|-----------|-----|-----|-----|-----|----|----|-----|----|----|-----|-----|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 2951 | 393 | 147 | 223 | 330 | 134 | 92 | 59 | 112 | 63 | 67 | 111 | 117 |
| SPECIFIED CAUSES | 2891 | 373 | 139 | 218 | 327 | 130 | 92 | 57 | 111 | 61 | 66 | 110 | 117 |
| I. Zymotic Class | 615 | 45 | 36 | 78 | 137 | 65 | 51 | 32 | 47 | 11 | 7 | 12 | 13 |
| II. Diseases of Uncertain Seat | 136 | 4 | 2 | 1 | 4 | 3 | — | — | 2 | 5 | 2 | 2 | 1 |
| III. Tubercular Class | 554 | 10 | 13 | 26 | 59 | 24 | 17 | 12 | 28 | 24 | 32 | 64 | 58 |
| IV. Brain and Nervous System | 226 | 46 | 12 | 10 | 4 | 5 | 4 | 6 | 10 | 5 | 3 | 3 | 5 |
| V. Organs of Circulation | 148 | 1 | 2 | — | 1 | — | 2 | — | 3 | 3 | 3 | 6 | 12 |
| VI. Respiratory Organs | 460 | 38 | 37 | 50 | 69 | 23 | 9 | 7 | 9 | 5 | 6 | 7 | 9 |
| VII. Organs of Digestion | 179 | 18 | 14 | 34 | 44 | 4 | 3 | — | 4 | 1 | 5 | 2 | 5 |
| VIII. Urinary Organs | 40 | — | — | — | — | 2 | 1 | — | 1 | 1 | 4 | 1 | 3 |
| IX. Organs of Generation | 24 | — | — | — | — | — | — | — | — | — | 2 | 5 | 4 |
| X. Organs of Locomotion | 11 | — | — | — | — | — | — | — | 2 | 3 | 1 | — | — |
| XI. Skin, etc. | 3 | 1 | — | — | 1 | — | — | — | — | — | — | — | — |
| XII. Malformation | 10 | 9 | — | 1 | — | — | — | — | — | — | — | — | — |
| XIII. Premature Debility | 224 | 192 | 17 | 15 | — | — | — | — | — | — | — | — | — |
| XIV. Atrophy | 16 | — | — | — | 4 | 2 | 2 | — | 2 | — | — | — | — |
| XV. Age | 152 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVI. Sudden Deaths | 5 | — | 2 | 1 | — | — | — | — | — | — | — | — | — |
| XVII. Violent Deaths | 88 | 9 | 4 | 2 | 4 | 2 | 3 | — | 3 | 3 | 1 | 8 | 7 |
| I. Small Pox | 16 | 2 | 1 | 2 | 3 | — | 2 | — | 3 | — | — | 1 | 1 |
| Measles | 6 | — | — | 1 | 4 | — | — | 1 | — | — | — | — | — |
| Scarlatina | 64 | 1 | 1 | 2 | 6 | 9 | 12 | 9 | 17 | 2 | — | 1 | — |
| Diphtheria | 18 | — | — | — | 2 | 2 | 3 | 3 | 3 | 1 | 2 | — | — |
| Hooping Cough | 258 | 18 | 17 | 53 | 95 | 36 | 15 | 11 | 13 | — | — | — | — |
| Croup | 47 | 4 | 2 | 5 | 12 | 11 | 9 | — | 4 | — | — | — | — |
| Thrush | 5 | 4 | — | 1 | — | — | — | — | — | — | — | — | — |
| Diarrhoea | 55 | 10 | 10 | 8 | 10 | 3 | — | 1 | — | 1 | — | — | 1 |
| Dysentery | 8 | — | — | — | — | — | — | 1 | — | — | — | — | — |
| Cholera | 9 | 1 | 2 | 2 | — | — | — | 1 | — | — | — | — | 1 |
| Influenza | 13 | 1 | 1 | — | — | — | 2 | 1 | — | 1 | — | — | — |
| Purpura | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ague | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | 2 | — | — | — | — | — | — | 1 | 1 | — | — | — | — |
| Typhus | 45 | — | — | — | — | 3 | 1 | 1 | — | 1 | 4 | 5 | 4 |
| Enteric Fever | 33 | — | — | — | 3 | — | 6 | 1 | 6 | 4 | — | 2 | 2 |
| Relapsing Fever | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Simple Continued Fever | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Infantile Remittent | 5 | — | — | 1 | 2 | — | 1 | 1 | — | — | — | — | — |
| Metria | 5 | — | — | — | — | — | — | — | — | — | — | 2 | — |
| Rheumatic Fever | 6 | — | — | — | — | — | — | — | — | 1 | 1 | — | 3 |
| Erysipelas | 4 | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — |
| Pyæmia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Syphilis | 13 | 3 | 1 | 2 | — | 1 | — | — | — | — | — | 1 | 1 |
| Noma | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 3 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Dropsy | 72 | 2 | 1 | — | 4 | 2 | — | — | 1 | 5 | 1 | 2 | 1 |
| Abscess | 7 | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — |
| Ulcer | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Fistula | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Cancer | 49 | — | — | — | — | 1 | — | — | 1 | — | 1 | — | — |
| Gout | — | — | — | — | — | — | — | — | — | — | — | — | — |
| III. Scrofula | 22 | 1 | 1 | 3 | 3 | 1 | 1 | — | 5 | — | 3 | — | 1 |
| Tabes Mesenterica | 29 | 3 | 2 | 3 | 4 | 5 | 2 | 1 | 6 | — | 1 | — | — |
| Phthisis | 395 | 2 | 3 | 1 | 15 | 3 | 5 | 4 | 11 | 21 | 28 | 64 | 57 |
| Hydrocephalus | 108 | 4 | 7 | 19 | 37 | 15 | 9 | 7 | 6 | 3 | — | — | — |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1867.—BOTH SEXES.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | | | | |
|------------------------|-------------|----|-----|-----|-----|-----|-----|----|----|----|----|----|----|-----|-----|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES . . . | 106 | 92 | 112 | 118 | 115 | 115 | 123 | 91 | 96 | 49 | 46 | 29 | 8 | — | 1 | 2 |
| SPECIFIED CAUSES . . | 105 | 91 | 109 | 113 | 114 | 114 | 122 | 91 | 96 | 49 | 46 | 29 | 8 | — | 1 | 2 |
| Zymotic Class . . . | 15 | 9 | 13 | 14 | 5 | 4 | 8 | 6 | 4 | 2 | — | — | — | — | — | 1 |
| Uncertain Seat . . . | 2 | 2 | 7 | 14 | 20 | 16 | 21 | 7 | 13 | 3 | 4 | — | 1 | — | — | — |
| Tubercular Class . . | 38 | 39 | 35 | 23 | 21 | 20 | 7 | 4 | — | — | — | — | — | — | — | — |
| Brain, etc. | 10 | 6 | 7 | 5 | 10 | 16 | 17 | 15 | 13 | 7 | 6 | 1 | — | — | — | — |
| Heart, etc. | 13 | 7 | 11 | 15 | 12 | 14 | 18 | 13 | 6 | 4 | 1 | — | — | — | — | 1 |
| Respiratory Organs . | 11 | 8 | 22 | 23 | 27 | 30 | 21 | 20 | 19 | 4 | 4 | 2 | — | — | — | — |
| Digestive Organs . . | 4 | 4 | 3 | 7 | 7 | 1 | 9 | 5 | 3 | 2 | — | — | — | — | — | — |
| Urinary Organs . . . | 3 | 5 | — | 5 | 3 | 3 | 3 | 3 | 2 | — | — | — | — | — | — | — |
| Generative Organs . . | 4 | 4 | 2 | 1 | 1 | — | — | — | — | 1 | — | — | — | — | — | — |
| Locomotive Organs . | — | — | — | 1 | 1 | — | — | 1 | 2 | — | — | — | — | — | — | — |
| Skin | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Malformation | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Premature Debility . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Atrophy | — | — | 1 | — | 1 | 4 | — | — | — | — | — | — | — | — | — | — |
| Age | — | — | — | — | — | — | 16 | 13 | 33 | 25 | 31 | 26 | 7 | — | 1 | — |
| Sudden Deaths . . . | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| Violent Deaths . . . | 5 | 7 | 8 | 5 | 6 | 5 | 1 | 3 | 1 | 1 | — | — | — | — | — | — |
| Small Pox | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Measles | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Scarlatina | — | 1 | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diphtheria | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — |
| Hooping Cough . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Croup | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Thrush | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diarrhoea | 1 | — | 2 | 1 | — | 1 | 3 | 1 | 1 | — | — | — | — | — | — | 1 |
| Dysentery | — | 2 | 1 | 1 | — | — | — | 1 | 2 | — | — | — | — | — | — | — |
| Cholera | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Influenza | — | — | 1 | — | 1 | — | 3 | — | 1 | 1 | — | — | — | — | — | — |
| Purpura | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ague | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Typhus | 5 | 3 | 5 | 6 | 4 | 1 | 1 | 1 | — | — | — | — | — | — | — | — |
| Enteric Fever | 3 | 1 | 1 | 1 | — | 2 | 1 | — | — | — | — | — | — | — | — | — |
| Relapsing Fever . . . | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Simple Continued Fever | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Infantile Remittent . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Metria | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Rheumatic Fever . . . | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Erysipelas | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — |
| Pyæmia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Syphilis | 2 | — | — | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — |
| Noma | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hæmorrhage | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Dropsy | 2 | 2 | 3 | 7 | 11 | 9 | 10 | 3 | 3 | 1 | 2 | — | — | — | — | — |
| Abscess | — | — | 1 | 1 | — | — | 2 | — | — | — | — | — | — | — | — | — |
| Ulcer | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — |
| Fistula | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | — | — | — | — | 1 | — | 1 | 1 | — | — | 1 | — | — | — | — | — |
| Cancer | — | — | 3 | 5 | 8 | 6 | 8 | 2 | 10 | 2 | 1 | — | 1 | — | — | — |
| Gout | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Scrofula | 2 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — |
| Tabes Mesenterica . . | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Phthisis | 33 | 39 | 35 | 23 | 21 | 20 | 6 | 4 | — | — | — | — | — | — | — | — |
| Hydrocephalus | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1867.—BOTH SEXES. (Continued.)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|------------------------------------|-------------|-----------|----|----|----|----|---|---|----|----|----|----|----|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| 3 | 6 | 12 | | | | | | | | | | | |
| IV. Cephalitis | 7 | — | — | 1 | — | — | — | — | 4 | 1 | — | — | 1 |
| Apoplexy | 36 | — | 1 | — | — | — | — | 1 | — | — | — | 1 | — |
| Paralysis | 58 | — | — | — | — | — | — | — | — | — | — | — | 3 |
| Delirium Tremens | 4 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Chorea | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Epilepsy | 7 | — | — | — | — | — | — | — | — | 1 | 1 | — | — |
| Tetanus | 2 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Insanity | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Convulsions | 85 | 46 | 10 | 9 | 4 | 5 | 3 | 5 | 3 | — | — | — | — |
| Brain Disease | 27 | — | — | — | — | — | 1 | — | 3 | 3 | 2 | 2 | — |
| V. Pericarditis | 3 | — | — | — | — | — | — | — | — | 1 | 1 | — | — |
| Aneurism | 6 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Heart Disease | 139 | 1 | 2 | — | 1 | — | 2 | — | 3 | 2 | 2 | 6 | 11 |
| VI. Laryngitis | 3 | — | — | 1 | — | — | — | — | — | — | — | — | — |
| Bronchitis | 336 | 33 | 33 | 44 | 63 | 22 | 6 | 5 | 4 | 1 | 2 | 4 | 7 |
| Pleurisy | 7 | 1 | — | — | — | — | — | — | — | 1 | — | — | — |
| Pneumonia | 67 | 1 | 4 | 3 | 6 | 1 | 3 | 2 | 3 | 3 | 4 | 2 | 1 |
| Asthma | 27 | — | — | — | — | — | — | — | — | — | — | — | — |
| Lung Disease | 20 | 3 | — | 2 | — | — | — | — | 2 | — | — | 1 | 1 |
| VII. Teething | 82 | 1 | 4 | 32 | 43 | 1 | 1 | — | — | — | — | — | — |
| Quinsey | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Gastritis | 4 | — | 1 | 1 | — | — | — | — | — | — | — | — | 1 |
| Enteritis | 20 | 3 | 6 | — | — | — | 1 | — | 3 | 1 | — | — | — |
| Peritonitis | 15 | 2 | — | — | — | 2 | — | — | 1 | — | 1 | — | 2 |
| Ascites | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ulceration of Intestines | 1 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Hernia | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ileus | 6 | 2 | — | — | — | — | — | — | — | — | — | — | — |
| Intussusception | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Stricture of Intestines | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stomach Disease | 23 | 3 | 1 | 1 | 1 | 1 | — | — | — | — | 2 | — | 1 |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Jaundice | 12 | 7 | 1 | — | — | — | — | — | — | — | — | 1 | — |
| Liver Disease | 8 | — | — | — | — | — | — | — | — | — | 2 | — | 1 |
| Spleen Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| VIII. Nephritis | 2 | — | — | — | — | 1 | — | — | — | 1 | — | — | — |
| Nephria | 15 | — | — | — | — | — | — | — | — | — | 3 | — | 1 |
| Addison's Disease | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Ischuria | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diabetes | 4 | — | — | — | — | — | — | — | — | — | — | — | 2 |
| Stone | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Cystitis | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Stricture of Urethra | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Kidney Disease | 9 | — | — | — | — | 1 | — | — | 1 | — | 1 | 1 | — |
| IX. Paramenia | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Ovarian Dropsy | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Childbirth | 20 | — | — | — | — | — | — | — | — | — | 1 | 5 | 4 |
| Organs of Generation | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| X. Arthritis | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| Rheumatism | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Joint and Bone Disease | 6 | — | — | — | — | — | — | — | 1 | 3 | 1 | — | — |
| XI. Carbuncle | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — |
| Phlegmon | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Skin Disease | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| XVII. Intemperance | 7 | — | — | — | — | — | — | — | — | — | — | — | — |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | 9 | 6 | 3 | — | — | — | — | — | — | — | — | — | — |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Poison | 2 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 6 | — | — | — | 3 | 1 | 1 | — | — | — | — | — | — |
| Hanging, etc. | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Suffocation | 5 | 2 | 1 | 2 | — | — | — | — | — | — | — | — | — |
| Drowning | 13 | — | — | — | 1 | — | — | — | 1 | — | — | 4 | 2 |
| Fracture and Contusion | 35 | — | — | — | — | — | 2 | — | 1 | 3 | 1 | 4 | 3 |
| Gunshot Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cuts and Stabs | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Other Violent Causes | 5 | 1 | — | — | — | 1 | — | — | 1 | — | — | — | 1 |
| Not Specified | 60 | 20 | 8 | 5 | 3 | 4 | — | 2 | 1 | 2 | 1 | 1 | — |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1867.—BOTH SEXES. (Continued.)

[illegible]

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1867.—MALES.

| DISEASES. | ALL AGES. | MALES. | | | | | | | | | | | |
|------------------------------------|-----------|-----------|----|-----|-----|----|----|----|----|----|----|----|----|
| | | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 1416 | 221 | 80 | 115 | 176 | 60 | 47 | 28 | 55 | 26 | 31 | 46 | 49 |
| SPECIFIED CAUSES | 1375 | 208 | 73 | 112 | 174 | 59 | 47 | 27 | 54 | 25 | 30 | 46 | 49 |
| I. Zymotic Class | 288 | 19 | 19 | 34 | 71 | 28 | 22 | 16 | 21 | 2 | 5 | 6 | 6 |
| II. Diseases of Uncertain Seat | 45 | — | — | — | 2 | 2 | — | — | 1 | 5 | 1 | 1 | — |
| III. Tubercular Class | 262 | 5 | 7 | 17 | 35 | 15 | 11 | 5 | 13 | 8 | 16 | 28 | 22 |
| IV. Brain and Nervous System | 126 | 25 | 7 | 7 | 2 | 2 | 3 | 3 | 7 | 1 | 1 | 1 | 4 |
| V. Organs of Circulation | 65 | — | 1 | — | — | — | 1 | — | — | 2 | — | 1 | 3 |
| VI. Respiratory Organs | 205 | 22 | 13 | 30 | 39 | 8 | 5 | 3 | 5 | 2 | 2 | 2 | 3 |
| VII. Organs of Digestion | 89 | 14 | 8 | 16 | 24 | 1 | 1 | — | 2 | — | 2 | — | 3 |
| VIII. Urinary Organs | 23 | — | — | — | — | 1 | — | — | — | 1 | 2 | — | 3 |
| IX. Organs of Generation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| X. Organs of Locomotion | 4 | — | — | — | — | — | — | — | 1 | 2 | — | — | — |
| XI. Skin, etc. | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| XII. Malformation | 7 | 6 | — | 1 | — | — | — | — | — | — | — | — | — |
| XIII. Premature Debility | 131 | 113 | 12 | 6 | — | — | — | — | — | — | — | — | — |
| XIV. Atrophy | 6 | — | — | — | 1 | — | 1 | — | 1 | — | — | — | — |
| XV. Age | 60 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVI. Sudden Deaths | 3 | — | 2 | 1 | — | — | — | — | — | — | — | — | — |
| XVII. Violent Deaths | 59 | 3 | 4 | — | — | 2 | 3 | — | 3 | 2 | 1 | 7 | 5 |
| I. Small Pox | 9 | 1 | 1 | 1 | — | — | 2 | — | 2 | — | — | — | 1 |
| Measles | 4 | — | — | 1 | 2 | — | — | 1 | — | — | — | — | — |
| Scarlatina | 31 | 1 | 1 | — | 3 | 5 | 7 | 3 | 9 | — | — | — | — |
| Diphtheria | 8 | — | — | — | 1 | — | 1 | 2 | 2 | — | 1 | — | — |
| Hooping Cough | 108 | 3 | 7 | 22 | 47 | 16 | 3 | 5 | 5 | — | — | — | — |
| Croup | 24 | 2 | 2 | 3 | 9 | 3 | 3 | — | 2 | — | — | — | — |
| Thrush | 3 | 2 | — | 1 | — | — | — | — | — | — | — | — | — |
| Diarrhoea | 29 | 6 | 7 | 3 | 6 | — | — | 1 | — | 1 | — | — | — |
| Dysentery | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| Cholera | 5 | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — |
| Influenza | 6 | — | — | — | — | — | 2 | 1 | — | — | — | — | — |
| Purpura | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Typhus | 27 | — | — | — | — | 3 | 1 | 1 | — | — | 3 | 4 | 2 |
| Enteric Fever | 16 | — | — | — | 2 | — | 2 | 1 | 1 | 1 | — | 2 | 1 |
| Relapsing Fever | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Simple Continued Fever | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Infantile Remittent | 4 | — | — | 1 | 1 | — | 1 | 1 | — | — | — | — | — |
| Metria | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Rheumatic Fever | 3 | — | — | — | — | — | — | — | — | — | 1 | — | 1 |
| Erysipelas | 2 | 1 | — | 1 | — | — | — | — | — | — | — | — | — |
| Pyæmia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Syphilis | 4 | 2 | — | — | — | 1 | — | — | — | — | — | — | 1 |
| Noma | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Dropsy | 25 | — | — | — | 2 | 2 | — | — | 1 | 5 | 1 | 1 | — |
| Abscess | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ulcer | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Fistula | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Cancer | 14 | — | — | — | — | — | — | — | — | — | — | — | — |
| Gout | — | — | — | — | — | — | — | — | — | — | — | — | — |
| III. Scrofula | 13 | 1 | 1 | 3 | 1 | 1 | — | — | 2 | — | 2 | — | — |
| Tabes Mesenterica | 20 | 2 | 2 | 1 | 2 | 4 | 2 | — | 4 | — | 1 | — | — |
| Phthisis | 167 | 1 | 1 | 1 | 9 | 2 | 3 | 2 | 4 | 6 | 13 | 28 | 22 |
| Hydrocephalus | 62 | 1 | 3 | 12 | 23 | 8 | 6 | 3 | 3 | 2 | — | — | — |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1867.—MALES. (Continued.)

| DISEASES. | MALES. | | | | | | | | | | | | |
|------------------------------------|----------|-----------|----|----|----|---|---|---|----|----|----|----|----|
| | ALL AGES | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 5 | — | — | 1 | — | — | — | — | 3 | — | — | — | 1 |
| Apoplexy | 18 | — | — | — | — | — | — | 1 | — | — | — | 1 | — |
| Paralysis | 34 | — | — | — | — | — | — | — | — | — | — | — | 2 |
| Delirium Tremens | 4 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Chorea | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Epilepsy | 2 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| Tetanus | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Insanity | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Convulsions | 48 | 25 | 7 | 6 | 2 | 2 | 2 | 2 | 2 | — | — | — | — |
| Brain Disease | 14 | — | — | — | — | — | 1 | — | 2 | — | 1 | — | — |
| V. Pericarditis | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| Aneurism | 5 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Heart Disease | 59 | — | 1 | — | — | — | 1 | — | — | 1 | — | 1 | 2 |
| VI. Laryngitis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Bronchitis | 150 | 19 | 11 | 26 | 36 | 8 | 2 | 2 | 3 | — | 1 | 1 | 2 |
| Pleurisy | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Pneumonia | 35 | — | 2 | 3 | 3 | — | 3 | 1 | 1 | 2 | 1 | 1 | — |
| Asthma | 10 | — | — | — | — | — | — | — | — | — | — | — | — |
| Lung Disease | 8 | 2 | — | 1 | — | — | — | — | 1 | — | — | — | 1 |
| VII. Teething | 40 | 1 | 2 | 14 | 23 | — | — | — | — | — | — | — | — |
| Quinsey | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Gastritis | 3 | — | 1 | 1 | — | — | — | — | — | — | — | — | 1 |
| Enteritis | 11 | 3 | 3 | — | — | — | — | — | 2 | — | — | — | — |
| Peritonitis | 4 | 2 | — | — | — | — | — | — | — | — | 1 | — | — |
| Ascites | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ulceration of Intestines | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hernia | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ileus | 5 | 2 | — | — | — | — | — | — | — | — | — | — | — |
| Intussusception | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Stricture of Intestines | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stomach Disease | 12 | 2 | 1 | 1 | 1 | 1 | — | — | — | — | — | — | 1 |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Jaundice | 7 | 4 | — | — | — | — | — | — | — | — | — | — | — |
| Liver Disease | 2 | — | — | — | — | — | — | — | — | — | 1 | — | 1 |
| Spleen Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| VIII. Nephritis | 2 | — | — | — | — | 1 | — | — | — | 1 | — | — | — |
| Nephria | 8 | — | — | — | — | — | — | — | — | — | 2 | — | 1 |
| Addison's Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ischuria | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diabetes | 3 | — | — | — | — | — | — | — | — | — | — | — | 2 |
| Stone | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Cystitis | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| Stricture of Urethra | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Kidney Disease | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| IX. Paramenia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ovarian Dropsy | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Childbirth | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Organs of Generation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| X. Arthritis | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| Rheumatism | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Joint and Bone Disease | 2 | — | — | — | — | — | — | — | — | 2 | — | — | — |
| XI. Carbuncle | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Phlegmon | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Skin Disease | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| XVII. Intemperance | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | 5 | 2 | 3 | — | — | — | — | — | — | — | — | — | — |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Poison | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 3 | — | — | — | — | 1 | 1 | — | — | — | — | — | — |
| Hanging, etc. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Suffocation | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Drowning | 9 | — | — | — | — | — | — | — | 1 | — | — | 3 | 1 |
| Fracture and Contusion | 30 | — | — | — | — | — | 2 | — | 1 | 2 | 1 | 4 | 3 |
| Gunshot Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cuts and Stabs | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Other Violent Causes | 5 | 1 | — | — | — | 1 | — | — | 1 | — | — | — | 1 |
| Not Specified | 41 | 13 | 7 | 3 | 2 | 1 | — | 1 | 1 | 1 | 1 | — | — |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1867.—MALES. (Continued.)

[illegible]

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1867.—FEMALES.

| DISEASES. | ALL AGES. | FEMALES. | | | | | | | | | | | |
|------------------------------------|-----------|-----------|----|-----|-----|----|----|----|----|----|----|----|----|
| | | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 1535 | 172 | 67 | 108 | 154 | 74 | 45 | 31 | 57 | 37 | 36 | 65 | 68 |
| SPECIFIED CAUSES | 1516 | 165 | 66 | 106 | 153 | 71 | 45 | 30 | 57 | 36 | 36 | 64 | 68 |
| I. Zymotic Class | 327 | 26 | 17 | 44 | 66 | 37 | 29 | 16 | 26 | 9 | 2 | 6 | 7 |
| II. Diseases of Uncertain Seat | 91 | 4 | 2 | 1 | 2 | 1 | — | — | 1 | — | 1 | 1 | 1 |
| III. Tubercular Class | 292 | 5 | 6 | 9 | 24 | 9 | 6 | 7 | 15 | 16 | 16 | 36 | 36 |
| IV. Brain and Nervous System | 100 | 21 | 5 | 3 | 2 | 3 | 1 | 3 | 3 | 4 | 2 | 2 | 1 |
| V. Organs of Circulation | 83 | 1 | 1 | — | 1 | — | 1 | — | 3 | 1 | 3 | 5 | 9 |
| VI. Respiratory Organs | 255 | 16 | 24 | 20 | 30 | 15 | 4 | 4 | 4 | 3 | 4 | 5 | 6 |
| VII. Organs of Digestion | 90 | 4 | 6 | 18 | 20 | 3 | 2 | — | 2 | 1 | 3 | 2 | 2 |
| VIII. Urinary Organs | 17 | — | — | — | — | 1 | 1 | — | 1 | — | 2 | 1 | — |
| IX. Organs of Generation | 24 | — | — | — | — | — | — | — | — | — | 2 | 5 | 4 |
| X. Organs of Locomotion | 7 | — | — | — | — | — | — | — | 1 | 1 | 1 | — | — |
| XI. Skin, etc. | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — |
| XII. Malformation | 3 | 3 | — | — | — | — | — | — | — | — | — | — | — |
| XIII. Premature Debility | 93 | 79 | 5 | 9 | — | — | — | — | — | — | — | — | — |
| XIV. Atrophy | 10 | — | — | — | 3 | 2 | 1 | — | 1 | — | — | — | — |
| XV. Age | 92 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVI. Sudden Deaths | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVII. Violent Deaths | 29 | 6 | — | 2 | 4 | — | — | — | — | 1 | — | 1 | 2 |
| I. Small Pox | 7 | 1 | — | 1 | 3 | — | — | — | 1 | — | — | 1 | — |
| Measles | 2 | — | — | — | 2 | — | — | — | — | — | — | — | — |
| Scarlatina | 33 | — | — | 2 | 3 | 4 | 5 | 6 | 8 | 2 | — | 1 | — |
| Diphtheria | 10 | — | — | — | 1 | 2 | 2 | 1 | 1 | 1 | 1 | — | — |
| Hooping Cough | 150 | 15 | 10 | 31 | 48 | 20 | 12 | 6 | 8 | — | — | — | — |
| Croup | 23 | 2 | — | 2 | 3 | 8 | 6 | — | 2 | — | — | — | — |
| Thrush | 2 | 2 | — | — | — | — | — | — | — | — | — | — | — |
| Diarrhœa | 26 | 4 | 3 | 5 | 4 | 3 | — | — | — | — | — | — | 1 |
| Dysentery | 5 | — | — | — | — | — | — | 1 | — | — | — | — | — |
| Cholera | 4 | — | 1 | 1 | — | — | — | 1 | — | — | — | — | 1 |
| Influenza | 7 | 1 | 1 | — | — | — | — | — | 1 | — | — | — | — |
| Purpura | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ague | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | 2 | — | — | — | — | — | — | 1 | 1 | — | — | — | — |
| Typhus | 18 | — | — | — | — | — | — | — | — | 1 | 1 | 1 | 2 |
| Enteric Fever | 17 | — | — | — | 1 | — | 4 | — | 5 | 3 | — | — | 1 |
| Relapsing Fever | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Simple Continued Fever | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Infantile Remittent | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — |
| Metria | 5 | — | — | — | — | — | — | — | — | — | 2 | — | — |
| Rheumatic Fever | 3 | — | — | — | — | — | — | — | — | 1 | — | — | 2 |
| Erysipelas | 2 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Pyæmia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Syphilis | 9 | 1 | 1 | 2 | — | — | — | — | — | — | — | 1 | — |
| Noma | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Dropsy | 47 | 2 | 1 | — | 2 | — | — | — | — | — | — | 1 | 1 |
| Abscess | 4 | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — |
| Ulcer | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Fistula | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Cancer | 35 | — | — | — | — | 1 | — | — | 1 | — | 1 | — | — |
| Gout | — | — | — | — | — | — | — | — | — | — | — | — | — |
| III. Scrofula | 9 | — | — | — | 2 | — | 1 | — | 3 | — | 1 | — | 1 |
| Tabes Mesenterica | 9 | 1 | — | 2 | 2 | 1 | — | 1 | 2 | — | — | — | — |
| Phthisis | 228 | 1 | 2 | — | 6 | 1 | 2 | 2 | 7 | 15 | 15 | 36 | 35 |
| Hydrocephalus | 46 | 3 | 4 | 7 | 14 | 7 | 3 | 4 | 3 | 1 | — | — | — |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1867.—FEMALES.

[illegible]

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1867.—FEMALES. (Continued.)

| DISEASES. | ALL AGES | FEMALES. | | | | | | | | | | | |
|------------------------------------|----------|-----------|----|----|----|----|---|---|----|----|----|----|----|
| | | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 2 | — | — | — | — | — | — | — | 1 | 1 | — | — | — |
| Apoplexy | 18 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Paralysis | 24 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Delirium Tremens | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Chorea | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Epilepsy | 5 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Tetanus | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Insanity | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Convulsions | 37 | 21 | 3 | 3 | 2 | 3 | 1 | 3 | 1 | — | — | — | — |
| Brain Disease | 13 | — | — | — | — | — | — | — | 1 | 3 | 1 | 2 | — |
| V. Pericarditis | 2 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Aneurism | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Heart Disease | 80 | 1 | 1 | — | 1 | — | 1 | — | 3 | 1 | 2 | 5 | 9 |
| VI. Laryngitis | 3 | — | — | 1 | — | — | — | — | — | — | — | — | — |
| Bronchitis | 186 | 14 | 22 | 18 | 27 | 14 | 4 | 3 | 1 | 1 | 1 | 3 | 5 |
| Pleurisy | 5 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| Pneumonia | 32 | 1 | 2 | — | 3 | 1 | — | 1 | 2 | 1 | 3 | 1 | 1 |
| Asthma | 17 | — | — | — | — | — | — | — | — | — | — | — | — |
| Lung Disease | 12 | 1 | — | 1 | — | — | — | — | 1 | — | — | 1 | — |
| VII. Teething | 42 | — | 2 | 18 | 20 | 1 | 1 | — | — | — | — | — | — |
| Quinsey | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Gastritis | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Enteritis | 9 | — | 3 | — | — | — | 1 | — | 1 | 1 | — | — | — |
| Peritonitis | 11 | — | — | — | — | 2 | — | — | 1 | — | — | — | 2 |
| Ascites | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ulceration of Intestines | 1 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Hernia | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ileus | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Intussusception | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stricture of Intestines | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stomach Disease | 11 | 1 | — | — | — | — | — | — | — | — | 2 | — | — |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Jaundice | 5 | 3 | 1 | — | — | — | — | — | — | — | — | 1 | — |
| Liver Disease | 6 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Spleen Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| VIII. Nephritis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Nephria | 7 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Addison's Disease | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Ischuria | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diabetes | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Stone | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cystitis | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Stricture of Urethra | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Kidney Disease | 7 | — | — | — | — | 1 | — | — | 1 | — | 1 | 1 | — |
| IX. Paramenia | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Ovarian Dropsy | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Childbirth | 20 | — | — | — | — | — | — | — | — | — | 1 | 5 | 4 |
| Organs of Generation | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| X. Arthritis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Rheumatism | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| Joint and Bone Disease | 4 | — | — | — | — | — | — | — | 1 | 1 | 1 | — | — |
| XI. Carbuncle | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — |
| Phlegmon | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Skin Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| XVII. Intemperance | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | 4 | 4 | — | — | — | — | — | — | — | — | — | — | — |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Poison | 1 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 3 | — | — | — | 3 | — | — | — | — | — | — | — | — |
| Hanging, etc. | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Suffocation | 4 | 2 | — | 2 | — | — | — | — | — | — | — | — | — |
| Drowning | 4 | — | — | — | 1 | — | — | — | — | — | — | 1 | 1 |
| Fracture and Contusion | 5 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| Gunshot Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cuts and Stabs | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Other Violent Causes | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Not Specified | 19 | 7 | 1 | 2 | 1 | 3 | — | 1 | — | 1 | — | 1 | — |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1867.—BOTH SEXES.

| DISEASES. | ALL AGES. | BOTH SEXES. | | | | | | | | | | | |
|------------------------------------|-----------|-------------|----|----|-----|----|----|----|----|----|----|----|----|
| | | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 1824 | 188 | 73 | 98 | 117 | 53 | 34 | 25 | 67 | 46 | 85 | 60 | 81 |
| SPECIFIED CAUSES | 1809 | 185 | 73 | 98 | 114 | 53 | 34 | 23 | 67 | 46 | 85 | 59 | 81 |
| I. Zymotic Class | 274 | 23 | 17 | 24 | 29 | 14 | 11 | 9 | 21 | 8 | 20 | 7 | 5 |
| II. Diseases of Uncertain Seat | 86 | 2 | 1 | — | — | — | 1 | 1 | 2 | 1 | 1 | 1 | 1 |
| III. Tubercular Class | 403 | 8 | 8 | 22 | 33 | 22 | 13 | 6 | 23 | 25 | 42 | 34 | 54 |
| IV. Brain and Nervous System | 180 | 17 | 6 | 7 | 2 | 3 | 4 | — | 6 | 5 | 2 | 1 | 6 |
| V. Organs of Circulation | 99 | — | — | — | 1 | — | — | 2 | 1 | 3 | 2 | 2 | 3 |
| VI. Respiratory Organs | 245 | 19 | 16 | 21 | 20 | 6 | 2 | 5 | 8 | 1 | 6 | 2 | 5 |
| VII. Organs of Digestion | 136 | 7 | 11 | 19 | 25 | 8 | — | — | — | 1 | 6 | 5 | 1 |
| VIII. Urinary Organs | 40 | — | — | — | — | — | 1 | — | 1 | 1 | 2 | 3 | 2 |
| XI. Organs of Generation | 10 | — | — | — | — | — | — | — | — | — | — | 1 | 1 |
| X. Organs of Locomotion | 9 | — | — | — | — | — | — | — | 2 | — | 1 | — | — |
| XI. Skin, etc. | 2 | — | — | 1 | — | — | — | — | — | — | — | — | — |
| XII. Malformation | 5 | 5 | — | — | — | — | — | — | — | — | — | — | — |
| XIII. Premature Debility | 107 | 94 | 10 | 3 | — | — | — | — | — | — | — | — | — |
| XIV. Atrophy | 14 | — | — | — | 4 | — | 1 | — | 1 | — | — | — | — |
| XV. Age | 137 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVI. Sudden Deaths | 3 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| XVII. Violent Deaths | 59 | 10 | 4 | 1 | — | — | 1 | — | 2 | 1 | 2 | 3 | 3 |
| I. Small Pox | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Measles | 2 | — | 1 | — | 1 | — | — | — | — | — | — | — | — |
| Scarlatina | 14 | — | — | 2 | 2 | 3 | 1 | 1 | 1 | — | 2 | — | — |
| Diphtheria | 7 | — | — | 1 | 1 | — | 1 | — | 1 | 2 | — | — | — |
| Hooping Cough | 42 | 2 | 2 | 6 | 12 | 7 | 4 | 4 | 5 | — | — | — | — |
| Croup | 15 | — | — | 3 | 4 | 2 | 3 | 2 | 1 | — | — | — | — |
| Thrush | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Diarrhoea | 60 | 7 | 10 | 10 | 6 | — | 1 | — | — | 1 | — | — | — |
| Dysentery | 11 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| Cholera | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| Influenza | 8 | — | — | — | — | — | — | — | — | — | — | — | — |
| Purpura | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Typhus | 36 | — | — | — | 1 | 1 | 1 | 1 | 8 | 1 | 7 | 2 | 2 |
| Enteric Fever | 35 | — | — | — | — | — | — | — | 3 | 1 | 9 | 4 | 2 |
| Relapsing Fever | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Simple Continued Fever | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Infantile Remittent | 5 | — | — | — | 1 | 1 | — | 1 | 2 | — | — | — | — |
| Metria | 2 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Rheumatic Fever | 2 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Erysipelas | 13 | 5 | — | — | — | — | — | — | — | 2 | — | — | 1 |
| Pyæmia | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Syphilis | 13 | 7 | — | 2 | 1 | — | — | — | — | — | — | — | — |
| Noma | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Dropsy | 10 | — | — | — | — | — | 1 | 1 | 1 | 1 | — | — | — |
| Abscess | 9 | 1 | 1 | — | — | — | — | — | 1 | — | 1 | 1 | — |
| Ulcer | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Fistula | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | 3 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Cancer | 59 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Gout | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| III. Scrofula | 21 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 4 | 1 | 3 |
| Tabes Mesenterica | 25 | 1 | — | 2 | 6 | 3 | 6 | 2 | 2 | 2 | — | — | — |
| Phthisis | 283 | — | 2 | 3 | 7 | 6 | — | 1 | 13 | 21 | 38 | 33 | 51 |
| Hydrocephalus | 74 | 6 | 5 | 16 | 19 | 12 | 6 | 2 | 7 | 1 | — | — | — |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1867.—BOTH SEXES. (Continued.)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|------------------------------------|-------------|-----------|----|----|----|---|---|---|----|----|----|----|----|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 9 | — | — | 1 | — | — | — | — | 2 | — | — | 1 | 1 |
| Apoplexy | 42 | 2 | — | — | — | — | — | — | 1 | — | — | — | — |
| Paralysis | 49 | — | — | — | — | — | — | — | — | — | 1 | — | 1 |
| Delirium Tremens | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| Chorea | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Epilepsy | 8 | — | — | — | — | — | — | — | — | 1 | — | — | 3 |
| Tetanus | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Insanity | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Convulsions | 31 | 15 | 6 | 4 | 1 | 3 | 2 | — | — | — | — | — | — |
| Brain Disease | 34 | — | — | 2 | 1 | — | 2 | — | 3 | 4 | 1 | — | 1 |
| V. Pericarditis | 5 | — | — | — | — | — | — | 1 | 1 | 1 | 1 | — | — |
| Aneurism | 5 | — | — | — | — | — | — | — | — | — | — | — | — |
| Heart Disease | 89 | — | — | — | 1 | — | — | 1 | — | 2 | 1 | 2 | 3 |
| VI. Laryngitis | 5 | 2 | — | 1 | 1 | — | — | — | 1 | — | — | — | — |
| Bronchitis | 174 | 14 | 12 | 16 | 18 | 4 | 2 | 5 | 4 | — | 1 | 1 | 1 |
| Pleurisy | 5 | — | — | — | — | — | — | — | — | — | — | — | 2 |
| Pneumonia | 42 | 3 | 4 | 4 | 1 | 2 | — | — | 3 | 1 | 2 | 1 | 2 |
| Asthma | 12 | — | — | — | — | — | — | — | — | — | — | — | — |
| Lung Disease | 7 | — | — | — | — | — | — | — | — | — | 3 | — | — |
| VII. Teething | 48 | — | 5 | 14 | 23 | 6 | — | — | — | — | — | — | — |
| Quinsey | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Gastritis | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Enteritis | 11 | 3 | 1 | 1 | — | — | — | — | — | — | 4 | — | — |
| Peritonitis | 5 | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| Ascites | 3 | — | — | — | 1 | — | — | — | — | — | — | — | — |
| Ulceration of Intestines | 5 | — | — | 1 | — | — | — | — | — | 1 | — | 1 | — |
| Hernia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ileus | 19 | 2 | 1 | — | — | 1 | — | — | — | — | 1 | 2 | — |
| Intussusception | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stricture of Intestines | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stomach Disease | 18 | — | 4 | 2 | — | — | — | — | — | — | — | 1 | — |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Jaundice | 6 | 1 | — | — | — | 1 | — | — | — | — | — | — | — |
| Liver Disease | 16 | 1 | — | — | — | — | — | — | — | — | 1 | 1 | 1 |
| Spleen Disease | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| VIII. Nephritis | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Nephria | 4 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Addison's Disease | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ischuria | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Diabetes | 4 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Stone | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| Cystitis | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| Stricture of Urethra | 1 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Kidney Disease | 21 | — | — | — | — | — | — | — | 1 | 1 | 1 | 2 | 1 |
| IX. Paramenia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ovarian Dropsy | 5 | — | — | — | — | — | — | — | — | — | — | — | — |
| Childbirth | 3 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Organs of Generation | 2 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| X. Arthritis | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Rheumatism | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Joint and Bone Disease | 6 | — | — | — | — | — | — | — | 2 | — | 1 | — | — |
| XI. Carbuncle | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Phlegmon | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Skin Disease | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — |
| XVII. Intemperance | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | 7 | 4 | 2 | 1 | — | — | — | — | — | — | — | — | — |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Poison | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 3 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Hanging, etc. | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Suffocation | 7 | 4 | 1 | — | — | — | — | — | — | — | — | — | — |
| Drowning | 8 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Fracture and Contusion | 24 | — | — | — | — | — | 1 | — | 2 | 1 | 1 | 1 | 2 |
| Gunshot Wounds | 1 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Cuts and Stabs | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Other Violent Causes | 4 | 1 | — | — | — | — | — | — | — | — | 1 | 1 | — |
| Not Specified | 15 | 3 | — | — | 3 | — | — | 2 | — | — | — | 1 | — |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1867.—BOTH SEXES. (*Continued.*)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | | | | | |
|------------------------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|-----|-----|---|--|
| | AGE UNDER | | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? | |
| Cephalitis | — | 1 | 1 | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | |
| Apoplexy | — | 1 | 2 | 4 | 2 | 6 | 1 | 6 | 3 | 6 | 4 | 3 | — | 1 | — | — | |
| Paralysis | 2 | 1 | 1 | 3 | 2 | 2 | 6 | 7 | 9 | 7 | 6 | 1 | — | — | — | — | |
| Delirium Tremens | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Chorea | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Epilepsy | 1 | — | — | — | — | — | — | 2 | — | — | — | 1 | — | — | — | — | |
| Tetanus | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Insanity | — | — | — | 1 | 1 | — | — | 1 | 1 | — | — | — | — | — | — | — | |
| Convulsions | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Brain Disease | 3 | 2 | 1 | 1 | 3 | 2 | 3 | 2 | 3 | — | — | — | — | — | — | — | |
| Pericarditis | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Aneurism | 2 | 1 | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | |
| Heart Disease | 6 | 1 | 5 | 3 | 5 | 6 | 15 | 12 | 12 | 7 | 4 | 3 | — | — | — | — | |
| Laryngitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Bronchitis | 1 | 3 | 2 | 5 | 7 | 13 | 13 | 15 | 13 | 6 | 11 | 5 | 2 | — | — | — | |
| Pleurisy | — | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Pneumonia | 1 | 1 | 4 | 1 | 2 | 4 | 3 | — | 2 | — | — | 1 | — | — | — | — | |
| Asthma | — | 4 | 1 | 1 | — | 1 | 3 | 1 | 1 | — | — | — | — | — | — | — | |
| Lung Disease | — | 1 | — | — | 2 | — | 1 | — | — | — | — | — | — | — | — | — | |
| Teething | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Quinsey | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Gastritis | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Enteritis | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | |
| Peritonitis | — | — | 1 | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | |
| Ascites | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | — | |
| Ulceration of Intestines | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Hernia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Ileus | — | — | 4 | — | 2 | 3 | 1 | — | 1 | 1 | — | — | — | — | — | — | |
| Intussusception | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Stricture of Intestines | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Stomach Disease | — | 2 | 1 | 2 | — | 1 | 1 | 1 | 1 | 1 | 1 | — | — | — | — | — | |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Hepatitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Jaundice | — | — | — | — | — | 1 | — | 1 | 1 | — | — | 1 | — | — | — | — | |
| Liver Disease | 2 | — | 1 | 3 | 1 | — | 3 | 2 | — | — | — | — | — | — | — | — | |
| Spleen Disease | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | |
| Nephritis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Nephria | — | — | — | — | — | 1 | — | 1 | 1 | — | — | — | — | — | — | — | |
| Addison's Disease | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Ischuria | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | |
| Diabetes | 1 | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | |
| Stone | — | — | — | — | — | 1 | — | — | — | 1 | 1 | — | — | — | — | — | |
| Cystitis | — | — | — | — | — | 1 | — | 1 | — | 1 | — | — | — | — | — | — | |
| Stricture of Urethra | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Kidney Disease | 4 | — | 2 | — | — | — | 3 | 3 | 1 | — | 1 | 1 | — | — | — | — | |
| Paramenia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Ovarian Dropsy | — | — | 1 | — | 1 | 1 | 1 | — | 1 | — | — | — | — | — | — | — | |
| Childbirth | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Organs of Generation | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | |
| Arthritis | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | |
| Rheumatism | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | |
| Joint Disease | — | 1 | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | |
| Carbuncle | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | |
| Phlegmon | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Skin Disease | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Intemperance | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Want of Breast Milk | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Cold | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Poison | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Burns and Scalds | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | |
| Hanging, etc. | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Suffocation | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Drowning | 3 | 1 | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | |
| Fracture and Contusion | 1 | 2 | 2 | 4 | — | 3 | 1 | 2 | — | 1 | — | — | — | — | — | — | |
| Gunshot Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Cuts and Stabs | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Other Violent Causes | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | |
| Not Specified | — | — | — | — | 1 | 2 | — | — | — | — | — | — | — | — | — | ? | |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1867.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | |
|------------------------------------|-----------|-----------|----|----|----|----|----|----|----|----|----|----|----|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| 3 | 6 | 12 | | | | | | | | | | | |
| ALL CAUSES | 890 | 104 | 38 | 52 | 64 | 23 | 18 | 16 | 41 | 27 | 41 | 33 | 34 |
| SPECIFIED CAUSES | 881 | 102 | 38 | 52 | 61 | 23 | 18 | 14 | 41 | 27 | 41 | 33 | 34 |
| I. Zymotic Class | 144 | 11 | 9 | 16 | 17 | 7 | 5 | 6 | 12 | 7 | 8 | 4 | 3 |
| II. Diseases of Uncertain Seat | 28 | — | 1 | — | — | — | 1 | — | 2 | 1 | — | 1 | — |
| III. Tubercular Class | 196 | 7 | 6 | 14 | 22 | 8 | 7 | 4 | 15 | 12 | 23 | 18 | 20 |
| IV. Brain and Nervous System | 88 | 9 | 2 | 7 | 1 | — | 2 | — | 3 | 3 | 1 | — | 3 |
| V. Organs of Circulation | 45 | — | — | — | 1 | — | — | 1 | — | 1 | — | 1 | 1 |
| VI. Respiratory Organs | 124 | 10 | 10 | 7 | 8 | 3 | 2 | 3 | 6 | 1 | 1 | — | 2 |
| VII. Organs of Digestion | 62 | 4 | 4 | 8 | 9 | 5 | — | — | — | — | 3 | 5 | 1 |
| VIII. Urinary Organs | 28 | — | — | — | — | — | — | — | — | 1 | 2 | 1 | 1 |
| IX. Organs of Generation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| X. Organs of Locomotion | 7 | — | — | — | — | — | — | — | 1 | — | 1 | — | — |
| XI. Skin, etc. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| XII. Malformation | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| XIII. Premature Debility | 60 | 54 | 6 | — | — | — | — | — | — | — | — | — | — |
| XIV. Atrophy | 8 | — | — | — | 3 | — | 1 | — | — | — | — | — | — |
| XV. Age | 45 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVI. Sudden Deaths | 2 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| XVII. Violent Deaths | 43 | 6 | — | — | — | — | — | — | 2 | 1 | 1 | 3 | 3 |
| I. Small Pox | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Measles | 2 | — | 1 | — | 1 | — | — | — | — | — | — | — | — |
| Scarlatina | 9 | — | — | 2 | 2 | 2 | — | 1 | — | — | 1 | — | — |
| Diphtheria | 4 | — | — | 1 | 1 | — | — | — | — | 2 | — | — | — |
| Hooping Cough | 22 | — | — | 5 | 6 | 3 | 3 | 3 | 2 | — | — | — | — |
| Croup | 10 | — | — | 2 | 4 | 1 | 2 | 1 | — | — | — | — | — |
| Thrush | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Diarrhoea | 24 | 6 | 6 | 4 | 3 | — | — | — | — | 1 | — | — | — |
| Dysentery | 8 | — | — | — | — | — | — | — | — | — | — | — | — |
| Cholera | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Influenza | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Purpura | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Typhus | 21 | — | — | — | — | — | — | — | 7 | 1 | 3 | 1 | 1 |
| Enteric Fever | 20 | — | — | — | — | — | — | — | 2 | 1 | 4 | 2 | 1 |
| Relapsing Fever | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Simple Continued Fever | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Infantile Remittent | 3 | — | — | — | — | 1 | — | 1 | 1 | — | — | — | — |
| Metria | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Rheumatic Fever | 2 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Erysipelas | 6 | 1 | 1 | — | — | — | — | — | — | 2 | — | — | 1 |
| Pyæmia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Syphilis | 5 | 2 | 1 | 2 | — | — | — | — | — | — | — | — | — |
| Noma | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Dropsy | 4 | — | — | — | — | — | 1 | — | 1 | 1 | — | — | — |
| Abscess | 4 | — | 1 | — | — | — | — | — | 1 | — | — | 1 | — |
| Ulcer | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Fistula | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Cancer | 15 | — | — | — | — | — | — | — | — | — | — | — | — |
| Gout | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| III. Scrofula | 12 | 1 | 1 | 1 | 1 | — | — | 1 | 1 | 1 | 2 | 1 | 1 |
| Tabes Mesenterica | 20 | 1 | — | 2 | 6 | 1 | 4 | 2 | 2 | 2 | — | — | — |
| Phthisis | 122 | — | 2 | 3 | 5 | 2 | — | — | 6 | 8 | 21 | 17 | 19 |
| Hydrocephalus | 42 | 5 | 3 | 8 | 10 | 5 | 3 | 1 | 6 | 1 | — | — | — |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1867.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | | | | |
|---------------------------|-----------|----|----|----|----|----|----|----|----|----|----|----|----|-----|-----|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 31 | 29 | 27 | 29 | 23 | 44 | 48 | 47 | 30 | 39 | 27 | 19 | 3 | 2 | — | 1 |
| SPECIFIED CAUSES . . | 31 | 29 | 27 | 29 | 23 | 43 | 48 | 47 | 30 | 39 | 27 | 19 | 3 | 2 | — | — |
| Zymotic Class | 1 | 5 | — | 6 | 5 | 3 | 3 | 7 | 1 | 2 | 3 | 3 | — | — | — | — |
| Uncertain Seat | — | 2 | 1 | 3 | 3 | 3 | 5 | 1 | 1 | 2 | 1 | — | — | — | — | — |
| Tubercular Class . . . | 10 | 5 | 5 | 7 | 3 | 6 | 3 | 1 | — | — | — | — | — | — | — | — |
| Brain, etc. | 5 | 2 | 3 | 1 | 3 | 6 | 6 | 7 | 8 | 10 | 2 | 3 | — | 1 | — | — |
| Heart, etc. | 3 | 2 | 1 | — | 2 | 5 | 7 | 5 | 5 | 4 | 3 | 3 | — | — | — | — |
| Respiratory Organs . . | 1 | 5 | 5 | 2 | 6 | 10 | 15 | 10 | 7 | 3 | 4 | 2 | 1 | — | — | — |
| Digestive Organs . . . | 3 | 1 | 5 | 3 | — | 3 | 2 | 2 | 1 | 1 | 1 | 1 | — | — | — | — |
| Urinary Organs | 3 | — | 2 | — | — | 3 | 4 | 5 | 2 | 1 | 2 | 1 | — | — | — | — |
| Generative Organs . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Locomotive Organs . . | 1 | 1 | — | — | 1 | — | — | 1 | 1 | — | — | — | — | — | — | — |
| Skin | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Malformation | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Premature Debility . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Atrophy | — | 1 | 2 | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Age | — | — | — | — | — | — | 1 | 5 | 4 | 15 | 11 | 6 | 2 | 1 | — | — |
| Sudden Deaths | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Violent Deaths | 4 | 5 | 3 | 7 | — | 2 | 2 | 3 | — | 1 | — | — | — | — | — | — |
| Small Pox | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Measles | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Scarlatina | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diphtheria | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Whooping Cough | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Croup | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Thrush | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diarrhoea | — | — | — | 1 | — | 1 | — | 2 | — | — | — | — | — | — | — | — |
| Dysentery | — | — | — | — | — | — | 1 | 3 | — | 1 | 1 | 2 | — | — | — | — |
| Cholera | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Influenza | — | — | — | — | 1 | — | — | — | — | — | 2 | 1 | — | — | — | — |
| Purpura | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Typhus | — | 1 | — | 1 | 3 | — | 2 | — | — | 1 | — | — | — | — | — | — |
| Enteric Fever | 1 | 1 | — | 3 | 1 | 1 | — | 2 | 1 | — | — | — | — | — | — | — |
| Relapsing Fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Simple Cont. Fever . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Infantile Remittent . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Metria | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Rheumatic Fever | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Erysipelas | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Pyæmia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Syphilis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Noma | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hæmorrhage | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Dropsy | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — |
| Abscess | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Ulcer | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Fistula | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | — | — |
| Mortification | — | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — |
| Cancer | — | 1 | 1 | 2 | 1 | 3 | 3 | — | 1 | 2 | 1 | — | — | — | — | — |
| Gout | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Scrofula | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Tabes Mesenterica | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Phthisis | 10 | 5 | 4 | 7 | 3 | 6 | 3 | 1 | — | — | — | — | — | — | — | — |
| Hydrocephalus | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1867.—MALES. (Continued.)

| DISEASES. | MALES. | | | | | | | | | | | | |
|------------------------------------|-----------|-----------|---|----|---|---|---|---|----|----|----|----|----|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 3 | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| Apoplexy | 23 | — | — | — | — | — | — | — | — | — | — | — | — |
| Paralysis | 21 | — | — | — | — | — | — | — | — | — | 1 | — | 1 |
| Delirium Tremens | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| Chorea | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Epilepsy | 2 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Tetanus | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Insanity | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| Convulsions | 16 | 9 | 2 | 4 | — | — | 1 | — | — | — | — | — | — |
| Brain Disease | 17 | — | — | 2 | 1 | — | 1 | — | 2 | 3 | — | — | 1 |
| V. Pericarditis | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — |
| Aneurism | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| Heart Disease | 41 | — | — | — | 1 | — | — | — | — | 1 | — | 1 | 1 |
| VI. Laryngitis | 4 | 2 | — | — | 1 | — | — | — | 1 | — | — | — | — |
| Bronchitis | 81 | 6 | 6 | 5 | 6 | 1 | 2 | 3 | 2 | — | 1 | — | — |
| Pleurisy | 3 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Pneumonia | 29 | 2 | 4 | 2 | 1 | 2 | — | — | 3 | 1 | — | — | 1 |
| Asthma | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Lung Disease | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| VII. Teething | 19 | — | 2 | 6 | 8 | 3 | — | — | — | — | — | — | — |
| Quinsey | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Gastritis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Enteritis | 4 | 1 | — | 1 | — | — | — | — | — | — | 2 | — | — |
| Peritonitis | 2 | — | — | — | 1 | — | — | — | — | — | — | — | — |
| Ascites | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ulceration of Intestines | 4 | — | — | 1 | — | — | — | — | — | — | — | 1 | — |
| Hernia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ileus | 12 | 1 | 1 | — | — | 1 | — | — | — | — | 1 | 2 | — |
| Intussusception | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stricture of Intestines | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stomach Disease | 7 | — | 1 | — | — | — | — | — | — | — | — | 1 | — |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Jaundice | 3 | 1 | — | — | — | 1 | — | — | — | — | — | — | — |
| Liver Disease | 10 | 1 | — | — | — | — | — | — | — | — | — | 1 | 1 |
| Spleen Disease | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| VIII. Nephritis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Nephria | 2 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Addison's Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ischuria | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Diabetes | 4 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Stone | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| Cystitis | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Stricture of Urethra | 1 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Kidney Disease | 14 | — | — | — | — | — | — | — | — | 1 | 1 | — | — |
| IX. Paramenia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ovarian Dropsy | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Childbirth | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Organs of Generation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| X. Arthritis | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Rheumatism | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Joint and Bone Disease | 4 | — | — | — | — | — | — | — | 1 | — | 1 | — | — |
| XI. Carbuncle | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Phlegmon | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Skin Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| XVII. Intemperance | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | 2 | 2 | — | — | — | — | — | — | — | — | — | — | — |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Poison | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hanging, etc. | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Suffocation | 4 | 3 | — | — | — | — | — | — | — | — | — | — | — |
| Drowning | 8 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Fracture and Contusion | 22 | — | — | — | — | — | — | — | 2 | 1 | 1 | 1 | 2 |
| Gunshot Wounds | 1 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Cuts and Stabs | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Other Violent Causes | 2 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Not Specified | 9 | 2 | — | — | 3 | — | — | 2 | — | — | — | — | — |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1867.—MALES. (*Continued.*)

| DISEASES. | MALES. | | | | | | | | | | | | | | | | |
|---------------------------|-----------|----|----|----|----|----|----|----|----|----|----|----|----|-----|-----|---|--|
| | AGE UNDER | | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? | |
| Cephalitis . . . | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | |
| Apoplexy . . . | - | 1 | 2 | - | 1 | 3 | 1 | 3 | 1 | 5 | 2 | 3 | - | 1 | - | - | |
| Paralysis . . . | 2 | - | 1 | - | 1 | 1 | 3 | 3 | 3 | 5 | - | - | - | - | - | - | |
| Delirium Tremens | 2 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Chorea . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Epilepsy . . . | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Tetanus . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Insanity . . . | - | - | - | 1 | - | - | - | 1 | 1 | - | - | - | - | - | - | - | |
| Convulsions . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Brain Disease | - | - | - | - | 1 | 1 | 2 | - | 3 | - | - | - | - | - | - | - | |
| Pericarditis . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Aneurism . . . | 1 | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | |
| Heart Disease | 2 | 1 | 1 | - | 2 | 5 | 7 | 4 | 5 | 4 | 3 | 3 | - | - | - | - | |
| Laryngitis . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Bronchitis . . . | 1 | 2 | 1 | 2 | 3 | 7 | 10 | 9 | 5 | 3 | 4 | 1 | 1 | - | - | - | |
| Pleurisy . . . | - | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Pneumonia . . . | - | 1 | 3 | - | 1 | 3 | 3 | - | 1 | - | - | 1 | - | - | - | - | |
| Asthma . . . | - | - | - | - | - | - | 2 | 1 | 1 | - | - | - | - | - | - | - | |
| Lung Disease | - | 1 | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - | |
| Teething . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Quinsey . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Gastritis . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Enteritis . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Peritonitis . . . | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Ascites . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Ulceration of Intestines | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Hernia . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Ileus . . . | - | - | 3 | - | - | 2 | - | - | 1 | - | - | - | - | - | - | - | |
| Intussusception . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Stricture of Intestines . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Stomach Disease . . . | - | - | - | 1 | - | 1 | 1 | - | - | 1 | 1 | - | - | - | - | - | |
| Pancreas Disease . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Hepatitis . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Jaundice . . . | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | |
| Liver Disease . . . | 2 | - | - | 2 | - | - | 1 | 2 | - | - | - | - | - | - | - | - | |
| Spleen Disease . . . | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Nephritis . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Nephria . . . | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | |
| Addison's Disease . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Ischuria . . . | - | - | - | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - | |
| Diabetes . . . | 1 | - | - | - | - | - | 1 | - | 1 | - | - | - | - | - | - | - | |
| Stone . . . | - | - | - | - | - | 1 | - | - | - | 1 | 1 | - | - | - | - | - | |
| Cystitis . . . | - | - | - | - | - | 1 | - | 1 | - | - | - | - | - | - | - | - | |
| Stricture of Urethra | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Kidney Disease . . . | 2 | - | 2 | - | - | - | 2 | 3 | 1 | - | 1 | 1 | - | - | - | - | |
| Paramenia . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Ovarian Dropsy . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Childbirth . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Organs of Generation . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Arthritis . . . | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | |
| Rheumatism . . . | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | |
| Joint Disease . . . | - | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | |
| Carbuncle . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Phlegmon . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Skin Disease . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Intemperance . . . | - | - | - | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | |
| Privation . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Want of Breast Milk . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Neglect . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Cold . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Poison . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Poisoned Wounds . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Burns and Scalds . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Hanging, etc. . . . | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Suffocation . . . | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Drowning . . . | 3 | 1 | 1 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | |
| Fracture and Contusion | 1 | 2 | 2 | 4 | - | 2 | 1 | 2 | - | 1 | - | - | - | - | - | - | |
| Gunshot Wounds . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Cuts and Stabs . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Other Violent Causes . | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | |
| Not Specified . . . | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | 1 | |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1867.—FEMALES

| DISEASES. | ALL AGES. | FEMALES. | | | | | | | | | | | |
|------------------------------------|-----------|-----------|----|----|----|----|----|---|----|----|----|----|----|
| | | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 934 | 84 | 35 | 46 | 53 | 30 | 16 | 9 | 26 | 19 | 44 | 27 | 47 |
| SPECIFIED CAUSES | 928 | 83 | 35 | 46 | 53 | 30 | 16 | 9 | 26 | 19 | 44 | 26 | 47 |
| I. Zymotic Class | 130 | 12 | 8 | 8 | 12 | 7 | 6 | 3 | 9 | 1 | 12 | 3 | 2 |
| II. Diseases of Uncertain Seat | 58 | 2 | — | — | — | — | — | 1 | — | — | 1 | — | 1 |
| III. Tubercular Class | 207 | 1 | 2 | 8 | 11 | 14 | 6 | 2 | 8 | 13 | 19 | 16 | 34 |
| IV. Brain and Nervous System | 92 | 8 | 4 | — | 1 | 3 | 2 | — | 3 | 2 | 1 | 1 | 3 |
| V. Organs of Circulation | 54 | — | — | — | — | — | — | 1 | 1 | 2 | 2 | 1 | 2 |
| VI. Respiratory Organs | 121 | 9 | 6 | 14 | 12 | 3 | — | 2 | 2 | — | 5 | 2 | 3 |
| VII. Organs of Digestion | 74 | 3 | 7 | 11 | 16 | 3 | — | — | — | 1 | 3 | — | — |
| VIII. Urinary Organs | 12 | — | — | — | — | — | 1 | — | 1 | — | — | 2 | 1 |
| IX. Organs of Generation | 10 | — | — | — | — | — | — | — | — | — | — | 1 | 1 |
| X. Organs of Locomotion | 2 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| XI. Skin, etc. | 2 | — | — | 1 | — | — | — | — | — | — | — | — | — |
| XII. Malformation | 4 | 4 | — | — | — | — | — | — | — | — | — | — | — |
| XIII. Premature Debility | 47 | 40 | 4 | 3 | — | — | — | — | — | — | — | — | — |
| XIV. Atrophy | 6 | — | — | — | 1 | — | — | — | 1 | — | — | — | — |
| XV. Age | 92 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVI. Sudden Deaths | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVII. Violent Deaths | 16 | 4 | 4 | 1 | — | — | 1 | — | — | — | 1 | — | — |
| I. Small Pox | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Measles | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Scarlatina | 5 | — | — | — | — | 1 | 1 | — | 1 | — | 1 | — | — |
| Diphtheria | 3 | — | — | — | — | — | 1 | — | 1 | — | — | — | — |
| Hooping Cough | 20 | 2 | 2 | 1 | 6 | 4 | 1 | 1 | 3 | — | — | — | — |
| Croup | 5 | — | — | 1 | — | 1 | 1 | 1 | 1 | — | — | — | — |
| Thrush | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diarrhœa | 36 | 1 | 4 | 6 | 3 | — | 1 | — | — | — | — | — | — |
| Dysentery | 3 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| Cholera | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| Influenza | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Purpura | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Typhus | 15 | — | — | — | 1 | 1 | 1 | 1 | 1 | — | 4 | 1 | 1 |
| Enteric Fever | 15 | — | — | — | — | — | — | — | 1 | — | 5 | 2 | 1 |
| Relapsing Fever | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Simple Continued Fever | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Infantile Remittent | 2 | — | — | — | 1 | — | — | — | 1 | — | — | — | — |
| Metria | 2 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Rheumatic Fever | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Erysipelas | 7 | 4 | 1 | — | — | — | — | — | — | — | — | — | — |
| Pyæmia | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Syphilis | 8 | 5 | 1 | — | 1 | — | — | — | — | — | — | — | — |
| Noma | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Dropsy | 6 | — | — | — | — | — | — | 1 | — | — | — | — | — |
| Abscess | 5 | 1 | — | — | — | — | — | — | — | — | 1 | — | — |
| Ulcer | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Fistula | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Cancer | 44 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Gout | — | — | — | — | — | — | — | — | — | — | — | — | — |
| III. Scrofula | 9 | — | — | — | — | 1 | 1 | — | — | — | 2 | — | 2 |
| Tabes Mesenterica | 5 | — | — | — | — | 2 | 2 | — | — | — | — | — | — |
| Phthisis | 161 | — | — | — | 2 | 4 | — | 1 | 7 | 13 | 17 | 16 | 32 |
| Hydrocephalus | 32 | 1 | 2 | 8 | 9 | 7 | 3 | 1 | 1 | — | — | — | — |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1867.—FEMALES.

[illegible]

[illegible]

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1867.—BOTH SEXES.

| DISEASES. | ALL AGES. | BOTH SEXES. | | | | | | | | | | | |
|--|-----------|-------------|----|----|-----|----|----|----|----|----|----|----|----|
| | | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 1335 | 115 | 56 | 98 | 125 | 68 | 43 | 26 | 67 | 37 | 45 | 43 | 43 |
| SPECIFIED CAUSES | 1300 | 103 | 49 | 94 | 125 | 64 | 41 | 26 | 65 | 37 | 44 | 43 | 43 |
| I. Zymotic Class | 311 | 11 | 11 | 31 | 54 | 37 | 25 | 15 | 29 | 11 | 4 | 3 | 7 |
| II. Diseases of Uncertain Seat | 49 | — | 1 | 2 | — | — | — | — | 2 | — | — | 2 | 4 |
| III. Tubercular Class | 222 | — | 9 | 11 | 15 | 7 | 7 | 2 | 16 | 15 | 36 | 25 | 17 |
| IV. Brain and Nervous System | 123 | 5 | 7 | 6 | 5 | 2 | 4 | — | 5 | 4 | 1 | 5 | 2 |
| V. Organs of Circulation | 42 | — | — | — | — | — | — | — | — | 3 | 1 | — | 3 |
| VI. Respiratory Organs | 182 | 12 | 11 | 16 | 20 | 8 | 3 | 3 | 2 | 1 | 2 | 2 | 5 |
| VII. Organs of Digestion | 111 | 11 | 7 | 15 | 21 | 7 | 1 | 4 | 3 | 1 | — | 2 | 1 |
| VIII. Urinary Organs | 6 | — | — | — | — | — | — | — | — | — | — | — | — |
| IX. Organs of Generation | 12 | — | — | — | — | — | — | — | — | — | — | 2 | 2 |
| X. Organs of Locomotion | 14 | — | — | — | — | — | — | 1 | 4 | 1 | — | — | 1 |
| XI. Skin, etc. | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| XII. Malformation | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| XIII. Premature Debility | 73 | 61 | 1 | 11 | — | — | — | — | — | — | — | — | — |
| XIV. Atrophy | 14 | — | — | — | 7 | — | — | — | 1 | — | — | — | 1 |
| XV. Age | 104 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVI. Sudden Deaths | 4 | — | 1 | — | — | — | 1 | 1 | — | — | — | — | — |
| XVII. Violent Deaths | 31 | 2 | — | 2 | 3 | 3 | — | — | 3 | 1 | — | 2 | — |
| I. Small Pox | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Measles | 27 | — | 1 | 3 | 11 | 6 | 2 | — | 3 | 1 | — | — | — |
| Scarlatina | 50 | — | — | 2 | 7 | 6 | 12 | 8 | 13 | 2 | — | — | — |
| Diphtheria | 5 | — | — | — | 1 | 1 | — | 1 | 2 | — | — | — | — |
| Whooping Cough | 78 | 3 | 6 | 20 | 24 | 14 | 5 | 2 | 4 | — | — | — | — |
| Croup | 14 | 1 | — | 1 | 2 | 4 | 1 | 2 | 3 | — | — | — | — |
| Thrush | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diarrhoea | 28 | 5 | 2 | 5 | 7 | — | 1 | — | — | 1 | — | — | 1 |
| Dysentery | 4 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Cholera | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Influenza | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Purpura | 2 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Typhus | 74 | — | 1 | — | — | 1 | 1 | 2 | — | 4 | 3 | 2 | 5 |
| Enteric Fever | 12 | — | — | — | 1 | 1 | 1 | — | 2 | 1 | 1 | 1 | — |
| Relapsing Fever | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Simple Continued Fever | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Infantile Remittent | 6 | — | — | — | — | 2 | 2 | — | 2 | — | — | — | — |
| Metria | 1 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Rheumatic Fever | 3 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| Erysipelas | 4 | 2 | — | — | 1 | — | — | — | — | — | — | — | — |
| Pyæmia | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| Syphilis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Noma | 2 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Dropsy | 25 | — | — | — | — | — | — | — | 2 | — | — | 1 | 3 |
| Abscess | 4 | — | 1 | 2 | — | — | — | — | — | — | — | — | — |
| Ulcer | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Fistula | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Cancer | 19 | — | — | — | — | — | — | — | — | — | — | 1 | 1 |
| Gout | — | — | — | — | — | — | — | — | — | — | — | — | — |
| III. Scrofula | 10 | — | 1 | — | — | 1 | — | — | 1 | 2 | 1 | 1 | 1 |
| Tabes Mesenterica | 18 | — | 1 | 4 | 2 | 2 | 4 | 1 | 2 | — | 1 | — | — |
| Phthisis | 159 | — | — | 1 | 1 | 1 | 2 | 1 | 8 | 12 | 34 | 24 | 16 |
| Hydrocephalus | 35 | — | 7 | 6 | 12 | 3 | 1 | — | 5 | 1 | — | — | — |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1867.—BOTH SEXES.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | | | | |
|--------------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|-----|-----|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 39 | 47 | 46 | 53 | 44 | 48 | 58 | 54 | 70 | 62 | 16 | 18 | 5 | 2 | 1 | 6 |
| SPECIFIED CAUSES . . | 39 | 47 | 45 | 52 | 44 | 48 | 57 | 54 | 70 | 62 | 16 | 18 | 5 | 2 | 1 | 6 |
| Zymotic Class | 8 | 7 | 8 | 11 | 14 | 6 | 4 | 7 | 2 | 2 | — | — | — | — | — | 4 |
| Uncertain Seat | 3 | 3 | 4 | 3 | 4 | 6 | 5 | 2 | 2 | 4 | 2 | — | — | — | — | — |
| Tubercular Class . . . | 13 | 16 | 12 | 5 | 10 | 2 | 1 | 1 | — | 1 | — | — | — | — | — | 1 |
| Brain, etc. | 2 | 2 | 3 | 6 | 1 | 6 | 13 | 16 | 17 | 7 | 3 | 1 | — | — | — | — |
| Heart, etc. | 2 | 3 | 2 | 4 | 4 | 4 | 5 | 5 | 4 | 2 | — | — | — | — | — | — |
| Respiratory Organs . . | 8 | 3 | 6 | 10 | 5 | 11 | 13 | 13 | 19 | 8 | — | 1 | — | — | — | — |
| Digestive Organs . . . | — | 7 | 2 | 5 | 3 | 7 | 6 | — | 6 | 1 | — | 1 | — | — | — | — |
| Urinary Organs | — | 1 | 1 | 1 | — | — | 1 | 1 | — | — | — | — | — | — | — | 1 |
| Generative Organs . . | 2 | 3 | 2 | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Locomotive Organs . . | — | 1 | 1 | 1 | — | — | 3 | — | — | 1 | — | — | — | — | — | — |
| Skin | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Malformation | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Premature Debility . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Atrophy | — | 1 | 1 | — | — | 3 | — | — | — | — | — | — | — | — | — | — |
| Age | — | — | — | — | — | — | 6 | 9 | 20 | 35 | 11 | 15 | 5 | 2 | 1 | — |
| Sudden Deaths | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Violent Deaths | 1 | — | 3 | 6 | 3 | 1 | — | — | — | 1 | — | — | — | — | — | — |
| Small Pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Measles | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Scarlatina | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diphtheria | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Whooping Cough . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Croup | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Thrush | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diarrhoea | — | 1 | 1 | — | 3 | — | — | 1 | — | — | — | — | — | — | — | — |
| Dysentery | — | — | — | — | — | — | 1 | — | 1 | 1 | — | — | — | — | — | — |
| Cholera | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Influenza | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Purpura | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Typhus | 6 | 5 | 7 | 11 | 10 | 6 | 2 | 4 | — | — | — | — | — | — | — | 4 |
| Enteric Fever | 1 | — | — | — | — | — | 1 | 1 | — | 1 | — | — | — | — | — | — |
| Relapsing Fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Simple Cont. Fever . . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Infantile Remittent . . | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Metria | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Rheumatic Fever | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — |
| Erysipelas | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — |
| Pyæmia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Syphilis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Noma | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hæmorrhage | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Dropsy | 3 | 2 | 3 | 1 | 2 | 2 | 1 | 1 | 1 | 1 | 2 | — | — | — | — | — |
| Abscess | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Ulcer | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Fistula | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Cancer | — | 1 | 1 | 2 | 2 | 4 | 4 | 1 | 1 | 1 | — | — | — | — | — | — |
| Gout | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Scrofula | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Tabes Mesenterica . . . | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Phthisis | 13 | 13 | 12 | 5 | 10 | 2 | 1 | 1 | — | 1 | — | — | — | — | — | — |
| Hydrocephalus | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1867.—BOTH SEXES. (Continued.)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|------------------------------------|-------------|-----------|----|----|----|---|---|---|----|----|----|----|----|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 6 | — | 1 | — | 1 | — | — | — | 1 | 3 | — | — | — |
| Apoplexy | 35 | 1 | — | 3 | 1 | 1 | — | — | 1 | — | 1 | — | 1 |
| Paralysis | 45 | — | — | — | — | — | — | — | 1 | — | — | 1 | 1 |
| Delirium Tremens | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Chorea | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Epilepsy | 4 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| Tetanus | 2 | — | — | — | — | — | — | — | — | — | — | 2 | — |
| Insanity | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Convulsions | 20 | 4 | 6 | 3 | 3 | 1 | 2 | — | 1 | — | — | — | — |
| Brain Disease | 9 | — | — | — | — | — | 2 | — | 1 | — | — | 2 | — |
| V. Pericarditis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Aneurism | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Heart Disease | 42 | — | — | — | — | — | — | — | — | 3 | 1 | — | 3 |
| VI. Laryngitis | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| Bronchitis | 137 | 9 | 11 | 15 | 15 | 5 | 1 | 3 | 1 | — | — | 1 | 1 |
| Pleurisy | 2 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Pneumonia | 40 | 2 | — | 1 | 5 | 2 | 2 | — | 1 | 1 | 2 | 1 | 3 |
| Asthma | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Lung Disease | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| VII. Teething | 34 | — | 1 | 12 | 18 | 3 | — | — | — | — | — | — | — |
| Quinsey | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Gastritis | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Enteritis | 34 | 7 | 4 | 3 | 2 | 3 | 1 | 2 | 2 | — | — | 2 | 1 |
| Peritonitis | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ascites | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ulceration of Intestines | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Hernia | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ileus | 2 | 1 | — | — | — | — | — | — | 1 | — | — | — | — |
| Intussusception | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stricture of Intestines | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stomach Disease | 11 | 1 | 2 | — | 1 | 1 | — | 2 | — | — | — | — | — |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Jaundice | 3 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Liver Disease | 19 | 1 | — | — | — | — | — | — | — | 1 | — | — | — |
| Spleen Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| VIII. Nephritis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Nephria | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Addison's Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ischuria | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diabetes | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stone | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cystitis | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Stricture of Urethra | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Kidney Disease | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| IX. Paramenia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ovarian Dropsy | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| Childbirth | 8 | — | — | — | — | — | — | — | — | — | — | 2 | 2 |
| Organs of Generation | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| X. Arthritis | 3 | — | — | — | — | — | — | 1 | 1 | — | — | — | — |
| Rheumatism | 8 | — | — | — | — | — | — | — | 1 | — | — | — | 1 |
| Joint and Bone Disease | 3 | — | — | — | — | — | — | — | 2 | 1 | — | — | — |
| XI. Carbuncle | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Phlegmon | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Skin Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| XVII. Intemperance | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Poison | 2 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 7 | — | — | — | 3 | 2 | — | — | — | — | — | 1 | — |
| Hanging, etc. | 3 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Suffocation | 5 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Drowning | 4 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| Fracture and Contusion | 9 | — | — | 2 | — | 1 | — | — | 1 | 1 | — | — | — |
| Gunshot Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cuts and Stabs | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Other Violent Causes | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Not Specified | 35 | 12 | 7 | 4 | — | 4 | 2 | — | 2 | — | 1 | — | — |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1867.—BOTH SEXES.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|--|-------------|-----------|----|-----|-----|----|----|----|----|----|----|----|----|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 1433 | 155 | 61 | 108 | 133 | 73 | 45 | 31 | 62 | 33 | 38 | 63 | 55 |
| SPECIFIED CAUSES | 1370 | 132 | 52 | 102 | 129 | 71 | 43 | 27 | 62 | 32 | 36 | 62 | 53 |
| I. Zymotic Class | 269 | 9 | 12 | 20 | 45 | 32 | 18 | 11 | 26 | 5 | 4 | 14 | 7 |
| II. Diseases of Uncertain Seat | 33 | 3 | — | — | — | 1 | — | — | — | — | — | 1 | — |
| III. Tubercular Class | 263 | 2 | 5 | 15 | 12 | 15 | 10 | 5 | 13 | 14 | 17 | 23 | 26 |
| IV. Brain and Nervous System | 118 | 10 | 3 | 12 | 11 | 4 | 3 | 3 | 8 | 4 | 1 | 2 | 1 |
| V. Organs of Circulation | 95 | — | — | — | — | — | — | 1 | 2 | 1 | 1 | 2 | 5 |
| VI. Respiratory Organs | 231 | 18 | 18 | 34 | 29 | 12 | 7 | 3 | 6 | — | 2 | 4 | 5 |
| VII. Organs of Digestion | 108 | 16 | 8 | 16 | 27 | 4 | 1 | 1 | 2 | — | 3 | — | 3 |
| VIII. Urinary Organs | 7 | — | — | — | 1 | — | — | — | — | 2 | — | — | — |
| IX. Organs of Generation | 12 | — | — | — | — | — | — | — | — | — | 1 | 1 | 1 |
| X. Organs of Locomotion | 8 | — | — | — | 1 | — | — | — | — | 2 | — | 1 | — |
| XI. Skin, etc. | 4 | — | — | — | 2 | — | — | — | — | 1 | — | — | — |
| XII. Malformation | 8 | 6 | — | — | — | 1 | — | — | — | 1 | — | — | — |
| XIII. Premature Debility | 66 | 58 | 3 | 5 | — | — | — | — | — | — | — | — | — |
| XIV. Atrophy | 10 | — | — | — | 1 | 2 | 3 | 2 | — | — | — | — | — |
| XV. Age | 59 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVI. Sudden Deaths | — | — | — | — | — | — | — | — | — | — | — | — | — |
| XVII. Violent Deaths | 79 | 10 | 3 | — | — | — | 1 | 1 | 5 | 2 | 7 | 14 | 5 |
| I. Small Pox | 4 | 1 | 2 | — | 1 | — | — | — | — | — | — | — | — |
| Measles | 22 | — | — | 1 | 11 | 7 | 3 | — | — | — | — | — | — |
| Scarlatina | 46 | — | — | 2 | 6 | 11 | 10 | 5 | 11 | 1 | — | — | — |
| Diphtheria | 13 | — | — | 2 | 5 | 3 | — | — | 1 | 1 | — | 1 | — |
| Hooping Cough | 25 | — | 2 | 4 | 8 | 6 | 2 | 1 | 2 | — | — | — | — |
| Croup | 19 | 1 | — | 5 | 9 | 1 | 1 | 1 | 1 | — | — | — | — |
| Thrush | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diarrhœa | 22 | 6 | 2 | 2 | 3 | — | — | — | — | 1 | — | — | — |
| Dysentery | 6 | — | — | — | — | 1 | — | 1 | — | — | — | — | 1 |
| Cholera | 8 | — | 1 | — | — | — | — | — | 4 | 1 | — | — | — |
| Influenza | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Purpura | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Typhus | 75 | — | 2 | 2 | 2 | 1 | — | 1 | 4 | 1 | 2 | 10 | 6 |
| Enteric Fever | 10 | — | — | — | — | — | 2 | 2 | 1 | — | 1 | 1 | — |
| Relapsing Fever | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Simple Continued Fever | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Infantile Remittent | 3 | — | — | — | — | 2 | — | — | 1 | — | — | — | — |
| Metria | 5 | — | — | — | — | — | — | — | — | — | — | 2 | — |
| Rheumatic Fever | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| Erysipelas | 3 | — | — | 1 | — | — | — | — | — | — | — | — | — |
| Pyæmia | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Syphilis | 4 | 1 | 2 | 1 | — | — | — | — | — | — | — | — | — |
| Noma | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 4 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Dropsy | 7 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| Abscess | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ulcer | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Fistula | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | 4 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Cancer | 15 | — | — | — | — | — | — | — | — | — | — | — | — |
| Gout | — | — | — | — | — | — | — | — | — | — | — | — | — |
| III. Scrofula | 10 | 1 | — | 1 | — | — | 3 | 1 | — | 1 | 1 | — | — |
| Tabes Mesenterica | 19 | 1 | — | 2 | 4 | 5 | 4 | — | 2 | — | — | — | — |
| Phthisis | 206 | — | 1 | 5 | 2 | 4 | 3 | 2 | 8 | 13 | 16 | 23 | 26 |
| Hydrocephalus | 28 | — | 4 | 7 | 6 | 6 | — | 2 | 3 | — | — | — | — |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1867.—BOTH SEXES. (Continued.)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|------------------------------------|-------------|-----------|----|----|----|----|---|---|----|----|----|----|----|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 13 | 1 | 1 | 1 | 2 | — | 1 | 1 | 4 | 1 | — | — | — |
| Apoplexy | 26 | 2 | — | — | — | — | — | — | — | — | 1 | — | 1 |
| Paralysis | 18 | — | — | — | — | — | — | — | — | — | — | — | — |
| Delirium Tremens | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Chorea | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Epilepsy | 5 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| Tetanus | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Insanity | 2 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Convulsions | 20 | 5 | 1 | 5 | 3 | 3 | 1 | 1 | 1 | — | — | — | — |
| Brain Disease | 32 | 1 | 1 | 6 | 6 | 1 | 1 | 1 | 3 | 2 | — | 1 | — |
| V. Pericarditis | 2 | — | — | — | — | — | — | — | — | 1 | — | — | 1 |
| Aneurism | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Heart Disease | 92 | — | — | — | — | — | — | 1 | 2 | — | 1 | 2 | 4 |
| VI. Laryngitis | 5 | — | 1 | 1 | — | — | 1 | — | — | — | — | — | — |
| Bronchitis | 172 | 14 | 17 | 28 | 24 | 10 | 3 | 2 | 1 | — | 2 | 1 | — |
| Pleurisy | 3 | — | — | — | — | — | 1 | — | — | — | — | — | 1 |
| Pneumonia | 41 | 4 | — | 4 | 5 | 2 | 2 | 1 | 5 | — | — | 2 | 2 |
| Asthma | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Lung Disease | 6 | — | — | 1 | — | — | — | — | — | — | — | 1 | 2 |
| VII. Teething | 46 | 3 | 6 | 12 | 20 | 4 | 1 | — | — | — | — | — | — |
| Quinsey | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Gastritis | 4 | 1 | — | — | 1 | — | — | — | — | — | 1 | — | — |
| Enteritis | 24 | 9 | 1 | 3 | 6 | — | — | 1 | — | — | — | — | 1 |
| Peritonitis | 4 | — | — | — | — | — | — | — | — | — | 2 | — | 1 |
| Ascites | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| Ulceration of Intestines | 2 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Hernia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ileus | 6 | — | — | — | — | — | — | — | — | — | — | — | — |
| Intussusception | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stricture of Intestines | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Stomach Disease | 10 | 1 | 1 | 1 | — | — | — | — | 1 | — | — | — | — |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Jaundice | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Liver Disease | 5 | — | — | — | — | — | — | — | — | — | — | — | — |
| Spleen Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| VIII. Nephritis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Nephria | 3 | — | — | — | — | — | — | — | — | 2 | — | — | — |
| Addison's Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ischuria | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diabetes | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stone | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cystitis | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Stricture of Urethra | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Kidney Disease | 3 | — | — | — | 1 | — | — | — | — | — | — | — | — |
| IX. Paramenia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ovarian Dropsy | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Childbirth | 11 | — | — | — | — | — | — | — | — | — | 1 | 1 | 1 |
| Organs of Generation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| X. Arthritis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Rheumatism | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| Joint and Bone Disease | 5 | — | — | — | 1 | — | — | — | — | 2 | — | 1 | — |
| XI. Carbuncle | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Phlegmon | 2 | — | — | — | 1 | — | — | — | — | 1 | — | — | — |
| Skin Disease | 2 | — | — | — | 1 | — | — | — | — | — | — | — | — |
| XVII. Intemperance | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | 8 | 6 | 2 | — | — | — | — | — | — | — | — | — | — |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Poison | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 2 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Hanging, etc. | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Suffocation | 4 | 3 | 1 | — | — | — | — | — | — | — | — | — | — |
| Drowning | 17 | — | — | — | — | — | — | — | 3 | — | — | 6 | 2 |
| Fracture and Contusion | 40 | — | — | — | — | — | 1 | — | 2 | 2 | 5 | 7 | 3 |
| Gunshot Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cuts and Stabs | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Other Violent Causes | 4 | — | — | — | — | — | — | 1 | — | — | 1 | 1 | — |
| Not Specified | 63 | 23 | 9 | 6 | 4 | 2 | 2 | 4 | — | 1 | 2 | 1 | 2 |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1867.—BOTH SEXES. (*Continued.*)

[illegible]

CAUSES of DEATH in LEITH, at different Periods of Life, in 1867.—BOTH SEXES.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|--|-------------|-----------|----|----|-----|----|----|----|----|----|----|----|----|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 1064 | 120 | 46 | 73 | 121 | 56 | 31 | 22 | 69 | 19 | 24 | 21 | 38 |
| SPECIFIED CAUSES | 1052 | 112 | 45 | 73 | 121 | 55 | 31 | 22 | 69 | 19 | 24 | 21 | 38 |
| I. Zymotic Class | 267 | 8 | 12 | 16 | 57 | 26 | 18 | 16 | 45 | 6 | 6 | 7 | 8 |
| II. Diseases of Uncertain Seat | 49 | 2 | — | — | 4 | 2 | — | — | 1 | 2 | — | 1 | — |
| III. Tubercular Class | 159 | 11 | 6 | 18 | 23 | 8 | 5 | 3 | 10 | 4 | 9 | 7 | 14 |
| IV. Brain and Nervous System | 105 | 6 | 4 | 9 | 6 | 1 | — | 2 | 1 | 1 | 1 | — | 1 |
| V. Organs of Circulation | 58 | 3 | — | — | — | — | — | — | 1 | 1 | 2 | 1 | 2 |
| VI. Respiratory Organs | 167 | 16 | 10 | 19 | 22 | 13 | 6 | 1 | 3 | 1 | 2 | 1 | 3 |
| VII. Organs of Digestion | 63 | 13 | 4 | 9 | 7 | 1 | — | — | — | 1 | 2 | — | 5 |
| VIII. Urinary Organs | 23 | — | — | — | — | — | 1 | — | 6 | — | — | 1 | — |
| IX. Organs of Generation | 2 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| X. Organs of Locomotion | 7 | — | — | — | — | — | — | — | 1 | 2 | — | — | — |
| XI. Skin, etc. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| XII. Malformation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| XIII. Premature Debility | 55 | 49 | 5 | 1 | — | — | — | — | — | — | — | — | — |
| XIV. Atrophy | 12 | — | — | — | 2 | 2 | 1 | — | — | — | — | — | — |
| XV. Age | 44 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVI. Sudden Deaths | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVII. Violent Deaths | 37 | 4 | 4 | 1 | — | 2 | — | — | 1 | 1 | 2 | 3 | 4 |
| I. Small Pox | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Measles | 59 | — | 4 | 8 | 34 | 9 | 1 | 2 | 1 | — | — | — | — |
| Scarlatina | 58 | — | 2 | 1 | 7 | 4 | 8 | 5 | 29 | 2 | — | — | — |
| Diphtheria | 5 | — | — | — | — | — | — | 1 | 2 | — | — | — | — |
| Hooping Cough | 24 | — | 2 | 4 | 10 | 4 | 2 | 1 | 1 | — | — | — | — |
| Croup | 19 | 1 | — | 1 | 5 | 6 | 2 | 3 | 1 | — | — | — | — |
| Thrush | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diarrhœa | 11 | 4 | 3 | 1 | — | 1 | — | 1 | — | — | — | — | — |
| Dysentery | 4 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Cholera | 4 | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| Influenza | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Purpura | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Typhus | 45 | — | — | — | — | 1 | 2 | — | 2 | 1 | 3 | 6 | 6 |
| Enteric Fever | 24 | — | — | — | — | — | 2 | 2 | 6 | 3 | 2 | 1 | 2 |
| Relapsing Fever | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Simple Continued Fever | 2 | — | — | — | 1 | — | — | 1 | — | — | — | — | — |
| Infantile Remittent | 2 | — | — | — | — | 1 | — | — | 1 | — | — | — | — |
| Metria | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Rheumatic Fever | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| Erysipelas | 4 | 3 | — | — | — | — | — | — | — | — | — | — | — |
| Pyæmia | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Syphilis | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Noma | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Dropsy | 19 | 1 | — | — | 4 | 1 | — | — | — | — | — | 1 | — |
| Abscess | 4 | — | — | — | — | — | — | — | — | 2 | — | — | — |
| Ulcer | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| Fistula | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Cancer | 22 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| Gout | — | — | — | — | — | — | — | — | — | — | — | — | — |
| III. Scrofula | 15 | 4 | 2 | 1 | 3 | — | 1 | — | 2 | 1 | — | — | — |
| Tabes Mesenterica | 30 | 6 | 1 | 5 | 8 | 5 | 1 | 1 | 2 | — | 1 | — | — |
| Phthisis | 78 | — | — | — | 1 | 1 | 1 | — | 3 | 3 | 8 | 7 | 14 |
| Hydrocephalus | 36 | 1 | 3 | 12 | 11 | 2 | 2 | 2 | 3 | — | — | — | — |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1867.—BOTH SEXES.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | | | | |
|-------------------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|-----|-----|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 36 | 49 | 30 | 39 | 37 | 29 | 42 | 54 | 45 | 27 | 21 | 10 | 3 | 2 | — | — |
| SPECIFIED CAUSES | 36 | 48 | 30 | 39 | 37 | 28 | 42 | 54 | 45 | 27 | 21 | 10 | 3 | 2 | — | — |
| Zymotic Class | 4 | 9 | 5 | 7 | 7 | 2 | 3 | 1 | 2 | — | 1 | 1 | — | — | — | — |
| Uncertain Seat | — | 2 | — | 3 | 4 | 6 | 9 | 6 | 6 | — | 1 | — | — | — | — | — |
| Tubercular Class | 15 | 7 | 4 | 8 | 3 | 2 | 1 | 1 | — | — | — | — | — | — | — | — |
| Brain, etc. | 4 | 9 | 3 | 5 | 7 | 3 | 8 | 14 | 9 | 9 | 2 | — | — | — | — | — |
| Heart, etc. | 3 | 7 | 6 | 5 | 4 | 3 | 3 | 6 | 8 | 1 | 2 | — | — | — | — | — |
| Respiratory Organs | 2 | 5 | 5 | 3 | 5 | 6 | 10 | 12 | 8 | 6 | 6 | — | 2 | — | — | — |
| Digestive Organs | 3 | 2 | — | 4 | 2 | 3 | — | 6 | — | 1 | — | — | — | — | — | — |
| Urinary Organs | 2 | 2 | 1 | 1 | 2 | — | 2 | 1 | 1 | 1 | — | 2 | — | — | — | — |
| Generative Organs | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Locomotive Organs | 1 | — | — | 1 | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| Skin | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Malformation | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Premature Debility | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Atrophy | 1 | 1 | — | — | 3 | 2 | — | — | — | — | — | — | — | — | — | — |
| Age | — | — | — | — | — | — | 3 | 6 | 8 | 8 | 9 | 7 | 1 | 2 | — | — |
| Sudden Deaths | — | 1 | — | 1 | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| Violent Deaths | 1 | 2 | 6 | 1 | — | 1 | 1 | — | 2 | 1 | — | — | — | — | — | — |
| Small Pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Measles | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Scarlatina | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diphtheria | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hooping Cough | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Croup | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Thrush | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diarrhoea | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — |
| Dysentery | — | — | — | 1 | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| Cholera | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Influenza | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Purpura | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Typhus | 1 | 6 | 2 | 5 | 5 | 1 | 2 | 1 | — | — | — | 1 | — | — | — | — |
| Enteric Fever | 2 | 2 | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Relapsing Fever | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Simple Cont. Fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Infantile Remittent | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Metria | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Rheumatic Fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Erysipelas | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — |
| Pyæmia | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Syphilis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Noma | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hæmorrhage | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Dropsy | — | — | — | 1 | — | 1 | 3 | 3 | 3 | — | 1 | — | — | — | — | — |
| Abscess | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — |
| Ulcer | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Fistula | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — |
| Cancer | — | 2 | — | 1 | 4 | 3 | 6 | 3 | 2 | — | — | — | — | — | — | — |
| Gout | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Scrofula | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| Tabes Mesenterica | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Phthisis | 15 | 7 | 4 | 8 | 3 | 1 | 1 | 1 | — | — | — | — | — | — | — | — |
| Hydrocephalus | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1867.—BOTH SEXES (Continued.)

| DISEASES. | ALL AGES. | BOTH SEXES. | | | | | | | | | | | |
|------------------------------------|-----------|-------------|---|----|----|----|---|---|----|----|----|----|----|
| | | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 10 | 1 | 2 | 2 | 1 | 1 | — | — | — | 1 | — | — | — |
| Apoplexy | 20 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Paralysis | 36 | — | — | — | — | — | — | — | — | — | — | — | — |
| Delirium Tremens | 4 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Chorea | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Epilepsy | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| Tetanus | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Insanity | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Convulsions | 16 | 4 | 1 | 6 | 4 | — | — | 1 | — | — | — | — | — |
| Brain Disease | 16 | 1 | 1 | 1 | 1 | — | — | 1 | 1 | — | — | — | — |
| V. Pericarditis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Aneurism | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Heart Disease | 58 | 3 | — | — | — | — | — | — | 1 | 1 | 2 | 1 | 2 |
| VI. Laryngitis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Bronchitis | 117 | 10 | 2 | 14 | 16 | 10 | 6 | 1 | 1 | — | — | — | 1 |
| Pleurisy | 5 | 1 | 1 | 1 | — | — | — | — | — | — | — | 1 | — |
| Pneumonia | 34 | 3 | 6 | 3 | 6 | 2 | — | — | 2 | — | 2 | — | 2 |
| Asthma | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Lung Disease | 7 | 2 | 1 | 1 | — | 1 | — | — | — | 1 | — | — | — |
| VII. Teething | 13 | — | 1 | 7 | 5 | — | — | — | — | — | — | — | — |
| Quinsey | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Gastritis | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — |
| Enteritis | 12 | 4 | 1 | 2 | — | 1 | — | — | — | — | — | — | — |
| Peritonitis | 6 | — | — | — | — | — | — | — | — | — | — | — | 2 |
| Ascites | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ulceration of Intestines | 4 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Hernia | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Ileus | 8 | 3 | — | — | 1 | — | — | — | — | — | 1 | — | — |
| Intussusception | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stricture of Intestines | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stomach Disease | 8 | 3 | 1 | — | — | — | — | — | — | — | 1 | — | — |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Jaundice | 2 | 2 | — | — | — | — | — | — | — | — | — | — | — |
| Liver Disease | 6 | — | 1 | — | — | — | — | — | — | 1 | — | — | 1 |
| Spleen Disease | 1 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| VIII. Nephritis | 4 | — | — | — | — | — | — | — | 2 | — | — | — | — |
| Nephria | 7 | — | — | — | — | — | 1 | — | 4 | — | — | 1 | — |
| Addison's Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ischuria | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Diabetes | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Stone | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Cystitis | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| Stricture of Urethra | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Kidney Disease | 6 | — | — | — | — | — | — | — | — | — | — | — | — |
| IX. Paramenia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ovarian Dropsy | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Childbirth | 2 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Organs of Generation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| X. Arthritis | 2 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| Rheumatism | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| Joint and Bone Disease | 2 | — | — | — | — | — | — | — | 1 | 1 | — | — | — |
| XI. Carbuncle | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Phlegmon | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Skin Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| XVII. Intemperance | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Poison | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 3 | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| Hanging, etc. | 3 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Suffocation | 7 | 2 | 4 | — | — | — | — | — | — | — | — | — | — |
| Drowning | 4 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Fracture and Contusion | 16 | — | — | — | — | 1 | — | — | 1 | 1 | 1 | 2 | 4 |
| Gunshot Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cuts and Stabs | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Other Violent Causes | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Not Specified | 12 | 8 | 1 | — | — | 1 | — | — | — | — | — | — | — |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1867.—BOTH SEXES.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|------------------------------------|-------------|-----------|----|----|----|----|---|---|----|----|----|----|----|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 569 | 52 | 17 | 22 | 47 | 19 | 4 | 9 | 13 | 10 | 21 | 19 | 25 |
| SPECIFIED CAUSES | 559 | 47 | 15 | 22 | 47 | 18 | 4 | 9 | 13 | 10 | 21 | 19 | 25 |
| I. Zymotic Class | 68 | 5 | 2 | 2 | 26 | 5 | 3 | 3 | 1 | 2 | 4 | — | 3 |
| II. Diseases of Uncertain Seat | 19 | — | — | — | — | — | — | — | — | — | — | — | — |
| III. Tubercular Class | 110 | 2 | — | 4 | 5 | 3 | 1 | 4 | 5 | 3 | 9 | 10 | 13 |
| IV. Brain and Nervous System | 67 | 2 | 1 | 2 | 1 | 1 | — | — | 2 | 1 | 1 | — | 3 |
| V. Organs of Circulation | 36 | — | — | — | — | — | — | — | — | — | 1 | — | 1 |
| VI. Respiratory Organs | 81 | 8 | 6 | 6 | 9 | 5 | — | 2 | 2 | — | 4 | 4 | 1 |
| VII. Organs of Digestion | 34 | 1 | 3 | 3 | 3 | 2 | — | — | 2 | — | 1 | 1 | 1 |
| VIII. Urinary Organs | 8 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| IX. Organs of Generation | 6 | — | — | — | — | — | — | — | — | 1 | — | — | 1 |
| X. Organs of Locomotion | 4 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| XI. Skin, etc. | 3 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| XII. Malformation | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — |
| XIII. Premature Debility | 35 | 28 | 3 | 4 | — | — | — | — | — | — | — | — | — |
| XIV. Atrophy | 9 | — | — | — | 3 | 2 | — | — | — | 1 | — | — | 1 |
| XV. Age | 63 | — | — | — | — | — | — | — | — | — | — | — | — |
| XVI. Sudden Deaths | — | — | — | — | — | — | — | — | — | — | — | — | — |
| XVII. Violent Deaths | 15 | — | — | — | — | — | — | — | — | 1 | 1 | 4 | 1 |
| I. Small Pox | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Measles | 17 | — | — | 1 | 12 | 3 | — | 1 | — | — | — | — | — |
| Scarlatina | 2 | — | — | — | — | — | 2 | — | — | — | — | — | — |
| Diphtheria | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hooping Cough | 10 | 2 | — | — | 7 | 1 | — | — | — | — | — | — | — |
| Croup | 6 | — | — | — | 3 | 1 | 1 | 1 | — | — | — | — | — |
| Thrush | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diarrhoea | 11 | 3 | 2 | 1 | 3 | — | — | — | — | — | — | — | — |
| Dysentery | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Cholera | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Influenza | 3 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Purpura | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ague | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Worms | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Typhus | 9 | — | — | — | — | — | — | — | 1 | 1 | 2 | — | 1 |
| Enteric Fever | 5 | — | — | — | — | — | — | — | — | 1 | 1 | — | 2 |
| Relapsing Fever | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Simple Continued Fever | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Infantile Remittent | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — |
| Metria | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Rheumatic Fever | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Erysipelas | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Pyæmia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Syphilis | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — |
| Noma | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II. Hæmorrhage | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Dropsy | 6 | — | — | — | — | — | — | — | — | — | — | — | — |
| Abscess | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ulcer | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Fistula | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Mortification | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Cancer | 10 | — | — | — | — | — | — | — | — | — | — | — | — |
| Gout | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| III. Scrofula | 5 | 1 | — | — | — | — | — | — | — | 1 | — | 1 | — |
| Tabes Mesenterica | 5 | — | — | 1 | 2 | — | — | — | — | — | — | — | 1 |
| Phthisis | 83 | — | — | — | 1 | — | 1 | — | 2 | 1 | 9 | 9 | 12 |
| Hydrocephalus | 17 | 1 | — | 3 | 2 | 3 | — | 4 | 3 | 1 | — | — | — |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1867.—BOTH SEXES. (Continued.)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|------------------------------------|-------------|-----------|---|----|---|---|---|---|----|----|----|----|----|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 2 | — | — | — | — | — | — | — | 1 | 1 | — | — | — |
| Apoplexy | 17 | — | — | 1 | — | 1 | — | — | — | — | — | — | 1 |
| Paralysis | 28 | — | — | — | — | — | — | — | — | — | — | — | — |
| Delirium Tremens | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Chorea | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Epilepsy | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Tetanus | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Insanity | 2 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Convulsions | 4 | 1 | 1 | — | 1 | — | — | — | 1 | — | — | — | — |
| Brain Disease | 13 | — | — | 1 | — | — | — | — | — | — | — | — | 2 |
| V. Pericarditis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Aneurism | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Heart Disease | 34 | — | — | — | — | — | — | — | — | — | 1 | — | 1 |
| VI. Laryngitis | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Bronchitis | 62 | 8 | 6 | 6 | 9 | 5 | — | 1 | 1 | — | 1 | 2 | — |
| Pleurisy | 3 | — | — | — | — | — | — | 1 | — | — | — | — | — |
| Pneumonia | 13 | — | — | — | — | — | — | — | 1 | — | 3 | 2 | 1 |
| Asthma | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Lung Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| VII. Teething | 9 | — | 1 | 3 | 3 | 2 | — | — | — | — | — | — | — |
| Quinsey | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Gastritis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Enteritis | 5 | — | 1 | — | — | — | — | — | 1 | — | — | — | — |
| Peritonitis | 3 | 1 | 1 | — | — | — | — | — | — | — | 1 | — | — |
| Ascites | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ulceration of Intestines | 2 | — | — | — | — | — | — | — | 1 | — | — | — | 1 |
| Hernia | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Ileus | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Intussusception | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stricture of Intestines | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Stomach Disease | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| Pancreas Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hepatitis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Jaundice | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Liver Disease | 8 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Spleen Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| VIII. Nephritis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Nephria | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Addison's Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Ischuria | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Diabetes | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Stone | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cystitis | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Stricture of Urethra | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| Kidney Disease | — | — | — | — | — | — | — | — | — | — | — | — | — |
| IX. Paramenia | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| Ovarian Dropsy | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Childbirth | 2 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| Organs of Generation | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| X. Arthritis | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Rheumatism | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Joint and Bone Disease | 2 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| XI. Carbuncle | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Phlegmon | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Skin Disease | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| XVII. Intemperance | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Privation | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Want of Breast Milk | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Neglect | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cold | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Poison | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Poisoned Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Burns and Scalds | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Hanging, etc. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Suffocation | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Drowning | 4 | — | — | — | — | — | — | — | — | 1 | — | 3 | — |
| Fracture and Contusion | 7 | — | — | — | — | — | — | — | — | — | 1 | 1 | 1 |
| Gunshot Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Cuts and Stabs | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Other Violent Causes | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Not Specified | 10 | 5 | 2 | — | — | 1 | — | — | — | — | — | — | — |

TABLE showing the Distribution of DEATHS according to MONTHS,
or the Influence of SEASON on the MORTALITY.
The Population is estimated to the middle of the year 1867.

| | | | DEATHS in 1867. | | | | | | | | | | | | | |
|--------------------------|---------------------|---------------------|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|
| | | | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec | YEAR. | |
| MEAN TEMPERATURE in 1867 | | | 31°·8 | 41°·4 | 36°·2 | 45°·3 | 47°·5 | 54°·3 | 54°·8 | 57°·4 | 53°·4 | 46°·4 | 41°·6 | 38°·8 | 45°·7 | |
| | | Population 1867. | | | | | | | | | | | | | | |
| SCOTLAND . . | | | 3,170,769 | 7365 | 5876 | 6736 | 6242 | 6010 | 5223 | 5443 | 4952 | 4730 | 5242 | 5212 | 6037 | 69,068 |
| INSULAR DISTRICTS . | | | 157,139 | 299 | 220 | 269 | 248 | 208 | 206 | 199 | 176 | 159 | 196 | 172 | 228 | 2,580 |
| MAINLAND DISTRICTS | | | 1,794,358 | 3515 | 2932 | 3370 | 3088 | 2804 | 2534 | 2555 | 2425 | 2179 | 2523 | 2460 | 2805 | 33,190 |
| TOWN DISTRICTS . | | | 1,219,272 | 3551 | 2724 | 3097 | 2906 | 2998 | 2483 | 2687 | 2351 | 2392 | 2522 | 2580 | 3004 | 33,295 |
| DIVISIONS. | | | | | | | | | | | | | | | | |
| 1 | Northern . . | 132,540 | 210 | 140 | 217 | 176 | 172 | 156 | 148 | 140 | 109 | 141 | 121 | 141 | 1,871 | |
| 2 | North-Western . | 162,079 | 307 | 267 | 285 | 263 | 220 | 205 | 202 | 166 | 186 | 175 | 195 | 224 | 2,695 | |
| 3 | North-Eastern . | 378,289 | 639 | 578 | 632 | 587 | 524 | 494 | 503 | 491 | 447 | 431 | 510 | 575 | 6,411 | |
| 4 | East-Midland . . | 528,733 | 1107 | 953 | 1172 | 1006 | 967 | 880 | 958 | 797 | 766 | 864 | 752 | 977 | 11,199 | |
| 5 | West-Midland . . | 243,169 | 504 | 445 | 477 | 422 | 418 | 375 | 395 | 373 | 339 | 381 | 388 | 451 | 4,968 | |
| 6 | South-Western . | 1,087,731 | 3202 | 2362 | 2670 | 2554 | 2418 | 2016 | 2103 | 1982 | 1972 | 2139 | 2225 | 2490 | 28,133 | |
| 7 | South-Eastern . | 425,049 | 1001 | 786 | 922 | 868 | 947 | 761 | 817 | 704 | 667 | 789 | 736 | 829 | 9,827 | |
| 8 | Southern . . | 213,179 | 395 | 345 | 361 | 366 | 344 | 336 | 317 | 299 | 244 | 322 | 285 | 350 | 3,964 | |
| COUNTIES. | | | | | | | | | | | | | | | | |
| I. NORTHERN. | | | | | | | | | | | | | | | | |
| 1 | Shetland | 32,039 | 61 | 34 | 49 | 54 | 44 | 35 | 31 | 23 | 22 | 38 | 35 | 36 | 462 | |
| 2 | Orkney | 32,982 | 61 | 33 | 65 | 43 | 38 | 43 | 37 | 38 | 29 | 33 | 21 | 42 | 483 | |
| 3 | Caithness . . . | 43,705 | 54 | 40 | 60 | 52 | 49 | 60 | 49 | 48 | 41 | 40 | 35 | 44 | 572 | |
| 4 | Sutherland . . . | 23,814 | 34 | 33 | 43 | 27 | 41 | 18 | 31 | 31 | 17 | 30 | 30 | 19 | 354 | |
| II. NORTH-WESTERN. | | | | | | | | | | | | | | | | |
| 5 | Ross and Cromarty . | 81,578 | 135 | 120 | 137 | 132 | 110 | 103 | 97 | 76 | 89 | 74 | 106 | 104 | 1,283 | |
| 6 | Inverness | 80,501 | 172 | 147 | 148 | 131 | 110 | 102 | 105 | 90 | 97 | 101 | 89 | 120 | 1,412 | |
| III. NORTH-EASTERN. | | | | | | | | | | | | | | | | |
| 7 | Nairn | 8,515 | 12 | 11 | 29 | 21 | 11 | 16 | 14 | 16 | 8 | 7 | 10 | 16 | 171 | |
| 8 | Elgin (or Moray) . | 46,518 | 84 | 61 | 67 | 66 | 58 | 65 | 54 | 43 | 45 | 48 | 51 | 70 | 712 | |
| 9 | Banff | 58,933 | 95 | 92 | 98 | 87 | 71 | 74 | 76 | 51 | 60 | 75 | 89 | 103 | 971 | |
| 10 | Aberdeen | 229,519 | 395 | 365 | 385 | 357 | 361 | 295 | 323 | 328 | 296 | 267 | 325 | 346 | 4,043 | |
| 11 | Kincardine | 34,804 | 53 | 49 | 53 | 56 | 23 | 44 | 36 | 53 | 38 | 34 | 35 | 40 | 514 | |
| IV. EAST-MIDLAND. | | | | | | | | | | | | | | | | |
| 12 | Forfar | 214,949 | 519 | 426 | 543 | 464 | 480 | 410 | 463 | 366 | 355 | 399 | 327 | 413 | 5,165 | |
| 13 | Perth | 130,592 | 237 | 210 | 238 | 213 | 210 | 195 | 188 | 158 | 174 | 176 | 172 | 237 | 2,408 | |
| 14 | Fife | 155,789 | 295 | 259 | 326 | 278 | 220 | 228 | 262 | 221 | 203 | 236 | 222 | 279 | 3,029 | |
| 15 | Kinross | 8,175 | 12 | 14 | 19 | 16 | 17 | 13 | 7 | 9 | 10 | 12 | 10 | 9 | 148 | |
| 16 | Clackmannan . . . | 19,228 | 44 | 44 | 46 | 35 | 40 | 34 | 38 | 43 | 24 | 41 | 21 | 39 | 449 | |
| V. WEST-MIDLAND. | | | | | | | | | | | | | | | | |
| 17 | Stirling | 90,844 | 209 | 183 | 204 | 168 | 169 | 153 | 151 | 146 | 127 | 117 | 111 | 168 | 1,906 | |
| 18 | Dumbarton | 58,673 | 116 | 86 | 104 | 98 | 116 | 88 | 87 | 104 | 87 | 139 | 156 | 151 | 1,332 | |
| 19 | Argyll | 77,497 | 141 | 144 | 132 | 127 | 103 | 102 | 118 | 91 | 100 | 104 | 95 | 100 | 1,357 | |
| 20 | Bute | 16,155 | 38 | 32 | 37 | 29 | 30 | 32 | 39 | 32 | 25 | 21 | 26 | 32 | 373 | |
| VI. SOUTH-WESTERN. | | | | | | | | | | | | | | | | |
| 21 | Renfrew | 175,497 | 580 | 420 | 403 | 426 | 367 | 328 | 363 | 328 | 370 | 361 | 380 | 374 | 4,700 | |
| 22 | Ayr | 204,739 | 509 | 388 | 436 | 375 | 397 | 302 | 333 | 339 | 328 | 337 | 317 | 385 | 4,446 | |
| 23 | Lanark | 707,495 | 2113 | 1554 | 1831 | 1753 | 1654 | 1386 | 1407 | 1315 | 1274 | 1441 | 1528 | 1731 | 18,987 | |
| VII. SOUTH-EASTERN. | | | | | | | | | | | | | | | | |
| 24 | Linlithgow | 44,332 | 104 | 93 | 82 | 78 | 73 | 51 | 56 | 60 | 50 | 63 | 61 | 69 | 840 | |
| 25 | Edinburgh | 283,218 | 731 | 566 | 638 | 626 | 744 | 580 | 636 | 509 | 493 | 589 | 570 | 641 | 7,323 | |
| 26 | Haddington | 38,414 | 68 | 54 | 70 | 66 | 51 | 54 | 47 | 56 | 45 | 50 | 34 | 43 | 638 | |
| 27 | Berwick | 36,687 | 61 | 39 | 78 | 56 | 45 | 43 | 51 | 47 | 42 | 45 | 32 | 48 | 587 | |
| 28 | Peebles | 11,606 | 15 | 21 | 16 | 15 | 10 | 11 | 10 | 20 | 18 | 20 | 12 | 7 | 175 | |
| 29 | Selkirk | 10,792 | 22 | 13 | 38 | 27 | 24 | 22 | 17 | 12 | 19 | 22 | 27 | 21 | 264 | |
| VIII. SOUTHERN. | | | | | | | | | | | | | | | | |
| 30 | Roxburgh | 55,278 | 88 | 66 | 83 | 93 | 75 | 84 | 84 | 76 | 78 | 83 | 89 | 84 | 983 | |
| 31 | Dumfries | 74,504 | 154 | 151 | 138 | 140 | 120 | 124 | 104 | 110 | 91 | 124 | 97 | 121 | 1,474 | |
| 32 | Kirkeudbright . . . | 42,107 | 62 | 74 | 64 | 69 | 89 | 64 | 80 | 48 | 28 | 46 | 45 | 73 | 742 | |
| 33 | Wigtown | 41,290 | 91 | 54 | 76 | 64 | 60 | 64 | 49 | 65 | 47 | 69 | 54 | 72 | 765 | |

CONSTITUTION OF THE COMPOUND DISTRICTS.

| No. | District. | Component Parts (Parishes). |
|------|----------------------------------|---|
| 13 | Birsay | Part of Harray & Birsay. |
| 14 | Deerness | Part of St Andrews. |
| 15 | Eday & Pharay | Part of Stronsay & Eday. |
| 22 | North Ronaldshay | Part of Cross & Burness. |
| 26 | Sanday | Lady, and part of Cross & Burness. |
| 86b | Carloway | Parts of Lochs and Uig. |
| 87 | Lochs | Parts of Lochs and Uig. |
| 112 | Kilmuir | (1) Part of Kilmuir, (2) Rest of Kilmuir and part of Snizort. |
| 135 | Elgin | Elgin, and parts of New Spynie and St Andrews-Lhanbryde. |
| 147 | Banff | Banff, and part of Gamrie. |
| 152 | Enzie | Parts of Bellie and Rathven. |
| 155b | Glenrinnies | Part of Aberlour and Mortlach. |
| 167 | Seafield | Parts of Cullen and Rathven. |
| 222b | Millbrenx | Parts of Fyvie and Monquhitter. |
| 227a | New Machar | New Machar, and part of Udney. |
| 227b | New Pitsligo | Parts of Aberdour, New Deer, Strichen, and Tyrie. |
| 237b | Savoch | Parts of Ellon, New Deer, Old Deer, and Tarves. |
| 240 | Strathdon | Strathdon, and part of Tarland. |
| 272 | Arbroath | Arbroath, and part of St Vigean. |
| 282 | Dundee | Dundee, and part of Liff, Benzie, and Invergowrie. |
| 312 | Montrose | Montrose, and part of Dun. |
| 324 | Aberfeldy | Parts of Dull, Fortingall, Kenmore, Logierait, and Weem. |
| 331 | Balquhider | Balquhider, and part of Comrie. |
| 333 | Blackford | Blackford, and part of Ardoch. |
| 344 | Dowally | Part of Dunkeld & Dowally. |
| 348 | Dunblane | Dunblane, and part of Ardoch. |
| 349 | Dunkeld | Parts of Caputh and of Dunkeld & Dowally. |
| 355a | Fortingall | Parts of Fortingall and Weem. |
| 355b | Foss | Part of Dull. |
| 360 | Kenmore | Parts of Kenmore and Weem. |
| 361 | Killin | Parts of Kenmore, Killin, and Weem. |
| 367 | Kinloch-Rannoch | Parts of Fortingall and Logierait. [Redgorton.] |
| 375 | Logiealmond | Parts of Fowlis-Wester, Little Dunkeld, Methven, Monzie, and |
| 379 | Meikle | Meikle, and part of Coupar-Angus. |
| 386a | Muthill | Muthill, and part of Ardoch. [& Kinloch, and Rattray.] |
| 386b | Persie | Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy |
| 387 | Perth | Perth, and parts of Kinnoull, Scone, and Tibbermore. |
| 394b | Strathfillan | Part of Killin. |
| 394c | Tenandry | Parts of Blair-Athol, Dull, and Moulin. |
| 423 | Dunbog | Dunbog, and parts of Abdie and Flisk. |
| 442 | Kirkcaldy | Kirkcaldy, and parts of Abbotshall and Kinghorn. |
| 490 | Stirling | Stirling, and part of St Ninians. |
| 493 | Bonhill | Bonhill, and part of Dumbarton. |
| 496 | Dumbarton | Parts of Cardross and Dumbarton. |
| 506 | Ballachulish, &c. . . . | Part of Kilmalie. |
| 509 | Cumlodden | Parts of Glassary and Inveraray. |
| 515 | Kilbrandon & Kilchattan | Kilbrandon & Kilchattan, and part of Jura. |
| 526 | Lochgilphead | Parts of Glassary and South Knapdale. [Knapdale.] |
| 535 | Tarbert | Parts of Kilcalmonell & Kilberry, of Saddell & Skipness, and of South |
| 536 | Bowmore (or Killarrow) | Part of Killarrow & Kilmeny. |
| 538 | Iona | Part of Kilfinichen & Kilviekeon. |
| 542 | Kilfinichen & Kilviekeon | Parts of Kilfinichen & Kilviekeon, and of Torosay. |
| 543 | Kilmeny | Part of Killarrow & Kilmeny. |
| 545 | Kinlochspelve | Part of Torosay. |
| 546 | Oa | Part of Kildalton. |
| 547 | Portnahaven | Part of Kilchoman. |
| 548 | Salen | Parts of Kilninian & Kilmore, and of Torosay. |
| 549 | Tobermory | Part of Kilninian & Kilmore. |
| 556 | Lochranza | Parts of Kilbride and of Kilmory. |
| 557 | North Bute | North Bute, and part of Rothesay. |
| 559 | Abbey | (1) Parts of Abbey and Renfrew, (2 & 3) Rest of Abbey. |
| 578 | Ayr | Ayr, and parts of Newton-upon-Ayr, and of St Quivox. |
| 595 | Irvine | Irvine, and part of Dundonald. |
| 612 | St Quivox, &c. . . . | Parts of Newton-upon-Ayr, and St Quivox. |
| 626b | Calderhead | Parts of Cambusnethan and Shotts. |
| 644 | Glasgow | City of Glasgow, including Gorbals and parts of Barony and Govan. |
| 670 | Queensferry | Queensferry, and part of Dalmeny. |
| 684 | Portobello | Parts of Duddingstone and South Leith. |
| 685 | Edinburgh | City of Edinburgh, including Canongate and parts of St Cuthberts, Duddingstone, Liberton, and South Leith. |
| 690 | Kirknewton & East Calder | Kirknewton & East Calder, and part of Kirkliston. |
| 692 | Leith | (1) Parts of Cramond, North Leith, and St Cuthberts; (2) Parts of North Leith, St Cuthberts, and South Leith. |
| 787b | Edgerston | Parts of Jedburgh, Oxnam, and Southdean. |
| 813b | Brydekirk | Parts of Annan, Cummertrees, and Hoddam. |
| 853b | Wanlockhead | Part of Sanquhar. |
| 857b | Bargrennan | Parts of Minnigaff (Kirkcudbright), and of Penninghame (Wigton). |
| 862 | Corsockbridge | Parts of Balmaclellan, Kirkpatrick-Durham, and Parton. |
| 864 | Dalbeattie | Part of Urr. |
| 899 | Stranraer | Stranraer, and parts of Inch and Leswalt. |

INDEX TO THE DISTRICTS.

*The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages (pages 2 to 23) these being numbered consecutively from 1 to 901.**

| | | | | |
|--|--|---------------------------------------|--|---|
| Abbey, 559 | Auldearn, 121 | Bressay, 1 | Collessie, 416 | Daviot, 187 |
| Abbey St Bath- ans, 726 | Avoch, 59 | Bridgeton, 644 | Colmonell, 582 | Daviot & Dun- lichty, 95 |
| Abbotshall, 399 | Avondale, 621 | Brodick, 553 | Colonsay, 539 | Deerness, 14 |
| Abdie, 400 | Ayr, 578 | Broughton, 758 | Colvend, 861 | Delting, 2 |
| Abercorn, 661 | Ayton, 727 | Brydekirk, 813b | Comrie, 341 | Denny, 476 |
| Aberdalgie, 323 | Baldernock, 471 | Buchanan, 474 | Contin, 60 | Deskford, 151 |
| Aberdeen, 168 | Balfron, 472 | Buittle, 859 | Cookney, 258 | Dingwall, 62 |
| Aberdour (Aber- deen), 169 | Ballachulish & Cor- ran of Ardgour, 506 | Bunkle and Preston, 728 | Corsock-Bridge, 862 | Dirleton, 705 |
| Aberdour (Fife), 401 | Ballantrae, 579 | Burntisland, 411 | Corstorphine, 678 | Dollar, 467 |
| Aberfeldy, 324 | Ballingry, 408 | Burra & Quarff, 1 | Cortachy and Clova, 278 | Dolphington, 640 |
| Aberfoyle, 325 | Balmacellan, 856 | Cabrach, 177 | Coull, 182 | Dores, 96 |
| Aberlady, 702 | Balmaghie, 857 | Cadder, 626 | Coupar-Angus, 279 | Dornoch (Suth- erland), 47 |
| Aberlemno, 269 | Balmerino, 409 | Cairney, 178 | Covington and Thankerton, 634 | Dornock (Dum- fries), 819 |
| Aberlour, 145 | Balquhider, 331 | Calderhead, 626 | Coylton, 583 | Douglas, 641 |
| Abernethy, 326 | Banchory-Deve- nick, 251 | Callander, 336 | Craig, 280 | Dowally, 344 |
| Abernethy and Kincardine, 124 | Banchory-Ter- nan, 252 | Calton, 644 | Craigie, 584 | Drainie, 130 |
| Abernyte, 327 | Banff, 147 | Cambuslang, 627 | Craignish, 508 | Dreghorn, 589 |
| Aboyne, 170 | Bargrennan, 857b | Cambusnethan, 628 | Crail, 417 | Dron, 345 |
| Aharacle, 505 | Barony, 622 | Cameron, 412 | Crailing, 786 | Drumblade, 188 |
| Airdrie, 651 | Barr, 580 | Campbeltown, 507 | Cramond, 679 | Drumelzier, 759 |
| Airlie, 270 | Barra (Inver- ness), 108 | Campsie, 475 | Cranshaws, 734 | Drumoak, 189 |
| Airth, 469 | Barrhead, 572 | Canisbay, 35 | Cranston, 680 | Dryfesdaie, 820 |
| Airford, 171 | Barry (Forfar), 274 | Canonbie, 814 | Crathie and Braemar, 183 | Drymen, 477 |
| Alloa, 465 | Barvas, 86a | Canongate, 685 | Crawford, 635 | Duddingston, 684 |
| Alness, 57 | Bathgate, 662 | Caputh, 337 | Crawfordjohn, 636 | Duffus, 131 |
| Alva (Stirling), 470 | Beath (Fife), 410 | Cardross, 494 | Creich (Suther- land), 46 | Duirinish, 110 |
| Alvah (Banff), 146 | Bedrule, 782 | Careston, 277 | Crichton, 681 | Dull, 346 |
| Alves, 125 | Beith (Ayr), 581 | Cargill, 338 | Crieche (Fife), 418 | Dumbarton, 496 |
| Alvie, 90 | Belhelvie, 174 | Carlaverock, 815 | Crieff, 342 | Dumfries, 821 |
| Alyth, 328 | Bellie, 126 | Carloway, 86b | Crimond, 184 | Dun, 281 |
| Ancrum, 780 | Benbecula, 118 | Carluke, 629 | Cromarty, 61 | Dunbar, 706 |
| Anderston, 644 | Bendochy, 332 | Carmichael, 630 | Cromdale and Inverallan, 93 | Dunbarney, 347 |
| Annan, 812 | Benholm, 253 | Carmunnock, 631 | Crossmichael, 863 | Dunblane, 348 |
| Anstruther- Easter, 402 | Bernera, 111 | Carnbee, 413 | Croy & Dalcross, 94 | Dunbog, 423 |
| Anstruther- Wester, 403 | Bervie, 254 | Carnock, 414 | Cruden, 185 | Dundee, 282 |
| Anwoth, 855 | Biggar, 623 | Carnwath, 632 | Cullen, 150 | Dundonald, 590 |
| Appin, 525 | Birnie, 127 | Carriden, 664 | Culross, 343 | Dunfermline, 424 |
| Applecross, 58 | Birsay, 13 | Carrington, 675 | Culsamond, 186 | Dunino, 425 |
| Applegarth, 813a | Birse, 175 | Carsphairn, 860 | Culter, 637 | Dunipace, 478 |
| Arbirlot, 271 | Blackford, 333 | Carstairs, 633 | Cults, 419 | Dunkeld, 349 |
| Arbroath, 272 | Blair-Athol, 334 | Castleton, 784 | Cumbernauld, 495 | Dunlop, 591 |
| Arbuthnott, 250 | Blaigowrie, 335 | Cathcart, 560 | Cumbraes, 552 | Dunnet, 36 |
| Ardchattan, 504 | Blantyre, 624 | Cavers, 785 | Cumlodden, 509 | Dunnichen, 283 |
| Ardclach, 120 | Blythswood, 644 | Cawdor, 122 | Cummertrees, 817 | Dunning, 350 |
| Ardersier, 91 | Boharm, 128 | Ceres, 415 | Cupar, 420 | Dunnottar, 255 |
| Ardnamurchan, 505 | Boisdale, 118 | Channelkirk, 729 | Currie, 682 | Dunoon & Kil- mun, 510 |
| Ardrissan, 576 | Boleskine, 92 | Chapel-of-Gari- och, 179 | Dailly, 585 | Dunrossness, 3 |
| Arisaig, 505 | Bolton, 704 | Chirnside, 730 | Dairsie, 421 | Dunscore, 822 |
| Armadaie, 662 | Bonar, 46 | Clackmannan, 466 | Dalavich, 517 | Dunse, 735 |
| Arngask, 404 | Bonhill, 493 | Clatt, 180 | Dalbeattie, 864 | Dunsyre, 642 |
| Arrochar, 492 | Borgue, 858 | Cleish, 460 | Dalgetty, 422 | Durness, 48 |
| Ashkirk, 781 | Bo'ness, 663 | Closeburn, 816 | Dalkeith, 683 | Duror, 525 |
| Assynt, 44 | Bothwick, 674 | Clunie (Perth), 339 | Dallas, 129 | Durris, 256 |
| Athelstaneford, 703 | Bothkennar, 473 | Cluny (Aberd'n), 181 | Dalmellington, 586 | Durrisdeer, 823 |
| Auchindoir, 172 | Bothwell, 625 | Clyde, 644 | Dalmeny, 665 | Duthil, 132 |
| Auchinleck, 577 | Botriphnie, 148 | Clyne, 45 | Dalry (Ayr), 587 | Dyce, 190 |
| Auchterarder, 329 | Bourtie, 176 | Cockburnspath, 731 | Dalry (Kirk- cudbright), 865 | Dyke, 133 |
| Auchterderran, 405 | Bowden, 783 | Cockpen, 676 | Dalrymple, 588 | Dysart, 426 |
| Auchtergaven, 330 | Bower, 34 | Coigach, 75 | Dalserf, 638 | Eaglesham, 561 |
| Auchterhouse, 273 | Bowmore, 536 | Coldstream, 733 | Dalton, 818 | Earlsferry, 436 |
| Auchterless, 173 | Boyndie, 149 | Colinton, 677 | Dalziel, 639 | Earlston, 734 |
| Auchtermuchty, 406 | Bracadale, 109 | Coll, 551 | | Eassie & Nevay, 286 |
| Auchterttool, 407 | Brechin, 275 | Collace, 310 | | East Kilbride, 643 |

* The actual number of Districts is 1016—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 10 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place compound names in the order in which they are pronounced.

| | | | | | | | | | |
|--------------------------|------|------------------------|------|-----------------------|-----|-----------------------|-----|----------------------|-----|
| Eastwood, . . . | 562 | Garvock, . . . | 260 | Inveresk, . . . | 689 | Kilwinning, . . . | 599 | Ladykirk, . . . | 746 |
| Eccles, . . . | 737 | Gigha, . . . | 537 | Inverkeillor, . . . | 293 | Kincardine | | Laggan, . . . | 104 |
| Ecclesmachan, . . . | 666 | Girthon, . . . | 866 | Inverkeithing, . . . | 432 | (Perth), . . . | 364 | Lairg, . . . | 53 |
| Echt, . . . | 191 | Girvan, . . . | 594 | Inverkeithny, . . . | 158 | Kincardine | | Lanark, . . . | 648 |
| Eckford, . . . | 787a | Gladsmuir, . . . | 708 | Inverness, . . . | 98 | (Ross), . . . | 71 | Langholm, . . . | 839 |
| Eday & Pharay, . . . | 15 | Glamis, . . . | 289 | Inverurie, . . . | 204 | Kincardine | | Langton, . . . | 747 |
| Edderton, . . . | 63 | Glasgow, . . . | 644 | Iona, . . . | 538 | O'Neil, . . . | 209 | Larbert, . . . | 485 |
| Eddlestone, . . . | 760 | Glass, . . . | 199 | Irongray, . . . | 867 | Kinclaven, . . . | 365 | Largo, . . . | 443 |
| Eddrachillis, . . . | 49 | Glassary, . . . | 511 | Irvine, . . . | 595 | Kinfauns, . . . | 366 | Largs, . . . | 602 |
| Edgerston, . . . | 787b | Glasserton, . . . | 885 | Jedburgh, . . . | 792 | Kingarth, . . . | 555 | Larkhall, . . . | 638 |
| Edinburgh, . . . | 685 | Glassford, . . . | 645 | Johnstone | | King-Edward, . . . | 210 | Lasswade, . . . | 691 |
| Edinkillie, . . . | 134 | Glenbervie, . . . | 261 | (Dumfries), . . . | 832 | Kinghorn, . . . | 439 | Latheron, . . . | 38 |
| Ednam, . . . | 788 | Glenbucket, . . . | 200 | Johnstone (Ren- | | Kinglassie, . . . | 440 | Lauder, . . . | 748 |
| Edrom, . . . | 738 | Glencairn, . . . | 826 | frew), . . . | 559 | Kingoldrum, . . . | 295 | Laurencekirk, . . . | 263 |
| Edzell, . . . | 285 | Glencoe and | | Jura, . . . | 539 | Kingsbarns, . . . | 441 | Leadhills, . . . | 635 |
| Elgin, . . . | 135 | Ballachulish, . . . | 525 | Keig, . . . | 205 | Kingussie, &c., . . . | 102 | Lecropt, . . . | 371 |
| Elie, . . . | 427 | Glenecross, . . . | 687 | Keir, . . . | 833 | Kinloch, . . . | 372 | Legerwood, . . . | 749 |
| Ellon, . . . | 192 | Glenedon, . . . | 358 | Keith, . . . | 159 | Kinlochbervie, . . . | 49 | Leith, . . . | 692 |
| Enzie, . . . | 152 | Glenelg, . . . | 97 | Keith-hall, . . . | 206 | Kinloch-Ran- | | Leochel-Cush- | |
| Errol, . . . | 351 | Glangarry, . . . | 99 | Kells, . . . | 868 | noch, . . . | 367 | nie, . . . | 214 |
| Erskine, . . . | 563 | Glenholm, . . . | 761 | Kelso, . . . | 793 | Kinlochspelve, . . . | 545 | Lerwick, . . . | 5 |
| Eskdalemuir, . . . | 824 | Glenisla, . . . | 290 | Kelton, . . . | 869 | Kinloss, . . . | 138 | Leslie (Aber- | |
| Ettrick, . . . | 774 | Glenlivat, . . . | 157 | Kemback, . . . | 433 | Kinnaird, . . . | 368 | deen), . . . | 215 |
| Evie & Rendall, . . . | 16 | Glenmoriston, . . . | 107 | Kemnay, . . . | 207 | Kinneff and | | Leslie (Fife), . . . | 444 |
| Ewes, . . . | 825 | Glenmuick, Tul- | | Kenmore, . . . | 360 | Catterline, . . . | 262 | Lesmahagow, . . . | 649 |
| Eyemouth, . . . | 739 | lich, &c., . . . | 201 | Kennoway, . . . | 434 | Kinnell, . . . | 296 | Leswalt, . . . | 891 |
| Fair Isle, . . . | 3 | Glenorchy and | | Kettins, . . . | 294 | Kinnellar, . . . | 211 | Lethendy, . . . | 372 |
| Fala & Soutra, . . . | 686 | Inishail, . . . | 512 | Kettle, . . . | 435 | Kinnethmont, . . . | 212 | Lethnott and | |
| Falkirk, . . . | 479 | Glenrinnies, . . . | 155b | Kilbarchan, . . . | 568 | Kinnettes, . . . | 297 | Navar, . . . | 300 |
| Falkland, . . . | 428 | Gleneshee, . . . | 370 | Kilberry, . . . | 516 | Kinnoull, . . . | 369 | Leuchars, . . . | 445 |
| Farnell, . . . | 286 | Glenishiel, . . . | 67 | Kilbirnie, . . . | 596 | Kinross, . . . | 462 | Libberton (Lan- | |
| Farr, . . . | 50 | Golspie, . . . | 51 | Kilbrandon and | | Kintail, . . . | 72 | ark), . . . | 650 |
| Fearn (Forfar), . . . | 287 | Gordon, . . . | 742 | Kilchattan, . . . | 515 | Kintore, . . . | 213 | Liberton (Edin- | |
| Fearn (Ross), . . . | 64 | Gourock, . . . | 567 | Kilbride, . . . | 553 | Kippen, . . . | 484 | burgh), . . . | 693 |
| Fenwick, . . . | 592 | Govan, . . . | 646 | Kilbucko, . . . | 763 | Kirkbean, . . . | 870 | Liff, Benvie, & | |
| Ferry-Port-on- | | Graitney (or | | Kilcalmonell, . . . | 516 | Kirkcaldy, . . . | 442 | Invergowrie, . . . | 301 |
| Craig, . . . | 429 | Gretna), . . . | 827 | Kilchoman, . . . | 540 | Kirkcolm, . . . | 887 | Lilliesleaf, . . . | 795 |
| Fetlar, . . . | 4 | Grange, . . . | 156 | Kilchrenan, . . . | 517 | Kirkconnel, . . . | 834 | Linlithgow, . . . | 668 |
| Fettercairn, . . . | 257 | Greenlaw, . . . | 743 | Kilconquhar, . . . | 436 | Kirkcowan, . . . | 888 | Linton, . . . | 796 |
| Fetteresso, . . . | 258 | Greenock, . . . | 564 | Kildalton, . . . | 541 | Kirkcudbright, . . . | 871 | Lintrathen, . . . | 302 |
| Findo-Gask, . . . | 352 | Guthrie, . . . | 291 | Kildonan, . . . | 52 | Kirkden, . . . | 298 | Lismore, . . . | 525 |
| Fintray (Aber- | | Haddington, . . . | 709 | Kildrummy, . . . | 208 | Kirkgunzeon, . . . | 872 | Little Dun- | |
| deen), . . . | 193 | Halfmorton, . . . | 828 | Kilfinan, . . . | 518 | Kirkhill, . . . | 103 | keld, . . . | 373 |
| Fintry (Stirling), . . . | 480 | Halkirk, . . . | 37 | Kilfinichen and | | Kirkhope, . . . | 776 | Livingstone, . . . | 669 |
| Firth & Stennes, . . . | 17 | Hamilton, . . . | 647 | Kilvickeon, . . . | 542 | Kirkinner, . . . | 889 | Lochaber, . . . | 99 |
| Flisk, . . . | 430 | Harrray, . . . | 18 | Killearn and | | Kirkintilloch, . . . | 498 | Lochalsh, . . . | 74 |
| Flotta, . . . | 32 | Harris, . . . | 111 | Kilchenzie, . . . | 519 | Kirkliston, . . . | 667 | Lochbroom, . . . | 75 |
| Fodderty, . . . | 65 | Hawick, . . . | 789 | Killearn, . . . | 482 | Kirkmabreck, . . . | 873 | Lochcarron, . . . | 76 |
| Fogo, . . . | 740 | Heriot, . . . | 688 | Killearnan, . . . | 68 | Kirkmahoe, . . . | 835 | Lochgilthead, . . . | 526 |
| Fordoun, . . . | 259 | Hobkirk, . . . | 790 | Killin, . . . | 361 | Kirkmaiden, . . . | 890 | Lochgoilhead, . . . | 527 |
| Fordyce, . . . | 153 | Hoddam, . . . | 829 | Kilmaddock, . . . | 362 | Kirkmichael | | Lochlee, . . . | 303 |
| Forfar, . . . | 288 | Holm & Paplay, . . . | 19 | Kilmalcorm, . . . | 569 | (Ayr), . . . | 600 | Lochmaben, . . . | 840 |
| Forgan, . . . | 431 | Holytown, . . . | 625 | Kilmalie, . . . | 520 | Kirkmichael | | Lochranza, . . . | 556 |
| Forgandenny, . . . | 353 | Hollywood, . . . | 830 | Kilmany (Fife), . . . | 437 | (Banff), . . . | 160 | Lochrutton, . . . | 875 |
| Forglen, . . . | 154 | Houston and | | Kilmarnock, . . . | 597 | Kirkmichael | | Lochs, . . . | 87 |
| Forgue, . . . | 194 | Killellan, . . . | 565 | Kilmarnock, . . . | 497 | (Dumfries), . . . | 836 | Lochwinnoch, . . . | 570 |
| Forres, . . . | 137 | Howmore, . . . | 118 | Kilmartin, . . . | 521 | Kirkmichael | | Logie (Fife), . . . | 446 |
| Fort-Augustus | | Hownam, . . . | 791 | Kilmaurs, . . . | 598 | (Perth), . . . | 370 | Logie (Perth), . . . | 374 |
| (or Abertarff), . . . | 92 | Hoy & Græmsay, . . . | 20 | Kilmelford, . . . | 524 | Kirknewton and | | Logiealmond, . . . | 375 |
| Forteviot, . . . | 354 | Humbie, . . . | 710 | Kilmeny (Ar- | | East-Calder, . . . | 690 | Logie-Buchan, . . . | 216 |
| Fortingall, . . . | 355a | Hume, . . . | 744 | gyll), . . . | 543 | Kirkoswald, . . . | 601 | Logie-Cold- | |
| Fortrose, . . . | 80 | Huntly, . . . | 202 | Kilmodan, . . . | 522 | Kirkpatrick- | | stone, . . . | 217 |
| Foss, . . . | 355b | Hutchesontown, . . . | 644 | Kilmonivaig, . . . | 99 | Durham, . . . | 874 | Logie-Easter, . . . | 77 |
| Fossaway and | | Hutton (Ber- | | Kilmorack, . . . | 100 | Kirkpatrick- | | Logie-Pert, . . . | 304 |
| Tulliebole, . . . | 461 | wick), . . . | 745 | Kilmore & Kil- | | Fleming, . . . | 837 | Logierait, . . . | 376 |
| Foula, . . . | 12 | Hutton (Dum- | | bride, . . . | 523 | Kirkpatrick- | | Longforgan, . . . | 377 |
| Foulden, . . . | 741 | fries), . . . | 831 | Kilmorich, . . . | 527 | Juxta, . . . | 838 | Longformacus, . . . | 750 |
| Foveran, . . . | 195 | Inch (Wigtown), . . . | 886 | Kilmory, . . . | 554 | Kirkton (As- | | Longside, . . . | 218 |
| Fowlis-Easter, . . . | 356 | Inchinnan, . . . | 566 | Kilmuir, . . . | 112 | synt), . . . | 44 | Lonmay, . . . | 219 |
| Fowlis-Wester, . . . | 357 | Inchture, . . . | 359 | Kilmuir-Easter, . . . | 69 | Kirkton (Farr), . . . | 50 | Loth, . . . | 54 |
| Fraserburgh, . . . | 196 | Innerkip, . . . | 567 | Kilmun, . . . | 509 | Kirktown (Rox- | | Loudoun, . . . | 603 |
| Fyvie, . . . | 197 | Innerleithen, . . . | 762 | Kilninian and | | burgh), . . . | 794 | Lumphanan, . . . | 220 |
| Gairloch, . . . | 66 | Innerwick, . . . | 711 | Kilmore, . . . | 544 | Kirkurd, . . . | 764 | Lunan, . . . | 305 |
| Galashiels, . . . | 775 | Insch (Aberd'n), . . . | 203 | Kilniver, . . . | 524 | Kirkwall & St Ola | | Lundie, . . . | 306 |
| Galston, . . . | 593 | Inverallan, . . . | 93 | Kilrenny, . . . | 438 | 21 | | Lunnasting, . . . | 7 |
| Gamrie, . . . | 155 | Inveraray, . . . | 513 | Kilspindie, . . . | 363 | Kirriemuir, . . . | 299 | Luss, . . . | 499 |
| Gargunnoch, . . . | 481 | Inverarity, . . . | 292 | Kilsyth, . . . | 483 | Knockando, . . . | 139 | Lyne, . . . | 765 |
| Gartly, . . . | 198 | Inveravon, . . . | 157 | Kiltarlity, . . . | 101 | Knockbain, . . . | 73 | Madderty, . . . | 770 |
| Garvald, . . . | 707 | Inverchaolain, . . . | 514 | Kiltearn, . . . | 70 | Knoydart, . . . | 97 | Mains, . . . | 833 |
| | | | | | | Ladhope, . . . | 799 | | |

| | | | | |
|-------------------------------------|--|--|---|--------------------------------------|
| Makerston, . . . 797 | New Pitsligo, 227b | Ratho, . . . 698 | Shapinshay, . . . 28 | Tillicoultry, . . . 468 |
| Manor, . . . 766 | New Spynie, . . . 136 | Rathven, . . . 164 | Shettleston, . . . 622 | Tingwall, . . . 10 |
| Markinch, . . . 447 | Newton, . . . 696 | Ratray, . . . 389 | Shieldaig, . . . 58 | Tinwald, . . . 849 |
| Marnoch, . . . 161 | Newtyle, . . . 314 | Rayne, . . . 236 | Shotts, . . . 655 | Tobermory, . . . 549 |
| Maryculter, . . . 264 | Nigg (Kincard.) 266 | Reay, . . . 40 | Skene, . . . 238 | Tomintoul, . . . 160 |
| Maryhill, . . . 622 | Nigg (Ross), . . . 78 | Redgorton, . . . 390 | Skipness, . . . 531 | Tongland, . . . 881 |
| Marykirk, . . . 265 | North Berwick, 713 | Renfrew, . . . 575 | Skirling, . . . 769 | Tongue, . . . 56 |
| Marytown, . . . 308 | North Bute, . . . 557 | Rerrick, . . . 879 | Slains, . . . 239 | Torosay, . . . 550 |
| Mauchline, . . . 604 | North Knap- dale, . . . 530 | Rescobie, . . . 317 | Slamannan, . . . 489 | Torphichen, . . . 671 |
| Maxton, . . . 798 | North Leith, . . . 692 | Resolis, . . . 79 | Sleat, . . . 115 | Torryburn, . . . 458 |
| Maybole, . . . 605 | Northmavine, . . . 8 | Rhynd, . . . 391 | Smailholm, . . . 805 | Torthorwald, . . . 850 |
| Mearns, . . . 571 | North Morar, . . . 97 | Rhynie, . . . 237 | Small Isles, . . . 116 | Tough, . . . 244 |
| Megget, . . . 765 | North Ronald- shay, . . . 22 | Rhincarton, . . . 611 | Snizort, . . . 117 | Towie, . . . 245 |
| Meigle, . . . 379 | North Uist, . . . 113 | Roberton, . . . 777 | Sorbie, . . . 897 | Tradeston, . . . 644 |
| Melrose, . . . 799 | North Yell, . . . 4 | Rogart, . . . 55 | Sorn, . . . 613 | Tranent, . . . 722 |
| Menmuir, . . . 309 | Oa, . . . 546 | Rosehall, . . . 46 | Southdean, . . . 806 | Traquair, . . . 771 |
| Merton, . . . 751 | Oathlaw, . . . 315 | Rosemarkie, . . . 80 | Southend, . . . 532 | Trinity-Gask, . . . 396 |
| Methlic, . . . 221 | Oban, . . . 523 | Roseneath, . . . 502 | South Knapdale, 533 | Troqueer, . . . 882 |
| Methven, . . . 380 | Ochiltree, . . . 609 | Rosskeen, . . . 81 | South Leith, . . . 692 | Tulliallan, . . . 397 |
| Mid-Calder, . . . 694 | Old Ardrossan, 576 | Rothies, . . . 141 | South Ronald- shay & Bur- ray, . . . 29 | Tullynessle and Forbes, . . . 246 |
| Middlebie, . . . 841 | Old Cumnock, 610 | Rothsay, . . . 558 | South Uist, . . . 118 | Tundergarth, . . . 851 |
| Midmar, . . . 222 | Old Deer, . . . 228 | Rothiemay, . . . 165 | Speymouth, . . . 143 | Turriff, . . . 247 |
| Mid & S. Yell, . . . 6 | Oldhamstocks, 714 | Rothiemurchus, 132 | Spott, . . . 720 | Tweedsmuir, . . . 772 |
| Millbrex, . . . 222b | Old, or West, Kilpatrick, . . . 501 | Rousay and Egilshay, . . . 24 | Springburn, . . . 622 | Twynholm, . . . 883 |
| Milton, . . . 644 | Old Luce, . . . 894 | Row, . . . 503 | Sprouston, . . . 807 | Tynron, . . . 852 |
| Minnigaff, . . . 876 | Old Machar, . . . 168 | Roxburgh, . . . 803 | Stair, . . . 614 | Tyree, . . . 551 |
| Minto, . . . 800 | Old Meldrum, . . . 229 | Rutherglen, . . . 654 | Stenscholl, . . . 112 | Tyrie, . . . 248 |
| Mochrum, . . . 892 | Old Monkland, 652 | Ruthven, . . . 318 | Stenton, . . . 721 | Udny, . . . 249 |
| Moffat, . . . 842 | Olrig, . . . 39 | Ruthwell, . . . 846 | Stevenston, . . . 615 | Uig, . . . 89 |
| Moneydie, . . . 381 | Ordiquhill, . . . 163 | Saddell, . . . 531 | Stewarton, . . . 616 | Unst, . . . 11 |
| Monifieth, . . . 310 | Ormiston, . . . 715 | St Andrews (Dundee), . . . 282 | Stirling, . . . 490 | Uphall, . . . 672 |
| Monikie, . . . 311 | Orphir, . . . 23 | St Andrew (Edinburgh), 685 | Stitchel, . . . 808 | Urquhart (El- gin), . . . 144 |
| Monimail, . . . 448 | Orwell, . . . 463 | St Andrews (Orkney), . . . 25 | Stobo, . . . 770 | Urquhart (In- verness), . . . 107 |
| Monkton and Prestwick, . . . 606 | Oxnam, . . . 802 | St Andrews- Lhanbryde, . . . 142 | Stoer, . . . 44 | Urquhart and Logie-Wester, 84 |
| Monquhitter, . . . 223 | Oyne, . . . 230 | St Andrews and St Leonards (Fife), . . . 453 | Stonehouse, . . . 656 | Urr, . . . 884 |
| Montrose, . . . 312 | Paisley, . . . 573 | St Boswells, . . . 804 | Stoneykirk, . . . 898 | Urray, . . . 85 |
| Monymusk, . . . 224 | Panbride, . . . 316 | St Clements . . . 282 | Stornoway, . . . 88 | Walls (Shetland), 12 |
| Monzie (Perth), 382 | Papa-Stour, . . . 12 | St Cyrus, . . . 267 | Stow, . . . 699 | Walls (Orkney), 32 |
| Monzievaird, . . . 383 | Papa-Westray, 33 | St Fergus, . . . 166 | Stracathro, . . . 320 | Walston, . . . 658 |
| Moonzie (Fife), 449 | Partick, . . . 646 | St George, . . . 685 | Strachan, . . . 268 | Wamphray, . . . 853a |
| Mordington, . . . 752 | Parton, . . . 878 | St Giles, . . . 685 | Strachur, . . . 534 | Wandell and Lamington, . . . 659 |
| Morebattle, . . . 801 | Peebles, . . . 768 | St Kilda, . . . 111 | Straiton, . . . 617 | Wanlockhead, 853b |
| Morham, . . . 712 | Pencaitland, . . . 716 | St Madoes, . . . 392 | Stralachlan, . . . 534 | Watten, . . . 42 |
| Mortlach, . . . 162 | Penicuik, . . . 697 | St Marys, . . . 282 | Stranraer, . . . 899 | Weem, . . . 398 |
| Morton, . . . 843 | Penninghame, 895 | St Martins, . . . 393 | Strath, . . . 119 | Wemyss, . . . 459 |
| Morvern, . . . 528 | Penpont, . . . 845 | St Monance (or Abercrombie), 454 | Strathblane, . . . 491 | West Calder, . . . 701 |
| Moulin, . . . 384 | Persie, . . . 386b | St Mungo, . . . 847 | Strathdon, . . . 240 | Westerkirk, . . . 854 |
| Mousewald, . . . 844 | Perth, . . . 387 | St Nicholas, . . . 168 | Strathfillan, 394b | West Kilbride, 620 |
| Moy and Dala- rossie, . . . 105 | Peterculter, . . . 231 | St Ninians, . . . 488 | Strathmartine, 307 | West Linton, . . . 773 |
| Muckairn, . . . 529 | Peterhead, . . . 232 | St Peters, . . . 282 | Strathmiglo, . . . 457 | Westray, . . . 33 |
| Muckhart, . . . 385 | Pettinain, . . . 653 | St Quivox, &c., 612 | Strathoykell, . . . 71 | Westruther, . . . 756 |
| Muiravonside, . . . 486 | Petty, . . . 106 | St Vigean, . . . 319 | Strathy, . . . 50 | Whalsay and Skerries, . . . 7 |
| Muirkirk, . . . 607 | Pitsligo, . . . 233 | Salen (Argyll), 548 | Strichen, . . . 241 | Whitburn, . . . 673 |
| Murroes, . . . 313 | Pittenweem, . . . 452 | Saline (Fife), . . . 455 | Stromness, . . . 30 | Whitekirk and Tynninghame, 723 |
| Musselburgh, . . . 689 | Polmont, . . . 487 | Salton, . . . 719 | Stronsay, . . . 31 | Whiteness and Weisdale, . . . 10 |
| Muthill, . . . 386 | Polwarth, . . . 754 | Sanday, . . . 26 | Sunart, . . . 505 | Whithorn, . . . 900 |
| Nairn, . . . 123 | Port-Glasgow, 574 | Sandness, . . . 12 | Swinton, . . . 755 | Whitsome, . . . 757 |
| Neilston, . . . 572 | Portlethen, . . . 251 | Sandsting and Aithsting, . . . 9 | Symington (Ayr), . . . 618 | Whittinghame, 724 |
| Nenthorn, . . . 753 | Port of Men- teith, . . . 388 | Sandwick, . . . 27 | Symington (Lanark), . . . 657 | Wick, . . . 43 |
| Nesting, . . . 7 | Portmoak, . . . 464 | Sandwick & Cun- ningsburgh, . . . 3 | Tain, . . . 82 | Wigtown, . . . 901 |
| New Abbey, . . . 877 | Portnahaven, . . . 547 | Sanquhar, . . . 848 | Tannadice, . . . 321 | Wilton, . . . 810 |
| Newbattle, . . . 695 | Portobello, . . . 684 | Savoch, . . . 237b | Tarbat, . . . 83 | Wiston and Ro- berton, . . . 660 |
| Newburgh, . . . 450 | Portpatrick, . . . 896 | Scone, . . . 394a | Tarbert, . . . 535 | Yarrow, . . . 779 |
| Newburn, . . . 451 | Portree, . . . 114 | Scoonie, . . . 456 | Tarbolton, . . . 619 | Yester (or Gif- ford), . . . 725 |
| New Cumnock, 608 | Premnay, . . . 234 | Scourie, . . . 49 | Tarland, . . . 242 | Yetholm, . . . 811 |
| New Deer, . . . 225 | Prestonkirk, . . . 717 | Seafeld, . . . 167 | Tarves, . . . 243 | |
| New Galloway, 868 | Prestonpans, . . . 718 | Selkirk, . . . 778 | Tealing, . . . 322 | |
| New Kilpatrick, 500 | Queensferry, . . . 670 | | Temple, . . . 700 | |
| Newhills, . . . 226 | Rafford, . . . 140 | | Tenandry, . . . 394c | |
| Newington, . . . 685 | Raasay, . . . 114 | | Terregles, . . . 880 | |
| Newlands, . . . 767 | Rathen, . . . 285 | | Teviothead, . . . 809 | |
| New Ardrossan, 576 | | | Thurso, . . . 41 | |
| New Luce, . . . 893 | | | Tibbermore, . . . 395 | |
| New Machar, 227a | | | | |
| New Monkland, 651 | | | | |

